Physical, Chemical, and Biological Data for Selected Streams in Chester County, Pennsylvania, 1981-94

by Andrew G. Reif

Open-File Report 99-216

prepared in cooperation with the

CHESTER COUNTY WATER RESOURCES AUTHORITY

U.S. DEPARTMENT OF THE INTERIOR BRUCE BABBITT, Secretary

U.S. GEOLOGICAL SURVEY Charles G. Groat, Director

Copies of this report may be purchased from:

U.S. Geological Survey Branch of Information Services Box 25286, Building 810 Denver, Colorado 80225-0286 Copies are also available from:

Chester County Water Resources Authority 601 Westtown Road Suite 270 P.O. Box 2747 Government Services Center West Chester, Pennnsylvania 19380-0990

CONTENTS

	Page
Abstract	1
Introduction	1
Study objectives and history	4
Methods	4
Acknowledgments	6
References cited	6
ILLUSTRATION	
Figure 1. Map showing location of sampling sites in Chester County, Pa	2
TABLES	
Table 1. Sampling sites, station numbers, names, drainage areas, and period of record	3
2. List of taxonomic references used to identify macroinvertebrate samples	5
3. Water-quality data from surface-water sites	8
4. Results of stream-bottom sediment sampling	240
5. Benthic-macroinvertebrate data	246
6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site	544
7. Median, mean, standard deviation, and standard error values of Brillouin's diversity index by site	595
8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94	597
9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network 1981-94	602

CONVERSION FACTORS AND ABBREVIATED WATER-QUALITY UNITS

Multiply	<u>By</u>	<u>To obtain</u>
inch (in.)	2.54	centimeter
square mile (mi ²)	2.590	square kilometer
cubic foot per second (ft ³ /s)	0.02832	cubic meter per second
degree Fahrenheit (°F)	°C=5/9 (°F-32)	degree Celsius

Abbreviated water-quality units used in this report:

micrograms per kilogram ($\mu g/kg$) micrograms per liter ($\mu g/L$) microsiemens per centimeter ($\mu S/cm$) milligram per liter (mg/L) millimeter (mm) grams per kilogram (g/kg)

PHYSICAL, CHEMICAL, AND BIOLOGICAL DATA FOR SELECTED STREAMS IN CHESTER COUNTY, PENNSYLVANIA, 1981-94

By Andrew G. Reif

ABSTRACT

Physical, chemical, and biological data were collected at 51 sampling sites in Chester County, Fa., from 1970 through 1994 as part of the Stream Conditions of Chester County Program. This report presents data collected from 1981 through 1994. Physical data include water temperature, instantaneous stream discharge, pH, alkalinity, specific conductance, and dissolved oxygen. Chemical data include laboratory determinations of nutrients, major ions, and selected metals in whole water samples and selected metals, pesticides, gross polychlorinated biphenyls (PCB's), gross polychlorinated napthalenes (PCN's), and total carbon in stream-bottom sediment samples. The biological data consists of benthic macroinvertebrate population analyses and diversity indices. Chester County is undergoing rapid urbanization as agricultural lands are converted to residential, commercial, and industrial areas. The purpose of the Stream Conditions of Chester County Program is to further the understanding of stream habitat and chemical changes in response to this urbanization.

INTRODUCTION

Chester County, in the southeast corner of Pennsylvania near Philadelphia (fig. 1), is undergoing rapid urbanization as agricultural lands are converted to residential, commercial, and industrial areas. The Stream Conditions of Chester County Program was developed by the U.S. Geological Survey (USGS) and the Chester County Water Resources Authority (CCWRA) to evaluate stream-water quality and to further the understanding of stream changes in response to urbanization (Lium, 1977, p. 6). This report presents physical, chemical, and biological data collected at 51 sites from 1981 through 1994 as part of the Smeam Conditions of Chester County Program (table 1). The physical, chemical, and biological data from the Stream Conditions of Chester County Program from 1969 through 1980 are presented in a report by Moore (1989).

The streams included in the Stream Conditions of Chester County Program drain nearly 95 percent of the county (fig. 1). Valley Creek, Pickering Creek, Stony Run, Pigeon Creek, and French Creek are tributaries to the Schuylkill River. Darby, Crum, Ridley, and Chester Creeks are tributaries to the Delaware River. Buck Run, Doe Run, Indian Run, and Valley Creek are tributaries to the Brandywine Creek. The Red Clay Creek, White Clay Creek, and the Brandywine Creek are tributaries to the Christina River, which is a tributary to the Delaware River. Big Elk Creek flows into the Chesapeake Bay. Octoraro Creek is a tributary to the Susquehanna River. All streams sampled originate within the boundaries of Chester County, except for the headwaters of the West Branch Brandywine, French, and Octoraro Creeks.




Figure 1. Location of sampling sites in Chester County, Pa.

Table 1. Sampling sites, station numbers, names, drainage areas, and period of record [—, no data]

Station	Site		Drain-	Period of record			
number	number	Name	age area	Biological	Chemical	Bottom sediment	
01472054	8	Pigeon Creek near Bucktown	4.20	1970-82	1969-82		
01472065	9	Pigeon Creek at Porters Mill	6.97	1970-82	1969-82	_	
01472080	10	Pigeon Creek near Parker Ford	12.0	1970-94	1969-94	1985	
01472109	6	Stony Run near Spring City	2.00	1970-94	1969-94	1985	
01472110	7	Stony Run at Spring City	4.07	1970-82	1969-82	_	
01472126	41	French Creek at Trythall	5.06	1982	1970-82	_	
01472129	11	French Creek near Knauertown	11.7	1972-82	1969-82	_	
01472138	13	French Creek near Coventryville	19.9	1970-94	1969-94	1986	
01472140	12	South Branch French Creek at Coventryville	12.4	1970-94	1969-94	1985	
01472154	14	French Creek near Pughtown	46.1	1970-94	1969-94	1985	
01472157	15	French Creek near Phoenixville	59.1	1970-94	1969-94	1994	
014721612	16	French Creek at Railroad Bridge at Phoenixville	70.7	1980-94	1970-94	1985, 1994	
01472170	1	Pickering Creek near Eagle	3.09	1970-94	1969-94	1987	
01472174	2	Pickering Creek near Chester Springs	5.98	1970-94	1969-94	1986	
014721854	3	Pickering Creek at Merlin	21.2	1970-94	1969-94	1986	
014721884	4	Pickering Creek at Charlestown Road at Charlestown	27.5	1972-94	1969-94	1985	
01472190	5	Pickering Creek near Phoenixville	31.4	1970-94	1969-94	1986, 1994	
01473167	49	Little Valley Creek at Howellville	6.45	1973-94	1970-94	1986, 87, 9	
01473168	50	Valley Creek near Valley Forge	12.7	1973-94	1970-94	1985, 199	
01475300	17	Darby Creek at Waterloo Mills near Devon	5.15	1970-94	1969-94		
01475830	18	Crum Creek near Paoli	6.16	1970-82	1969-82	_	
01475840	19	Crum Creek at Whitehorse	10.1	1970-94	1969-94	1986	
01476430	20	Ridley Creek at Goshenville	4.22	1970-94	1969-94	1985	
01476435	21	Ridley Creek at Outton Mill near West Chester	9.71	1970-94	1969-94	1986	
01476790	22	East Branch Chester Creek at Green Hill	.63	1970-94 1970-94	1969-94	1986	
01476750	23	East Branch Chester Creek at Milltown	.03 5.77	1970-94 1970-94	1969-94	1986	
01476835	23 24	East Branch Chester Creek at Westtown	10.4	1970-94 1970-94	1969-94	1985, 199	
01476835	2 4 25	Goose Creek Tributary to East Branch Chester Creek near	4.28	1970-94 1975-82	1909-94	1988, 199	
01470040	25	West Chester	4.20	1988-94	1988-94	1300, 133	
01476848	51	East Branch Chester Creek below Goose Creek near West Chester	19.2	1983-94	1970-94	1986, 199 ₄	
01478120	28	East Branch White Clay Creek near Avondale	11.3	1970-94	1970-94	1985, 1993	
01478190	29	Middle Branch White Clay Creek near Wickerton	9.94	1970-94	1970-94	1986, 199	
01478220	30	West Branch White Clay Creek near Chesterville	9.92	1970-94	1970-94	1985, 199	
01479680	27	West Branch Red Clay Creek at Kennett Square	9.79	1970-94	1970-94	1983, 86, 9	
01479800	26	East Branch Red Clay Creek near Five Point	10.2	1970-94	1970-94	1985, 199	
01480434	37	West Branch Brandywine Creek at Rock Run	37.3	1970-94	1970-94	_	
01480629	46	Buck Run at Doe Run	22.6	1973-94	1971-94	1985	
01480632	45	Doe Run at Springdell	11.8	1973-94	1971-94	1986	
01480640	38	West Branch Brandywine Creek at Wawaset	134	1970-94	1970-94	1985, 1993	
01480647	43	East Branch Brandywine Creek near Struble Dam	4.36	1973-82	1971-82	_	
01480648	48	East Branch Brandywine Creek near Cupola	5.98	1973-94	1971-94	1986	
01480653	42	East Branch Brandywine Creek at Glenmoore	16.5	1973-94	1971-94	1985	
01480656	47	Indian Run near Springton	4.26	1974-94	1971-94	1986	
01480700	36	East Branch Brandywine Creek near Downingtown	60.6	1970-94	1970-94	1985	
01480903	44	Valley Creek at Mullsteins Meadows near Downingtown	16.1	1973-94	1971-94	1985	
01480950	39	East Branch Brandywine Creek at Wawaset	123	1979-94	1970-94	1986, 199	
01481030	40	Brandywine Creek near Chadds Ford	291	1972-94	1970-94	1985	
01494900	31	East Branch Big Elk Creek at Elkview	11.1	1970-94	1970-94	1986, 199	
01494950	32	West Branch Big Elk Creek near Oxford	10.0	1970-94	1970-94	1985, 199	
01578340	33	East Branch Octoraro Creek at Christiana	11.8	1970-94	1970-94	1994	
01578343	34	Valley Creek at Atglen	10.5	1970-94	1970-94	1985	
01578345	35	East Branch Octoraro Creek at Steelville	32.9	1970-82	1970-82	1500	

Study Objectives and History

The major goal of the Stream Conditions of Chester County Program is to assess the water quality of streams in the county and to further the understanding of stream changes in response to urbanization. The physical, chemical, and biological data presented in this report were collected in support of this goal.

The investigation began in the fall of 1969 with a reconnaissance of the county to determine the general conditions of streams and land-use patterns. In 1970, the reconnaissance served as a guide to establish a chemical and biological water-quality network of 40 sites in 13 stream basins. The sites were established on the basis of equal cumulative square miles of drainage area within the basin (Lium, 1977). The sites were established away from any known source of pollution so that the water quality of the overall stream could be assessed. During 1970-72, samples were collected in the spring and fall. In 1971, 10 new stations were added to the chemical sampling program. In 1973, these 10 stations were added to the biological sampling program and sampling was reduced to once a year in the fall. In 1979, qualitative sampling was replaced by quantitative sampling at sites 16 and 39. In 1982, nine stations (sites 7, 8, 9, 11, 18, 25, 35, 41, and 43) were dropped from the network, and in 1983, one station (site 51) was added. In 1988, site 25 was reestablished, bringing the current number of active stations to 43.

Methods

Biological samples consisted of benthic macroinvertebrates collected from a riffle area. During each visit, benthic macroinvertebrates were sampled by collecting 10 rocks (45-90 mm in diameter) at random (Lium, 1974). All invertebrates from the rocks were composited in a container and stored in 70 percent isopropyl alcohol for later identification. A complete description of the sampling technique is described in a report by Moore (1987, p. 7). Benthic-macroinvertebrate samples were analyzed at the U.S. Geological Survey office in Malvern, Pa. Benthic-macroinvertebrates were identified to the lowest taxonomic level possible. A voucher collection of identified organisms is located at the USGS, Water Resources Division, Malvern, Pa. A list of taxonomic references that the identifications were based on is given in table 2. Brillouin's diversity index, maximum diversity, minimum diversity, and evenness were calculated for each benthic macroinvertebrate sample (table 6). Mean and median Brillouin's diversity index along with the standard deviation and standard error of the mean were calculated for each site (table 7). Brillouin's diversity index can be calculated by the following formula:

$$H = (C/N) \log_{10}(N!/N_1!N_2!...N_s!)$$
 (1)

where H is diversity,

C is 3.3219.

N is total number of individuals.

s is number of taxa, and

 N_i (i = 1, 2,, s) is number of individuals in the i^{th} taxa.

Table 2. List of taxonomic references used to identify macroinvertebrate samples

Taxonomic Group	Reference
Turbellaria	Pennak, 1989
Nematoda	Pennak, 1989
Nemertea	Pennak, 1989
Gastropoda	Harman and Berg, 1971
Bivalvia	Harman and Berg, 1971
Annelida	Pennak, 1989
Acariformes	Pennak, 1989
Crustacea	Pennak, 1989
Ephemeroptera	Edmunds and others, 1976
Odonata	Brigham, and others, 1982; Merritt and Cummins, 199
Plecoptera	Brigham, and others, 1982; Merritt and Cummins, 199
Megaloptera	Brigham, and others, 1982; Merritt and Cummins, 199
Neuroptera	Brigham, and others, 1982; Merritt and Cummins, 199
Trichoptera	Brigham, and others, 1982; Wiggins, 1996
Lepidoptera	Brigham, 1982; Merritt and Cummins, 1996
Coleoptera	Brown, 1976
Hymenoptera	Brigham, 1982; Merritt and Cummins, 1996
Diptera	Brigham, 1982; Merritt and Cummins, 1996

Brillouin's diversity index is based on the different kinds of organisms (taxa) present in a community and their relative abundance. In general, diversity is high if a community has many taxa and their abundance are evenly distributed; diversity is low if the taxa are few and their abundance are unevenly distributed (Moore, 1987). Brillouin's diversity can range from zero to infinity but usually is below 5.0. Brillouin's diversity values below 1.0 are associated with waters receiving heavy levels of organic wastes. Brillouin's diversity values between 1.0 and 3.0 are associated with waters receiving moderate levels of organic wastes, and Brillouin's diversity values between 3.0 and 5.0 are associated with waters receiving little or no organic wastes (Wilhm and Dorris, 1968; Wilhm, 1970). Brillouin's diversity measures the effect of community stress and not pollution directly. Community stress may be the result of many factors, including organic or toxic pollution, physical stress, or lack of habitat. Other information can be obtained from the number of taxa present in a community and their relative abundance. The maximum diversity (H_{max}) exists when all individuals are distributed as evenly as possible among the taxa. The minimum diversity (H_{min}) exists when all individuals are distributed as unevenly as possible among the taxe Evenness (e) describes the observed degree of uniformity of the distribution of individuals among the taxa in the collection. Evenness values between 0.5 and 1.0 generally indicate a balanced community (Moore, 1987). The maximum diversity (H_{max}), minimum diversity (H_{min}), and evenness (e) can be calculated by use of the following formulas:

$$\begin{split} &H_{max} = C/N \; \{log_{10}(N!) - s \; (log_{10}) \; [(N/s)!] \} \\ &H_{min} = C/N \; \left(log_{10} \; (N!) - log_{10} \; \{ \; [N - (\, s - 1 \,) \;] \; ! \; \} \right) \\ &e = H - H_{min} \; / \; H_{max} - H_{min} \end{split}$$

Surface-water samples for chemical analysis were collected in conjunction with the biological samples by use of techniques described by Brown and others (1970, p. 5). Chemical samples collected from 1981 through 1984 were analyzed at the USGS National Water Quality Laboratory in Atlanta, Ga. Surface-water samples collected from 1985 through 1994 were analyzed at the USGS National Water Quality Laboratory in Arvada, Colo. Whole water samples were analyzed for nutrients, major ions, and selected metals. Selected metals analyzed and reported from whole water samples are arsenic, barium, beryllium, cadmium, chromium, cobalt, iron, copper, lead, lithium, manganese, mercury, nickel, silver, strontium, vanadium, and zinc.

Stream-bottom sediment samples were collected from 1985 through 1987 and from 1993 through 1934. Samples were collected by hand from the top 6 to 12 in. of sediment with a polyethylene scoop and sieved through a 2-mm polyethylene sieve to remove gravel. The sediment was washed through the sieve with native water and collected in a polyethylene collection basin. The samples were homogenized and then transferred to clean glass or polyethylene containers and placed on ice for shipment to the USGS National Water Quality Laboratory. Stream-bottom sediment samples were analyzed for selected metals, pesticicles, gross polychlorinated biphenyls (PCB's), gross polychlorinated napthalenes (PCN's), and total carbon. Selected metals analyzed and reported from stream-bottom sediment samples are arsenic, cadmium, chromium, iron, copper, lead, manganese, mercury, and zinc.

ACKNOWLEDGMENTS

The cooperation of the Chester County Board of Commissioners and the Chester County Water Resources Authority is gratefully acknowledged. Special thanks are extended to David C. Yaeck and Irene B. Brooks, former Executive Directors of the Chester County Water Resources Authority, for their interest and support throughout the program's history. The author also would like to thank Dr. Richard McLean for his assistance throughout the years. The author also recognizes Michael D. Bilger and J. Kent Crawford (U.S. Geological Survey) for their review of this report. Technical support was provided by Kim Otto and Terriann Preston (U.S. Geological Survey).

REFERENCES CITED

- Brigham, A.R., Brigham, W.U., and Gnilka, A., eds., 1982, Aquatic insects and oligochaetes of North and South Carolina: Mahomet, Ill., Midwest Aquatic Enterprises, 837 p.
- Brown, Eugene, Skougstad, M.W., and Fishman, M.J., 1970, Methods for collection and analysis of water samples for dissolved minerals and gases: U.S. Geological Survey Techniques of Water-Resources Investigations, book 5, chap. A1, 160 p.
- Brown, H.P., 1976, Aquatic dryopoid beetles (Coleoptera) of the United States: U.S. Environmental Protection Agency, Water Pollution Control Research Series 18050 ELD04/72, 82 p.
- Edmunds, G.F., Jensen, S.L., and Berner, L., 1976, Mayflies of North and Central America: Minneapolis, Minn., University of Minnesota Press, 330 p.
- Harman, W.N., and Berg, C.O., 1971, The freshwater snails of central New York with illustrated keys to the genera and species: Search Agriculture, v. 1, no. 4, 68 p.
- Lium, B.W., 1974, Some biological aspects of pools and riffles in gravel bed streams in Western United States: U.S. Geological Journal of Research, v. 2, no. 3, p. 379-384.
- _____1977, Limnological studies of the major streams in Chester County, Pennsylvania: U.S. Geological Survey Open-File Report 77-462, 37 p.
- Merritt, R.W., and Cummins, K.W., eds., 1996, An introduction to the aquatic insects of North America (3d ed): Dubuque, Iowa, Kendall Hunt Publishing Company, 722 p.
- Moore, C.R., 1987, Determination of benthic-invertebrate indices and water-quality trends of selected streams in Chester County, Pennsylvania, 1969-80: U.S. Geological Survey Water-Resources Investigations Report 85-4177, 62 p.
- 1989, Physical, chemical, and biological data for selected streams in Chester County, Pennsyl ania, 1969-80: U.S. Geological Survey Open-File Report 85-686, 289 p.
- Pennak, R.W., 1989, Fresh-water invertebrates of the United States (2d ed.): New York, John Wiley and Sons, 803 p.
- Wiggins, G.B., 1996, Larvae of the North American caddisfly genera (Trichoptera): Toronto, University of Toronto, 401 p.
- Wilhm, J.L, 1970, Range of Diversity index in benthic macro-invertebrate populations: Water Pollution Control Federation Journal, v. 42, no. 5, p. R221-R251.
- Wilhm, J.L. and Dorris, T.C., 1968, Biological parameters for water quality criteria: Bioscience, v. 18, p. 477-481.

Table 3. Water-quality data from surface-water sites

 $\mu\text{S/CM}\text{,}$ microsiemens per centimeter at 25 degrees Celsius

DEG C, degrees Celsius

NTU, nephelometric turbidity units

MG/L, milligrams per liter

AC-FT, acre foot

 $\mu G/L$, micrograms per liter

ND, compound not detected

<, less than

-, no data

Table 3. Water-quality data from surface-water sites

01472054 - Pigeon Creek near Bucktown, Pa. (Site 8)

DATE OCT 1981 21 OCT 1982 29	TIME 1645 1030	DIS-CHARGE, INST. (CUBIC FEET PER SECOND) (00061) 1.5	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400) 7.6 7.4 ALKA-	TEMPER- ATURE WATER (DEG C) (00010) 10.5 7.5	OXYGEN, DIS- SOLVED (MG/L) (00300) 10.4 9.6	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900) 41	CALCIUM DIS- SOLVED (MG/L AS CA) (00915) 11	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925) 3.3 3.3	SODIUM, DIS- SOLVED (MG/L AS NA (00930) 6.9 5.8 SOLIDS,
		SODIUM AD- SORP-	POTAS- SIUM, DIS- SOLVED	LINITY, WAT WH TOT FET FIELD	SULFATE, DIS- SOLVED	DIS- SOLVED	FLUO- RIDE, DIS- SOLVED	SILICA, DIS- SOLVED (MG/L	RESIDUE AT 180 DEG. C DIS-	SUM OF CONSTI- TUENTS, DIS-
DATE	SODIUM PERCENT (00932)		(MG/L AS K) (00935)	(MG/L AS CACO ₃) (00410)	AS SO ₄)		(MG/L AS F) (00950)	AS SIO ₂) (00955)	SOLVED (MG/L) (70300)	SOLVED (MG/L) (70301)
OCT 1981 21	26	0.5	1.2	_	22	5.3	<0.10	14	81	_
OCT 1982 29	23	. 4	.80	26	17	4.8	<.10	14	74	75
DATE	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)
OCT 1981 21 OCT 1982	0.11		0.620	<0.010	0.680	0.150	0.19	0.33	0.44	0.46
29	.10	0.30	.580	<.010	.580	<.010	.01		_	_
DATE	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (µG/L AS CE) (01025)
OCT 1981 21 OCT 1982	0.59	1.1	1.3	0.080	0.25	0.030	0.030	0.09	1	4.0
29	. 60	_	1.2	_	_	.020	.020	.06	1	<1.0
DATE	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL DIS- SOLVED (µG/L AS NI) (01065)	, ZINC, DIS- SOLVED (μG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCF (MG/L) (38260)
OCT 1981 21	<1	<1	1	86	<1	34	0.1	1	4	_
OCT 1982 29	<1	1	2	86	<1	32	<.1	1	<4	0.02

Table 3. Water-quality data from surface-water sites—Continued

01472065 - Pigeon Creek at Porters Mill, Pa. (Site 9)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	OXYGEN, DIS- SOLVED (MG/L) (00300)	(MG/L AS CACO ₃)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)
OCT 1981 20	1530	_	138	7.8	8.5	12.1	48	13	3.8	7.2
OCT 1982 29	1300	2.4	123	7.4	8.5	11.5	45	12	3.7	6.2
DATE	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG.C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)
OCT 1981 20	24	0.5	1.5	_	17	6.2	<0.10	17	85	_
OCT 1982 29	22	. 4	1.2	30	17	6.0	<.10	16	86	85
DATE	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)
OCT 1981										
20 OCT 1982	0.12	0.57	1.00	<0.010	0.980	0.100	0.13	0.19	0.71	0.25
29	.12	0.57	1.10	<.010	1.10	.010	.01	_	. 69	_
DATE	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUI, DIS- SOLVED (µG/L AS CD) (01025)
OCT 1981	0.01			0.040	0.10	0.000	0.000	0.06		-1.0
20 OCT 1982 29	0.81	1.2	1.8	0.040	0.12	.020	0.020	.06	2	<1.0 <1.0
DATE	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN)		, NICKEL, DIS- SOLVED (µG/L AS NI) (01065)		METHY- LENE BLUE ACTIVT SUB- STANCE (MG/L) (38260)
OCT 1981 20	<1	<1	3	64	1	15	0.1	1	<4	
OCT 1982										
29	<1	1	2	35	<1	9	<.1	<1	<4	0.02

Table 3. Water-quality data from surface-water sites—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	FIGNE- FIUM, FIS- SCLVED (MG/L AS MG) (C0925)
OCT 1981											
20	1400	_	162	7.9	7.5		11.8	54	_	14	4.7
OCT 1982											
29	1430	25	140	7.5	9.0		11.1	53		14	4.3
OCT 1983											
21	1400	25	159	6.7	10.0	<1.0	9.9	61		16	5.2
OCT 1984											
22	1500	16	141	7.4	16.0	.70	8.0	53	_	14	4.5
OCT 1985 11	1500	6.6	165	7.4	11.5	1.0	9.9	55	_	14	4.8
OCT 1986	1300	0.0	163	7.4	11.5	1.0	9.9	55	_	14	4.0
10	1430	3.4	160	7.7	12.5	. 90	9.5	58		15	4.9
NOV 1987	2.00				12.0		3.0				
13	1330	29	167	7.2	9.5	1.3	12.0	59		15	5.2
NOV 1988											
09	1330	5.4	172	7.5	10.5	1.7	12.2	63		16	5.5
OCT 1989											
11	1430	10	167	7.7	12.5	. 50	11.8	55	23	14	4.9
OCT 1990											
04	0815	3.9	170	6.1	14.0	1.5	9.9	55	15	14	4.9
OCT 1991											
08	0830	3.6	171	7.2	10.0	1.2	10.8	58	32	15	5.0
OCT 1992 13	0920	5.5	182	6.8	12.0	1.2	9.9	58		15	5.1
OCT 1993	0920	3.3	102	0.6	12.0	1.2	9.9	96	· 	1.0	J.1
08	1140	4.2	186	7.4	13.5		10.0		_		
OCT 1994											
31	0945	4.3	185	7.4	9.5		10.7	_	_		_

Table 3. Water-quality data from surface-water sites—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
20	8.4	24	0.5	2.1	_	_	19	8.7	<0.10	18	101
OCT 1982											
29	6.8	21	. 4	1.5	32	_	18	6.9	<.10	17	103
OCT 1983 21	8.8	23	. 5	1.8	38		22	8.1	_	17	112
OCT 1984	0.6	23	.5	1.0	36		22	0.1		1,	112
22	6.8	21	. 4	1.7	36	_	18	7.6	_	15	91
OCT 1985											
11	7.6	23	. 4	1.7	40	_	22	8.8	_	17	101
OCT 1986			_								
10 NOV 1987	7.8	22	. 4	1.8	44	_	23	8.2	_	18	114
13	8.7	23	.5	2.5	37	_	22	15	_	15	126
NOV 1988	•••				•						
09	8.3	22	. 5	1.8	54	_	24	9.3	_	16	_
OCT 1989											
11	8.5	24	.5	1.8	32	_	18	9.1	_	17	_
OCT 1990 04	8.0	23	.5	1.5	40		18	9.8	<.10	18	
OCT 1991		23	.5	1.5	40	_	10	9.0	V.10	10	
08	7.7	22	. 4	1.8	26		17	9.9	.10	17	_
OCT 1992											
13	8.4	23	. 5	2.3	_	29	21	11	<.10	16	_
OCT 1993											
08 OCT 1994	_	_	_			39	_				_
31		_	_			58		11			_
01						55					

Table 3. Water-quality data from surface-water sites—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
20	_	0.14		1.40		_	<0.010	1.50	0.010	0.01	0.45
OCT 1982											
29	95	.14	6.95	1.70	_		<.010	1.70	.010	.01	
OCT 1983											
21	109	.15	7.56	1.56	1.56	6.9	.040	1.60	<.010		
OCT 1984											
22	97	.12	3.93	1.56	1.56	6.9	.040	1.60	.060	.08	
OCT 1985											
11	109	.14	1.80	2.10		_	<.010	2.10	.010	.01	_
OCT 1986	110	1.0	1 00	1 60			- 010	1 60	- 010		40
10 NOV 1987	112	.16	1.03	1.60			<.010	1.60	<.010		. 40
13	116	.17	9.87	2.20			<.010	2.20	<.010		.50
NOV 1988	110	.17	9.67	2.20	- 		<.010	2.20	V.010		.50
09	122	.17	1.78	2.00			<.010	2.00	.020	.03	. 28
OCT 1989	122		1	2.00			1.010	2.00	.020	.05	.20
11	105	.14	2.84	2.79	2.79	12	.010	2.80	.010	.01	.39
ОСТ 1990											
04	109	.15	1.15	2.40			<.010	2.40	.020	.03	.28
OCT 1991											
08	98	.13	. 96	2.00		_	<.010	2.00	<.010		
ОСТ 1992											
13	105	.14	1.56	1.90	_		<.010	1.90	.030	.04	. 27
OCT 1993											
08			_	2.30	_		<.010	2.30	.020	.03	
OCT 1994											
31		_		1.90	_		<.010	1.90	.020	.03	

Table 3. Water-quality data from surface-water sites—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS TOTAL (MG/L AS P) (00665)	PHOS- PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01(00)
OCT 198	1										
20	0.38	0.50	0.39	1.9	1.9	0.050	0.15	0.040	0.040	0.12	1
OCT 198											
29			. 70		2.4	_	_	.040	.030	. 09	1
OCT 198			40			0.50		050	0.50		
21 OCT 198			.40	_	2.0	.060	.18	.050	.050	.15	_
22			.70		2.3	.030	_	. 060	.070	.21	
OCT 198					2.0	.000		.000	.0.0		
11		_	. 60	_	2.7	.050	.15	.040	.020	.06	_
OCT 198	6										
10		.40	.30	2.0	1.9	.060	_	.050	.030	.09	_
NOV 198											
13		.50	<.20	2.7	_	.080	_	.050	.030	.09	_
NOV 198 09		.30	.30	2.3	2.3	.050		.040	.030	.09	
OCT 198		. 30	. 30	2.3	2.3	.030	<u>—</u>	.040	.030	.09	<u> </u>
11		.40	.40	3.2	3.2	.050	_	.030	.030	.09	_
OCT 199											
04	.28	.30	.30	2.7	2.7	.050	_	<.040	.030	.09	_
OCT 199											
08		<.20	.10	_	2.1	.060	_	.040	.040	.12	_
OCT 199		20	20			000		000	070		
13 OCT 199		.30	.30	2.2	2.2	.090	_	.080	.070	.21	_
08		_			_	_	_		.050	.15	
OCT 1994											
31		_	_		_		_	_	.030	.09	_

Table 3. Water-quality data from surface-water sites—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
20	<1.0	<1	<1	4	83	1	18	<0.1	3	6	_
OCT 1982											
29	<1.0	<1	<1	<1	40	<1	9	<.1	1	<4	0.02
OCT 1983											
21			_		87		20			_	_
OCT 1984 22					51		12				
OCT 1985	_				21		12			_	_
11		_			43		15		_		_
OCT 1986					43		10				
10					64		19				
NOV 1987											
13		_		_	85		47	_			
NOV 1988											
09	_	_	_	_	56	_	17		_	_	_
OCT 1989											
11			_		53		26			_	
OCT 1990											
04	_	_			36		16			_	
OCT 1991											
08					51		17				
OCT 1992 13					68		23				
OCT 1993	_		_		00		23			_	
08	_	_								-	
OCT 1994											
31		_					_		_		

Table 3. Water-quality data from surface-water sites—Continued

01472109 Stony Run near Spring City, Pa. (Site 6)

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE (µS/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE, WATER (DEG C)	TUR- BID- ITY (NTU)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS, TOTAL (MG/L AS CACO ₃)		CALCIUM, DIS- SOLVED (MG/L AS CA)
OCT 1981		(00061)	(00095)	(00400)	(00010)	(00076)	(00300)	(00900)	(00902)	(0091.5)
20	1115		270	7 3	6 3		12.2	90		23
OCT 1982	1115		270	7.3	6.3	_	12.2	90	_	23
19	1130	0.45	259	7.1	8.5		10.5	87		22
OCT 1983	1130	0.45	233	7.1	6.5		10.5	07		22
20	1430	.33	150	7.2	12.2	2.2	9.7	97		25
OCT 1984	1430		130	7.2	12.2	2.2	3.1	,,		23
11	1145	.53	_	7.6	14.0	1.0	9.9	82	_	21
OCT 1985	11.0					1.0		02		
11	1230	.75	250	7.6	12.8	1.7	11.8	85		21
OCT 1986										
10	0900	.27	300	7.5	10.8	1.0	9.2	97	_	25
NOV 1987										
13	0930	2.2	238	7.1	6.0	2.5	12.2	82		20
NOV 1988										
09	0930	.41	315	7.4	10.0	1.3	12.1	95	_	24
OCT 1989										
11	1000	2.3	248	7.5	12.5	. 70	10.9	77	33	19
OCT 1990										
04	1145	. 67	242	6.8	15.0	3.0	9.9	78	12	20
OCT 1991										
08	1045	.17	247	7.1	10.0	3.3	9.8	85	37	22
OCT 1992										
08	1145	.25	259	7.0	10.0	3.2	11.3	89		23
OCT 1993		20	050	- 1						
08 NOV 1994	0900	.38	250	7.1	11.5		9.0	_		
01	0945	. 65	265	7.3	13.5	_	7.8			
01	0343	. 03	203	1.5	13.5		7.0	· ·		

Table 3. Water-quality data from surface-water sites—Continued

01472109 Stony Run near Spring City, Pa. (Site 6)—Continued

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ANC WATER UNFLTRD FET FIELD MG/L AS CACO ₃ (00410)	ANC WATER UNFLTRD IT FIELD MG/L AS CACO ₃ (00419)	SULFATE DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO-, RIDE, DIS-SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 198	1											
20	7.8	22	33	1	4.9	_	_	27	32	<0.10	18	178
OCT 198	7.7	15	27	. 8	2.4	47	_	25	22	<.10	19	274
20	8.3	15	23	.7	8.9	56		37	27		17	203
OCT 198												
09	7.1	14	26	.7	3.2	48	_	24	19		17	145
OCT 198	7.8	13	24	. 6	4.0	54		26	22		17	156
OCT 198						• •		20				200
10	8.4	21	31	. 9	4.5	72	_	22	35		20	244
NOV 198		1.2	24	. 6	5.0	44		26	24		1 5	175
NOV 198	7.8 8	13	24	. 6	5.0	44		26	24		15	175
09	8.6	22	32	1	4.7	62		25	34		17	_
OCT 198												
11 OCT 199	7.2	12	24	. 6	3.0	44	_	24	20	_	15	_
04	6.9	12	24	. 6	2.3	66	_	21	18	<.10	17	
OCT 199												
08	7.4	11	21	.5	3.4	48		22	18	<.10	18	
OCT 199	2 7.6	12	22	. 6	3.0		40	23	22	<.10	18	
OCT 199		12	22	. 0	3.0		40	23	22	V.10	10	
08	_					_	54	_		_	_	_
NOV 199	4											
01							54	_	19			_

Table 3. Water-quality data from surface-water sites—Continued

01472109 Stony Run near Spring City, Pa. (Site 6)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITFO- GET, ORGANIC TOTAL (MG/L AS N) (00€05)
OCT 1981											
20	_	0.24		3.40			<0.010	3.10	0.070	0.09	0.88
OCT 1982		27	0.00		4 00	20	010	4 00	010	01	
19 OCT 1983	163	.37	0.33		4.90	22	.010	4.90	.010	.01	
20	186	. 28	.18		3.00	13	.050	3.00	.090	.12	
OCT 1984											
09	155	.20	.21		4.55	20	.050	4.60	.070	.09	
OCT 1985											
11	161	.21	. 32		3.87	17	.030	3.90	.020	.03	.78
OCT 1986 10	190	.33	.18		2.38	11	. 020	2.40	<.010		_
NOV 1987		.55	.10		2.50		.020	2.40	1,010		
13	157	.24	1.04	_	4.39	19	.010	4.40	.130	.17	.87
NOV 1988											
09	188	.26	.21	_	3.37	15	.030	3.40	.040	.05	. 36
OCT 1989	150	.20	. 93		5.27	23	. 030	5.30	.020	.03	. 48
OCT 1990		.20	. 33		3.21	23	.030	3.30	.020	.03	.40
04	156	.21	. 28		4.29	19	.010	4.30	.020	.03	. 38
OCT 1991											
08	146	.20	.07		_		<.010	3.40	<.010		_
OCT 1992		20			2.00	• •	01.0	4 00	050	06	45
08 OCT 193	151	. 20	.10		3.99	18	.010	4.00	.050	.06	. 45
08					3.98	18	. 020	4.00	.040	. 05	_
NOV 1994										_	
01			-	_	3.68	16	.020	3.70	<.015	_	_

Table 3. Water-quality data from surface-water sites—Continued

01472109 Stony Run near Spring City, Pa. (Site 6)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS IS) (01000)
OCT 1981											
20	0.90	0.94	0.97	4.3	4.1	0.500	1.5	0.260	0.230	0.71	1
OCT 1982											
19	1.7		1.7	_	6.6			.060	.050	.15	1
OCT 1983											
20	1.2		1.3		4.3	.270	.83	.220	.210	. 64	
OCT 1984			4.0								
09 OCT 1985	. 33		.40		5.0	.140		.100	.100	.31	
11	.58	.80	. 60	4.7	4.5	.160	. 49	.130	.110	. 34	
OCT 1986	.56	. 60	. 60	4.7	4.5	.160	.45	.130	.110	. 34	
10		.50	.40	2.9	2.8	.160		.120	.110	. 34	
NOV 1987						, _ 00					
13	.47	1.0	. 60	5.4	5.0	.180		.140	.080	.25	
NOV 1988											
09	.56	.40	. 60	3.8	4.0	.290		.240	.220	.67	
OCT 1989											
11	.58	. 50	. 60	5.8	5.9	.090	_	.060	.060	.18	
OCT 1990											
04	.48	.40	.50	4.7	4.8	.050		<.060	.050	.15	
OCT 1991		20	20	2.6	2 7	100		050	0.00	10	
08 OCT 1992		.20	.30	3.6	3.7	.100		.050	.060	.18	
08	.35	. 50	.40	4.5	4.4	.100		.070	.070	.21	
OCT 1993			. 20	3.5	2.2	. 100		.0.0	.0.0	.21	
08		_	_						.080	.25	
NOV 1994											
01									.050	.15	

Table 3. Water-quality data from surface-water sites—Continued

01472109 Stony Run near Spring City, Pa. (Site 6)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENF BLUF ACTIVE SUB- STANCT (MG/I.) (3826C)
OCT 1981											
20	<1.0	<1.0	<1.0	3.0	150	1.0	57	<0.1	6.0	6.0	_
OCT 1982				2.0	••	- 0			-1 0	7.0	0.05
19 OCT 1983	<1.0	<1.0	1.0	3.0	12	<1.0	17	.1	<1.0	7.0	0.05
20	_	_	_	_	89		54	_		_	_
OCT 1984											
09	_			-	35	_	44			_	
OCT 1985											
11	_		_		44	_	70	_			_
OCT 1986 10	_	_	_		62		57				
NOV 1987					02		3,				
13	_	_	_	_	130		110		_	_	_
NOV 1988											
09	_		_	_	83		75		_		_
OCT 1989 11					42		32	_	_		
OCT 1990		_	_		42	_	32				
04	_		_		17		47				_
OCT 1991											
08	_	_	_	_	33		28		_		
OCT 1992					00		2.				
08 OCT 1993	_		_	_	23	_	31				
08	_						_				_
NOV 1994											
01	_	_	_			_	_	_		_	

Table 3. Water-quality data from surface-water sites—Continued

01472110 Stony Run at Spring City, Pa. (Site 7)

DIS- PH CHARGE, SPE- WATER HARD- MAGNE- INST. CIFIC WHOLE NESS, CALCIUM, SIUM, SODIUM, (CUBIC CON- FIELD TEMPER- OXYGEN, TOTAL DIS- DIS- DIS- FEET DUCT- (STAND- ATURE DIS- (MG/L SOLVED SOLVED SOLVED DATE TIME PER ANCE ARD WATER SOLVED AS (MG/L (MG/L (MG/L SECOND) (μS/CM) UNITS) (DEG C) (MG/L) CACO ₃) AS CA) AS MG) AS NA) (00061) (00095) (000400) (00010) (000300) (00900) (00915) (00925) (00930)	SCDIUM PE~CENT (CO932)
OCT 1981 20 0915 — 260 7.0 5.0 8.1 86 22 7.6 17 OCT 1982	29
19 0955 0.75 242 6.5 7.0 8.5 83 21 7.3 13	25
ALKA- POTAS- LINITY CHLO- FLUO- SILICA, RESIDUE SUM OF SOLIDS SODIUM SIUM, WAT WH SULFATE, RIDE, RIDE, DIS- AT 180 CONSTI- DIS- AD- DIS- TOT FET DIS- DIS- DIS- SOLVED DEG. C TUENTS, SOLVED SORP- SOLVED FIELD SOLVED SOLVED SOLVED (MG/L DIS- DIS- (TONS) TION (MG/L (MG/L AS (MG/L (MG/L (MG/L AS SOLVED SOLVED PER RATIO AS K) CACO ₃) AS SO ₄) AS CL) AS F) SIO ₂) (MG/L) (MG/L) AC-FT) (00931) (00935) (00410) (00945) (00940) (00950) (00955) (70300) (70301) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)
OCT 1981 20 0.8 4.9 — 30 23 <0.10 14 159 — 0.22	_
OCT 1982 196 2.2 46 24 18 <.10 17 156 152 .21	.32
150 2.2 40 24 10 1.10 17 130 132 .21	.52
NITRO-	
OCT 1981	
20 3.31 3.61 16 0.090 3.70 0.430 0.55 0.53 0.87 0.75	
OCT 1982 19 4.72 4.72 21 .080 4.80 .130 .17 — 2.2 —	
NITRO- GEN, AM- MONIA + NITRO- GEN, PHOS- DIS- DI	
OCT 1981	
20 1.3 4.1 5.0 0.210 0.64 0.190 0.170 0.52 1 3.0 OCT 1982	
19 2.3 — 7.1 — — .150 .150 .46 1 <1.0	
CHRO- MIUM, COBALT, COPPER, IRON, LEAD, NESE, MERCURY, NICKEL, ZINC, BLUE DIS- DIS- DIS- DIS- DIS- DIS- DIS- DIS-	;
OCT 1981 20 <1 1 4 39 1 10 <0.1 1 <4 0.10	
OCT 1982 19 <1 1 3 17 <1 17 — <1 5 .05	

Table 3. Water-quality data from surface-water sites—Continued

01472126 - French Creek at Trythall, Pa. (Site 41)

DATE OCT 1981	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	(STAND- ARD	TEMPER- ATURE WATER (DEG C) (00010)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS (TOTAL (MG/L AS CACO ₃) (00900)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	(MG/L	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)
22	1045	_	75	7.0	9.0	10.1	26	6.9	2.1	4.0
OCT 1982 26	1130	4.2	75	6.4	9.0	9.9	27	7.1	2.2	3.3
DATE	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)
OCT 1981 22	24	0.3	1.0		6.2	2.7	<0.10	6.6	43	
OCT 1982	24	0.3	1.0		0.2	2.1	CO.10	6.6	43	
26	20	.3	1.2	20	10	4.1	<.10	10	60	51
DATE	SOLIDS DIS- SOLVED (TONS PER AC-FT) (70303)	, SOLIDS DIS- SOLVED (TONS PER DAY) (70302)	GEN, NITRATE TOTAL (MG/L AS N)	NITRITE DIS- SOLVED (MG/L AS N)	DIS-	GEN, AMMONIA DIS-	GEN, AMMONIA DIS-	NITRO- GEN, ORGANIO TOTAL (MG/L AS N)	SOLVED (MG/L AS N)	ORGANIC TOTAL (MG/L AS N)
OCT 1981										
22	0.06		0.080	<0.010	0.090	0.080	0.10	0.22	0.62	0.25
OCT 1982 26	.08	60	120	< 010	120	020	0.4		. 77	
20	.00	. 68	.130	<.010	.130	.030	.04		.,,	_
DATE	NITRO GEN, AM MONIA ORGANIC DIS. (MG/L AS N) (00623)	- + NITRO-	DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVE: (MG/L AS PO4:	(μG/L AS AS)	DIS- D SOLVED (µG/L AS CD)	DIS- SOLVED (µG/L AS CR)
OCT 1981										
22 OCT 1982	0.70	0.33	0.79	<0.010	0.010	0.020	0.06	1	1.0	<1
26	. 80		. 93		.020	.010	.03	<1	<1.0	<1
	DATE	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	DIS- SOLVED (µG/L AS CU)	DIS- SOLVED (µG/L AS FE)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)		MERCURY DIS- SOLVED (µG/L AS HG			
	OCT 1981									
	22 OCT 1982	<1	3	130	1	52	<0.1			_
	26	<1	2	320	1	55	<.1	1	7	0.02

Table 3. Water-quality data from surface-water sites—Continued

01472129 - French Creek near Knauertown, Pa. (Site 11)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- , SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODITM, DIS- SOLVED (M3/L AS NA) (00930)
OCT 1981 22	0900		92	6.6	8.0	9.1	32	8.5	2.5	3.4
OCT 1982										
26	1400	18	99	6.8	9.5	10.3	34	8.7	3.1	3.6
DATE	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, DIS- SOLVED (TONS PR AC-FT) (70303)
OCT 1981										
22 OCT 1982	18	0.3	1.3		7.7	3.8	<0.10	9.1	56	0.08
26	_	. 3	<.10	18	14	7.5	<.10	11	76	.10
DATE	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00°23)
OCT 1981		0 160	40 010	0.100	0.000	0.00	0.60	0 11	0.72	0.12
22 OCT 1982	_	0.160	<0.010	0.180	0.020	0.03	0.68	0.11	0.73	0.13
26	3.69	.410	<.010	.410	.020	.03		.48		. 50
DATE	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUN DIS- SOLVED (µG/L AS CD) (01025)	CHRO- 4, MIUM, DIS- SOLVED (µ3/L AS CR) (01030)
OCT 1981 22	0.89	0.31	0.030	0.09	<0.010	<0.010		1	<1.0	<1
OCT 1982	0.69		0.030	0.09	\0.010	\0.010		1	\1.0	\1
26		. 91	_		.040	.020	0.06	1	<1.0	<1
DAT	COBA DIS SOLV E (µG AS (010	- DIS ED SOL /L (µG CO) AS	- DI VED SOI /L (µG CU) AS	S- DI VED SOI /L (µG FE) AS	D, NES S- DI VED SOI -/L (μG PB) AS	is- di LVED SOI L/L (p.G MN) AS	S- DIS LVED SO: J/L (μC HG) AS	5- DI	LEC, BI S- ACT VED SU /L STA ZN) (MC	THY- ENE LUE TIVE JB- NCE G/L) 260)
OCT 198		~ 1	2	160	1	51 -	:0.1	2	6 -	
22 OCT 198		<1	3	100	1	51	1	2	ъ -	_
26		<1	2	350	<1	52	<.1	1	10 (0.03

Table 3. Water-quality data from surface-water sites—Continued

01472138 - French Creek near Coventryville, Pa. (Site 13)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
21	1345		154	7.8	7.5		10.2	58	_	15	5.0
NOV 1982	1015	7.3	140	7.2	15.0		7.2	58		15	5.1
04 OCT 1983	1015	7.3	140	7.3	15.0		1.2	38		15	3.1
18	1330	9.5	125	7.4	13.0	1.8	9.5	47	_	12	4.2
OCT 1984											
10	1430	10	125	7.7	13.0	. 50	10.6	47	_	12	4.1
OCT 1985 10	0830	11	125	7.2	8.5	1.0	9.9	47		12	4.2
OCT 1986	0030	11	125	7.2	0.5	1.0	3.3	7,		12	4.2
22	0900	5.0	145	7.5	10.0	1.4	7.1	54		14	4.7
OCT 1987											
16 OCT 1988	1000	10	122	7.2	10.0	.70	11.2	48		12	4.3
20	0930	7.3	145	6.7	9.0	. 90	11.0	56		14	5.0
OCT 1989				•				•			
23	1030	32	123	7.3	9.5	1.0	11.8	44	12	11	4.0
NOV 1990	0000	1.0	122	<i>c</i> 0	C =	1 2	10.4	49	3	12	4.6
16 OCT 1991	0900	16	132	6.8	6.5	1.3	12.4	49	3	12	4.0
09	0930	6.8	146	7.1	10.0	2.5	10.6	54	17	14	4.6
OCT 1992											
15	0900	9.8	145	7.4	11.5	0.90	10.5	54	_	14	4.6
OCT 1993 14	0945	16	127	7.1	8.0		10.7				
OCT 1994	0,40	10	161		0.0		10.7	_			
27	1155	10	148	7.5	8.5	_	11.1		_		

Table 3. Water-quality data from surface-water sites—Continued

01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, PESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
21	6.0	18	0.3	1.9			11	9.4	<0.10	15	86
NOV 1982											
04	5.5	17	. 3	1.4	48		12	8.1	<.10	15	94
OCT 1983 18	<i>c</i> 1	21	. 4	1.6	20					16	100
OCT 1984	6.1	21	. 4	1.6	38		14	8.2		16	100
10	5.0	18	.3	1.2	42		9.4	6.9		16	81
OCT 1985	0.0						5.1	0.5			01
10	5.1	18	.3	1.4	40		16	7.4		15	83
OCT 1986											
22	5.7	18	.3	1.5	50		11	8.3		16	104
OCT 1987			_								
16 OCT 1988	5.3	19	.3	1.4	44		15	6.6		15	81
20	5.6	18	.3	1.4	46		13	8.2		16	
OCT 1989	0.0	20					23	0.2			
23	5.2	20	.3	1.5	32		13	6.2		15	
NOV 1990											
16	5.9	20	. 4	1.3	46		13	7.3	.30	18	
OCT 1991		••	.3							• •	
09 OCT 1992	5.5	18	. 3	1.4	37		11	8.1	.10	16	_
15	6.0	19	. 4	1.6		54	15	8.7	<.10	17	
OCT 1993	0.0	10	• •	1.0		34	13	0.7	1.10		
14						26					
OCT 1994											
27	_		_	_	_	40		8.7	_		

01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITROGEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO-GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981	_										
21	_	0.12	_	0.270		_	<0.010	0.290	0.040	0.05	0.30
NOV 1982											
04	92	.13	1.86	.330	_	_	<.010	.330	.010	.01	_
OCT 1983 18	89	.14	2.57	.810	0.810	3.6	.050	.860	.120	.15	
OCT 1984		.17	2.31	.610	0.810	3.0	.050	.000	.120	.13	
10	83	.11	2.19	.770			<.010	.770	.020	.03	
OCT 1985	i										
10	89	.11	2.47	.780	_	_	<.010	.780	.020	.03	.48
OCT 1986											
22	95	.14	1.40	.720	_	_	<.010	.720	<.010	_	.40
OCT 1987 16	, 90	.11	2.19	.800		_	<.010	.800	.020	.03	.48
OCT 1988		•11	2.13	.000			1.010	. 000	.020	.03	.40
20	94	.13	1.85	. 640	_	_	<.010	. 640	.010	.01	.29
OCT 1989)										
23	79	.11	6.86	.900	_	_	<.010	.900	<.010	_	
NOV 1990											
16	95	.13	4.06	1.10		_	<.010	1.10	.050	.06	
OCT 1991 09	86	.12	1.58	.630		_	<.010	. 630	<.010	_	
OCT 1992		.12	1.50	.050			1.010	. 050	1.010		
15	103	.14	2.72	.710			<.010	.710	.020	.03	
OCT 1993	3										
14		-	_	.460	_	_	<.010	.460	.020	.03	
OCT 1994	1										
27		_	_	.420	_	_	<.010	.420	.020	.03	

Table 3. Water-quality data from surface-water sites—Continued

01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	AFSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
21	0.28	0.31	0.32	0.59	0.61	0.020	0.06	<0.010	<0.010	-	1
NOV 1982 04	.29	_	.30		. 63	_		.010	<.010	_	<1
OCT 1983											
18	. 48		. 60		1.5	.020	.06	.020	.010	.03	_
OCT 1984											
10	.28		.30		1.1	.040		.020	.020	.06	
OCT 1985 10	. 28	.50	. 30	1.3	1.1	.020	.06	.030	<.010		
OCT 1986	.20	.50	. 30	1.3	1.1	.020	.00	.030	<.010	_	_
22	_	. 40	.50	1.1	1.2	.030	_	<.010	.010	.03	_
OCT 1987											
16	.18	.50	.20	1.3	1.0	.010	_	<.010	<.010	_	
OCT 1988	10	30	.20	. 94	.84	.010		010	<.010		
20 OCT 1989	.19	.30	.20	. 94	.84	.010	_	.010	<.010		_
23	_	<.20	.30		1.2	.030		.010	.040	.12	_
NOV 1990											
16	.25	<.20	. 30	_	1.4	<.010		<.010	<.010	_	_
OCT 1991											
09 OCT 1992	_	<.20		_	_	.030	_	<.010	.010	.03	_
15		<.20	<.20			.030		.020	.020	.06	
OCT 1993			7.20			.030		.020	.020		
14			_		-		_	_	<.010		_
OCT 1994											
27					_	_			.010	.03	_

Table 3. Water-quality data from surface-water sites—Continued

01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LETE BLUE ACTIVE SUR- STANCE (MG/L) (38250)
OCT 1981											
21	<1.0	1	<1	2	120	<1	27	<0.1	<1	4	_
NOV 1982			_	_							
04 OCT 1983	<1.0	<1	1	2	100	<1	29	<.1	<1	<4	0.02
18					150	_	20			_	
OCT 1984					150		20				
10	_				130	_	16	_		_	
OCT 1985											
10	_		_	_	85		18	_		_	_
OCT 1986											
22 OCT 1987	_			_	88	_	22	_	_	_	_
16					150		10	_			
OCT 1988					130		10				
20					81		15	_		_	
OCT 1989											
23	_	_	_	_	140	_	21	_			_
NOV 1990											
16		_	_	_	120	_	17		_	_	_
OCT 1991 09	_			_	94		17	_		_	
OCT 1992					24		17				
15					110		26	_			
OCT 1993											
14		_	_	_		_	_		_	_	_
OCT 1994											
27						_	_				_

Table 3. Water-quality data from surface-water sites—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGYE- SITM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
21	1500		182	8.5	10.5		13.8	63	_	17	5.1
NOV 1982											
04 OCT 1983	1315	6.9	161	8.0	17.0	_	10.6	64		17	5.3
18	1500	4.7	181	8.1	14.5	<1.0	10.4	70	_	19	5.4
OCT 1984	2000	•••	101	0.1	11.0	12.0	10.1	, 0			0.1
10	1600	7.8	185	8.1	15.0	.40	10.6	68	_	18	5.5
OCT 1985											
10	1130	7.7	195	7.4	9.5	. 90	12.6	70		18	6.0
OCT 1986	1220		100	0.0	10.0	20	10.0	60		10	
22 OCT 1987	1230	4.4	180	8.0	12.0	. 30	12.8	68	_	18	5.5
16	1400	7.6	190	7.7	13.5	. 60	12.8	70	_	18	6.0
OCT 1988											
20	1330	5.5	198	7.1	10.0	. 60	12.1	73	_	19	6.1
OCT 1989											
23 NOV 1990	1430	19	188	7.2	12.5	1.5	9.3	66	10	17	5.6
16	1150	9.6	196	6.9	7.5	1.5	12.8	70	17	18	6.0
OCT 1991	1100	3.0	130	0.5	,	1.0	12.0	,,		10	0.0
09	1130	4.5	203	7.2	10.5	. 50	12.4	71	32	19	5.8
OCT 1992											
15	1215	5.6	208	7.2	13.0	. 90	12.4	71	_	19	5.8
OCT 1993	1240	8.3	196	7.3	0.0		11.7				
14 OCT 1994	1240	0.3	130	1.3	8.0	_	11.7	_	_	_	
27	1420	6.0	202	8.1	9.0	_	12.9	_	_	_	

Table 3. Water-quality data from surface-water sites—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIFS, RESIDUTA AT 18C DEG. C DIS- SOLVER (MG/L) (70300)
OCT 1981											
21 NOV 1982	8.3	21	0.5	2.8			15	12	<0.10	19	105
04	7.4	19	. 4	2.2	43	_	15	12	<.10	18	116
OCT 1983											
18 OCT 1984	7.0	17	. 4	2.2	50		17	12		20	137
10	7.6	19	. 4	1.9	48		16	12		19	121
OCT 1985											
10 OCT 1986	7.9	19	. 4	2.3	50	_	20	14		19	126
22	7.4	19	. 4	2.1	51		16	12		18	128
OCT 1987											
16	8.2	20	. 4	2.2	46		15	13		17	121
OCT 1988 20	7.4	18	. 4	2.0	44		17	13		18	
OCT 1989	7.3	10	• •	2.0	77		1,	13		10	
23	7.3	19	. 4	2.4	56		16	11		19	
NOV 1990 16	7.6	19	. 4	2.1	53		21	17	.10	20	
OCT 1991	7.6	19	. 4	2.1	55	_	21	17	.10	20	
09	7.4	18	. 4	2.2	39	_	14	15	.20	19	
OCT 1992			_								
15 OCT 1993	7.2		. 4	<.10		60	18	13	.10	18	
14			_	_		42				_	
OCT 1994											
27	_				_	38		17		_	

Table 3. Water-quality data from surface-water sites—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

D ATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
21 NOV 1982	_	0.14	_	2.00			<0.010	2.00	0.020	0.03	0.23
04 OCT 1983	112	.16	2.17	1.99	1.99	8.8	.010	2.00	<.010	.01	
18	125	.19	1.74	2.80	*****	_	<.010	2.80	.020	.03	
OCT 1984 10	124	.16	2.55	3.40			<.010	3.40	.040	.05	
OCT 1985	124	.10	2.33	3.40			V.010	3.40	.040	.03	
10	132	.17	2.62	3.40	_		<.010	3.40	.010	.01	.49
OCT 1986 22	122	.17	1.52	2.80		_	<.010	2.80	.010	.01	1.2
OCT 1987 16	123	.16	2.48	3.60			<.010	3.60	.020	.03	. 38
OCT 1988											
20 OCT 1989	123	.17	1.83	3.20			<.010	3.20	.020	.03	.38
23 NOV 1990	127	.17	6.50	3.30	_	_	<.010	3.30	.010	.01	_
16	141	.19	3.64	3.80			<.010	3.80	.050	.06	.65
OCT 1991 09	120	.16	1.45	3.20			<.010	3.20	<.010		_
OCT 1992	120	.10	1.45	3.20	_	_	<.010	3.20	<.010	_	_
15	_			2.60	_	_	<.010	2.60	.010	.01	.19
OCT 1993 14			*****	2.30			<.010	2.30	.020	.03	_
OCT 1994				2.30			7.010	2.50	.020	.03	
27				2.50	_		<.010	2.50	<.015	-	_

Table 3. Water-quality data from surface-water sites—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

DATE	ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	GEN, TOTAL (MG/L AS N)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHORUS, TOTAL (MG/L AS PO ₄)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄ (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
21	0.21	0.24	0.23	2.2	2.2	0.040	0.12	<0.010	<0.010) 	2
NOV 1982			10		2.1			. 020	.010		<1
04 OCT 1983			.10		2.1			. 020	.010	0.03	<1
18	.28		.30		3.1	.040	.12	.040	<.010) —	
OCT 1984											
10	.46		. 50	_	3.9	.050		.030	.020	.06	_
OCT 1985											
10 OCT 1986	.29	.50	.30	3.9	3.7	.020	.06	.020	.020	.06	
22	1.2	1.2	1.2	4.0	4.0	<.010	_	<.010	.010	.03	
OCT 1987	1.2	±.2	1.2	4.0	4.0	1.010		7.010	.01.		
16	.38	.40	. 40	4.0	4.0	<.010		<.010	<.010	_	
OCT 1988											
20	.38	.40	. 40	3.6	3.6	.010	_	.010	<.010) —	
OCT 1989 23	. 49	<.20	.50	_	3.8	.040		.030	.020	.06	
NOV 1990	.43	1.20	. 30		5.0	.040		.030	.021	.00	
16	.35	.70	.40	4.5	4.2	.030	_	<.010	.010	.03	_
OCT 1991											
09	_	<.20				.030	_	<.010	<.010) -	
OCT 1992		00	00			040		000			
15 OCT 1993	.19	.20	. 20	2.8	2.8	.040	_	. 020	.020	.06	
14	_	_	_	_	_			_	.020	.06	
OCT 1994											
27	_	_	_	_		_	_	_	.010	.03	

Table 3. Water-quality data from surface-water sites—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)		NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
21	<1.0	<1	<1	1	53	<1	9	<0.1	<1	<4	_
NOV 1982	-1 0	-11	-11	•			10	. 1			0.00
04 OCT 1983	<1.0	<1	<1	3	66	1	10	<.1	<1	<4	0.03
18					72	_	10				_
OCT 1984											
10					69	_	11				_
OCT 1985											
10 OCT 1986					65		14			_	_
22					35	_	6				
OCT 1987					33		Ū				
16					77		11	_			_
OCT 1988											
20					62		8	_			
OCT 1989 23					140		33				
NOV 1990					140		33	_			
16					100	_	20	_			_
OCT 1991											
09			_		69		11	_			
OCT 1992					4.00						
15 OCT 1993					130	_	15				
14						_			_		
OCT 1994											
27					_	_	_	-			_

Table 3. Water-quality data from surface-water sites—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE - SIUM, DIS- SOLVED (MG/I- AS MG' (00925)
OCT 1981											
21	1130	_	164	7.1	6.5		11.1	57		15	4.8
NOV 1982											
02	1400	19	140	7.8	14.5	_	9.6	57	_	15	4.7
OCT 1983 20	1015	30	147	7.1	11.0	1.9	9.6	56		15	4.6
OCT 1984	1013	30	14/	7.1	11.0	1.9	9.0	30	_	13	4.0
10	1200	23	150	7.7	13.0	. 60	11.0	56	_	15	4.6
OCT 1985											
11	0900	24	155	7.3	11.0	. 90	10.2	55	_	14	4.8
OCT 1986											
31	0900	17	160	7.5	9.0	. 70	9.4	62	_	16	5.3
OCT 1987	1000	20	147	7.4	0.0	40	10.0	57		15	4.0
14 OCT 1988	1000	28	147	7.4	9.0	. 40	12.2	51	_	15	4.8
21	0930	16	163	7.5	8.5	. 90	11.2	62		16	5.3
OCT 1989	*****										
24	0930	60	149	7.2	9.0	1.1	12.1	51	0	13	4.6
NOV 1990											
15	0830	35	165	7.0	4.0	1.1	12.9	55	3	14	4.9
OCT 1991			1.50					c 0	2.4		
15	0900	15	168	7.0	10.0	1.0	10.4	60	24	16	4.9
OCT 1992 14	1045	20	159	7.2	11.0	3.3	11.0	61		16	5.0
OCT 1993	1010		200		****	5.5	****	01			0.0
15	1100	24	160	7.1	9.5		10.8		_		
OCT 1994											
27	0905	20	168	7.4	8.5	_	10.9		_		_

Table 3. Water-quality data from surface-water sites—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
21	7.4	21	0.4	2.3	_		13	9.3	<0.10	16	90
NOV 1982											
02	6.5	19	. 4	1.8	42	_	14	9.7	<.10	15	92
OCT 1983 20	6.6	19	. 4	2.4	40	_	19	11	_	17	111
OCT 1984	0.0	19	.4	2.4	40		13	11		17	111
10	7.4	22	.4	1.5	42		14	9.4	_	16	92
OCT 1985											
11	6.9	21	.4	2.0	42	_	19	10	_	16	103
OCT 1986											
31	7.2	19	. 4	2.4	44		16	11	_	17	111
OCT 1987 14	6.7	20	. 4	1.8	43		12	9.5		15	97
OCT 1988	0.7	20	• **	1.0	43		12	9.3		13	31
21	6.8	19	. 4	1.7	51	_	15	10	_	16	_
OCT 1989											
24	6.0	19	. 4	2.0	54		13	8.2		17	
NOV 1990											
15 OCT 1991	6.7	20	. 4	1.9	52		15	9.6	<.10	17	_
15	6.5	18	. 4	2.0	36		12	11	.20	17	_
OCT 1992	0.5		• •	2.0	50						
14	6.9	19	. 4	2.8		30	17	11	.10	16	-
OCT 1993											
15	_	_			_	38			_	_	_
OCT 1994						4.0					
27		_				43	_	11	_	_	_

Table 3. Water-quality data from surface-water sites—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (1°G/L AS N) (00605)
OCT 1981											
21	_	0.12		0.700	_		<0.010	0.710	0.030	0.04	0.36
NOV 1982	0.0		4 70	020	0 000		010	040	040	0.5	
02 OCT 1983	96	.13	4.72	. 930	0.930	4.1	.010	. 940	.040	.05	_
20	105	.15	8.99	1.17	1.17	5.2	.030	1.20	<.010		_
OCT 1984											
10	101	.13	5.71	1.80	_	_	<.010	1.80	.040	.05	_
OCT 1985											
11	105	.14	6.67	1.70		_	<.010	1.70	.010	.01	. 69
OCT 1986 31	105	. 15	5.15	.800			<.010	.800	.050	.06	. 25
OCT 1987	105	.13	3.13	.800			<.010	. 800	.050	.00	.23
14	98	.13	7.33	1.60		_	<.010	1.60	.020	.03	. 38
OCT 1988											
21	108	.15	4.67	1.50	_	_	<.010	1.50	.020	.03	.18
OCT 1989											
24 NOV 1990	103	.14	16.8	1.60	_	_	<.010	1.60	<.010	_	.40
15	108	.15	10.3	1.80			<.010	1.80	.050	.06	_
OCT 1991	100	.13	10.5	1.00			1.010	1.00	.000	.00	
15	98	.13	4.03	1.40			<.010	1.40	.030	.04	_
OCT 1992											
14	98	.13	5.21	1.10		_	<.010	1.10	.030	.04	. 37
OCT 1993										••	
15 OCT 1994			_	1.20			<.010	1.20	.020	.03	_
27			_	. 950			<.010	. 950	<.015		_

Table 3. Water-quality data from surface-water sites—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
21	0.43	0.39	0.46	1.1	1.2	0.040	0.12	<0.010	<0.010	_	1
NOV 1982											
02	. 26		.30		1.2	_	_	.020	<.010		<1
OCT 1983											
20	_	_	. 60	_	1.8	.040	.12	.020	.020	0.06	
OCT 1984	.16		.20		2.0	.080		.080	.040	.12	
10 OCT 1985	.10	_	.20	_	2.0	.080	_	.080	.040	.12	
11	. 29	.70	. 30	2.4	2.0	.020	.06	.010	<.010		_
OCT 1986		•••	.50		2.0	.020	,,,,		11020		
31	. 65	.30	.70	1.1	1.5	.020	_	.010	<.010		_
OCT 1987											
14	.28	.40	.30	2.0	1.9	.010	_	<.010	<.010		_
OCT 1988											
21	.18	.20	.20	1.7	1.7	.010	_	.010	<.010	_	_
OCT 1989								000	000	0.5	
24 NOV 1990		. 40	<.20	2.0	_	.030	_	.020	.020	.06	
15	.25	<.20	. 30		2.1	.030	_	.020	<.010		
OCT 1991	.25	1,20	.50		2.1	.050		.020	11010		
15		<.20	<.20			.070	_	.020	<.010		
OCT 1992											
14	. 47	.40	. 50	1.5	1.6	.060	_	.030	.020	.06	
OCT 1993											
15	-		_	_	_				.010	.03	_
OCT 1994											
27		_	_	_		_		_	<.010	_	

Table 3. Water-quality data from surface-water sites—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (μG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE STB- STANCE (MG/L) (38260)
OCT 1981											
21 NOV 1982	1.0	4	<1	4	110	2	23	<0.1	<1	5	_
02 OCT 1983	<1.0	<1	<1	1	65	1	12	<0.1	<1	<4	0.02
20	_	_	_	_	120	_	16	_	_	_	
OCT 1984											
10 OCT 1985	_	_	_		61	_	8	_	_	_	_
11	_	_	_	_	57	_	8		_	_	_
OCT 1986											
31	_	_	_	_	83		14	_	_	_	_
OCT 1987		_			110		10	_	_	_	_
OCT 1988											
21	_	_	_	_	53	_	9	_	_	_	_
OCT 1989 24					120		22				
NOV 1990	_	_	_		120		22		_		_
15	_	_	_	_	140	_	19		_		_
OCT 1991											
15 OCT 1992	_	_	_		94		14	_		_	_
14		_	_	_	140		18	_	_	_	_
OCT 1993											
15		_	_	_		_		_	_		_
OCT 1994 27		-	_		_		_	_		_	_
2,											

Table 3. Water-quality data from surface-water sites—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
21	0930	17	153	7.2	5.5		12.0	57	_	15	4.7
NOV 1982											
02	1300	24	137	8.3	14.5		10.4	57	_	15	4.7
OCT 1983											
20	0845	44	138	7.5	11.5	1.2	9.9	56		15	4.5
OCT 1984											
22	1200	30	148	7.8	16.0	.50	10.0	60		16	4.8
OCT 1985 10	1430	32	150	7.8	11.5	. 90	11.4	54		14	4.7
DEC 1986	1430	32	150	7.0	11.5	. 90	11.4	34	_	14	4.7
05	1530	73	138	7.6	3.0	2.7	13.6	49	-	12	4.5
OCT 1987	1000		200		0.0		10.0				
14	1400	28	147	7.6	10.5	.50	12.0	57	_	15	4.8
OCT 1988											
19	1000	18	168	6.7	12.0	1.2	11.4	62		16	5.3
OCT 1989											
23	1730	121	153	7.3	10.5	1.2	11.5	51	18	13	4.6
NOV 1990											
15	1130	44	157	7.7	5.5	1.0	13.4	57	0	15	4.7
OCT 1991										• •	
04	0930	20	152	7.3	16.5	. 70	10.1	59	12	16	4.6
OCT 1992 14	0845	27	165	7.2	9.5	1.1	12.1	58		15	4.9
OCT 1993	0043	۷,	103	1.2	9.3	1.1	12.1	36		13	7.7
15	0900	47	160	7.5	9.5	_	11.0	_		_	_
OCT 1994							••				
28	1130	30	174	7.6	8.5		11.8				

Table 3. Water-quality data from surface-water sites—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
21	7.4	21	0.4	2.0	_		13	9.0	<0.10	16	92
NOV 1982											
02	6.4	19	. 4	1.6	40		14	9.4	<.10	15	95
OCT 1983 20	6.4	19	. 4	2.2	38		19	9.9		17	109
OCT 1984	0.4	19	.4	2.2	36		19	9.9		1,	109
22	6.0	17	.3	1.9	46		13	9.7		15	103
OCT 1985											
10	6.6	20	. 4	1.9	40	-	18	9.2		17	101
DEC 1986											
05	6.2	21	. 4	1.8	36	_	18	8.8		15	98
OCT 1987 14	6.6	19	. 4	1.8	42		12	9.3		15	97
OCT 1988	0.0	19	. 4	1.6	42		12	9.3		15	91
19	6.6	18	. 4	1.7	45		15	10		16	
OCT 1989											
23	7.4	23	. 4	2.0	33		14	9.4		16	
NOV 1990											
15	6.4	19	. 4	1.9	60	_	15	10	<.10	17	_
OCT 1991 04	6.6	19	. 4	1.8	47		13	11	.20	16	
OCT 1992	0.0	19	.4	1.6	47		13	11	.20	10	_
14	6.7	19	. 4	2.8		28	16	11	.10	15	
OCT 1993											
15			_		_	41		-	_		
OCT 1994											
28			_	_		48		12	_		_

Table 3. Water-quality data from surface-water sites—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, CRGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
21		0.13	_	0.770			<0.010	0.770	0.050	0.06	0.24
NOV 1982			c 05	252	252	4.0	010	0.50	010		
02 OCT 1983	94	.13	6.05	. 950	. 950	4.2	.010	. 960	.010	.01	_
20	102	.15	12.9	1.07	1.07	4.7	.030	1.10	<.010		_
OCT 1984	102		12.5	2.07	2.07	***		1110	1,020		
22	99	.14	8.34	1.07	1.07	4.7	.030	1.10	.040	.05	_
OCT 1985											
10	103	.14	8.73	1.60	-		<.010	1.60	.020	.03	.28
DEC 1986 05	96	.13	19.3	1.70			<.010	1.70	.020	. 03	.28
OCT 1987	90	.13	19.3	1.70	_		V.010	1.70	.020	.03	.20
14	96	.13	7.33	1.50	_		<.010	1.50	.020	.03	. 48
OCT 1988											
19	104	.14	5.05	1.40	_		<.010	1.40	.070	.09	.23
OCT 1989											20
23 NOV 1990	94	.13	3.8	1.80			<.010	1.80	.010	.01	. 39
15	114	.16	13.6	1.80		_	<.010	1.80	.050	.06	.15
OCT 1991			2010	2.00							
04	104	.14	5.63	1.40		_	<.010	1.40	<.010		
OCT 1992											
14	93	.13	6.83	1.10		_	<.010	1.10	.020	.03	.28
OCT 1993 15			_	1.20			<.010	1.20	.020	.03	
OCT 1994			_	1.20		_	~.010	1.20	.020	.03	
28	_	_		1.00			<.010	1.00	<.015	_	

Table 3. Water-quality data from surface-water sites—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO4) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01070)
OCT 1981	1										
21	0.24	0.32	0.29	1.1	1.1	<0.010	_	<0.010	<0.010		1
NOV 1982											
02	.79	_	.80	_	1.8	_		<.010	<.010	_	1
OCT 1983	3										
20 OCT 1984			. 40		1.5	.030	0.09	.030	.020	0.06	
22	.26		.30	_	1.4	<.010		.030	.010	.03	_
OCT 198			.55			1.010		.000	.010	. 45	
10	.28	.30	.30	1.9	1.9	.020	.06	.020	.010	.03	
DEC 198											
05	.48	.30	.50	2.0	2.2	.030	_	. 020	.010	.03	_
OCT 1987	.38	.50	- 40	2.0	1 0	- 010		- 010	- 010		
OCT 1988		.50	.40	2.0	1.9	<.010		<.010	<.010		_
19	.23	.30	.30	1.7	1.7	.020		. 020	<.010		
OCT 1989	•										
23	.39	.40	. 40	2.2	2.2	.040	_	.020	.030	.09	-
NOV 1990											
15 OCT 1991	.15	.20	.20	2.0	2.0	.020		<.010	<.010		
04	L 	<.20		_	_	.030		<.010	.010	.03	
OCT 1992	2	1.20				.050		1.010	.010	.03	
14	.28	.30	.30	1.4	1.4	.030		.030	.020	.06	_
OCT 199	3										
15	_	_	_	_	_	_	-	_	. 020	.06	
OCT 1994											
28	_								<.010	_	_

Table 3. Water-quality data from surface-water sites—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (mG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
21	<1.0	<1	<1	2	97	<1	6	<0.1	1	4	_
NOV 1982											
02	<1.0	<1	<1	1	51	<1	4	<.1	<1	<4	0.01
OCT 1983											
20	_			_	100		6				
OCT 1984											
22					42		3				
OCT 1985											
10		_		_	53	_	4			_	
DEC 1986					110		1.0				
05 OCT 1987					110		16				
14					93		6				
OCT 1988				_	93		U				
19		_			38		4				
OCT 1989					30		•				
23					120		12				
NOV 1990											
15		_		_	120		8				
OCT 1991											
04			_		72		5	_			
OCT 1992											
14		_		_	120	_	6				
OCT 1993											
15					_	_		_			
OCT 1994											
28	_				_						_

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
23	1200		468	4.3	17.0	_	9.1	130		38	9.0
NOV 1982											
02	1045	30	189	8.0	14.0	_	10.7	75	_	20	6.0
OCT 1983											
20	1230	52	185	7.8	13.0	1.5	10.5	67		18	5.4
OCT 1984											
10	0900	35	200	7.8	14.0	.80	10.6	78		21	6.2
OCT 1985 09	1500	43	225	7.3	10.0	1.5	11.8	80		21	6.8
OCT 1986	1300	43	223	7.3	10.0	1.5	11.6	80		21	0.0
31	1200	24	220	8.0	12.0	.90	10.4	86		23	6.9
OCT 1987	1200			0.0	12.0			•			0.5
13	0930	39	188	7.5	10.0	. 60	12.2	75		20	6.0
OCT 1988											
19	1500	35	232	7.2	13.5	1.1	11.5	87		23	7.2
OCT 1989											
24	1430	123	189	7.3	11.5	1.0	11.9	66	22	17	5.8
NOV 1990											
15	1400	51	197	7.4	7.5	4.5	13.1	69	13	18	5.8
OCT 1991											
21	0915	27	212	7.2	7.5	2.3	12.1	78	18	21	6.2
OCT 1992 13	1200	45	202	7.1	12.5	1.5	11.3	71		19	5.8
OCT 1993	1200	43	202	/.1	12.5	1.5	11.3	/1		13	3.0
18	0800	35	218	7.2	13.5		10.1				_
OCT 1994	0000	33	210		10.0		10.1				
28	0830	31	219	7.8	8.0	_	11.4			_	_

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

				POTAS-	ALKA- LINITY	ALKA- LINITY		CHLO-	FLUO-	SILICA,
	SODIUM,		SODIUM	SIUM,	WAT WH	WAT WH	SULFATE,	RIDE,	RIDE,	DIS-
	DIS-		AD-	DIS-	TOT FET	TOT IT	DIS-	DIS-	DIS-	SOLVED
	SOLVED		SORP	(SOLVED	FIELD	FIELD	SOLVED	SOLVED	SOLVED	(MG/I
DATE	(MG/L	SODIUM	TION	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	AS
	AS NA)	PERCENT	RATIO	AS K)	AS CACO ₃)		3) AS SO4)	AS CL)	AS F)	SIO ₂)
	(00930)	(00932)	(00931)	(00935)	(00410)	(00419)	(00945)	(00940)	(00950)	(00955)
OCT 1981										
23	27	30	1	4.1	_	_	76	36	1.5	11
NOV 1982										
02	9.2	21	.5	2.0	52	_	21	12	<.10	14
OCT 1983										
20	9.2	22	. 5	2.5	50	_	22	14		16
OCT 1984										
10	9.3	20	. 5	1.9	54	_	22	13		15
OCT 1985										
09	11	22	. 5	2.6	52		26	15	_	16
OCT 1986										
31	10	20	.5	2.9	62		24	14	_	16
OCT 1987										
13	8.6	19	. 4	2.1	56		18	12	_	16
OCT 1988		0.1	-		50		0.4			
19	11	21	.5	2.1	58	_	24	15		15
OCT 1989 24	8.1	20	. 4	2.1	44		19	10		17
NOV 1990	0.1	20	. 4	2.1	44		19	10	_	17
15	8.8	21	.5	2.1	56		20	13	.10	16
OCT 1991	0.0	21		2.1	36		20	13	.10	10
21	9.5	20	. 5	2.7	60	_	23	16	.10	15
OCT 1992	3.3	20		2.,	90		23	10	.10	13
13	8.2	19	. 4	3.0		35	20	13	.10	16
OCT 1993	5.2			5.0						
18					_	47				_
OCT 1994										
28	_	_	_	_	_	48		15		

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) (00631)	NITO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)
OCT 1981										
23	323		0.44		14.0	14.0	62	0.020	14.0	0.140
NOV 1982										
02	124	120	.17	10.0	.910	. 910	4.0	.010	.920	<.010
OCT 1983	124	100	10	10.0			5 0	000	1 00	4 010
20 OCT 1984	134	123	.18	18.8	1.17	1.17	5.2	.030	1.20	<.010
10	127	129	.17	12.0	1.70	_	_	<.010	1.70	.020
OCT 1985		103		12.0	1.70			1.010	1.70	.020
09	139	138	.19	16.1	1.78	1.78	7.9	.020	1.80	.030
OCT 1986										
31	147	138	.20	9.49	.810	_	_	<.010	.810	.050
OCT 1987										
13 OCT 1988	121	124	.16	12.7	1.60		_	<.010	1.60	.030
19		139	.19	13.1	1.40			<.010	1.40	. 030
OCT 1989		100		10.1	11.10			4.010	1.10	.050
24		115	.16	38.4	2.20			<.010	2.20	.010
NOV 1990										
15	_	126	.17	17.3	1.80		_	<.010	1.80	.060
OCT 1991		4.55								
21 OCT 1992		135	.18	9.78	1.20		_	<.010	1.20	.030
13	_	111	.15	13.5	1.00			<.010	1.00	.020
OCT 1993			, 10	23.0	2.00				2.00	.020
18					1.40			<.010	1.40	.030
OCT 1994										
28	_				1.00			<.010	1.00	<.015

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHOS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC,	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(07666)
OCT 1981										
23	0.18	0.42	0.36	0.49	0.50	14	15	0.310	0.95	0.280
NOV 1982										
02	.01				.50		1.4			.010
OCT 1983										
20	_				.50		1.7	.030	.09	. 020
OCT 1984										
10	.03		.18		.20		1.9	.030		. 020
OCT 1985										
09	. 04		.37		.40		2.2	.050	.15	.030
OCT 1986										
31	.06	.45	. 45	.50	.50	1.3	1.3	.020		.020
OCT 1987										
13	.04	. 27	.27	.30	.30	1.9	1.9	.010		<.010
OCT 1988										
19	.04	. 57	.47	.60	. 50	2.0	1.9	.010		.010
OCT 1989										
24	.01	.19	.29	.20	.30	2.4	2.5	.040		.020
NOV 1990										
15	.08	.24	. 44	.30	.50	2.1	2.3	.030		<.010
OCT 1991										
21	.04	.27	.17	.30	.20	1.5	1.4	.040	_	.020
OCT 1992	••									
13	. 03	.28	.28	.30	.30	1.3	1.3	.040		.040
OCT 1993										
18	. 04							_	_	
OCT 1994										
28				_						-

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

<.010

28...

DATE	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRCN, DIS- SOLVED (µG/L AS FE) (01046)
OCT 1981										
23	0.270	0.83	2	_	_	5.0	7	2	22	490
NOV 1982			_					_	_	
02	.010	.03	1	_		<1.0	<1	1	5	53
OCT 1983 20	.010	.03	<1			-1 0	-1		2	83
OCT 1984	.010	.03	\1		_	<1.0	<1		2	8.
10	.010	.03	<1			<1.0	<1	_	3	100
OCT 1985						12.0	7.		·	201
09	.020	.06	<1			<1.0	<1		4	84
OCT 1986										
31	<.010	_	<1	-	_	1.0	<1	_	4	64
OCT 1987										
13	<.010		<1	- 	_	<1.0	<1		1	72
OCT 1988 19	<.010		<1	42	<.5	<1.0	<5	<3	<10	26
OCT 1989	V.010		~1	72	٧.5	\1.0	\3	\ 3	\10	93
24	.020	.06	<1	44	<.5	<1.0	<5	< 3	<10	110
NOV 1990					_		_	_		
15	.010	.03	<1	36	<.5	<1.0	<5	<3	<10	120
OCT 1991										
21	.010	.03	2	44	<.5	<1.0	< 5	< 3	<10	9 3
OCT 1992			_		_		_	_		
13	.030	.09	<1	45	. 8	<1.0	< 5	< 3	<10	120
OCT 1993 18	.020	.06	_			_		_		
OCT 1994	.020	.06	<u>—</u>			_				
331 1334										

Table 3. Water-quality data from surface-water sites—Continued

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METFY- LEITS BLUE ACTIVE SUF- STANCE (MG/L) (38260)
OCT 1981										
23	200		12,000	0.7	6	_			320	0.20
NOV 1982										
02	<1		40	<.1	<1	_		_	<4	.02
OCT 1983			01		•	-11 0			-2	
20 OCT 1984	2		21	<.1	1	<1.0	_		<3	_
10	5		39	<.1	2	<1.0			<3	_
OCT 1985	•			11.2	-	12.0			10	
09	5		58	<.1	2	<1.0			24	
OCT 1986										
31	<5	-	29	<.1	3	<1.0		_	9	_
OCT 1987										
13	<5		26	<.1	<1	<1.0		_	3	_
OCT 1988 19	<10	<4	30	.2	<10	<1.0	120	<6	<3	
OCT 1989	~10	~4	30	.2	\10	11.0	120	~0	\ 3	_
24	<10	<4	23	<.1	<10	<1.0	83	<6	9	_
NOV 1990										
15	<10	4	33	<.1	<10	<1.0	86	<6	<3	_
OCT 1991										
21	<10	<4	32	_	<10	<1.0	100	<6	4	
OCT 1992	-10	-4			-10	-1.0	0.4			
13 OCT 1993	<10	<4	29	<.1	<10	<1.0	94	<6	4	_
18	_			_	_					_
OCT 1994										
28	-	_		_	_	_		_		

Table 3. Water-quality data from surface-water sites—Continued

01472170 - Pickering Creek near Eagle, Pa. (Site 1)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNF- SIUM, DIS- SOLVET (MG/I. AS MG) (00925)
OCT 1981											
16	1115		196	7.6	12.0	_	11.5	60		17	4.3
OCT 1982											
18	1145	1.3	189	7.3	8.5		10.9	76	_	20	6.4
OCT 1983 17	1415	1.1	222	7.6	15.0	4.0	9.4	83	_	22	6.8
OCT 1984	1415	1.1	222	7.0	13.0	4.0	7.4	03		22	0.0
05	1300	1.8	205	7.8	13.5	1.0	10.3	80		21	6.8
OCT 1985											
08	1100	1.8	195	7.5	7.0	1.3	11.6	73	_	19	6.3
OCT 1986	1200		000		15.0			20			
07 OCT 1987	1300	.57	200	8.0	15.0	1.5	10.4	80		21	6.6
09	0930	1.1	205	7.5	9.5	.80	13.0	80		21	6.7
OCT 1988											
13	1500	.87	220	7.7	10.5	2.7	12.6	86		22	7.5
OCT 1989											
05 OCT 1990	1400	2.4	232	6.9	14.5	1.3	12.1	77	27	20	6.6
03	0800	1.2	238	6.2	10.5	1.5	10.4	86	19	23	7.0
OCT 1991			200	• • • •	20.0	1.0	-0	•			,,,
03	1215	.78	227	7.5	17.0	2.7	10.6	81	36	22	6.4
OCT 1992											
07 OCT 1993											
	0945	.70	217	7.1	8.0	. 50	11.9	85		23	6.7
	0945	.70	217			. 50		85		23	6.7
05 OCT 1994				7.1	8.0 13.5	.50	11.9 11.4	85	-	23 —	6.7

Table 3. Water-quality data from surface-water sites—Continued

01472170 - Pickering Creek near Eagle, Pa. (Site 1)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
16	6.2	18	0.3	1.9	_	-	12	18	<0.10	17	120
OCT 1982 18	6.7	15	.3	2.6	44		13	21	<.10	21	154
OCT 1983	0.7	13		2.0	44		13	21	V.10	21	134
17	7.1	15	.3	2.8	48	_	15	24	_	22	167
OCT 1984											
05	8.8	19	. 4	1.8	42	_	15	24	_	20	137
OCT 1985					40		••				120
08 OCT 1986	7.4	17	. 4	2.0	42		18	18		20	132
07	7.9	17	. 4	1.9	56		15	19		22	150
OCT 1987			• •								
09	8.8	19	. 4	2.0	51		14	21	_	20	138
OCT 1988											
13	8.1	17	. 4	1.7	53		16	23	-	21	_
OCT 1989			•	0.0	F.0					10	
05 OCT 1990	7.4	17	. 4	2.0	50	_	14	21	_	19	_
03	8.3	17	. 4	1.8	67		15	24	.10	20	
OCT 1991			• •		• •						
03	7.8	17	. 4	1.8	45		13	25	.20	20	_
OCT 1992											
07	7.6	16	. 4	1.7	_	38	14	21	.10	21	_
OCT 1993						40					
05 OCT 1994					_	49	_	_	_	_	_
25					_	48	_	26			
20						40		-0			

Table 3. Water-quality data from surface-water sites—Continued

01472170 - Pickering Creek near Eagle, Pa. (Site 1)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEIT, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
16		0.16		1.49	1.49	6.6	0.010	1.50	0.050	0.06	0.37
OCT 1982											
18	127	.21	. 52	2.09	2.09	9.3	.010	2.10	.050	.06	
OCT 1983											
17	141	.23	.50	2.64	2.64	12	.060	2.70	.130	.17	
OCT 1984	125	10	67	0.00			4 010	0.00	0.00	0.0	
05 OCT 1985	135	.19	. 67	2.80		_	<.010	2.80	.060	.08	_
08	126	.18	. 64	2.20	_		<.010	2.20	.050	.06	_
OCT 1986	120	.10	.01	2.20			1,010	2.20	.000		
07	136	.20	.23	1.89	1.89	8.4	.010	1.90	.020	.03	.98
OCT 1987											
09	133	.19	.41	1.90	_		<.010	1.90	.020	.03	.38
OCT 1988											
13	142	.19	.33	2.40		_	<.010	2.40	.010	.01	.29
OCT 1989											
05	132	.18	. 85	2.59	2.59	11	.010	2.60	.020	.03	.38
OCT 1990 03	149	.20	.46	2.20			<.010	2.20	.010	.01	.19
OCT 1991	149	.20	.40	2.20		_	V.010	2.20	.010	.01	.19
03	131	.18	.28	1.80			<.010	1.80	<.010	_	
OCT 1992		•									
07	127	.17	.24	2.10	_		<.010	2.10	.020	.03	_
OCT 1993											
05	_	_		2.20		_	<.010	2.20	.020	.03	
OCT 1994											
25		_		1.90		_	<.010	1.90	<.015		

Table 3. Water-quality data from surface-water sites—Continued

01472170 - Pickening Creek near Eagle, Pa. (Site 1)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
16	0.27	0.46	0.32	2.0	1.8	0.030	0.09	0.010	0.010	0.03	2.
OCT 1982	25		40		2 5			040	000	0.6	1.
18 OCT 1983	. 35	_	.40		2.5	_		.040	.020	.06	J.
17	.87		1.0		3.7	.050	.15	.030	.040	.12	
OCT 1984											
05	.14		.20	_	3.0	.030	*******	<.010	.010	.03	
OCT 1985											
08 OCT 1986	.55		. 60		2.8	.030	.09	.020	.020	.06	
07	. 58	1.0	. 60	2.9	2.5	.020		.020	.010	.03	
OCT 1987											
09		.40	<.20	2.3	_	.010		<.010	<.010		
OCT 1988		20	20								
13 OCT 1989	. 29	. 30	.30	2.7	2.7	.010		.010	<.010		
05	. 48	.40	.50	3.0	3.1	.020		<.010	<.010		_
OCT 1990											
03	. 29	.20	.30	2.4	2.5	<.010		<.010	<.010	_	_
OCT 1991		. 00	••			020					
03 OCT 1992		<.20	.10		1.9	.030	_	<.010	<.010		_
07	_	<.20	<.20			.020		<.010	<.010		_
OCT 1993											
05	_	_	_					-	<.010		_
OCT 1994											
25	_	-	_		_				<.010		_

Table 3. Water-quality data from surface-water sites—Continued

01472170 - Pickering Creek near Eagle, Pa. (Site 1)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STINCE (MG/L) (38260)
OCT 1981				_					_	••	
16 OCT 1982	1.0	<1	2	5	110	<1	50	<0.1	1	10	_
18	<1.0	<1	<1	<1	100	<1	50	<.1	2	<4	0.02
OCT 1983 17	_				170		56		_		
OCT 1984					170	_	36	_			
05					93		35	_		_	_
OCT 1985											
08	_			_	95	_	54	_	_		_
OCT 1986 07	_	_			110	_	23	_	_	_	_
OCT 1987											
09		_	_	_	110	_	43	_		_	_
OCT 1988 13					100		23			_	
OCT 1989					100		23				
05	_		_	_	180		48			-	
OCT 1990											
03 OCT 1991					100		43		_	_	_
03				_	150		28			_	_
OCT 1992					200						
07			_	_	110	_	36	_	_	_	_
OCT 1993											
05 OCT 1994	_								_	_	_
25	_				_		_			_	_

Table 3. Water-quality data from surface-water sites—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SCLVED (MG/L AS CA) (00915)
OCT 1981										
16 OCT 1982	0915	_	191	7.2	9.0		10.8	55	_	17
18 OCT 1983	0930	3.5	190	6.6	5.8	_	10.2	73		20
18 OCT 1984	1045	2.6	195	7.5	13.0	1.0	8.6	81		23
05 OCT 1985	0900	4.0	200	7.7	9.5	.60	10.7	77		21
08 OCT 1986	0815	5.1	212	7.4	6.0	1.1	11.0	72		19
07 OCT 1987	0900	2.1	195	7.6	10.0	. 50	9.9	79	_	22
09 OCT 1988	1400	2.7	195	7.5	12.0	. 70	10.7	76		21
13 OCT 1989	1000	2.7	201	7.6	8.0	1.6	11.8	80		22
05 OCT 1990	0915	7.3	195	7.3	10.5	1.1	10.6	74	28	20
03 OCT 1991	1030	2.9	213	6.6	11.5	1.0	10.7	76	11	21
03 OCT 1992	0900	1.9	211	7.2	16.0	1.4	9.1	78	24	22
08 OCT 1993	0830	1.6	215	7.1	8.5	. 60	11.5	84		24
07 OCT 1994	0900	2.5	220	7.3	10.5	 -	10.7	_		
25	0945	4.3	224	7.0	10.5		10.5			_

Table 3. Water-quality data from surface-water sites—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)		DIS- SOLVED (MG/L AS K)	UNFLTRD FET	ANC WATER UNFLTRD IT FIELD (MG/L AS CACO ₃) (00419)	AS SO ₄)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	DIS- SOLVED	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/I.) (70300)
OCT 1981												
16	3.1	6.1	19	0.4	2.5	_	_	13	16	<0.10	16	121
OCT 1982												
18	5.5	6.2	15	.3	1.2	50		15	12	<.10	20	130
OCT 1983				_								
18	5.8	6.7	15	.3	2.2	54		16	17		19	148
OCT 1984 05	6.0	8.1	18	. 4	1.9	52		16	16		18	127
OCT 1985	6.0	0.1	10	. 4	1.9	32		16	10		10	127
08	6.0	7.2	17	. 4	2.3	48		20	12	_	18	134
OCT 1986	•••											
07	5.9	7.4	16	.4	2.2	56		16	12	_	21	146
OCT 1987												
09	5.8	8.5	19	. 4	2.2	54		14	16		18	127
OCT 1988												
13	6.2	7.7	17	. 4	1.7	56	_	16	15	_	17	_
OCT 1989												
05	5.9	7.0	17	. 4	1.9	46	_	15	14		17	
OCT 1990 03	5.7	7.4	17	. 4	1.9	65		14	17	<.10	18	
OCT 1991	5.7	7.4	17	. 4	1.9	65	_	14	17	V.10	10	_
03	5.5	7.1	16	. 4	1.9	54		14	17	.20	17	
OCT 1992				• •	2.5							
08	5.9	7.1	15	.3	1.8	_	55	15	15	.10	20	_
OCT 1993												
07							52		_	_		
OCT 1994												
25	_		_	_	_	_	47	_	19	_		

Table 3. Water-quality data from surface-water sites—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
16		0.16		1.70	1.70	7.5	0.010	1.70	0.020	0.03	0.23
OCT 1982											
18	120	.18	1.25		2.20	9.7	.020	2.20	.030	.04	_
OCT 1983											
18	133	.20	1.04		2.30	10	.040	2.30	.110	.14	
OCT 1984											
05	131	.17	1.37		_		<.010	2.80	.050	.06	_
OCT 1985	100	10	1 05								
08 OCT 1986	123	.18	1.85				<.010	2.10	.030	.04	_
07	128	. 20	.83		1.69	7.5	.010	1.70	.040	. 05	. 96
OCT 1987	120	.20	. 03		1.69	7.5	.010	1.70	.040	.05	.90
09	126	.17	. 93				<.010	1.70	.020	. 03	. 38
OCT 1988	120	,	. , ,				1.010	1.70	.020	. 05	. 30
13	129	.17	. 94				<.010	2.10	.030	.04	
OCT 1989											
05	120	.16	2.36		2.49	11	.010	2.50	.020	.03	.18
OCT 1990											
03	133	.18	1.03				<.010	2.00	.020	.03	.38
OCT 1991											
03	125	.17	. 66		_		<.010	1.80	<.010		_
OCT 1992											
08	132	.18	. 57	_		_	<.010	2.20	.020	.03	_
OCT 1993											
07		_		_			<.010	2.10	.020	.03	
OCT 1994											
25							<.010	1.70	<.015		_

Table 3. Water-quality data from surface-water sites—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)		PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, IIS- SC'VED (FG/L AS AS) (01000)
OCT 1981											
16	0.27	0.28	0.29	2.0	2.0	0.020	0.06	<0.010	<0.010		2
OCT 1982											
18	.07	_	.10		2.3			<.010	.010	0.03	1
OCT 1983											
18	.49	_	. 60		2.9	.020	.06	.010	.010	.03	
OCT 1984	1.5		-00		2.0	000		010	010	0.2	
05 OCT 1985	.15		.20		3.0	.020	_	.010	.010	.03	
08	.37	_	.40		2.5	.020	.06	.020	.020	.06	
OCT 1986	.57		.40		2.3	.020	.00	. 020	.020	.00	
07	_	1.0	<.20	2.7		.010	_	.020	<.010		
OCT 197			*****								
09		.40	<.20	2.1		<.010		.010	<.010		
OCT 1988											
13	.17	<.20	.20		2.3	.010		.010	<.010	_	
OCT 1989											
05	.28	.20	.30	2.7	2.8	.020	-	.010	<.010	_	_
OCT 1990											
03	.18	.40	.20	2.4	2.2	.010		<.010	<.010	_	
OCT 1991											
03	_	<.20		_		.030	_	<.010	<.010		_
OCT 1992		- 20	4 00			020		- 010	- 010		
08 OCT 1993	_	<.20	<.20	_	_	.030		<.010	<.010	_	_
07		_		_		_			<.010		
OCT 1994					-						
25		_	_		_	_		_	<.010		

Table 3. Water-quality data from surface-water sites—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENG BLUE ACTIVE SUP- STANCE (MG/L) (38260)
OCT 1981											
16 OCT 1982	1.0	<1.0	2.0	4.0	110	<1.0	20	<0.1	3.0	<10	_
18	<1.0	1.0	<1.0	<1.0	80	<1.0	15	<.1	2.0	<4.0	0.02
OCT 1983 18					78		18	_			
OCT 1984	_				76		10				
05	_		-	_	67	_	33		_	_	
OCT 1985 08	_		_		89		34				
OCT 1986					05		34				
07	_	-	_	_	110		25	_	_		
OCT 1987	_		_		120		25	_			
OCT 1988					220						
13	_		_	_	72	_	17	_	_	_	
OCT 1989 05	_				85		32				
OCT 1990											
03 OCT 1991	_		_		78		21	_	_		_
03	_			_	85	_	15		_	_	_
OCT 1992											
08 OCT 1993	_				99		20		_		_
07	_		_				_				
OCT 1994									_		_
25			_								_

Table 3. Water-quality data from surface-water sites—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	AS CA)	DIS- SOLVED (MG/L AS MG)	SCDIUM, EIS- SCLVED (MG/L AS NA) (00930)
OCT 1981												
15	1415	_	197	8.2	8.5		12.4	57	_	17	3.6	€.7
OCT 1982												
18	1435	9.1	177	8.2	8.5		12.4	71	_	19	5.8	€.8
OCT 1983			- 0 =									
17 OCT 1984	1150	8.4	195	7.8	11.0	<1.0	10.7	80	_	22	6.1	7.1
05	1500	14	175	7.9	11.0	. 40	11.4	74	_	20	5.9	8.3
OCT 1985	1300	14	1,0	7.5	11.0	. 10	11.7	, ,		20	3.3	
07	1300	15	195	7.6	7.5	. 70	13.2	73	_	19	6.1	0.3
OCT 1986												
08	0930	8.4	195	7.8	10.0	. 40	10.2	82	_	22	6.6	7.9
OCT 1987												
08	1400	9.2	195	7.6	12.0	.70	11.5	75	_	20	6.1	8.3
OCT 1988 14	0945	7.7	210	7.2	8.0	1.3	12.9	80		21	6.6	7.7
OCT 1989	0943	7.7	210	1.2	6.0	1.3	12.9	80	_	21	0.0	1.7
04	1530	26	198	7.2	13.5	.80	10.5	72	26	19	6.0	7.5
OCT 1990												
03	1230	9.7	218	6.0	12.5	1.0	11.0	78	5	21	6.2	€.1
OCT 1991												
02	1145	7.2	217	8.2	15.5	.70	12.0	80	22	22	6.2	7.7
OCT 1992												
07 OCT 1993	1230	6.2	124	7.1	9.5	. 50	12.2	88	_	24	6.9	€.1
06	1245	8.0	228	7.2	10.5	_	11.3			_		_
OCT 1994	-2.0	0.0			10.0		11.5					
25	1430	13	219	7.5	11.5		11.2	-	_	_		_

Table 3. Water-quality data from surface-water sites—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

DATE	SODIUM PERCENT (00932)	SODIUM AD- SORP TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED S (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (7C301)
OCT 1981											
15	20	0.4	2.0	_	_	15	17	<0.10	15	117	
OCT 1982											
18	17	. 4	1.8	49		16	14	<.10	19	128	118
OCT 1983	1.0	.3	1.0			1.7	17		10	1.41	120
17 OCT 1984	16	.3	1.9	55		17	17		18	141	130
05	19	. 4	1.8	54	_	17	16	_	17	117	127
OCT 1985			2.0	0.			10				20.
07	19	. 4	2.2	50	_	19	15	_	18	127	124
OCT 1986											
08	17	. 4	2.4	64		17	16	_	20	150	136
OCT 1987											
08 OCT 1988	20	. 4	2.7	50		17	17	_	16	129	123
14	17	. 4	1.8	63		17	18	_	18		135
OCT 1989		• •	2.0	00			10		10		100
04	18	. 4	2.2	46	_	15	15	_	17		117
OCT 1990											
03	18	. 4	1.8	73	_	14	19	<.10	18		139
OCT 1991											
02	17	. 4	1.8	58	_	15	20	.20	17	_	131
OCT 1992 07	16	. 4	1.9	_	44	17	22	.10	19		132
OCT 1993	10	3	1.7		22	1,	LL	.10	19		102
06	_			_	57		_				_
OCT 1994											
25	-		_	_	42	_	20		_		_

Table 3. Water-quality data from surface-water sites—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

DATE	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRC- GEN, ORGANIC DIS- SOLVED (MG/I. AS N) (00607)
OCT 1981											
15	0.16		1.09	1.09	4.8	0.010	1.10	0.020	0.03	0.17	0.21
OCT 1982											
18	.17	3.15	1.38	1.38	6.1	.020	1.40	.020	.03	_	
OCT 1983											
17	.19	3.20	1.65	1.65	7.3	.050	1.70	.170	. 22		.13
OCT 1984											
05	.16	4.42	1.90			<.010	1.90	.070	.09	_	.53
OCT 1985		_									
07	.17	5.14	1.50		_	<.010	1.50	.020	.03	.48	.38
OCT 1986		2.40					1 00			20	
08 OCT 1987	.20	3.40	1.20			<.010	1.20	<.010		.30	_
08	.18	3.20	1.10			<.010	1.10	.030	.04	.37	.37
OCT 1988	.10	3.20	1.10			1.010	1.10	.030	.04		
14	.18	2.80	1.50			<.010	1.50	.010	.01	.29	_
OCT 1989		2.00					2.00	,,,,			
04	.16	8.22	1.70	_		<.010	1.70	.020	.03		. 28
OCT 1990											
03	.19	3.62	1.50			<.010	1.50	.010	.01	.29	.39
OCT 1991											
02	.18	2.55	1.40			<.010	1.40	<.010	_		
OCT 1992											
07	.18	2.20	1.40		_	<.010	1.40	.020	.03	_	_
OCT 1993											
06	_	_	1.60	_		<.010	1.60	.010	.01		
OCT 1994											
25		_	1.00			<.010	1.00	<.015			_

Table 3. Water-quality data from surface-water sites—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	DIS- SOLVED (MG/L	(MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)
OCT 1981											
15	0.22	0.23	1.3	1.3	0.020	0.06	<0.010	<0.010	-	2	1.0
OCT 1982										_	
18 OCT 1983	_	<.10					.050	.020	0.06	1	<1.0
17	_	.30		2.0	.010	.03	.010	<.010			
OCT 1984				2.0	.010		.010	1,010			
05		.60	_	2.5	.030	_	<.010	.020	.06		
OCT 1985											
07	. 50	.40	2.0	1.9	.020	.06	.020	.010	.03		_
OCT 1986 08	.30	.20	1.5	1.4	.070		.010	<.010		<1	<1.0
OCT 1987	.30	.20	1.5	1.4	.070		.010	<.010		\1	\1.0
08	.40	.40	1.5	1.5	.010		.010	<.010	_		
OCT 1988											
14	.30	<.20	1.8		.020		.010	<.010			
OCT 1989											
04 OCT 1990	<.20	.30		2.0	.030		.020	.020	.06		_
03	. 30	. 40	1.8	1.9	<.010		<.010	<.010		_	
OCT 1991			2.0	1.5	1.010		1,010	1.010			
02	<.20				.020		<.010	.010	.03		_
OCT 1992											
07	<.20	<.20			.020	_	<.010	<.010			_
OCT 1993 06								<.010			_
OCT 1994								~.010			
25								<.010	_		

Table 3. Water-quality data from surface-water sites—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

DATE	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METFY- LENF: BLUF: ACTIVE SUF- STANCE (MG/L) (38260)
OCT 198											
15 OCT 198		2	3	100	<1	10	<0.1	2	_	10	_
18 OCT 198	<1	<1	<1	63	<1	11	<.1	2	_	<4	0.02
17		_		76	_	15		_		_	_
OCT 198	4										
05		_	_	59	_	18	_	_		_	
OCT 198						•					
07 OCT 198		_	_	72	_	22	_		********	_	
08 OCT 198	<1	_	1	84	<5	10	_	2	<1.0	<3	
08			_	79		13		_		_	_
OCT 198				-							
14	_	_	_	63	_	10		_		_	
OCT 198											
04 OCT 199				130	_	25	_	_		_	_
03		_		67	_	14	_				_
OCT 199				•							
02			_	180	_	14	_	_		_	_
OCT 199											
07				77		17	_			_	
OCT 199											
06 OCT 199							_				
25	_			_	_		_			_	

Table 3. Water-quality data from surface-water sites—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
15	0930	_	200	7.9	7.5	_	13.0	59	_	17	4.0
OCT 1982 19	1345	13	192	7.5	9.5	_	11.4	79	_	21	6.4
OCT 1983 17	0850	11	185	8.1	13.0	<1.0	1.5	81	_	22	6.3
OCT 1984											
09	0930	17	190	8.0	12.0	.50	1.8	75	_	20	6.1
OCT 1985 07	0845	22	205	7.4	4.0	1.0	12.7	73	_	19	6.2
OCT 1986	00.0		200			2.0					· · -
06	0930	11	210	7.6	15.5	.80	8.7	83		22	6.7
OCT 1987											
08	0930	13	200	7.3	11.0	.70	11.4	76		20	6.4
OCT 1988											
12	0930	11	220	7.1	1.5	1.2	11.6	80	_	21	6.7
OCT 1989	1105	33	202	7.6	10 5		10 5	72	24	19	6.1
04 OCT 1990	1105	33	202	7.6	12.5	1.3	10.5	73	24	19	0.1
02	0930	13	189	7.5	13.5	.40	10.4	82	30	22	6.5
OCT 1991	••••										
02	0830	8.1	218	7.6	14.5	1.0	9.6	80	17	22	6.2
OCT 1992											
06	1000	7.6	222	6.9	9.5	.40	12.4	84		23	6.5
OCT 1993											
06	0900	10	232	7.3	9.5	_	11.2	_		_	_
OCT 1994											
26	1245	15	230	7.1	9.5	_	11.9				

Table 3. Water-quality data from surface-water sites—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDA, RESIDTE AT 181 DEG. C DIS- SOLVED (MG/I) (70300)
OCT 1981											
15	7.0	20	0.4	1.9	_		16	18	0.10	14	165
OCT 1982	2 -	1.0			40		1.6	10	. 10	20	100
19 OCT 1983	7.5	17	. 4	1.5	49		16	18	<.10	20	126
17	7.6	17	. 4	2.0	54	_	18	19		18	132
OCT 1984											
09	9.0	20	.5	1.7	52	_	17	17		17	121
OCT 1985 07	8.0	19	. 4	2.2	50	_	20	16		18	125
OCT 1986	6.0	13	• •	2.2	50	_	20	10		10	125
06	8.7	18	. 4	2.7	58		18	17	_	20	156
OCT 1987											
08	8.5	19	. 4	2.8	53	_	17	18	_	18	130
OCT 1988 12	7.9	17	. 4	2.0	66		17	18		17	_
OCT 1989	,.,	Δ,	• •	2.0	00		-,	10		Δ,	
04	8.1	19	. 4	2.2	49		15	15	_	18	
OCT 1990											
02 OCT 1991	9.0	19	. 4	2.0	52	_	21	20	<.10	18	_
02	8.0	17	. 4	1.8	63		16	22	.20	18	
OCT 1992											
06	8.4	17	. 4	1.9		46	17	22	.10	18	_
OCT 1993 06			_			54					
OCT 1994	_	_				34		_	_	_	_
26	_	_	_	_		44		21	_		

Table 3. Water-quality data from surface-water sites—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
15		0.22	_	0.980	0.990	4.4	0.010	1.00	0.020	0.03	0.11
OCT 1982											
19	127	.17	4.35	1.49	1.49	6.6	.010	1.50	<.010	.01	
OCT 1983	122	10	2 00	1.50	1 50	<i>c</i> 0	.040	1.60	.120	15	
17 OCT 1984	133	.18	3.92	1.56	1.56	6.9	.040	1.00	.120	.15	
001 1904	128	.16	5.55	1.90	_		<.010	1.90	.080	.10	
OCT 1985			0.00	2.50							
07	126	.17	7.43	1.40	_		<.010	1.40	.030	.04	_
OCT 1986											
06	134	.21	4.63	. 960	. 960	4.2	.010	. 970	<.010	_	.50
OCT 1987											
08	128	.18	4.56	1.30	_		<.010	1.30	.020	.03	. 48
OCT 1988 12	135	.18	4.02	1.40	_		<.010	1.40	.010	.01	_
OCT 1989	133	.10	4.02	1.40			V.010	1.40	.010	.01	
04	120	.16	1.7	1.50	_		<.010	1.50	.020	.03	. 28
OCT 1990											
02	136	.19	4.64	1.50	_		<.010	1.50	.040	.05	. 26
OCT 1991											
02	138	.19	3.02	1.40			<.010	1.40	<.010	_	_
OCT 1992	120	1.0	0 67	1 00			- 010	1 00	010	01	
06 OCT 1993	130	.18	2.67	1.20			<.010	1.20	.010	.01	_
06	_	_	_	1.50	_	_	<.010	1.50	.020	.03	_
OCT 1994											
26	_	_	_	1.10	_	_	<.010	1.10	<.015		_

Table 3. Water-quality data from surface-water sites—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (C1000)
OCT 1981											
15	_	0.20	<0.10	1.2		0.010	0.03	<0.010	<0.010		3
OCT 1982											
19 OCT 1983			. 90		2.4		_	.010	<.010		1
17	0.28		.40		2.0	.010	.03	.020	<.010		
OCT 1984	0.20		. 10		2.0	.010	.03	.020	1.010		
09	.22	_	.30		2.2	.020		.010	.020	0.06	
OCT 1985											
07	.47		.50		1.9	.020	.06	.020	.020	.06	
OCT 1986			4 20			000		000	010	0.2	
06 OCT 1987	_	. 50	<.20	1.5		.020		.020	.010	.03	
08		.50	<.20	1.8		.010		.010	<.010		
OCT 1988											
12		<.20	<.20			.020		.010	<.010		
OCT 1989											
04	.38	.30	.40	1.8	1.9	.030		.010	.010	.03	
OCT 1990 02	.26	.30	.30	1.8	1.8	.010		.010	<.010		
OCT 1991	.20	.50	. 30	1.0	1.0	.010		.010	7.010		
02		<.20				.030		<.010	<.010		
OCT 1992											
06		<.20	<.20			.010		.010	<.010		
OCT 1993											
06 OCT 1994						_			<.010		
26	_	_						_	<.010		

Table 3. Water-quality data from surface-water sites—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
15 OCT 1982	1.0	<1	2	3	80	<1	20	<0.1	2	10	_
19 OCT 1983	<1.0	<1	2	1	67	<1	16	_	1	<4	0.05
17	_	_	_	_	92	_	21	_	_		_
OCT 1984											
09 OCT 1985	_	_	_		59		16	_			_
07	_		_		84		16	_		_	_
OCT 1986 06	_	_			170		28			_	_
OCT 1987					170						
08 OCT 1988	_	_	_	-	86	_	15		_		_
12		_			62	_	12	_	_		_
OCT 1989											
04 OCT 1990	_	_	_		140	-	22			_	_
02	_	_			70	_	21	_	_		
OCT 1991 02					68	_	18				
OCT 1992					00		10				
06	_			_	82	-	19	_		_	_
OCT 1993 06	_				_	_	_			_	
OCT 1994											
26	_	_	_		_		_	_			_

Table 3. Water-quality data from surface-water sites—Continued

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
15	1130		201	8.1	7.0		13.3	51	-	15	3.2
NOV 1982											
02	0845	16	194	7.6	13.0		9.9	80		21	€.6
OCT 1983	0000		000	2.5	10.5	41.0		0.5		23	6.2
18 OCT 1984	0830		202	7.5	12.5	<1.0	9.9	85		23	€.7
22	0930	23	206	7.8	16.0	.50	9.3	83		22	€.7
OCT 1985	0300		200	,,,	10.0		3.0	•			• • • •
08	1430	22	205	7.8	8.0	.80	10.5	74		19	€.4
OCT 1986											
06	1400	11	215	8.1	15.0	.50	9.8	83		22	€.9
OCT 1987			225			50				01	
13 OCT 1988	1345	11	205	7.8	10.5	.50	12.3	80		21	€.7
12	1400	11	225	7.8	10.5	. 60	12.4	85		22	7.2
OCT 1989	1100		220	,	10.0			•			
06	1530	35	215	7.5	15.5	.70	7.4	76	19	20	6.4
OCT 1990											
12	0815	14	272	6.8	18.5	2.9	9.3	86	12	23	7.0
OCT 1991											
07 OCT 1992	0845	10	245	7.0	12.5	.70	10.6	86	28	23	7.0
06	0745	7.1	225	7.3	9.0	.40	11.8	89		24	7.0
OCT 1993	0743	,.1	223	7.3	3.0	.40	11.0	3,5			7.0
07	1215	12	230	7.4	12.0		11.7				
OCT 1994											
26	0945	18	232	8.1	8.5		12.0	_		_	

Table 3. Water-quality data from surface-water sites—Continued

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DES. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
15 NOV 1982	7.2	23	0.4	2.1		_	16	18	<0.10	14	139
02 OCT 1983	7.6	17	. 4	2.2	52		18	16	<.10	17	127
18	8.5	17	. 4	2.0	48	_	19	19	_	18	148
OCT 1984 22	7.8	17	. 4	2.3	56		18	20		17	126
OCT 1985	7.8	17	.4	2.3	36	_	18	20		17	126
08	8.2	19	. 4	2.3	54	_	21	16		18	131
OCT 1986 06	8.9	18	. 4	2.7	68		19	16		20	152
OCT 1987	0.9	10	• •	2.7	00		19	10		20	132
13	8.9	19	. 4	2.2	50	_	17	18		18	135
OCT 1988 12	8.8	18	. 4	2.1	60		19	19		17	_
OCT 1989	0.0	10	• •		00		13			-,	
06	8.2	18	. 4	2.2	57	_	17	16	_	18	_
OCT 1990 12	9.3	18	. 4	3.1	74	_	18	20	<.10	19	_
OCT 1991											
07	8.7	17	. 4	2.5	58	_	18	19	<.10	17	_
OCT 1992 06	8.6	17	. 4	2.0		43	18	21	.10	18	
OCT 1993											
07 OCT 1994	_	_		_		58					_
26	_			_		71		22			_

Table 3. Water-quality data from surface-water sites—Continued

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO-GEN, ORGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
15	_	0.19		0.880	0.900	4.0	0.010	0.910	0.050	0.06	0.31
NOV 1982											
02	125	.17	5.49	1.10		_	<.010	1.10	<.010	.01	
OCT 1983											
18 OCT 1984	132	.20		1.46	1.46	6.5	.040	1.50	.140	.18	
22	133	.17	7.82	1.16	1.16	5.1	.040	1.20	. 070	. 09	
OCT 1985	133	.17	7.02	1.10	1.10	3.1	.040	1.20	.070	.03	
08	130	.18	7.78	1.50		-	<.010	1.50	.020	.03	. 48
OCT 1986											
06	140	.21	4.51	.840			<.010	.840	<.010		
OCT 1987											
13	128	.18	4.01	1.30			<.010	1.30	.010	.01	.49
OCT 1988											
12	137	.19	4.07	1.30			<.010	1.30	<.010		.20
OCT 1989 06	130	.18	12.3	1.80			<.010	1.80	.020	.03	.48
OCT 1990	130	.10	12.3	1.00			<.010	1.00	.020	.03	.40
12	148	. 20	5.47	. 900			<.010	. 900	.020	.03	.38
OCT 1991											
07	135	.18	3.75	1.10		_	<.010	1.10	<.010		
OCT 1992											
06	130	.18	2.49	1.20			<.010	1.20	<.010		_
OCT 1993											
07	_			1.50	_		<.010	1.50	.010	.01	
OCT 1994 26				.980		_	<.010	.980	<.015		
20	-			. 300			V.010	. 300	1.013		

Table 3. Water-quality data from surface-water sites—Continued

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO4) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARTENIC, DIS- SOLVED (TG/L AS AS) (01000)
OCT 1981											
15	0.07	0.37	0.12	1.3	1.0	<0.010		<0.010	<0.010	_	2
NOV 1982											_
02		_	.80		1.9	_		.020	<.010	_	1
OCT 1983 18	.26		.40		1.9	.020	0.06	.010	<.010	_	
OCT 1984	.20		. 40		*.,	.020	0.00	.010	1,010		
22	.13		.20		1.4	<.010	_	.040	.010	0.03	_
OCT 1985											
08	. 48	.50	.50	2.0	2.0	.020	.06	.020	.010	.03	_
OCT 1986			4.0			222		200	010		
06 OCT 1987	_	<.20	.40	_	1.2	.030	_	.020	.010	.03	
13		.50	<.20	1.8		<.010		<.010	<.010		
OCT 1988									.,.,		
12		.20	.20	1.5	1.5	.010		.010	<.010		
OCT 1989											
06		.50	<.20	2.3		.030		.010	.010	.03	_
OCT 1990 12	.18	.40	.20	1.3	1.1	.040		.010	<.050		
OCT 1991	.10	.40	.20	1.3	1.1	.040	_	.010	1.030		
07		<.20		_	-	.020	_	<.010	<.010	_	_
OCT 1992											
06		<.20	<.20			<.010	_	.020	<.010	_	_
OCT 1993											
07	_		_			_			<.010	_	
OCT 1994 26	_	_	_		_				<.010		
20											

Table 3. Water-quality data from surface-water sites—Continued

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
15	1.0	<1	2	3	70	<1	10	<0.1	5	2	
NOV 1982											
02	<1.0	<1	<1	1	54	<1	4	<.1	<1	<4	0.03
OCT 1983											
18		-			53		6	_			_
OCT 1984											
22		_			48	_	3			_	
OCT 1985											
08				_	53		6	_		_	_
OCT 1986							_				
06				_	100		7	_		_	
OCT 1987 13				_	57		4	_			
OCT 1988				_	51		4	_			
12					43		3	_		_	_
OCT 1989					13		3				
06				_	91		8	_			_
OCT 1990					7.		•				
12					47	_	7	_			
OCT 1991							·				
07					49		7	_			
OCT 1992											
06				_	55		7		_	_	_
OCT 1993											
07		_			_	_		_	_		
OCT 1994											
26							-	_			_

Table 3. Water-quality data from surface-water sites—Continued

01473167 - Little Valley Creek at Howellville, Pa. (Site 49)

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)
OCT 1981										
16	1515		533	8.6	14.0		13.4	210	_	56
OCT 1982										
15	0930	4.8	466	8.2	12.2		10.4	210		56
OCT 1983 21	0900	4.0	503	7.8	9.0	<1.0	10.7	230		59
OCT 1984	0900	4.0	503	7.0	9.0	\1.0	10.7	230		39
09	1500	6.0	480	8.8	14.0	.40	10.9	210		56
OCT 1985				0.0						
09	0830	5.9	515	7.5	7.2	. 40	12.0	240		63
NOV 1986										
07	0900	7.1	480	7.9	9.3	1.0	11.5	230	_	58
NOV 1987										
16	1330	9.6	495	8.1	11.5	.20	12.0	220		58
OCT 1988 26	0930	4.6	550	7.7	10.0	1.3	11.8	230	_	60
NOV 1989	0330	4.0	330		10.0	1.3	11.0	230		(.,)
06	0945	8.4	530	7.8	11.0	. 30	11.4	220	59	57
NOV 1990										
14	0900	5.5	510	6.9	6.5	. 30	12.7	220	51	58
OCT 1991										
28	0915		570	7.6	13.0	. 60	10.8	240	59	€4
OCT 1992										
05	0910	3.1	279	7.2	12.0	.20	10.8	240	_	€3
NOV 1993 18	0915	4.4	520	8.1	10.5		11.4			
NOV 1994	0313	7.7	320	0.1	10.5	_	11.4			
07	0900	3.5	650	7.9	10.5		11.2			

Table 3. Water-quality data from surface-water sites—Continued

01473167 - Little Valley Creek at Howellville, Pa. (Site 49)—Continued

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ANC WATER UNFLTRD FET FIELD (MG/L AS CACO ₃) (00410)	IT FIELD	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO-RIDE, DIS-SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 181 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 198	31											
16	18	24	19	0.7	2.4		_	39	45	0.20	5.6	298
OCT 198												
15		23	19	. 7	1.5	170	_	34	44	.20	7.5	323
OCT 198		24	19	. 7	2.2	200		34	47	_	7.5	342
OCT 198		24	19	• ,	2.2	200	_	34	4/		7.3	742
09		25	20	. 7	2.1	174		34	41		7.6	297
OCT 198	35											
20		26	19	. 7	2.1	176	_	35	50	_	8.2	313
NOV 198		25	19	. 7	2.2	178		32	44		7.9	316
NOV 198		23	19	.,	2.2	170		32	77		7.3	310
16		26	20	. 8	2.3	178		35	48	_	7.5	302
OCT 198												
26		26	19	. 7	2.4	178	_	33	47	-	8.3	_
NOV 198		26	20	. 8	2.0	162		31	44		6.8	_
NOV 199		20	20	. 0	2.0	102		31	77		0.0	
14		23	18	. 7	2.3	168	_	29	45	<.10	7.7	
OCT 199												
28		26	19	. 7	2.4	183		35	49	.10	7.4	_
OCT 199	92 . 20	25	18	. 7	2.2	_	248	33	50	.10	7.3	
NOV 199		23	10	• /	2.2		240	33	30	.10	7.3	
18				_	-	_	155	29	42	.10	_	
NOV 199												
07	. –	_		_	_		175	-	53	_		

Table 3. Water-quality data from surface-water sites—Continued

01473167 - Little Valley Creek at Howeliville, Pa. (Site 49)—Continued

DATE	DIS- SOLVED (MG/L)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	ORGANIC TOTAL (MG/L AS N)	NITRO- GFN, ORGANIC IIS- SCLVED (MG/L AS N) (00607)
OCT 19	81											
16	. –	0.41	_	2.30	2.3	0 10	0.01	0 2.30	0.020	0.03	0.26	0.30
OCT 19												
15 OCT 19		. 44	4.16		2.6	0 12	.02	0 2.60	.060	.08	_	.04
21		. 47	3.69		2.4	0 10	.04	0 2.40	<.010	_		
OCT 19			3.03		2.,	.0 10		2.40	1.010			
09		.40	4.81		_		<.01	0 2.70	.030	.04		.27
OCT 19												
09		.43	4.99	_			<.01	0 2.70	.030	.04	.87	.17
NOV 19		. 43	6.06				<.01	0 2.20	.010	.01		. 59
NOV 19		. 45	0.00				1.01	2.20	.010	.01		.05
16		.41	7.83			-	<.01	0 2.50	<.010	_		_
OCT 19												
26		. 43	3.90		_		<.01	0 2.40	.020	.03		_
NOV 19		.40	6.67				<.01	0 2.50	.020	.03		_
NOV 19		. 40	0.07				1.01	2.50	.020	.00		
14	. 295	.40	4.37		_		<.01	0 2.40	.050	.06	_	_
OCT 19												
28		. 44	_	-	_	-	<.01	0 1.90	.020	.03		_
OCT 19		. 49	3.00				<.01	0 2.10	<.010			_
NOV 19		. 43	3.00				1.01	0 2.10	1.010			
18		_		_	-		- <.0	10 2.0	0 .02	.03	_	_
NOV 19												
07	. –	_	-		-		<.0	10 1.9	0 <.01	5 —	_	_

Table 3. Water-quality data from surface-water sites—Continued

01473167 - Little Valley Creek at Howellville, Pa. (Site 49)—Continued

DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO4) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- NIUM, DIS- SOLVED (µG/L AS CR) (01030)
OCT 198	1											
16	0.31	0.32	2.6	2.6	0.030	0.09	0.010	<0.010	_	3	1.0	<1.0
OCT 198	2											
15		.10	_	2.7	_	_	<.010	.010	0.03	1	<1.0	1.0
OCT 1983	3									_		
21 OCT 198		.30		2.7	.030	.09	.020	.020	.06	1	<1.0	<1.0
09	*	. 30		3.0	.050		.020	.020	.06	<1	<1.0	<1.0
OCT 198		.50		3.0	.030		.020	.020	.00		11.0	71.0
09	.90	.20	3.6	2.9	.020	.06	.010	.010	.03	<1	<1.0	<1.0
NOV 198	6											
07	<.20	. 60	_	2.8	.020	_	.010	<.010	_	<1	<1.0	<1.0
NOV 198												
16	<.20	<.20		_	.020	_	<.010	<.010		<1	<1.0	<1.0
OCT 198	s <.20	<.20			.020		.020	.010	.03	<1	<1.0	<5.0
NOV 198		1.20			.020	_	.020	.010	.03	~1	\1.0	\3.0
06	<.20	<.20			.010		<.010	.010	.03	<1	1.0	<5.0
NOV 199												
14	<.20	<.20		_	<.010		<.010	<.010		<1	<1.0	<5.0
OCT 199												
28	<.20	<.20		_	<.010	_	<.010	<.010		1	<1.0	<5.0
OCT 199												45.0
05 NOV 199	<.20	<.20		_	<.010		<.010	<.010	_	<1	<1.0	<5.0
18	<i></i>							<.010			_	
NOV 199	4											
07	_	_	_	_		_	_	<.010	_	_		_

Table 3. Water-quality data from surface-water sites—Continued

01473167 - Little Valley Creek at Howellville, Pa. (Site 49)—Continued

DATE	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981									
16 OCT 1982	2.0	6.0	110	<1.0	30	0.1	3.0	<10	0.00
15 OCT 1983	<1.0	2.0	9.0	<1.0	4.0	<.1	3.0	<4.0	.04
21		1.0	9.0	3.0	5.0	.1	1.0	9.0	
OCT 1984 09		1.0	9.0	4.0	7.0	<.1	1.0	<3.0	
OCT 1985		2.0	5.0	4.0	5.0	<.1	<1.0	6.0	_
NOV 1986 07	-	3.0	8.0	<5.0	8.0	.7	3.0	<3.0	
NOV 1987 16	_	2.0	4.0	<5.0	4.0	<.1	<1.0	<3.0	
OCT 1988 26 NOV 1989	<3.0	<10	9.0	<10	5.0	.2	<10	<3.0	_
06 NOV 1990	<3.0	<10	4.0	<10	6.0	<.1	<10	6.0	
14 OCT 1991	<3.0	<10	9.0	<10	5.0	<.1	<10	4.0	
28 OCT 1992	<3.0	<10	6.0	10	5.0	<.1	<10	5.0	
05 NOV 1993	<3.0	<10	<3.0	<10	<1.0	<.1	<10	<3.0	
18 NOV 1994	_	*****			_			-	_
07						_		_	

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	CIFIC CON- DUCT- ANCE (µS/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
16	1400	_	615	8.4	12.5		12.3	260	_	47	35
OCT 1982 15 OCT 1983	1200	18	498	8.3	12.0		10.5	230	_	45	29
21	1100	3.2	538	8.2	10.0	4.0	10.8	240	_	47	30
OCT 1984											
09 OCT 1985	1630	17	535	9.2	14.0	.70	11.1	240		46	30
09	1030	10	550	7.8	9.0	1.0	12.0	250		49	30
NOV 1986	1200	15	400	0.2	0.0		11 6	240		46	31
07 NOV 1987	1300	15	498	8.3	9.0	1.1	11.6	240		46	31
16	1000	13	515	7.9	9.0	.20	12.6	250		48	31
OCT 1988	1245	0.0	E10	7.0	0.5	2.2	10.1	250		47	20
26 NOV 1989	1345	9.8	518	7.9	9.5	2.2	12.1	250		47	32
06	1445	17	585	8.2	11.5	. 60	11.9	250	39	50	31
NOV 1990 14	1130	12	595	6.9	6.5	2.5	13.2	250	65	50	31
OCT 1991	1130	12	393	0.9	0.5	2.5	13.2	250	63	30	31
28	1200	8.2	562	8.1	14.0	2.0	11.0	250	27	49	32
OCT 1992 05	1015	0.0	308	7.0	10 5	20	11.6	250		47	31
NOV 1993	1215	9.3	300	7.2	12.5	. 30	11.6	250		41	31
18	1230	11	602	8.3	11.0		11.8	_	_	_	
NOV 1994	1130	1.4	500	7.0	11 5		11 1				
07	1130	14	580	7.9	11.5	_	11.1				_

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
OCT 1981										
16	26	18	0.7	3.1	_	_	37	39	<0.10	6.6
OCT 1982	0.7		•		222		25			
15 OCT 1983	27	20	. 8	2.4	200	_	35	41	<.10	8.0
21	25	18	. 7	2.9	212		31	42		7.7
OCT 1984										
09	29	21	. 8	3.0	214	_	31	42	_	7.7
OCT 1985										
09 NOV 1986	25	18	. 7	3.0	216	_	30	43	_	8.0
07	23	17	. 6	3.0	200		33	36		8.2
NOV 1987	20		••	0.0	200		•••			0.5
16	25	18	. 7	3.5	211	_	30	42	_	6.9
OCT 1988										
26	26	18	. 7	3.4	214	_	31	43	_	8.1
NOV 1989 06	27	19	. 7	3.1	214		29	39		6.5
NOV 1990	2,	10	• •	3.1	2.4.3		2,5	33		0.5
14	26	18	. 7	3.5	188	_	28	45	<.10	8.0
OCT 1991										
28	26	18	. 7	3.6	227	_	30	41	.10	7.2
OCT 1992	23	17	. 6	2.0		103	28	45	10	7.8
05 NOV 1993	23	17	. 0	3.2		183	20	40	.10	7.0
18	_	_	_			214	26	41	<.10	_
NOV 1994										
07	_				_	192		46		

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	SOLIDS, DIS- SOLVED (TONS PER AC-FT)	SOLIDS, DIS- SOLVED (TONS PER DAY)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N)	I'ITRO- GEN, AMMONIA DIS- SOLVED (MG/L IS N)
	(70300)	(70301)	(70303)	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)
OCT 1981 16	309		0.42	_	1.78	1.68	7.4	0.020	1.70	0.080
OCT 1982	309		0.42	_	1.70	1.00	7.4	0.020	1.70	0.080
15	311	316	.42	15.3	1.87	1.87	8.3	.030	1.90	.050
OCT 1983										
21	325	321	. 44	2.81	1.75	1.75	7.7	.050	1.80	<.010
OCT 1984										
09	311	327	. 42	14.3	2.17	2.17	9.6	.030	2.20	.050
OCT 1985 09	315	328	.43	8.51	2.17	2.17	9.6	.030	2.20	.050
NOV 1986	313	320	.43	6.51	2.11	2.11	5.0	.030	2.20	.030
07	305	310	.41	12.4	2.08	2.08	9.2	.020	2.10	.070
NOV 1987										
16	313	323	.43	11.0	2.20			<.010	2.20	<.010
OCT 1988										
26 NOV 1989	_	330	. 45	8.72	2.37	2.37	10	.030	2.40	.070
06		326	. 44	14.9	2.58	2.58	11	.020	2.60	.020
NOV 1990		020		21,7	2.00	2.00			2.00	
14	_	317	. 43	1.3	2.78	2.78	12	.020	2.80	.110
OCT 1991										
28		334	.45	7.39	1.90			<.010	1.90	.020
OCT 1992		204						. 010		210
05 NOV 1993		304	. 41	7.63	2.00			<.010	2.00	.010
18	_	_	_		2.18	2.18	9.6	.020	2.20	.030
NOV 1994							2.0			
07			_		1.90	_		<.010	1.90	<.015

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					21104
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-	WIEDO	NITRO-	DIIOG	Durod	PI'OS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(1°3/L
	AS NH4)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00666)
OCT 1981										
16	0.10	0.35	0.03	0.50	0.11	2.3	1.8	0.020	0.06	0.010
OCT 1982										
15	.06		. 35	_	. 40		2.3			.010
OCT 1983										
21				_	.20		2.0	.030	.09	.010
OCT 1984										
09	.06		.25	_	.30	_	2.5	.020		.010
OCT 1985										
09	.06	_	. 35	_	.40		2.6	.030	.09	.020
NOV 1986										
07	.09	. 43	. 43	.50	.50	2.6	2.6	.020		.020
NOV 1987										
16	_	. 40		. 40	<.20	2.6		.020		<.010
OCT 1988										
26	.09	.13	. 33	.20	.40	2.6	2.8	.030		.020
NOV 1989										
06	.03	. 48	.18	.50	.20	3.1	2.8	<.010		<.010
NOV 1990										
14	.14	.49	.49	.60	. 60	3.4	3.4	.040		.020
OCT 1991										
28	. 03	_	_	<.20	<.20			.030		<.010
OCT 1992										
05	.01			<.20	<.20			<.010	_	.020
NOV 1993										
18	.04	_	_	_	_	_	_	_		_
NOV 1994										
07				_						

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

DATE	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
OCT 1981										
16	<0.010	_	3	_	_	1.0	<1	2	3	110
OCT 1982			_				_			
15	.020	0.06	1	_	_	<1.0	<1	<1	<1	14
OCT 1983 21	.010	.03	1			<1.0	1		1	7
OCT 1984	.010	.03	-			11.0	-		•	,
09	.020	.06	<1		_	<1.0	2	_	1	7
OCT 1985										
09	.010	.03	<1		_	<1.0	2	_	1	5
NOV 1986										•
07 NOV 1987	<.010		<1			<1.0	<1	_	4	8
16	<.010		<1			<1.0	1		<1	6
OCT 1988	1.010		``			11.0	-		``	•
26	<.010		<1	25	<0.5	<1.0	<5	<3	<10	20
NOV 1989										
06	<.010	_	<1	28	<.5	<1.0	<5	<3	<10	9
NOV 1990										•
14 OCT 1991	<.010		<1	27	<.5	<1.0	<5	<3	<10	8
28	.020	.06	<1	27	<.5	<1.0	<5	<3	<10	13
OCT 1992						-2.0				
05	<.010		<1	24	<.5	<1.0	<5	<3	<10	5
NOV 1993										
18	<.010	_	_		_		_		_	_
NOV 1994										
07	<.010						_	_		_

Table 3. Water-quality data from surface-water sites—Continued

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981										
16	<1		30	<0.1	4				10	0.0
OCT 1982		100								0.2
15 OCT 1983	<1	100	14	<.1	4				<4	.03
21	2	80	13	.1	1	<1.0			11	
OCT 1984	_			•-	-	12.0				
09	1	100	9	<.1	1	<1.0			<3	
OCT 1985										
09	5	98	9	.2	4	<1.0			57	
NOV 1986			10		_				40	
07 NOV 1987	<5	44	12	.2	3	<1.0			42	
16	<5	54	15	<.1	1	<1.0			<3	
OCT 1988		• •			_	12.0				
26	<10	49	17	.2	<10	3.0	58	<6	<3	
NOV 1989										
06	<10	98	11	.3	<10	3.0	76	<6	6	
NOV 1990 14	<10	57	14	<.1	<10	<1.0	63	<6	<3	
OCT 1991	<10	37	14	\. 1	<10	\1.0	63	\ 0	\ 3	
28	<10	37	10	<.1	<10	<1.0	56	<6	4	
OCT 1992										
05	<10	28	8	<.1	<10	<1.0	57	<6	<3	
NOV 1993										
18	_	_								
NOV 1994 07				_			_			
07		_	_							

Table 3. Water-quality data from surface-water sites—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE - SIUM, DIS - SOLVED (MG/L AS M3) (00925)
OCT 1981											
19	1530	_	230	7.0	10.0	_	10.0	93	_	22	9.3
OCT 1982											
13	0915	2.8	266	6.9	13.0	_	9.5	99	_	23	10
OCT 1983 27	1430	3.8	235	7.5	10.0	1.3	9.5	99		24	9.5
OCT 1984	1430	3.6	233	7.3	10.0	1.3	9.3	22	_	24	9.5
15	1000	3.0	250	7.5	12.5	. 40	10.0	100		24	10
OCT 1985											
31	1400	2.2	272	7.4	10.5	.40	11.0	99	_	23	10
NOV 1986											
14	1400	3.5	235	7.7	4.5	6.9	12.1	97	_	23	9.6
OCT 1987 15	1100	2.5	190	7.5	10.5	.40	12.1	95		22	9.8
OCT 1988	1100	2.5	190	7.3	10.5	.40	12.1	90	_	22	9.0
18	1500	3.0	267	7.1	14.5	1.0	9.9	96		22	10
OCT 1989											
25	1745	5.6	258	7.4	13.0	.80	9.6	96	30	22	10
NOV 1990											
02	1245	2.7	262	6.7	12.5	. 60	11.8	97	33	23	9.6
OCT 1991 29	1200	4.3	280	7.1	12.5	1.2	10.1	100	29	24	10
OCT 1992	1200	4.3	280	7.1	12.5	1.2	10.1	100	29	24	10
21	1150	4.2	278	7.3	10.0	2.5	11.6	100		25	10
OCT 1993							=				
18	1130	3.8	302	7.4	14.0	_	10.1			_	
OCT 1994											
04	1300	5.4	315	7.9	13.5	_	10.0				

Table 3. Water-quality data from surface-water sites—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	DIS- SOLVED (MG/L AS K)	ANC WATER UNFLTRD FET FIELD (MG/L AS CACO ₃) (00410)	ANC WATER UNFLTRD IT FIELD (MG/L A) CACO ₃) (00419)	SULFATE, DIS- SOLVED S (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLID?, RESIDTE AT 187 DEG. C DIS- SOLVED (MG/L) (7030?)
ост 1981											
19	13	23	0.6	2.7		_	17	21	<0.10	10	135
OCT 1982 13 OCT 1983	12	21	. 6	1.2	72	_	20	21	<.10	14	167
27	10	18	. 4	2.2	68	_	23	19		14	153
OCT 1984											
15	11	19	. 5	1.9	74		20	22		14	153
OCT 1985											
31 NOV 1986	14	23	.7	2.1	82	_	21	27	_	16	132
14	10	18	. 4	2.3	74		23	15		15	154
OCT 1987	10	20	• •	2.0							
15	12	21	. 5	2.2	73		19	20		15	148
OCT 1988			_								
18 OCT 1989	12	21	.5	1.9	76		19	23		14	_
25	12	21	. 5	2.3	66		18	20		16	_
NOV 1990											
02	12	21	. 5	2.4	64		21	24	<.10	17	_
OCT 1991			_								
29 OCT 1992	13	21	. 6	2.5	72	_	22	27	.10	14	_
21	14	22	. 6	2.2		110	18	26	.10	14	
OCT 1993									*		
18	_	_	_	_	_	75		_	_	_	_
OCT 1994											
04		_	_			76	_	32			_

Table 3. Water-quality data from surface-water sites—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)
OCT 1981											
19	-	0.18	_	1.30	5.8	0.010	1.30	0.040	0.05	0.68	0.54
OCT 1982		•			- 4						
13 OCT 1983	152	. 23	1.26	1.60	7.1	.020	1.60	.020	.03		.08
27	150	.21	1.57	_	_	<.010	1.60	<.010		_	
OCT 1984	200		1107			1.020	1.00	1.010			
15	154	.21	1.24	1.37	6.1	.030	1.40	.060	.08		.14
OCT 1985											
31	169	.18	.78	1.39	6.2	.010	1.40	.020	.03	.38	.28
NOV 1986											
14 OCT 1987	149	.21	1.46	_		<.010	1.50	.050	.06	. 55	.55
15	151	.20	1.00		_	<.010	1.70	.020	.03	.28	.18
OCT 1988	101	.20	1.00			V.010	1.70	.020	.03	.20	.10
18	153	.21	1.24			<.010	1.30	<.010			
OCT 1989											
25	140	.20	2.24	_	_	<.010	1.80	.020	.03	.28	.28
NOV 1990											
02 OCT 1991	155	.21	1.13	1.58	7.0	.020	1.60	<.010			
29	162	. 22	1.88	_		<.010	1.30	<.010		_	_
OCT 1992	-02		1.00			1.010	1.50	1.010			
21	182	. 25	2.06	_	_	<.010	1.50	<.010			
OCT 1993											
18				_		<.010	1.70	.020	.03	_	_
OCT 1994											
04	_	_		1.89	8.4	.010	1.90	.020	.03		

Table 3. Water-quality data from surface-water sites—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHORUS DIS- SOLVED (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	DIS- SOLVED (MG/L AS PO ₄)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)
OCT 1981											
19	0.70	0.58	2.0	1.9	0.110	0.34	0.040	0.030	0.09	1	<1.0
OCT 1982 13	_	.10	_	1.7			.030	.020	.06	1	<1.0
OCT 1983		-									
27	_	.50	_	2.1	.030	.09	.020	.010	.03	_	
OCT 1984											
15	_	.20		1.6	.010	_	.010	.020	.06	_	_
OCT 1985											
31	.40	.30	1.8	1.7	.030	.09	.020	.010	.03	_	_
NOV 1986 14	. 60	. 60	2.1	2.1	.070	_	.020	.010	.03		
OCT 1987		. 00	4	2.1	.070		.020	.010	.05		
15	.30	.20	2.0	1.9	.010		<.010	<.010	_		_
OCT 1988											
18	.40	. 40	1.7	1.7	.020	_	.020	<.010	_	-	_
OCT 1989											
25	.30	. 30	2.1	2.1	.030	_	.030	.020	.06	_	_
NOV 1990	40	40			000			000	0.0		
02 OCT 1991	.40	. 40	2.0	2.0	.020		<.010	.020	.06	_	_
29	.20	<.20	1.5		.030		.010	<.010	_	_	
OCT 1992	.20	1.20	1.0		.000		.010	1.010			
21	.20	<.20	1.7		.040		.010	<.010	_	_	
OCT 1993											
18		_	_	_	_	_		.010	.03		_
OCT 1994											
04	_					_	_	.010	.03		

Table 3. Water-quality data from surface-water sites—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

DATE	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (μG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENF BLUF ACTIVE SUB- STANCE (MG/I) (38260)
OCT 1981										
19	1.0	<1.0	4.0	200	2.0	23	<.1	<1.0	<4.0	
OCT 1982 13 OCT 1983	<1.0	<1.0	2.0	160	<1.0	14	<.1	4.0	<4.0	0.02
27	_			110		18				
OCT 1984										
15	-	_		63	_	10		_		
OCT 1985 31				53		10				
NOV 1986				33		10				
14				110		28				
OCT 1987										
15	_	_		45	_	10				
OCT 1988 18				36		9.0				
OCT 1989				30		3.0				
25	_			120		17				
NOV 1990										
02 OCT 1991			_	50	_	8.0	_			
29			_	36		8.0				
OCT 1992										
21		_		41	-	11	_		-	
OCT 1993 18								_		_
OCT 1994						_		_		_
04	_		_							_

Table 3. Water-quality data from surface-water sites—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)

OCT 1981 26 1200 — 164 7.0 9.5 — 11.5 63 — 13 7.5 CCT 1982 13 1230 4.0 163 7.6 13.0 — 10.4 63 — 13 7.4 CCT 1983 27 1300 4.2 159 7.4 9.0 <1.0	DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1982 13 1230 4.0 163 7.6 13.0 — 10.4 63 — 13 7.4 CCT 1983 27 1300 4.2 159 7.4 9.0 C.1.0 11.0 67 — 14 7.8 CCT 1984 25 071 1985 15 0900 4.5 178 7.2 11.0 060 10.6 65 — 13 8.0 CCT 1986 09 1530 2.7 172 7.6 16.5 09 1000 4.6 168 7.4 11.0 0.20 11.6 68 — 14 8.1 CCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 CCT 1988 18 1000 9.6 189 7.4 14.0 1.7 10.4 68 — 14 8.0 CCT 1989 18 1000 9.6 189 7.4 14.0 1.7 10.4 68 — 14 8.0 CCT 1999 02 0930 4.6 190 6.7 11.5 4.0 11.7 70 17 15 8.0 CCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 11.8 68 — 14 8.1 CCT 1992 21 0915 3.5 180 7.3 8.0 7.3 8.0 7.0 11.0 — 9.5 — — — — — — — — — — — — — — — — — — —	OCT 1981											
13 1230 4.0 163 7.6 13.0 — 10.4 63 — 13 7.4 OCT 1983 27 1300 4.2 159 7.4 9.0 <1.0 11.0 67 — 14 7.8 OCT 1984 25 1000 6.3 150 7.7 12.0 .50 10.2 68 — 14 8.0 OCT 1985 15 0900 4.5 178 7.2 11.0 .60 10.6 65 — 13 8.0 OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 1.7 10.4 68 — 14 8.0 OCT 1991 18 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 — 14 8.1 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — — — OCT 1994 OCT 1994	26	1200		164	7.0	9.5		11.5	63	_	13	7.5
OCT 1983 27 1300 4.2 159 7.4 9.0 <1.0 11.0 67 — 14 7.8 OCT 1984 25 1000 6.3 150 7.7 12.0 .50 10.2 68 — 14 8.0 OCT 1985 15 0900 4.5 178 7.2 11.0 .60 10.6 65 — 13 8.0 OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —												
27 1300 4.2 159 7.4 9.0 <1.0		1230	4.0	163	7.6	13.0		10.4	63		13	7.4
CCT 1984 25 1000 6.3 150 7.7 12.0 .50 10.2 68 — 14 8.0 OCT 1985 15 0900 4.5 178 7.2 11.0 .60 10.6 65 — 13 8.0 OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — — OCT 1994		1200	4.3	150	7.4	0.0	-1 0	11 0	67		1.4	7 0
25 1000 6.3 150 7.7 12.0 .50 10.2 68 — 14 8.0 OCT 1985 15 0900 4.5 178 7.2 11.0 .60 10.6 65 — 13 8.0 OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1300	4.2	139	7.4	9.0	<1.0	11.0	67	_	14	7.0
OCT 1985 15 0900 4.5 178 7.2 11.0 .60 10.6 65 — 13 8.0 OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1000	6.3	150	7.7	12.0	. 50	10.2	68		14	8.0
OCT 1986 09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —									• •			
09 1530 2.7 172 7.6 16.5 .20 10.2 67 — 14 7.8 NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0	15	0900	4.5	178	7.2	11.0	. 60	10.6	65		13	8.0
NOV 1987 02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —	OCT 1986											
02 1000 4.6 168 7.4 11.0 .20 11.6 68 — 14 8.1 OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — — OCT 1994		1530	2.7	172	7.6	16.5	. 20	10.2	67		14	7.8
OCT 1988 18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —												
18 1030 2.7 180 7.1 14.0 1.7 10.4 68 — 14 8.0 OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1000	4.6	168	7.4	11.0	. 20	11.6	68		14	8.1
OCT 1989 18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1020	2 7	100	7 1	14.0	1 7	10.4	60		1.4	9.0
18 1000 9.6 189 7.4 14.0 .60 9.4 72 19 15 8.3 NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1030	2.1	100	,.1	14.0	1.7	10.4	00	_	14	0.0
NOV 1990 02 0930 4.6 190 6.7 11.5 .40 11.7 70 17 15 8.0 OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — —		1000	9.6	189	7.4	14.0	.60	9.4	72	19	15	8.3
OCT 1991 29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — — OCT 1994												
29 0915 4.4 182 7.3 10.0 1.4 10.7 68 1 14 7.9 OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — OCT 1994	02	0930	4.6	190	6.7	11.5	. 40	11.7	70	17	15	8.0
OCT 1992 21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — OCT 1994	OCT 1991											
21 0915 3.5 180 7.3 8.0 .70 11.8 68 — 14 8.1 OCT 1993 28 0945 4.4 191 7.1 11.0 — 9.5 — — — OCT 1994		0915	4.4	182	7.3	10.0	1.4	10.7	68	1	14	7.9
OCT 1993 28 0945 4.4 191 7.1 11.0 9.5 OCT 1994												
28 0945 4.4 191 7.1 11.0 9.5 OCT 1994		0915	3.5	180	7.3	8.0	.70	11.8	68	_	14	8.1
OCT 1994		0045	4.4	1.01	7 1	11 0		0.5				
		0343	4.4	131	7.1	11.0		9.3				_
	03	1030	4.2	196	6.8	11.5		10.4		_		

Table 3. Water-quality data from surface-water sites—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	WAT WH TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
26 OCT 1982	7.1	19	0.4	2.1		_	12	9.6	<0.10	16	97
13	6.6	18	. 4	. 90	50		10	9.9	<.10	17	111
OCT 1983 27	7.0	18	. 4	1.8	42	_	18	12		17	113
OCT 1984											
25	7.5	19	. 4	2.2	56	_	12	11	_	16	109
OCT 1985											
15	7.4	19	. 4	1.9	54		14	13	_	15	108
OCT 1986											
09	7.0	18	. 4	1.9	54	_	12	11	_	18	136
NOV 1987	7.2	18	. 4	2.0	72		13			1.7	110
02 OCT 1988	1.2	18	. 4	2.0	73		13	15	_	17	110
18	7.4	19	. 4	1.7	59		12	13		15	_
OCT 1989											
18	8.6	20	. 4	2.7	53		12	14		16	
NOV 1990											
02	7.6	19	. 4	1.8	53		11	14	.10	17	
OCT 1991											
29	7.0	18	. 4	2.3	67		11	18	.20	16	_
OCT 1992						4-					
21 OCT 1993	7.0	18	. 4	1.9	_	47	10	15	.10	17	
28					_	48		_			
OCT 1994	_		- -			40					
03	_	_			_	30		17			

Table 3. Water-quality data from surface-water sites—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, O'GANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
26		0.13		1.08		_	<0.010	1.10	0.020	0.03	0.28
OCT 1982											
13	101	.15	1.18	1.40	_		<.010	1.40	.020	.03	
OCT 1983 27	109	.15	1.28	1.40			<.010	1.40	<.010	_	
OCT 1984	103	.13	1.20	1.40			1.010	1.40	1.010		
25	108	.15	1.85	.860			<.010	.860	.020	.03	
OCT 1985											
15	111	.15	1.31	1.50	-		<.010	1.50	.020	.03	
OCT 1986											
09	109	.18	.99	.990	0.990	4.4	.010	1.00	<.010		
NOV 1987 02	126	.15	1.37	1.20			<.010	1.20	.030	.04	. 47
OCT 1988	120	.13	1.37	1.20			7.010	1.20	.030	.04	
18	113	.15	. 82	1.40			<.010	1.40	<.010		.40
OCT 1989											
18	115	.16	2.98	1.39	1.39	6.2	.010	1.40	.020	.03	. 38
NOV 1990											
02	113	.15	1.41	1.50	_		<.010	1.50	.020	. 03	. 58
OCT 1991 29	120	.16	1.43	.830	_		<.010	.830	.020	.03	.18
OCT 1992	120	.10	1.43	.630		_	<.010	.630	.020	.03	.10
21	107	.15	1.01	1.19	1.19	5.3	.010	1.20	.010	.01	.19
OCT 1993											
28			_	1.20	_		<.010	1.20	.010	.01	
OCT 1994											
03	_			1.40			<.010	1.40	<.015		

Table 3. Water-quality data from surface-water sites—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, LIS- SCLVED (µG/L AS AS) (C1000)
OCT 1981											
26	0.95	0.30	0.97	1.4	2.1	0.030	0.09	0.030	0.010	0.03	1
OCT 1982											
13 OCT 1983	.18		. 20	_	1.6	_		.060	.020	.06	1
27			. 90		2.3	.030	.09	.010	<.010		
OCT 1984			.,,		2.0	.050	,.05	.010	1.010		
25	.18		. 20	—	1.1	<.010		<.010	<.010		
OCT 1985											
15	. 38	_	. 40	_	1.9	.010	.03	.010	.010	.03	_
OCT 1986 09		<.20	<.20			.020		.020	.010	.03	
NOV 1987		1.20	1.20	_	_	.020		.020	.010	.03	
02		.50	<.20	1.7	_	.010	-	.010	.010	.03	_
OCT 1988											
18	_	.40	. 40	1.8	1.8	.010	_	.010	<.010		_
OCT 1989	.28	40	20			222					
18 NOV 1990	.20	.40	.30	1.8	1.7	.030		.030	.020	.06	_
02	. 38	.60	.40	2.1	1.9	.030	_	. 020	.030	.09	_
OCT 1991											
29	_	.20	<.20	1.0	-	.010		<.010	.020	.06	_
OCT 1992											
21 OCT 1993	.29	.20	. 30	1.4	1.5	.030		.020	.020	.06	_
28								_	<.010		_
OCT 1994											
03	_			_		_	_	_	<.010		_

Table 3. Water-quality data from surface-water sites—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- SIANCE (MG/L) (38260)
OCT 1981											
26	3.0	2	<1	4	110	4	16	<0.1	4	8	ND
OCT 1982	0	_		•			_			-4	
13 OCT 1983	<1.0	1	<1	2	94	<1	9	<.1	3	<4	
27					91		13				
OCT 1984											
25		_			120		9	_		_	
OCT 1985											
15			_		43		4				
OCT 1986							-				
09 NOV 1987					59		7			_	
02					71		11				_
OCT 1988											
18			_		36		7	-			
OCT 1989											
18					140		22			_	
NOV 1990 02					61		6				
OCT 1991					01		· ·				
29	_				83		6				
OCT 1992											
21		_	_		72		6		_		_
OCT 1993											
28											_
OCT 1994 03										_	
03		_					_		_		

Table 3. Water-quality data from surface-water sites—Continued

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
05	1445	_	168	7.7	10.0	_	11.2	63		13	7.4
OCT 1982											
14 OCT 1983	1000	2.0	194	7.5	13.0	_	9.1	63		13	7.4
27	1045	3.1	196	6.7	9.0	4.2	10.5	70		15	8.0
OCT 1984	2010			• • • • • • • • • • • • • • • • • • • •	3.0		20.5			10	0.0
25	1400	2.7	199	7.5	14.0	.50	8.8	72		15	8.3
OCT 1985											
15	1230	3.3	205	7.2	12.0	1.5	11.9	69		14	8.2
OCT 1986 09	1230	1.5	235	7.8	16.0	.40	10.0	85		18	9.8
OCT 1987	1230	1.5	233	7.6	10.0	.40	10.0	65		10	9.0
26	1100	2.6	315	7.5	10.5	. 60	10.5	100	_	21	12
OCT 1988											
25	0930	3.5	224	7.4	10.0	2.8	10.5	77	_	16	9.1
NOV 1989 14	0900	5.4	231	7.5	10.5	0.0	10.0	76	25	15	0.1
OCT 1990	0900	5.4	231	7.5	10.5	. 80	12.2	75	25	15	9.1
30	0900	2.4	249	6.4	7.0	.50	12.0	89	37	19	10
NOV 1991											
06	0915	2.3	237	7.4	5.0	. 70	13.2	86	17	18	10
OCT 1992	-0										
20 OCT 1993	0845	2.2	250	6.6	7.5	2.0	10.4	84		17	10
25	1210	2.9	252	7.2	11.5		9.8			_	
OCT 1994		,					3.0				
07	1300	2.2	242	7.7	12.5		10.6	_			_

Table 3. Water-quality data from surface-water sites—Continued

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
05	10	25	0.5	1.7			15	16	<0.10	12	105
OCT 1982			_								
14	11	27	. 6	1.8	38	_	14	17	<.10	9.7	119
OCT 1983 27	12	26	. 6	2.2	40	_	20	19	_	10	126
OCT 1984	12	20	.0	2.2	40		20	19		10	120
25	11	24	. 6	2.2	48	_	17	18	_	11	128
OCT 1985											
15	11	25	. 6	1.8	42		18	21		9.3	115
OCT 1986											
09	13	24	. 6	1.9	58	_	16	22	_	11	140
OCT 1987 26	26	34	1	4.4	85	_	24	35		10	200
OCT 1988	20	34		4.4	0.5		24	33		10	200
25	12	25	. 6	2.3	57		16	20		9.4	
NOV 1989											
14	12	25	. 6	1.6	50		14	21	_	8.9	
OCT 1990			_								
30 NOV 1991	14	25	. 6	2.2	52	_	17	25	<.10	9.8	
06	14	26	.7	2.0	69		18	29	.10	10	
OCT 1992	1.1	20	• •	2.0	03		10	23	.10	10	
20	14	26	.7	2.0	_	59	15	25	<.10	9.7	
OCT 1993											
25	_		_			57	_	_	_		_
OCT 1994											
07	_					53	_	32			

Table 3. Water-quality data from surface-water sites—Continued

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEI ¹ , ORGANIC TOTAL (MG/L AS N) (00605)
NOV 1981											
05	_	0.14	_	2.10	_		<0.010	1.90	<0.010	0.01	0.36
OCT 1982 14 OCT 1983	109	.16	0.64	2.58	2.58	11	.020	2.60	.100	.13	_
27	121	.17	1.05	2.40	_		<.010	2.40	<.010		_
OCT 1984											
25 OCT 1985	119	.17	. 93	1.70	_		<.010	1.70	.050	.06	
15	120	.16	1.02	2.59	2.59	11	.010	2.60	.010	.01	.39
OCT 1986											
09	134	.19	.57	1.59	1.59	7.0	.010	1.60	<.010	_	.30
OCT 1987 26	193	.27	1.40	1.69	1.69	7.5	010	1.70	020	.04	. \$7
OCT 1988	193	.21	1.40	1.69	1.09	7.5	.010	1.70	.030	.04	. \$ /
25 NOV 1989	129	.17	1.22	2.08	2.08	9.2	.020	2.10	.050	.06	.35
14 OCT 1990	125	.17	1.82	2.99	2.99	13	.010	3.00	.020	.03	.59
30 NOV 1991	140	.19	.90	2.47	2.47	11	.030	2.50	.020	.03	.78
06 OCT 1992	154	.21	. 95	2.50			<.010	2.50	.010	.01	_
20	139	.19	.82	2.28	2.28	10	.020	2.30	.010	.01	.19
OCT 1993 25			_	2.08	2.08	9.2	.020	2.10	.030	.04	_
OCT 1994				2.00	2.00	3.2	.020	2.10	.030	.04	_
07				2.60	_		<.010	2.60	<.015		_

Table 3. Water-quality data from surface-water sites—Continued

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	APSENIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
05		0.36	0.35	2.5	2.3	0.070	0.21	0.070	0.050	0.15	ND
OCT 1982											
14	0.30		.40		3.0		_	.100	.080	.25	1
OCT 1983			1.0		3.6	.130	.40	.100	.110	24	
27 OCT 1984			1.2		3.0	.130	.40	.100	.110	. 34	_
25	. 35	_	.40		2.1	.080		.050	.050	.15	
OCT 1985											
15	.19	.40	.20	3.0	2.8	.080	.25	.070	.060	.18	
OCT 1986											
09		.30	<.20	1.9	_	.060		.050	.040	.12	_
OCT 1987	. 27	1.0	.30	2.7	2.0	.740		010	. 680	2.1	
26 OCT 1988	.21	1.0	. 30	2.1	2.0	. /40	_	.810	. 680	2.1	_
25	. 35	.40	.40	2.5	2.5	.060		.040	.040	.12	
NOV 1989											
14	.28	.40	.30	3.4	3.3	.060		.030	.040	.12	
OCT 1990											
30	. 48	.80	.50	3.3	3.0	.080		.070	.090	.28	
NOV 1991 06		<.20	<.20			.060		.050	.050	.15	
OCT 1992		V.20	<.20		_	.000		.050	.030	.13	
20	.19	.20	.20	2.5	2.5	.080		.110	.060	.18	
OCT 1993											
25		_							.050	.15	
OCT 1994											
07			_			_			.040	.12	_

Table 3. Water-quality data from surface-water sites—Continued

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

											MFTHY-
DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	MFTHI- LFNE BIJE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
05 OCT 1982	<1.0	<1	2	<1	97	<1	22	0.1	2	<4	ND
14	<1.0	<1	<1	1	51	1	11	<.1	5	<4	0.03
OCT 1983											
27	_	_	_	_	82		28		_		
OCT 1984 25		_			100		19		_		
OCT 1985	_		_		100		19		_		
15	_	_			44	_	13		_	_	
OCT 1986											
09	_				39	_	11		_		
OCT 1987											
26	_				39		25	-			_
OCT 1988 25					93		23				
NOV 1989	_	_			93		23	_			_
14					63		29	_			_
OCT 1990											
30	_			-	58		23		_	_	
NOV 1991											
06		_		_	54	_	16	_	_		_
OCT 1992 20					66		21				
20 OCT 1993		_			00	_	21				_
25									_	_	_
OCT 1994											
07											_

Table 3. Water-quality data from surface-water sites—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	FAGNE- SIUM, DIS- SCLVED (MG/L AS MG) (C0925)
NOV 1981											
05	1300	_	165	7.8	9.5	_	11.4	63	_	13	7.4
OCT 1982											
14	1330	4.9	180	8.1	15.0		10.4	58		12	6.8
OCT 1983			4.05	7.0				-			
27 OCT 1984	0900	11	187	7.2	7.0	1.9	10.7	67		14	7.8
15	1330	8.7	185	8.4	13.0	.70	12.7	64		13	7.6
OCT 1985	1330	0.7	103	0.4	13.0	. 70	12.7	04		13	7.0
15	1430	10	190	7.6	12.5	1.2	12.2	65		13	7.9
OCT 1986								•			
09	0900	5.7	215	7.5	13.5	. 70	8.8	81		17	9.3
OCT 1987											
15	1430	7.8	218	7.9	12.5	.70	13.2	74	***************************************	15	8.8
OCT 1988											
25	1430	5.0	231	7.3	11.5	1.9	11.0	77		16	9.0
NOV 1989					40 -						
14 OCT 1990	1345	12	220	7.8	13.5	3. 4	12.5	70	24	14	8.4
30	1145	6.2	251	6.6	8.5	1.1	12.3	83	17	18	9.3
NOV 1991	1143	0.2	231	0.0	0.5	1.1	12.3	0.5	1,	10	9.5
06	1215	4.9	252	7.4	6.0	1.3	13.5	70	6	20	4.9
OCT 1992					• • •			. •	•		
20	1215	5.0	254	6.7	8.5	. 80	12.8	82		17	9.7
OCT 1993											
25	0930	7.8	270	7.4	9.5		10.5		-	_	_
OCT 1994											
07	0900	5.0	265	7.4	10.0		10.8		-		

Table 3. Water-quality data from surface-water sites—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
05	9.2	24	0.5	1.6			13	14	<0.10	15	103
OCT 1982											
14	9.2	25	.5	1.8	36	_	13	15	<.10	13	118
OCT 1983 27	10	24	.5	2.2	46		19	16		14	123
OCT 1984	10	24	.5	2.2	40		19	10	_	14	123
15	9.2	23	.5	1.5	44		15	17		12	115
OCT 1985				2.0				~.			
15	10	24	.5	1.8	46	_	17	17		13	116
OCT 1986											
09	13	25	.6	2.0	54		16	17		15	152
OCT 1987											
15	14	29	.7	2.1	55		15	20	_	12	129
OCT 1988			_								
25	14	28	.7	2.6	53	_	15	19		13	
NOV 1989 14	12	27	. 6	1.8	46		14	18		12	
OCT 1990	12	2,	. 0	1.0	40		1.7	10		12	
30	15	27	.7	2.3	66		15	22	. 30	14	
NOV 1991											
06	9.8	23	. 5	1.5	64		16	25	.10	26	_
OCT 1992											
20	16	29	.8	2.6		61	15	24	<.10	14	
OCT 1993											
25			_		_	65	_		_		_
OCT 1994					53	53		28			
07					53	53		28			_

Table 3. Water-quality data from surface-water sites—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
NOV 1981											
05		0.14	_	2.28	2.28	10	0.020	2.30	<0.010	0.01	0.36
OCT 1982	100			0.00	0.00	10	010	0.20	000	02	
14 OCT 1983	103	.16	1.56	2.29	2.29	10	.010	2.30	.020	.03	_
27	122	.17	3.65	2.40			<.010	2.40	<.010		
OCT 1984											
15	113	.16	2.70	2.57	2.57	11	.030	2.60	.070	.09	
OCT 1985											
15	120	.16	3.13	2.89	2.89	13	.010	2.90	.010	.01	. 59
OCT 1986	100		0.24	0.50			- 010	0.50	<.010		. 50
09 OCT 1987	133	.21	2.34	2.50		_	<.010	2.50	<.010	_	. 50
15	138	.18	2.72	3.90			<.010	3.90	.020	.03	. 58
OCT 1988		, , ,		0.00							
25	138	.19	1.86	3.70			<.010	3.70	.050	.06	. 35
NOV 1989											
14	124	.17	4.01	3.49	3.49	15	.010	3.50	.010	.01	.49
OCT 1990	155	21	2.58	4.08	4.08	18	.020	4.10	.030	.04	.87
30 NOV 1991	155	.21	2.30	4.00	4.00	10	.020	4.10	.030	.04	.07
06	159	. 22	2.10	3.70			<.010	3.70	.020	.03	.18
OCT 1992				•							
20	153	.21	2.06	3.79	3.79	17	.010	3.80	<.010	-	.30
OCT 1993											
25		_	_	2.98	2.98	13	.020	3.00	.060	.08	
OCT 1994				2 40			- 010	2.40	- 015		
07	_			3.40	_		<.010	3.40	<.015	_	

Table 3. Water-quality data from surface-water sites—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS-PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
05		0.36	0.39	2.7	2.7	0.050	0.15	0.050	0.030	0.09	1
OCT 1982 14	0.28	_	.30	_	2.6			.040	.070	.21	1
OCT 1983	0.20		,,,,		2.0						-
27		_	. 50		2.9	.070	.21	.050	.050	.15	
OCT 1984											
15	.23	_	.30	_	2.9	.030		.030	.030	.09	
OCT 1985	10	60	20	2 5	2 1	110	24	100	000	20	
15 OCT 1986	.19	. 60	.20	3.5	3.1	.110	. 34	.100	.090	.28	_
09		.50	<.20	3.0		.150		.140	.130	. 40	
OCT 1987				• • •							
15 <i>.</i>	.38	. 60	.40	4.5	4.3	.290		.270	.250	.77	
OCT 1988											
25	.35	. 40	. 40	4.1	4.1	. 350		.330	.310	.95	_
NOV 1989 14	.29	. 50	. 30	4.0	3.8	.200	_	.140	.140	. 43	
OCT 1990	, 23	. 30	. 30	4.0	3.6	.200		.140	.140	.45	
30	.57	. 90	. 60	5.0	4.7	.280		.260	.270	.83	
NOV 1991											
06		.20	<.20	3.9	-	.340		.360	.290	.89	_
OCT 1992											
20		. 30	.20	4.1	4.0	.370		.330	. 320	. 98	_
OCT 1993 25								_	.190	.58	
OCT 1994											
07	_		_	_		_	_	_	.220	. 67	

Table 3. Water-quality data from surface-water sites—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
05	<1.0	<1	<1	<1	100	<1	27	0.1	2	<4	ND
OCT 1982 14	<1.0	4	<1	<1	86	<1	18	<.1	5	<4	0.04
OCT 1983		-							•		
27			_		98		42			_	
OCT 1984											
15	_	_	_	_	79		19	_		_	
OCT 1985											
15					45		18	_	_		
OCT 1986											
09		_			68	_	26	_			
OCT 1987					4.0						
15	_				40		21	_		_	
OCT 1988 25					100		36				
NOV 1989	_				100	_	36	_		_	
14					66	_	25				
OCT 1990					00		23				
30					55		27			_	
NOV 1991											
06		_		_	30		32	_		_	
OCT 1992											
20		_			65		26				
OCT 1993											
25	_		_		_	_	_	_	_	_	_
OCT 1994											
07		_									

Table 3. Water-quality data from surface-water sites—Continued

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
27 OCT 1982	0915	_	180	6.8	12.5	_	8.2	55		11	6.7
15 OCT 1983	1430	0.51	172	7.3	12.5	_	8.9	56	_	11	7.0
26 OCT 1984	0900	.80	198	6.6	11.0	<1.0	9.2	59	-	12	7.0
11 OCT 1985	0900	1.1	215	7.1	11.5	.60	10.2	63	-	13	7.5
16 OCT 1986	0930	.91	215	6.6	8.0	3.0	10.8	63	-	12	8.0
15 NOV 1987	0900	. 52	210	7.0	11.5	.20	8.8	57	_	11	7.1
09 NOV 1988	0930	.72	228	6.8	13.0	.20	10.1	70	_	14	8.4
02 OCT 1989	0900	.77	303	7.0	9.0	2.0	10.5	95	_	20	11
26 OCT 1990	1540	3.8	317	6.9	14.5	.90	9.4	95	53	20	11
05	1100	.74	328	6.8	14.0	7.6	9.6	100	45	22	12
09 OCT 1991	0840	_	310	6.8	12.5	_	9.2	_	_		_
21 OCT 1992	1249	.40	321	7.2	11.5	.40	10.6	100	23	22	12
22 OCT 1993	1345	. 59	330	7.0	11.5	.70	10.4	130	_	28	14
28 OCT 1994	1240	.76	475	7.0	11.5		9.0				
17	1300	.71	419	6.8	11.5	_	9.7	_	_	_	

Table 3. Water-quality data from surface-water sites—Continued

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
27	14	35	0.8	1.6			15	23	<0.10	7.9	107
OCT 1982 15	13	33	. 8	0.70	20	_	12	25	<.10	7.9	131
OCT 1983	13	33	.0	0.70	20		12	23	1.10	7.5	101
26	14	34	.8	1.3	20	_	14	28	_	7.9	127
OCT 1984							4.0				100
11 OCT 1985	15	33	. 8	1.2	24	_	13	31	_	7.5	128
16	15	34	. 8	1.3	22		15	30		8.0	124
OCT 1986											
15 NOV 1987	15	36	. 9	1.6	22		12	30		7.9	150
09	17	34	. 9	1.5	24		11	34	_	7.8	141
NOV 1988											
02	19	30	. 8	1.8	56		15	50	_	8.2	
OCT 1989 26	18	29	. 8	1.4	42	_	16	43	_	7.9	_
OCT 1990	10	23		1.4			10	43		7.5	
05	17	26	.7	1.8	59	_	17	47	<.10	7.6	
09	_	_	_	_	_		_	_	-		_
OCT 1991 21	18	27	. 8	1.6	81		16	42	.10	7.2	
OCT 1992	10	21		1.0	01		10	72	.10	7.2	
22	26	30	1	1.7	_	50	14	73	<.10	7.6	_
OCT 1993						64					
28 OCT 1994			_			64			_		_
17			_			60		68	_	_	

Table 3. Water-quality data from surface-water sites—Continued

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00695)
OCT 1981											
27		0.15		4.60		_	<0.010	4.60	0.010	0.01	0.59
OCT 1982											
15	113	.18	0.18	5.38	5.38	24	.020	5.40	.020	.03	
OCT 1983											
26	119	.17	.27	5.01	5.01	22	.090	5.10	<.010	_	
OCT 1984 11	125	.17	.38	5.00	_		<.010	5.00	.030	.04	
OCT 1985	123	.17	. 30	3.00		_	V.010	3.00	.030	.04	
16	127	.17	.30	5.49	5.49	24	.010	5.50	.020	.03	.28
OCT 1986											
15	123	.20	.21	5.80			<.010	5.80	<.010		. 70
NOV 1987											
09	132	.19	.27	5.30		_	<.010	5.30	.020	.03	.58
NOV 1988	180	24	27	4 00			4 010	4 00			40
02 OCT 1989	180	.24	. 37	4.80			<.010	4.80	<.010		. 40
26	164	.22	1.68	4.70	_		<.010	4.70	.040	.05	.36
OCT 1990			2.00				*****			,,,,	
05	179	.24	. 36	4.30		_	<.010	4.30	.040	.05	.26
09		_							-	_	
OCT 1991											
21	187	.25	.20	4.30			<.010	4.30	.020	.03	
OCT 1992											
22	213	.29	. 34	4.28	4.28	19	.020	4.30	<.010	_	
OCT 1993 28		_		3.80			<.010	3.80	.010	.01	
OCT 1994	_			3.80			₹.010	3.80	.010	.01	
17				4.00			<.010	4.00	.020	.03	

Table 3. Water-quality data from surface-water sites—Continued

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
27	0.69	0.60	0.70	5.2	5.3	0.020	0.06	<0.010	0.010	0.03	1
OCT 1982 15	. 18	_	.20		5.6			.050	<.010		<1
OCT 1983	.10	_	. 20		3.6			.050	<.010		< 1
26		_	.40	_	5.5	.040	.12	.040	.040	.12	_
OCT 1984											
11	.17	_	.20	_	5.2	.020	_	.020	.010	.03	_
OCT 1985	. 28	.30	.30	5.8	5.8	<.010		<.010	.010	.03	
16 OCT 1986	. 20	.30	. 30	5.6	3.6	<.010	_	₹.010	.010	.03	
15		. 70	.90	6.5	6.7	.030	_	.020	<.010		-
NOV 1987											
09	_	. 60	<.20	5.9	_	.010	_	<.010	<.010	_	
NOV 1988 02		. 40	.40	5.2	5.2	.010	_	<.010	<.010	_	_
OCT 1989		. 10	. 10	3.2	3.2	.010		1.010	1.010		
26	.76	.40	.80	5.1	5.5	.020		.010	.020	.06	
OCT 1990											
05	. 36	.30	.40	4.6	4.7	.020	_	.020	.020	.06	_
09 OCT 1991	_				_	_	_		_	_	
21		<.20	<.20			<.010	_	<.010	.020	.06	_
OCT 1992											
22		<.20	<.20	_		.030		.020	.010	.03	_
OCT 1993 28				_	_		_		<.010		
28 OCT 1994		_			_	_			<.010	_	_
17	_	_	_		_	_	_	_	.020	.06	_

Table 3. Water-quality data from surface-water sites—Continued

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STINCE (MG/L) (38260)
OCT 1981											
27	2.0	3	<1	2	32	<1	20	0.2	2	8	ND
OCT 1982 15	<1.0	1	<1	<1	8	<1	8	<.1	5	5	0.05
OCT 1983	11.0	•	~-	~-	U	~-	U		J	J	0.05
26					23		18			_	_
OCT 1984											
11 OCT 1985	_		_	_	13	_	10		_	_	
16			_		13		16		_	_	_
OCT 1986											
15		_	_		17		12				_
NOV 1987							_				
09 NOV 1988			_		15	_	9		_	_	_
02					25		13		_	_	
OCT 1989					20						
26	_		_		24		170				_
OCT 1990											
05				_	5		67		_	_	_
09 OCT 1991								_	_	_	_
21				_	10		170			_	
OCT 1992											
22	_	-		-	6		17		_		_
OCT 1993											
28	_			_				_			
OCT 1994 17			_		_	_					_
17		_			_	_					

Table 3. Water-quality data from surface-water sites—Continued

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
27 OCT 1982	1100		223	7.3	13.5		9.4	87	_	19	9.5
22	1030	1.4	256	7.5	9.5		11.4	96		22	10
OCT 1983											
26	1100	1.9	235	7.1	12.0	1.2	10.7	100		23	11
OCT 1984											
11	1100	3.7	268	7.9	15.0	.60	11.1	100		23	11
OCT 1985	1000		050								••
16 OCT 1986	1300	4.2	250	7.4	12.5	.70	11.2	96		22	10
15	1330	1.7	240	7.5	15.0	2.6	9.6	94		21	10
NOV 1987	1330	2.7	240	7.5	13.0	2.0	3.0	24		2.1	10
09	1245	2.5	262	7.3	13.0	.50	11.4	110		23	12
NOV 1988											
02	1330	7.6	280	7.7	8.5	1.5	11.8	100		22	11
OCT 1989											
26	1300	6.3	281	7.3	14.0	3.0	9.9	100	41	23	11
OCT 1990											
05	0830	2.1	324	6.8	13.5	1.0	9.0	120	29	27	13
OCT 1991											
21	1430	2.5	298	7.4	11.0	2.9	11.7	110	30	27	11
OCT 1992 23	0945	2.5	314	7.6	8.5	.70	11.8	120		28	13
23 OCT 1993	0943	2.5	314	7.6	0.3	. 70	11.0	120	_	20	13
26	1415	2.1	315	7.4	12.0		10.8		_		
OCT 1994					0						
21	1400	4.0	302	7.0	15.0		10.4				

Table 3. Water-quality data from surface-water sites—Continued

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

					ALKA-	ALKA-					SOLIDS,
				POTAS-	LINITY	LINITY		CHLO-	FLUO-	SILICA,	RESIDUE
	SODIUM,		SODIUM	SIUM,	WAT WH	WAT WH	SULFATE,	RIDE,	RIDE,	DIS-	AT 180
	DIS-		AD-	DIS-	TOT FET	TOT IT	DIS-	DIS-	DIS-	SOLVED	DEG. C
	SOLVED		SORP-	SOLVED	FIELD	FIELD	SOLVED	SOLVED	SOLVED	(MG/L	DIS-
DATE	(MG/L	SODIUM	TION	(MG/L	(MG/L AS	(MG/L AS	(MG/L	(MG/L	(MG/L	AS	SOLVED
	AS NA)	PERCENT	RATIO	AS K)	CACO ₃)	CACO ₃)	AS SO ₄)	AS CL)	AS F)	SIO ₂)	(MG/L)
	(00930)	(00932)	(00931)	(00935)	(00410)	(00419)	(00945)	(00940)	(00950)	(00955)	(70300)
OCT 1981											
27	11	21	0.5	3.8		_	26	21	<0.10	12	13€
OCT 1982	11	21	0.5	3.0			20	2.1	VO.10	12	130
22	8.1	15	. 4	2.7	68		18	17	<.10	19	151
OCT 1983	0.1	10		2.,,	00				11.10		101
26	8.8	15	. 4	3.2	66		25	17		18	161
OCT 1984											
11	11	18	.5	2.9	72		21	24		14	15€
OCT 1985								-			
16	11	19	.5	2.6	58		21	21		12	144
OCT 1986											
15	8.5	16	. 4	4.9	72		22	19		17	17ε
NOV 1987											
09	11	18	. 5	2.6	74		19	27		12	165
NOV 1988											
02	13	21	. 6	2.7	76		24	31		6.5	
OCT 1989											
26	11	18	.5	2.4	62		20	26		13	
OCT 1990											
05	13	19	. 5	2.6	92		21	35	<.10	13	
OCT 1991											
21	9.3	14	. 4	5.2	83	_	34	18	.10	15	
OCT 1992											
23	13	18	.5	2.3		68	21	36	.10	14	
OCT 1993											
26	_					72	_		-	-	-
OCT 1994											
21	_					65	_	44		_	_

Table 3. Water-quality data from surface-water sites—Continued

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, CRGANIC TOTAL (MG/L AS N) (00605)
OCT 1981											
27		0.18		1.17			<0.010	1.50	0.080	0.10	0.49
OCT 1982		01	0.57	0.00	0.00	0.0	010	0.10	. 010	01	
22 OCT 1983	147	. 21	0.57	2.09	2.09	9.3	.010	2.10	<.010	.01	
26	156	.22	.83	2.20			<.010	2.20	<.010		
OCT 1984											
11	162	.21	1.56	2.58	2.58	11	.020	2.60	.020	.03	_
OCT 1985											
16	144	.20	1.63	2.16	2.16	9.6	.040	2.20	.030	.04	.47
OCT 1986 15	154	.24	.82	1.79	1.79	7.9	.010	1.80	<.010	_	1.0
NOV 1987		,		2	2.,,		.010	2.00	1,010		
09	160	. 22	1.11	2.10			<.010	2.10	.030	.04	.37
NOV 1988											
02	163	. 22	3.34	1.58	1.58	7.0	.020	1.60	.040	.05	.56
OCT 1989 26	156	.21	2.65	2.68	2.68	12	.020	2.70	.030	.04	.57
OCT 1990	130		2.00	2.00	2.00		.020	2.10			
05	189	.26	1.05	1.98	1.98	8.8	.020	2.00	.020	.03	.38
OCT 1991											
21	181	.25	1.22	2.48	2.48	11	.020	2.50	.020	.03	
OCT 1992 23	178	.24	1.20	2.08	2.08	9.2	.020	2.10	<.010		.30
OCT 1993	176	.24	1.20	2.08	2.06	9.2	.020	2.10	V.010	_	. 30
26				3.10			<.010	3.10	.020	.03	
OCT 1994											
21		_		1.70	-	_	<.010	1.70	.020	.03	

Table 3. Water-quality data from surface-water sites—Continued

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORU: TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, S, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	AFSENIC, DIS- SOLVED (µG/L AS AS) (C1000)
OCT 1981											
27	0.43	0.55	0.51	1.7	2.0	0.060	0.18	0.020	<0.010		1
OCT 1982											_
22			2.3		4.4			.030	.010	0.03	1
OCT 1983			• •			0.50	• •	000	050		
26			1.3		3.5	.060	.18	.030	.050	. 15	
OCT 1984 11	.28		. 30		2.9	. 020		.020	.010	.03	
OCT 1985	.28		. 30		2.9	. 020	_	.020	.010	.03	_
16	. 27	.50	. 30	2.7	2.5	.020	.06	.010	.010	.03	
OCT 1986					2.0	.020		.010	.010		
15		1.0	. 90	2.8	2.7	.070	_	.040	.020	.06	
NOV 1987											
09	. 27	.40	. 30	2.5	2.4	.020	_	.020	.010	.03	
NOV 1988											
02	.56	. 60	. 60	2.2	2.2	.030	_	.010	<.010		
OCT 1989											
26	. 37	. 60	. 40	3.3	3.1	.050		<.010	<.010	_	-
OCT 1990											
05	.38	. 40	. 40	2.4	2.4	<.020	_	<.010	<.010		_
OCT 1991						000			000		
21		<.20	<.20			.020		<.010	.030	.09	
OCT 1992 23		.30	<.20	2.4		. 020		.020	<.010		
OCT 1993		. 30	1.20	۷.4		. 020		.020	V.010	_	
26		_				_		_	.020	.06	
OCT 1994											
21									.020	.06	

Table 3. Water-quality data from surface-water sites—Continued

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

DĀTE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
27	3.0	<1	<1	2	380	<1	40	<0.1	2	<4	0.0
OCT 1982 22 OCT 1983	<1.0	<1	1	1	45	<1	33	_	<1	<4	.03
26		_			110		49	_			
OCT 1984											
11	_	_			57		24		_		
OCT 1985 16					50		20		_		
OCT 1986					50	_	20	_	_		
15					79		40			_	
NOV 1987											
09 NOV 1988		_			61		19				
02	_			_	58		25				
OCT 1989							20				
26	_		_		59		40		_		-
OCT 1990											
05 OCT 1991	_				34	_	22			_	
21					71		37		_		
OCT 1992											
23		-			34		13	_	_	_	
OCT 1993											
26 OCT 1994		_							_		_
21	_			_							_

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGTE- SIUT, DIS- SOLVTD (MG/L AS 173) (00925)
OCT 1981											
27	1215	_	226	7.5	13.5	_	10.3	85	_	19	9.1
OCT 1982			204							22	10
22 OCT 1983	1315	2.8	284	7.1	9.5		10.5	99		23	10
26	1300	5.3	_		_	2.9	_	85	_	20	8.6
OCT 1984											
11	1400	6.0	280	7.8	16.0	. 90	10.0	99	_	23	10
OCT 1985											
16	1530	5.9	270	7.3	13.0	1.2	9.8	100	_	23	11
OCT 1986 16	0900	3.9	250	7.5	10.0	2.0	9.5	96		22	9.9
NOV 1987	0300	3.3	230	7.5	10.0	2.0	7.5	30		22	3.5
05	0930	5.7	280	7.1	13.5	.40	10.2	110		25	12
NOV 1988											
03	0845	6.3	280	7.5	8.0	3.1	11.4	100	_	22	11
OCT 1989	221-								0.7		
26 OCT 1990	0915	13	296	7.3	11.5	1.0	11.0	99	37	23	10
25	1330	7.6	298	6.8	14.0	4.0	10.0	110	38	24	11
OCT 1991		,		• • • •					• • •		
22	1130	4.5	321	7.4	10.0	2.0	10.4	110	45	25	11
OCT 1992											
22	1130	3.8	330	7.2	9.5	5.1	10.8	110		25	12
OCT 1993 26	1200	6.6	302	7.2	12.0		9.7	_			
OCT 1994	1200	3.0	302	1.2	12.0		3.1				
21	0900	5.0	260	7.1	12.5		8.6	_	_		

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SIMICA, DIS- SOWVED (MG/L AS SIO ₂) (00955)
OCT 1981										
27	12	23	0.6	3.5	_		27	21	0.10	14
OCT 1982	12	00		0.7	60		00	22	- 10	1.5
22 OCT 1983	13	22	.6	2.7	69		23	22	<.10	17
26	11	21	.5	3.5			26	19	_	13
OCT 1984										
11	13	22	. 6	3.2	64		24	25	_	14
OCT 1985	12	01	_	3.4	60		24	24		17
16 OCT 1986	13	21	. 6	3.4	60		24	24		17
16	13	22	. 6	3.9	68		23	23		15
NOV 1987										
05	13	20	. 5	3.3	74	_	21	28		13
NOV 1988 03	12	20	.5	3.1	68		24	26		13
OCT 1989	12	20	.5	3.1	00		24	20		13
26	11	19	. 5	2.9	62		21	27		15
OCT 1990										
25	13	20	. 6	3.7	67		17	26	.30	15
OCT 1991 22	14	21	. 6	3.4	63		23	33	.10	14
OCT 1992	1.3	21	. 0	3.4	05		23	33	.10	4 7
22	13	20	.5	3.0		64	22	35	.10	15
OCT 1993										
26						65				
OCT 1994 21		_				66		43		
21						00		-1-0		

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

	SOLIDS,	SOLIDS,				NITRO-	NITRO-	NITRO-	NITRO-	NITRO-
	RESIDUE	SUM OF	SOLIDS,	SOLIDS,	NITRO-	GEN,	GEN,	GEN,	GEN,	GEN,
	AT 180	CONSTI-	DIS-	DIS-	GEN,	NITRATE	NITRATE	NITRITE	$NO_2 + NO_3$	AMMONIA
	DEG. C	TUENTS,	SOLVED	SOLVED	NITRATE	DIS-	DIS-	DIS-	DIS-	DIS-
	DIS-	DIS-	(TONS	(TONS	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	SOLVED	SOLVED	PER	PER	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	(MG/L)	(MG/L)	AC-FT)	DAY)	AS N)	AS N)	AS NO ₃)	As N)	AS N)	AS N)
	(70300)	(70301)	(70303)	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)
OCT 1981										
27	141		0.19		1.80			<0.010	1.70	0.020
OCT 1982										
22	153	164	.21	1.14	2.47	2.47	11	.030	2.50	.100
OCT 1983										
26	150			_					_	
OCT 1984										
11	165	165	.22	2.67	2.89	2.89	13	.010	2.90	. 080
OCT 1985										
16	160	167	.22	2.55	3.27	3.27	14	.030	3.30	.11.0
OCT 1986										
16	183	161	.25	1.93	2.08	2.08	9.2	.020	2.10	.040
NOV 1987										
05	174	173	.24	2.68	2.69	2.69	12	.010	2.70	.080
NOV 1988		1.50	.22	0.76	0.10			- 010	0 10	070
03 OCT 1989		162	. 22	2.76	2.10			<.010	2.10	. 070
26		162	.22	5.67	3.09	3.09	14	.010	3.10	.020
OCT 1990		102		3.07	3.03	3.03	14	.010	3.10	.020
25		163	.22	3.34	2.57	2.57	11	.030	2.60	.090
OCT 1991		200				2.0.				
22		175	.24	2.13	2.89	2.89	13	.010	2.90	.030
OCT 1992										
22		177	.24	1.82	2.89	2.89	13	.010	2.90	.010
OCT 1993										
26		_			3.90			<.010	3.90	.030
OCT 1994										
21	_	_	_		2.30	_		<.010	2.30	<.015

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

DATE	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHOPUS, DIS- SOLVED (MG/L AS P) (00566)
OCT 1981										
27	0.03	0.86	0.66	0.90	0.68	2.7	2.4	0.280	0.86	0.250
OCT 1982										
22 OCT 1983	.13		. 60		. 70	_	3.2		_	.100
26				_				_		
OCT 1984										
11	.10		.22		.30	_	3.2	.390		.370
OCT 1985										
16	.14	. 59	.59	.70	.70	4.0	4.0	.460	1.4	.410
OCT 1986										
16	.05	. 66	.36	.70	. 40	2.8	2.5	.300		.280
NOV 1987 05	.10	. 42	. 52	.50	. 60	3.2	3.3	.260	_	.250
NOV 1988	.10	. 72	. 52	.50	.00	3.2	3.3	.200		.230
03	.09	.43	. 43	.50	. 50	2.6	2.6	.200		.170
OCT 1989										
26	.03	.28	.28	.30	.30	3.4	3.4	.190	_	.160
OCT 1990	10	7.	61	00	70	2.4	2.2	270		210
25 OCT 1991	.12	.71	. 61	.80	.70	3.4	3.3	.270		.210
22	.04	. 47	.17	.50	.20	3.4	3.1	. 340		.260
OCT 1992			,			• • •				
22	.01	.89	. 39	.90	.40	3.8	3.3	.370	_	.250
OCT 1993										
26	.04			_		_			_	_
OCT 1994										
21			_		_		_			_

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
OCT 1981										
27	0.230	0.71	1			3.0	<1	<1	4	330
OCT 1982 22	.070	.21	1			<1.0	<1	1	2	59
OCT 1983	.070	.21	1			\1.0	~1	1	2	39
26	_		1			<1.0	<1		4	66
OCT 1984										
11	.360	1.1	<1	_	_	<1.0	<1	_	<1	55
OCT 1985	200								•	25
16 OCT 1986	.390	1.2	<1		_	<1.0	<1	_	2	35
16	.270	.83	<1		_	1.0	<1		3	75
NOV 1987										
05	. 220	. 67	<1		_	<1.0	<1	_	2	78
NOV 1988									-4.0	
03 OCT 1989	.160	. 49	<1	46	<0.5	<1.0	<5	<3	<10	130
26	.140	.43	<1	50	<.5	<1.0	<5	<3	<10	97
OCT 1990								_		
25	.210	. 64	<1	47	<.5	<1.0	<5	<3	<10	63
OCT 1991	222									
22 OCT 1992	.230	.71	<1	47	<.5	<1.0	<5	<3	<10	87
22	.200	. 61		53	<.5	<1.0	<5	<3	<10	83
OCT 1993										
26	.330	1.0	_	_	_	-	_		_	_
OCT 1994										
21	.140	.43			_		_			

Table 3. Water-quality data from surface-water sites—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE STB- STANCE (M ² /L) (38?60)
OCT 1981										
27	<1		56	0.2	2		_		<4	N.
OCT 1982			100		_					2 24
22 OCT 1983	<1		100	. 4	3		_		<4	0.04
26	2		69	.1	2	<1.0			6	
OCT 1984	_				_					
11	2		29	<.1	3	<1.0	_	_	<3	
OCT 1985				_						
16 OCT 1986	<1		33	<.1	<1	<1.0			15	
16	<5		54	<1.0	2	<1.0			<3	
NOV 1987				12.0	~	12.0				
05	<5		41	<.1	<1	<1.0			4	
NOV 1988										
03	<10	6	39	. 6	<10	<1.0	120	<6	5	
OCT 1989 26	<10	5	45	.2	<10	<1.0	120	<6	14	
OCT 1990	\10	3	43	. 2	~10	11.0	120	~0		
25	<10	6	39	<.1	<10	<1.0	130	<6	5	
OCT 1991										
22	<10	7	46	<.1	<10	<1.0	130	<6	9	
OCT 1992	410		47	. 1	<10	<1.0	150	<6	8	
22 OCT 1993	<10	<4	47	<.1	<10	<1.U	130	\ 0	0	_
26	_						_	_		_
OCT 1994										
21	_							_		

Table 3. Water-quality data from surface-water sites—Continued

01476840 - Goose Creek Tributary to East Branch Chester Creek near West Chester, Pa. (Site 25)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARI WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	DIS- SOLVED	ris- scu v ed
OCT 1981											
27 OCT 1982	1445		935	7.3	17.0		5.1	140	_	35	13
22 NOV 1988	1445	7.9	1,180	7.2	12.5		7.1	160	_	38	15
04 OCT 1989	0900	12	1,060	7.4	15.0	4.5	8.9	180		44	16
25	1315	14	950	7.4	16.5	1.7	9.4	160	79	41	15
OCT 1990 25	1045	12	850	7.0	15.5	2.2	9.4	170	_	43	15
NOV 1991 04	0945	10	680	7.5	11.0	2.5	10.8	160	49	42	14
OCT 1992 23	1145	10	625	7.8	13.0	3.5	10.7	160	_	42	1.4
NOV 1993						3.3		100		72	
19 OCT 1994	0900	10	660	7.5	13.5		9.8		_		
21	1145	11	484	7.3	15.5	_	9.1				
	DATE		SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- I SIUM, W DIS- I SOLVED (MG/L (AS K)	ALKA- INITY (AT WH OT FET FIELD MG/L AS CACO ₃) 00410)	TOT IT FIELD	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	(MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
	1981 '	120	58	4	36	_	_	_	140	0.20	22
	1982	110	53	4	43	130		130	160	.10	23
NOV	1988 	130	56		39	106		180	110	_	21
OCT	1989										
	1990	85	43	3	64	85		160	84		21
	1991	80	44	3	41	73	_	120	86	.30	20
04	1992	63	44	2	9.6	114	_	50	94	.40	17
23	3	45	36	2	9.4	_	82	41	82	.50	17
	1993 	_	_	_	_	_	73	47	83	.40	
	1994	_		_			67		96		

Table 3. Water-quality data from surface-water sites—Continued

01476840 - Goose Creek Tributary to East Branch Chester Creek near West Chester, Pa. (Site 25)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMCNIA DIS- SOLVED (MG/L AS N) (00608)
OCT 1981										
27 OCT 1982 ·	761	_	1.03		6.66	6.36	28	0.340	6.70	8.50
22	586	676	.80	12.4	7.30	7.30	32	.200	7.50	23.0
NOV 1988 04	_	704	. 96	22.2	19.6	19.6	87	.360	2.0	2.00
OCT 1989 25	_	609	.83	23.0	17.7	17.7	79	.260	18.0	. 280
OCT 1990 25		539	.73	17.5	17.9	17.9	79	.080	18.0	. 250
NOV 1991 04		387	.53	11.0	5.46	5.46	24	.040	5.50	.050
OCT 1992									-	
23 NOV 1993		365	.50	1 .2	13.0	13.0	57	.040	13.0	.040
19 OCT 1994		_	_	_	17.0	17.0	75	.040	17.0	.060
21		_			16.9	16.9	75	.150	17.0	.090
DATE	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO-GEN, DIS-SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, S, DIS- SOLVED (MG/L AS P) (00666)
OCT 1981	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846)	GEN, ORGANIC TOTAL (MG/L AS N) (00605)	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	GEN, TOTAL (MG/L AS N) (00600)	GEN, DIS- SOLVED (MG/L AS N) (00602)	PHORUS, TOTAL (MG/L AS P) (00665)	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, 5, DIS- SOLVED (MG/L AS P) (00666)
	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4)	GEN, ORGANIC TOTAL (MG/L AS N)	GEN, ORGANIC DIS- SOLVED (MG/L AS N)	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	GEN, TOTAL (MG/L AS N)	GEN, DIS- SOLVED (MG/L AS N)	PHORUS, TOTAL (MG/L AS P)	PHORUS TOTAL (MG/L AS PO ₄)	PHORUS, 5, DIS- SOLVED (MG/L AS P)
OCT 1981 27 OCT 1982 22 NOV 1988	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846) 11	GEN, ORGANIC TOTAL (MG/L AS N) (00605)	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	GEN, TOTAL (MG/L AS N) (00600)	GEN, DIS- SOLVED (MG/L AS N) (00602)	PHORUS, TOTAL (MG/L AS P) (00665)	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, 3, DIS- SOLVED (MG/L AS P) (00666) 7.40 5.40
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989	GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846) 11 30 2.6	GEN, ORGANIC TOTAL (MG/L AS N) (00605)	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2	GEN, TOTAL (MG/L AS N) (00600) 27 ——	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24	PHORUS, TOTAL (MG/L AS P) (00665) 9.10	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, 3, DIS- SOT.VED (MG/L AS P) (00666) 7.40 5.40 3.40
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25	GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846) 11 30 2.6 .36	GEN, ORGANIC TOTAL (MG/L AS N) (00605) 11 2.2 2.1	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0 2.2 1.9	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625) 20 4.2 2.4	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2	GEN, TOTAL (MG/L AS N) (00600) 27 —— 24 20	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24	PHORUS, TOTAL (MG/L AS P) (00665) 9.10 ————————————————————————————————————	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, 3, DIS- SOT.VED (MG/L AS P) (00666) 7.40 5.40 3.40 3.30
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846) 11 30 2.6 .36	GEN, ORGANIC TOTAL (MG/L AS N) (00605) 11 2.2 2.1 1.8	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0 2.2 1.9 1.5	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625) 20 4.2 2.4 2.1	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2 2.2 1.8	GEN, TOTAL (MG/L AS N) (00600) 27 —— 24 20 20	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24 20	PHORUS, TOTAL (MG/L AS P) (00665) 9.10 ————————————————————————————————————	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, SOLVED (MG/L AS P) (00666) 7.40 5.40 3.40 3.30 3.20
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25	GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846) 11 30 2.6 .36	GEN, ORGANIC TOTAL (MG/L AS N) (00605) 11 2.2 2.1	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0 2.2 1.9	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625) 20 4.2 2.4	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2	GEN, TOTAL (MG/L AS N) (00600) 27 —— 24 20	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24	PHORUS, TOTAL (MG/L AS P) (00665) 9.10 ————————————————————————————————————	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, 3, DIS- SOT.VED (MG/L AS P) (00666) 7.40 5.40 3.40 3.30
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991 04 OCT 1992 23	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846) 11 30 2.6 .36	GEN, ORGANIC TOTAL (MG/L AS N) (00605) 11 2.2 2.1 1.8	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0 2.2 1.9 1.5	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625) 20 4.2 2.4 2.1	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2 2.2 1.8	GEN, TOTAL (MG/L AS N) (00600) 27 —— 24 20 20	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24 20	PHORUS, TOTAL (MG/L AS P) (00665) 9.10 ————————————————————————————————————	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, SOLVED (MG/L AS P) (00666) 7.40 5.40 3.40 3.30 3.20
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991 04 OCT 1992	GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) (71846) 11 30 2.6 .36 .32 .06	GEN, ORGANIC TOTAL (MG/L AS N) (00605) 11 2.2 2.1 1.8 1.0	GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607) 15 5.0 2.2 1.9 1.5 .85	GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625) 20 4.2 2.4 2.1 1.1	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623) 23 28 4.2 2.2 1.8 .90	GEN, TOTAL (MG/L AS N) (00600) 27 —— 24 20 20 6.6	GEN, DIS- SOLVED (MG/L AS N) (00602) 30 36 24 20 20	PHORUS, TOTAL (MG/L AS P) (00665) 9.10 ————————————————————————————————————	PHORUS TOTAL (MG/L AS PO ₄) (71886)	PHORUS, B, DIS- SOLVED (MG/L AS P) (00666) 7.40 5.40 3.40 3.30 3.20 3.00

Table 3. Water-quality data from surface-water sites—Continued

01476840 - Goose Creek Tributary to East Branch Chester Creek near West Chester, Pa. (Site 25)—Continued

DATE	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (0104€)
OCT 1981										
27 OCT 1982	5.60	17	1	_	_	3.0	6	4	28	410
22 NOV 1988	5.20	16	1	_	_	<1.0	<1	3	25	98
04	2.90	8.9	<1	42	<0.5	<1.0	< 5	<3	20	63
OCT 1989 25	2.60	8.0	<1	63	<.5	<1.0	< 5	4	20	56
OCT 1990 25	3.20	9.8	<1	46	<.5	<1.0	< 5	<3	20	59
NOV 1991 04	1.10	3.4	<1	39	<.5	<1.0	< 5	<3	20	39
OCT 1992										
23 NOV 1993	2.20	6.7	<1	38	<.5	<1.0	< 5	<3	10	31
19 OCT 1994	2.70	8.3			_		_			
21	2.90	8.9		_	_	_	_	_		_
DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENF BLUF ACTIVE SUB- STANCE (MG/I-) (3826C)
OCT 1981	DIS- SOLVED (µG/L AS PB) (01049)	DIS- SOLVED (µG/L AS LI)	NESE, DIS- SOLVED (µG/L AS MN) (01056)	DIS- SOLVED (µG/L AS HG) (71890)	DIS- SOLVED (µG/L AS NI) (01065)	DIS- SOLVED (µG/L AS AG)	TIUM, DIS- SOLVED (µG/L AS SR)	DIUM, DIS- SOLVED (µG/L AS V)	DIS- SOLVED (µG/L AS ZN) (01090)	LENF BLUF ACTIVT SUB- STANCE (MG/I.) (38260)
OCT 1981 27	DIS- SOLVED (µG/L AS PB)	DIS- SOLVED (µG/L AS LI)	NESE, DIS- SOLVED (µG/L AS MN)	DIS- SOLVED (µG/L AS HG)	DIS- SOLVED (µG/L AS NI)	DIS- SOLVED (µG/L AS AG)	TIUM, DIS- SOLVED (µG/L AS SR)	DIUM, DIS- SOLVED (µG/L AS V)	DIS- SOLVED (µG/L AS ZN)	LENF BLUF ACTIVE SUB- STANCE (MG/I)
OCT 1981 27 OCT 1982 22	DIS- SOLVED (µG/L AS PB) (01049)	DIS- SOLVED (µG/L AS LI)	NESE, DIS- SOLVED (µG/L AS MN) (01056)	DIS- SOLVED (µG/L AS HG) (71890)	DIS- SOLVED (µG/L AS NI) (01065)	DIS- SOLVED (µG/L AS AG)	TIUM, DIS- SOLVED (µG/L AS SR)	DIUM, DIS- SOLVED (µG/L AS V)	DIS- SOLVED (µG/L AS ZN) (01090)	LENF BLUF ACTIVT SUB- STANCE (MG/I.) (38260)
OCT 1981 27 OCT 1982 22 NOV 1988 04	DIS- SOLVED (µG/L AS PB) (01049)	DIS- SOLVED (µG/L AS LI)	NESE, DIS- SOLVED (μG/L AS MN) (01056)	DIS- SOLVED (µG/L AS HG) (71890)	DIS- SOLVED (µG/L AS NI) (01065)	DIS- SOLVED (µG/L AS AG)	TIUM, DIS- SOLVED (µG/L AS SR)	DIUM, DIS- SOLVED (µG/L AS V)	DIS- SOLVED (µG/L AS ZN) (01090)	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25	DIS- SOLVED (µG/L AS PB) (01049)	DIS- SOLVED (µG/L AS LI) (01130)	NESE, DIS- SOLVED (µG/L AS MN) (01056) 48,000	DIS- SOLVED (µG/L AS HG) (71890)	DIS- SOLVED (µG/L AS NI) (01065)	DIS- SOLVED (µG/L AS AG) (01075)	TIUM, DIS- SOLVED (µG/L AS SR) (01080)	DIUM, DIS- SOLVED (µG/L AS V) (01085)	DIS- SOLVED (µG/L AS ZN) (01090)	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989	DIS- SOLVED (µG/L AS PB) (01049) 5 <1	DIS- SOLVED (µG/L AS LI) (01130)	NESE, DIS- SOLVED (µG/L AS MN) (01056) 48,000	DIS- SOLVED (µG/L AS HG) (71890) 83 — <.1	DIS- SOLVED (µG/L AS NI) (01065)	DIS- SOLVED (µG/L AS AG) (01075)	TIUM, DIS- SOLVED (µG/L AS SR) (01080) 180	DIUM, DIS- SOLVED (µG/L AS V) (01085)	DIS- SOLVED (µG/L AS ZN) (01090) 320 52	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990	DIS- SOLVED (µG/L AS PB) (01049) 5 <1 <10	DIS- SOLVED (µG/L AS LI) (01130) 24	NESE, DIS- SOLVED (μG/L AS MN) (01056) 48,000 150 76	DIS- SOLVED (µG/L AS HG) (71890) 83 <.1	DIS- SOLVED (µG/L AS NI) (01065) 4 7 <10	DIS- SOLVED (µG/L AS AG) (01075) <1.0	TIUM, DIS- SOLVED (µG/L AS SR) (01080) 180	DIUM, DIS- SOLVED (µG/L AS V) (01085) <6	DIS- SOLVED (µG/L AS ZN) (01090) 320 52 35	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991 04 OCT 1992	DIS- SOLVED (µG/L AS PB) (01049) 5 <1 <10 <10 <10	DIS- SOLVED (µG/L AS LI) (01130) 24 22 38 38	NESE, DIS- SOLVED (µG/L AS MN) (01056) 48,000 150 76 56 51	DIS- SOLVED (µG/L AS HG) (71890) 83 <.1 .1	DIS- SOLVED (µG/L AS NI) (01065) 4 7 <10 <10 10	DIS- SOLVED (µG/L AS AG) (01075) <1.0 <1.0 <1.0	TIUM, DIS- SOLVED (µG/L AS SR) (01080) 180 180 170	DIUM, DIS- SOLVED (µG/L AS V) (01085) <6 <6 <6 <6	DIS- SOLVED (µG/L AS ZN) (01090) 320 52 35 50 38	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991 04 OCT 1992 23 NOV 1993	DIS- SOLVED (µG/L AS PB) (01049) 5 <1 <10 <10	DIS- SOLVED (µG/L AS LI) (01130) 24 22 38	NESE, DIS- SOLVED (μG/L AS MN) (01056) 48,000 150 76 56	DIS- SOLVED (µG/L AS HG) (71890) 83 <.1	DIS- SOLVED (µG/L AS NI) (01065) 4 7 <10 <10	DIS- SOLVED (µG/L AS AG) (01075) <1.0 <1.0	TIUM, DIS- SOLVED (µG/L AS SR) (01080) 180 180	DIUM, DIS- SOLVED (µG/L AS V) (01085) <6 <6 <6	DIS- SOLVED (µG/L AS ZN) (01090) 320 52 35 50	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981 27 OCT 1982 22 NOV 1988 04 OCT 1989 25 OCT 1990 25 NOV 1991 04 OCT 1992 23	DIS- SOLVED (µG/L AS PB) (01049) 5 <1 <10 <10 <10	DIS- SOLVED (µG/L AS LI) (01130) 24 22 38 38	NESE, DIS- SOLVED (µG/L AS MN) (01056) 48,000 150 76 56 51	DIS- SOLVED (µG/L AS HG) (71890) 83 <.1 .1	DIS- SOLVED (µG/L AS NI) (01065) 4 7 <10 <10 10	DIS- SOLVED (µG/L AS AG) (01075) <1.0 <1.0 <1.0	TIUM, DIS- SOLVED (µG/L AS SR) (01080) 180 180 170	DIUM, DIS- SOLVED (µG/L AS V) (01085) <6 <6 <6 <6	DIS- SOLVED (µG/L AS ZN) (01090) 320 52 35 50 38	LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)

Table 3. Water-quality data from surface-water sites—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

		DIS-		PH					HARD-			
		CHARGE, INST.	SPE- CIFIC	WATER WHOLE				HARD- NESS,	NESS, NONCARB	CALCIUM,	MAGNE- SIUM,	SODIUM,
		(CUBIC	CON-	FIELD	TEMPER-	TUR-	OXYGEN,	TOTAL	WH WAT	DIS-	DIS-	DIS-
		FEET	DUCT-	(STAND-	ATURE	BID-	DIS-	(MG/L	TOT FLD	SOLVED	SOLVED	SOLVED
DATE	TIME	PER	ANCE	ARD	WATER	ITY	SOLVED	AS	(MG/L AS	(MG/L	(MG/L	(MG/L
		SECOND)	(µS/CM)	UNITS)	(DEG C)	(NTU)	(MG/L)	CACO3)	CACO ₃)	AS CA)	AS MG)	AS NA)
		(00061)	(00095)	(00400)	(00010)	(00076)	(00300)	(00900)	(00902)	(00915)	(00925)	(00930)
OCT 1983												
26	144	5 18	560	5.7	14.0	4.6	7.9	130		31	12	43
OCT 1984												
11	1530	21	625	8.0	18.0	. 90	11.4	120		30	12	76
OCT 1985												
28	1530	16	550	6.5	12.0	2.4	7.7	130	_	32	13	53
OCT 1986												
16	1300	28	650	7.7	14.0	1.4	9.1	130	_	32	12	84
NOV 1987												
05	130	18	620	7.5	15.0	1.7	8.2	140	_	35	13	66
NOV 1988 03	1300	18	780	7.4	11.0	1.9	11.2	140		34	13	82
OCT 1989		J 16	700	7.4	11.0	1.9	11.2	140		34	13	62
25	094	5 31	500	7.4	11.5	1.2	1.4	120	60	29	12	33
OCT 1990			000	,	22.0							•••
25	090	20	590	6.5	11.5	2.0	8.8	130	56	32	12	48
OCT 1991												
22	090	12	465	7.5	9.5	1.4	10.3	130	55	32	12	35
OCT 1992												
22	093	0 12	480	7.6	9.0	. 60	11.3	120		30	12	9.4
OCT 1993												
26	094	5 20	448	7.4	12.0	_	9.5	_			_	
OCT 1994												
17	094	5 12	530	7.3	9.5		10.5	_			_	

Table 3. Water-quality data from surface-water sites—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)

DATE		SODIUM AD- SORP- TION F RATIO (00931)	SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS,
OCT 1983	3											
26	39	2	15	26	_	58	66	_	18	352	366	0.48
OCT 1984	ļ											
11	55	3	9.0	106	_	75	74		19	392	393	.53
OCT 1985	5											
28	45	2	7.2	90	_	79	59	_	19	326	348	. 44
OCT 1986	5											
16	57	3	8.9	114	_	120	62	_	18	540	444	. 73
NOV 1987												
05	45	2	26	114	_	99	61	_	17	407	417	. 55
NOV 1988												
03	51	3	27	90	_	140	69		17		495	.67
OCT 1989				60		60	4.0				005	
25 OCT 1990	. 33	1	21	62	_	60	42		18		287	. 39
25	, 39	2	25	74		85	52	0.30	17	_	357	. 49
OCT 1991		2	23	/-1		65	32	0.30	17		331	. 43
22	36	1	6.4	75		36	52	.20	17		279	.38
OCT 1992	_	•	0.4	75		30	32	.20			2,,,	
22	14	. 4	3.9		62	36	21	.10	15		210	.29
OCT 1993			• • •			••						
26					70						-	
OCT 1994	ļ											
17					76		67		_			

Table 3. Water-quality data from surface-water sites—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

			NITRO-	NITRO-	NITRO-	NITRO-	NITRO-	NITRO-		NITRO-	NITRO-	NITRO-
	SOLIDS,	NITRO-	GEN,	GEN,	GEN,	GEN,	GEN,	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-
	DIS-	GEN,	NITRATE	NITRATE	NITRITE	NO_2+NO_3	AMMONIA	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +
	SOLVED	NITRATE	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC
	(TONS	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	TOTAL	SOLVED	TOTAL	DIS.
DATE	PER	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	DAY)	AS N)	AS N)	AS NO ₃)	AS N)	AS N)	AS N)	AS NH ₄)	AS N)	AS N)	AS N)	AS F)
	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)	(71846)	(00605)	(00607)	(00625)	(00623)
OCT 19	983											
26.	17.1	20.5	20.5	91	0.520	21.0	5.10	6.6	_	0.60		5.7
OCT 19	984											
	22.2	5.77	5.7	7 26	. 530	6.30	.810	1.0		. 79		1.6
OCT 19												
	14.3	4.49	4.4	9 20	.610	5.10	3.10	4.0	1.7	1.2	4.8	4.3
OCT 1												
16.		6.13	6.13	3 27	. 570	6.70	4.10	5.3	3.9	1.9	8.0	6.0
NOV 1												2.0
NOV 19	19.8	4.97	4.9	7 22	. 430	5.40	1.90	2.4	1.3	1.1	3.2	3.0
	988 24.6	11.8	11.8	52	.180	12.0	. 650	. 84		2.0		2.7
OCT 19		11.0	11.0	32	.100	12.0	. 650	.04	_	2.0	_	2.1
	24.0	6.99	6.9	9 31	.210	7.20	.160	. 21	. 94	1.2	1.1	1.4
OCT 19		0.33	0.5.	, ,,		7.20			.54			
	19.3	8.37	8.3	7 37	.030	8.40	.090	.12	1.5	1.1	1.6	1.2
OCT 1	991											
22.	9.0	4 8.88	8.8	8 39	.020	8.90	.040	.05	.56	. 46	. 60	.50
OCT 1	992											
22.	6.87	9.37	9.3	7 41	.030	9.40	<.010		.50		.50	.40
OCT 1	993											
26.		8.16	8.10	6 36	.040	8.20	.060	.08	_		_	
OCT 1												
17.	. —	9.61	9.6	1 43	.190	9.80	.140	.18				_

Table 3. Water-quality data from surface-water sites—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

						PHOS-	PHOS-					
		NITRO-			PHOS-	PHORUS,	PHATE,			BERYL-		CHRO-
	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,	ORTHO,	ORTHO,	ARSENIC,	BARIUM,	LIUM,	CADMIUM	MIUM,
	GEN,	DIS-	PHORUS,	PHORUS,	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(μG/L	(µG/L	(μG/L	(µG/L	(μG/L
	AS N)	AS N)	AS P)	AS PO ₄)	AS P)	AS P)	AS PO4) AS AS)	AS BA)	AS BE)	AS CD)	AS CR)
	(00600)	(00602)	(00665)	(71886)	(00666)	(00671)	(00660)	(01000)	(01005)	(01010)	(01025)	(01030)
OCT 1983												
26		27	2.60	8.0	2.40	2.40	7.4	1			<1.0	<1
OCT 1984												
11	_	7.9	2.00		1.70	1.80	5.5	<1			<1.0	<1
OCT 1985												
28	9.9	9.4	2.30	7.1	1.90	1.80	5.5	<1		_	<1.0	<1
OCT 1986												
16	15	13	12.0		15.0	1.30	4.0	<1			<1.0	<1
NOV 1987												
05	8.6	8.4	2.10		_	1.60	4.9	1			<1.0	<1
NOV 1988												
03	_	15	1.80		1.70	1.40	4.3	<1	52	<0.5	<1.0	<5
OCT 1989												
25	8.3	8.6	0.890		.800	.700	2.1	3	64	<.5	<1.0	<5
OCT 1990												
25	10	9.6	1.30		1.20	1.10	3.4	<1	59	<.5	<1.0	<5
OCT 1991												
22	9.5	9.4	1.50		1.40	1.20	3.7	<1	49	<.5	1.0	<5
OCT 1992												
22	9.9	9.8	1.50		1.50	1.30	4.0	<1	59	<.5	<1.0	<5
OCT 1993												
26		_				1.10	3.4			_		_
OCT 1994												
17						1.50	4.6					_

Table 3. Water-quality data from surface-water sites—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

						MANGA-				STRON-	VANA-	
	COBALT,	COPPER,	IRON,	LEAD,	LITHIUM,	NESE,	MERCURY	, NICKEL,	SILVER,	TIUM,	DIUM,	ZIWC,
	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	(µG/L	(μG/L	(μG/L	(µG/L	(μG/L	(μG/L	(µG/L	(μG/L	(µG/L	(µG/L	(µG/L	(µC/L
	AS CO)	AS CU)	AS FE)	AS PB)	AS LI)	AS MN)	AS HG)	AS NI)	AS AG)	AS SR)	AS V)	AS ZN)
	(01035)	(01040)	(01046)	(01049)	(01130)	(01056)	(71890)	(01065)	(01075)	(01080)	(01085)	(01090)
OCT 1983	3											
26		9	65	2		130	110	6	<1.0	_	_	32
OCT 198	4											
11	_	4	68	1		54	. 6	1	<1.0			9
OCT 198	5											
28		7	72	<1		50	<.1	<1	<1.0			14
OCT 198	6											
16		10	41	<5		59	<1.0	<1	7.0	_		16
NOV 198	7											
05		9	47	<5		49	<.1	3	<1.0	_		13
NOV 198	В											
03	<3	10	90	<10	15	49	. 2	<10	1.0	150	<6	20
OCT 198	9											
25	<3	<10	65	<10	14	71	<.1	<10	<1.0	150	<6	17
OCT 199	D											
25	<3	10	63	10	13	39	<.1	<10	<1.0	150	<6	15
OCT 199	1											
22	<3	10	54	10	21	25	<.1	<10	2.0	150	<6	12
OCT 199	2											
22	<3	<10	36	<10	<4	10	<.1	<10	<1.0	130	<6	5
OCT 199	3											
26	_	_	_	_			_		_	_		
OCT 199	4											
17							_					

Table 3. Water-quality data from surface-water sites—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- STLVED (MG/L AS MG) (07925)
OCT 1981											
30	1345	_	294	8.3	10.5		12.0	140		32	14
OCT 1982											
20 NOV 1983	1345	4.6	314	8.2	11.0	_	12.4	150	_	35	15
01	1330	6.3	303	8.1	8.5	1.2	12.5	140		34	14
OCT 1984	1000	0.3	303	0.1	0.5	1.2	12.5	140		34	14
19	1430	9.9	298	8.3	14.5	.70	11.9	130		32	13
OCT 1985											
25	1330	7.9	305	7.8	11.5	1.0	12.3	130		31	12
OCT 1986											
30 NOV 1987	1430	5.6	315	8.2	13.0	.40	11.8	150		35	15
17	0830	7.7	308	8.0	9.5	.30	12.4	150		35	15
NOV 1988	0050	,	300	0.0	3.5	.50	12.4	130		33	13
08	1500	6.6	335	7.7	9.5	1.5	12.5	150		35	15
OCT 1989											
31	1545	15	319	8.0	16.0	.60	10.5	140	57	33	14
NOV 1990	2245										
01 NOV 1991	0845	7.0	336	6.5	9.5	.70	12.4	150	50	36	15
14	0900	5.1	330	7.6	6.5	1.0	12.2	150	53	35	15
NOV 1992	0300	0.1	330	7.0	0.5	1.0	12.2	130	55	55	10
16	0930	7.5	355	7.9	4.0	.80	13.5	150	_	34	15
NOV 1993											
24	0900	6.8	337	7.6	5.5		12.2	_	_	_	
NOV 1994	0046		24-								
03	0840	4.6	345	7.7	8.0	_	10.8			_	

Table 3. Water-quality data from surface-water sites—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L A CACO ₃) (00419)	SULFATE, DIS- SOLVED S (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
30 OCT 1982	8.2	11	0.3	3.1	_	_	25	15	<0.10	17	189
20 NOV 1983	6.5	9	.2	2.2	100	_	26	15	<.10	15	193
01	7.6	10	.3	2.5	84		27	16	_	14	198
OCT 1984 19	6.9	10	.3	2.6	92		26	16		14	201
OCT 1985											
25	7.0	10	.3	5.5	98	_	25	17	_	15	176
OCT 1986 30	7.7	10	.3	3.3	100		27	15	_	15	206
NOV 1987											
17 NOV 1988	7.3	9	.3	3.0	101	_	27	18	_	14	193
08	7.8	10	.3	3.0	100	_	27	15		15	_
OCT 1989											
31	8.2	11	.3	3.2	83		27	14	_	15	_
NOV 1990 01	7.7	10	.3	3.0	102		23	14	<.10	16	
NOV 1991	7.7	10	.3	3.0	102	- =:	23	14	V.10	10	
14	7.0	9	.2	2.9	96	_	29	17	.10	14	_
NOV 1992 16	7.4	10	.3	3.1		95	26	16	<.10	15	
NOV 1993	7.4	10	. 3	3.1		95	20	10	V.10	13	
24	_	_	_		_	100	29	16	<.10		_
NOV 1994											
03						108	_	17	_		

Table 3. Water-quality data from surface-water sites—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)-Continued

	SOLIDS,				NITRO-	NITRO-	NITRO-	NITRO-	NITRO-	NITRO-	
	SUM OF	SOLIDS,	SOLIDS,	NITRO-	GEN,	GEN,	GEN,	GEN,	GEN,	GEN,	NITRO-
	CONSTI-	DIS-	DIS-	GEN,	NITRATE	NITRATE	NITRITE	$NO_2 + NO_3$	AMMONIA	AMMONIA	GEN,
	TUENTS,	SOLVED	SOLVED	NITRATE	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	ORGANIC
	DIS-	(TONS	(TONS	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	TOTAL
DATE	SOLVED	PER	PER	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	(MG/L)	AC-FT)	DAY)	AS N)	AS N)	AS NO3)	AS N)	AS N)	AS N)	AS NH ₄)	AS N)
	(70301)	(70303)	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)	(71846)	(00605)
OCT 1981											
30	_	0.26		3.49	3.59	16	0.010	3.60	<0.010	0.01	0.46
OCT 1982											
20	195	.26	2.42	4.59	4.59	20	.010	4.60	.020	.03	_
NOV 1983											
01	187	.27	3.37	4.79	4.79	21	.010	4.80	.060	.08	
OCT 1984											
19	187	.27	5.37	4.66	4.66	21	.040	4.70	.040	.05	
OCT 1985											
25	188	.24	3.75	3.78	3.78	17	.020	3.80	.040	.05	.86
OCT 1986											
30	196	.28	3.11	4.09	4.09	18	.010	4.10	.010	.01	.49
NOV 1987		0.5									
17	199	.26	4.01	4.40		_	<.010	4.40	<.010		.40
NOV 1988	107	0.7	3 50	4 40			< 010	4 40	040	05	. 36
08	197	.27	3.52	4.40			<.010	4.40	.040	.05	. 36
OCT 1989 31	185	.25	7.50	4.70			<.010	4.70	<.010		.70
NOV 1990	163	.25	7.50	4.70			<.010	4.70	<.010		. 70
01	199	.27	3.74	5.28	5.28	23	.020	5.30	.020	.03	.78
NOV 1991	1,7,7	,	3.74	3.20	3.20	23	.020	3.30	.020	.03	. , 0
14	200	.27	2.78	5.00			<.010	5.00	.010	.01	.29
NOV 1992	200		2.70	3.00			1.010	5.00	.010	.01	.23
16	196	.27	3.97	5.07	5.07	22	.030	5.10	<.010		. 30
NOV 1993	150	.~.	0.51	0.01	3.01			0.10	1.010		. 50
24		-		4.89	4.89	22	.010	4.90	.020	.03	
NOV 1994				,	,					.55	
03	_			3.89	3.89	17	.010	3.90	<.015	_	

Table 3. Water-quality data from surface-water sites—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS IS) (01000)
OCT 198	1										
30 OCT 198	_	0.46	0.49	4.0	4.1	0.060	0.18	0.050	0.040	0.12	ND
20	0.18		.20	_	4.8	_		.040	.020	.06	1
NOV 198 01	. 34	_	.40	_	5.2	.030	.09	.030	.010	.03	_
OCT 198	4										
19	. 36		.40	_	5.1	.010	_	.020	.020	.06	
OCT 198 25	5 . 46	. 90	.50	4.7	4.3	.050	.15	.030	.030	.09	_
OCT 198		. 90	.50	4.7	4.3	.050	.15	.030	.030	.03	
30 NOV 198	.49	.50	. 50	4.6	4.6	.030		.020	.020	.06	_
17	<i>'</i>	. 40	<.20	4.8		.040	_	.020	.010	.03	
NOV 198											
08 OCT 198	.26	.40	.30	4.8	4.7	.030	_	.020	.010	.03	_
31		. 70	.60	5.4	5.3	.030		.020	.020	.06	-
NOV 199											
01 NOV 199	. 58	.80	. 60	6.1	5.9	.020	_	<.010	.030	.09	
14	.19	.30	.20	5.3	5.2	.020		.010	.020	.06	
NOV 199											
16		.30	.20	5.4	5.3	.040	_	.030	.020	.06	_
NOV 199 24	3						_		<.010		
NOV 199	4	_					_		V.010		
03			_		_	_			.020	.06	

Table 3. Water-quality data from surface-water sites—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METFY- LENE BIJUE ACTIVE SUF- STANCE (MG/L) (38260)
OCT 1981			_						_	_	
30 OCT 1982	<1.0	<1	1	<1	11	<1	29	0.1	2	5	ND
20	<1.0	<1	1	2	11	<1	7	_	2	<4	0.04
NOV 1983											
01 OCT 1984	_				21	_	12	_		_	
19			_		19		12		_	~	
OCT 1985							_				
25 OCT 1986				_	31	_	7		_		_
30	_		_		18		13		_		
NOV 1987							••				
17 NOV 1988				_	21		12				_
08					19		9		_	-	
OCT 1989					21		01				
31 NOV 1990	_	_			31	_	21				
01		_	_	_	18		12		_		
NOV 1991 14					16		11				
NOV 1992					10		11	_			_
16					31	_	16			_	_
NOV 1993 24						_		_			
NOV 1994					_			_		_	
03				_		_		_		_	

Table 3. Water-quality data from surface-water sites—Continued

01478190 - Middle Branch White Clay Creek at Wickerton, Pa. (Site 29)

		DIS-		РН					HARD~			
		CHARGE, INST.	SPE- CIFIC	WATER WHOLE				HARD- NESS,	NESS, NONCARB	CALCIUM,	MAGNE- SIUM,	SODIUM,
		(CUBIC	CON-	FIELD	TEMPER-	TUR-	OXYGEN,	TOTAL	WH WAT	DIS-	DIS-	DIS-
		FEET	DUCT-	(STAND-	ATURE	BID-	DIS-	(MG/L	TOT FLD	SOLVED	SOLVED	SOLVED
DATE	TIME		ANCE	ARD	WATER	ITY	SOLVED	AS	(MG/L AS	(MG/L	(MG/L	(MG/L
		SECOND)	(µS/CM)		(DEG C)	(NTU)	(MG/L)	CACO ₃)		AS CA)	AS MG)	AS NA)
		(00061)	(00095)		(00010)		(00300)		(00902)	(00915)		(00930)
OCT 1981												
29	1430		193	7.5	10.0		9.3	70	_	17	6.8	7.0
OCT 1982												
20	1115	3.3	210	7.2	9.5	_	10.6	75		17	7.8	10
NOV 1983												
02	0830	4.7	192	8.0	8.0	1.3	10.5	74		17	7.6	9.0
OCT 1984												
18	1530	6.8	195	7.6	15.0	. 90	9.9	70		16	7.4	7.4
OCT 1985	0000		015	- ^								
25	0830	6.8	215	7.0	10.5	1.6	8.5	73		17	7.4	8.4
DEC 1986 02	1200	8.8	190	7.6	6.0	2.2	11.8	70		16	7.2	7.4
OCT 1987	1300	0.0	190	7.6	6.0	2.2	11.6	70	_	16	1.2	7.4
29	0900	7.1	200	7.3	9.0	. 60	11.3	73		17	7.5	7.8
OCT 1988	0,000	,	200	7.5	3.0	.00	, 11.5	,,		1,	7.5	7.0
31	0830	5.6	240	6.7	6.0	1.5	12.2	88		20	9.3	10
OCT 1989		0.0		• • • • • • • • • • • • • • • • • • • •				•				
31	0900	12	219	7.3	14.5	. 70	9.8	75	28	17	7.8	8.6
NOV 1990												
09	0900	5.5	231	6.8	5.5	1.4	13.4	87	29	20	8.9	9.9
NOV 1991												
13	0930	3.7	235	7.4	6.5	1.6	12.1	82	47	19	8.4	9.7
NOV 1992												
12	1000	5.5	236	7.5	10.5	. 40	11.3	82	_	19	8.4	9.9
NOV 1993												
24	1230	5.9	236	8.0	8.0		15.0		_		-	_
NOV 1994												
08	1305	4.3	260	6.8	10.5		12.8		_	_		

Table 3. Water-quality data from surface-water sites—Continued

01478190 - Middle Branch White Clay Creek at Wickerton, Pa. (Site 29)—Continued

		SODIUM AD- SORP-	POTAS- SIUM, DIS- SOLVED	ALKA- LINITY WAT WH TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD	SULFATE, DIS- SOLVED	CHLO- RIDE, DIS- SOLVED	FLUO- RIDE, DIS- SOLVED	SILICA, DIS- SOLVED (MG/L	SOLIDS, RESIDUE AT 180 DEG. C DIS-	SOLIDS, SUM OF CONSTI- TUENTS, DIS-
DATE	SODIUM	TION	(MG/L	(MG/L AS	(MG/L AS		(MG/L	(MG/L	AS	SOLVED	SOLVED
	PERCENT	RATIO	AS K)	CACO3)	CACO ₃)	AS SO4)	AS CL)	AS F)	SIO ₂)	(MG/L)	(MG/%)
	(00932)	(00931)	(00935)	(00410)	(00419)	(00945)	(00940)	(00950)	(00955)	(70300)	(70301)
OCT 198	1										
29		0.4	5.7			18	13	<0.10	15	129	_
OCT 1982		0.1	· · ·					10.110	10	107	
20		. 5	2.9	44		15	15	<.10	15	141	133
NOV 1983											
02	20	.5	3.1	42	_	16	15		14	134	131
OCT 198	4										
18	18	. 4	3.0	38		15	15	_	13	131	123
OCT 198											
25		. 4	5.2	48	_	19	17	_	13	134	137
DEC 198											
02		. 4	3.4	40		18	17		16	119	131
OCT 198				4.4		10	10			120	100
29 OCT 198		. 4	6.4	44		18	18		14	138	133
31		.5	3.4	60		17	16		15		154
OCT 1989			3.4	00		1,	10		13		131
31		. 4	3.6	47		15	14	-	14		132
NOV 199		• -									
09		. 5	3.7	58		17	16	<.10	14	_	151
NOV 199	1										
13	19	.5	4.8	35		19	18	.10	15		140
NOV 199	2										
12		. 5	3.9	_	43	17	16	.10	16		144
NOV 199											
24		_			60	19	17	<.10		_	_
NOV 199											
08			_		51		18				

Table 3. Water-quality data from surface-water sites—Continued

01478190 - Middle Branch White Clay Creek at Wickerton, Pa. (Site 29)—Continued

DATE	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)
OCT 1981											
29	0.18	_	2.94	2.75	12	0.050	2.80	0.180	0.23	0.79	1.1
OCT 1982											
20 NOV 1983	.19	1.27	5.11	5.11	23	.090	5.20	.070	.09		. 73
02	.18	1.70	5.09	5.09	23	.110	5.20	.390	.50		.41
OCT 1984						,	0,20				
18	.18	2.41	5.02	5.02	22	.080	5.10	.060	.08		.74
OCT 1985											
25 DEC 1986	.18	2.46	4.68	4.68	21	.120	4.80	.120	.15	. 98	. 58
02	.16	2.83	4.67	4.67	21	.030	4.70	.300	.39	. 60	.70
OCT 1987											
29	.19	2.65	3.63	3.63	16	.070	3.70	.400	. 52	.80	.60
OCT 1988											
31	.21	2.32	5.58	5.58	25	.120	5.70	. 630	.81	. 67	. 37
OCT 1989 31	.18	4.28	5.30	_		<.010	5.30	.020	.03	. 28	.58
NOV 1990		3.20	3.30			1.010	3.50	.020	.00	.20	.55
09	.21	2.25	5.79	5.79	26	.010	5.80	.170	.22	.83	. 73
NOV 1991											
13	.19	1.40	5.60		-	<.010	5.60	.020	.03	. 38	. 38
NOV 1992 12	.20	2.13	6.06	6.06	27	.040	6.10	.040	. 05	. 26	.26
NOV 1993	.20	2.13	0.00	0.00	21	.040	0.10	.040	.03	.20	.20
24		_	5.99	5.99	27	.010	6.00	.020	.03		
NOV 1994											
08			6.29	6.29	28	.010	6.30	<.015	_	_	

Table 3. Water-quality data from surface-water sites—Continued

01478190 - Middle Branch White Clay Creek at Wickerton, Pa. (Site 29)—Continued

DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (MG/L AS CD) (01025)
OCT 1981											
29	0.90	1.3	3.9	4.1	0.360	1.1	0.290	0.260	0.80	ND	<1.0
OCT 1982											
20	_	.80	_	6.0	_		.370	.390	1.2	1	<1.0
NOV 1983											
02	_	. 80		6.0	.280	.86	.260	.270	. 83		
OCT 1984											
18		. 80		5.9	.190	_	.190	.190	. 58	_	
OCT 1985 25	1.1	.70	5.9	5.5	. 290	.89	.260	.240	.74		
DEC 1986	1.1	. 70	3.3	5.5	. 290	.09	.200	.240	. /4		
02	. 90	1.0	5.6	5.7	.160		.130	.110	. 34		
OCT 1987	. 50	1.0	0.0	0	,100		.150				
29	1.2	1.0	4.9	4.7	. 200		.180	.150	. 46	<1	<1.0
OCT 1988											
31	1.3	1.0	7.0	6.7	.300	_	.280	.240	.74	_	
OCT 1989											
31	.30	. 60	5.6	5.9	.130		.110	.110	.34		_
NOV 1990											
09	1.0	. 90	6.8	6.7	.180	_	.170	.170	. 52		_
NOV 1991											
13	. 40	. 40	6.0	6.0	.220	_	.190	.180	. 55		
NOV 1992	20	20			200		200	100			
12 NOV 1993	.30	. 30	6.4	6.4	.200	_	.200	.180	. 55	_	
24							_	.180	. 55		
NOV 1994								.100	. 55		
08						_		. 290	. 89		
								.250			

Table 3. Water-quality data from surface-water sites—Continued

01478190 - Middle Branch White Clay Creek at Wickerton, Pa. (Site 29)—Continued

DATE	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
29	<1	<1	2	220	<1	95	0.4	3		<4	0.10
OCT 1982											
20	<1	1	2	21	<1	14	<.1	<1	_	<4	.08
NOV 1983				60		32					
02 OCT 1984				62		32					
18				48		20					
OCT 1985											
25		-		37		10					
DEC 1986											
02		_		58		54	_				_
OCT 1987											
29 OCT 1988	<1		1	84	<5	47	<.1	<1	<1.0	4	
31	_		****	56		32					
OCT 1989				30		J.					
31				66		23					
NOV 1990											
09	_		_	52		20		_		_	
NOV 1991											
13				42	-	15					
NOV 1992 12	_			60		20					
NOV 1993				30		20					
24											_
NOV 1994											
08	_			_	_			_			

Table 3. Water-quality data from surface-water sites—Continued

01478220 - West Branch White Clay Creek near Chesterville (Site 30)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
29	1330		167	7.6	9.5		10.4	56	_	14	5.2
OCT 1982											
20	0945	3.3	145	7.6	8.5	_	10.3	49	-	12	4.6
NOV 1983											
02	1015	4.3	144	7.3	7.0	1.6	12.0	49		12	4.7
OCT 1984	1400	5.4	150	7.6	15.0	. 50	10.4	49		12	4.6
18 OCT 1985	1400	3.4	150	7.6	15.0	.50	10.4	49	_	12	4.0
25	1100	6.2	165	7.1	11.0	. 60	11.5	51		12	5.0
NOV 1986											
25	1100	9.8	160	7.5	6.0	1.4	12.7	52		12	5.3
OCT 1987											
29	1230	7.6	160	7.4	10.0	.70	11.9	54		13	5.3
OCT 1988											
31	1300	4.1	168	7.3	7.5	1.9	13.2	55		13	5.5
OCT 1989 31	1220	13	169	7.3	15.5	. 50	9.4	53	0	13	5.1
NOV 1990	1220	13	109	7.3	15.5	. 50	9.4	33	U	13	3.1
09	1115	4.1	177	7.4	5.5	.40	14.1	54	6	13	5.3
NOV 1991	2220				• • • • • • • • • • • • • • • • • • • •			•	•		
13	1145	3.9	184	7.3	7.0	1.4	12.9	58	34	14	5.6
NOV 1992											
16	1235	6.3	175	7.2	4.5	.40	13.7	55		13	5.4
NOV 1993											
23	0945	5.6	180	7.3	3.5		13.0	_	_		
NOV 1994	1150	2.0	100	7.0	0.5		10.4				
03	1150	3.0	198	7.8	9.5	_	12.4				

Table 3. Water-quality data from surface-water sites—Continued

01478220 - West Branch White Clay Creek near Chesterville (Site 30)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	WAT WH TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
OCT 1981											
29	6.4	18	0.4	6.5			17	12	<0.10	14	111
OCT 1982		21		2.0	24		12	10	<.10	1.5	94
20 NOV 1983	6.4	21	. 4	3.0	24		12	10	<.10	13	94
02	7.6	24	.5	3.0	24		16	13		13	102
OCT 1984											
18	6.7	22	. 4	2.9	32	_	14	12		12	99
OCT 1985 25	7.2	22	. 4	4.2	38		15	13		12	106
25 NOV 1986	1.2	22	. 4	4.2	36	_	15	13	_	12	100
25	7.3	22	. 4	4.3	32		20	12	_	14	103
OCT 1987											
29	.53	2	.0	5.9	30		20	12	_	13	104
OCT 1988 31	7.7	22	. 5	3.1	40		15	12	_	14	
OCT 1989	,.,	22	.5	3.1	40		13	12		14	
31	7.9	23	.5	3.7	310		15	11		13	
NOV 1990											
09 NOV 1991	7.6	22	. 4	3.1	48		14	15	<.10	13	
13	7.9	21	.5	5.7	24		18	18	<.10	13	
NOV 1992				• • • • • • • • • • • • • • • • • • • •							
16	7.5	22	. 4	3.4	_	19	17	14	<.10	14	
NOV 1993						00	1.0				
23 NOV 1994			-			28	16	14	.10		_
03	_	_		_		29		17			

Table 3. Water-quality data from surface-water sites—Continued

01478220 - West Branch White Clay Creek near Chesterville (Site 30)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GTN, ORGANIC TCTAL (FG/L AS N) (00605)
OCT 1981											
29		0.15		1.89	1.89	8.4	0.010	1.90	<0.010	0.01	0.62
OCT 1982											
20 NOV 1983	87	.13	0.83	2.60	_		<.010	2.60	.030	. 04	_
02	99	. 14	1.18	3.49	3.49	15	.010	3.50	.030	.04	
OCT 1984	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1.10	3.13	3,13	10	.010	3.50			
18	100	.13	1.44	3.56	3.56	16	.040	3.60	.060	.08	_
OCT 1985											
25	104	.14	1.77	2.89	2.89	13	.010	2.90	.030	.04	. 57
NOV 1986	100	1.4	0.70	2 10	2 10	1.4	010	2 00	040	05	26
25 OCT 1987	109	.14	2.73	3.19	3.19	14	.010	3.20	.040	.05	.26
29	100	.14	2.13	2.70			<.010	2.70	.060	.08	. 34
OCT 1988									-		
31	111	.15	1.23	3.80		_	<.010	3.80	.010	.01	.49
OCT 1989											
31	270	. 37	9.48	3.50			<.010	3.50	<.010	_	. 40
NOV 1990 09	117	.16	1.28	3.90	_		<.010	3.90	.050	.06	.45
NOV 1991	11,	.10	1.20	3.30			1.010	3.30	.030	.00	. 40
13	112	.15	1.18	3.50	_		<.010	3.50	.040	.05	.56
NOV 1992											
16	103	.14	1.75	3.87	3.87	17	.030	3.90	<.010	_	
NOV 1993 23			_	4.00			<.010	4.00	.010	.01	
23 NOV 1994				4.00	_		<.010	4.00	.010	.01	
03				2.79	2.79	12	.010	2.80	<.015	_	
-							· ·				

Table 3. Water-quality data from surface-water sites—Continued

01478220 - West Branch White Clay Creek near Chesterville (Site 30)—Continued

	NITRO-	NITRO-	NITRO~						PHOS~	PHOS-	
	GEN,	GEN, AM-	GEN, AM~		NITRO-			PHOS-	PHORUS,	PHATE,	
	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,	ORTHO,	ORTHO,	ARSENIC,
	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-	DIS-	DIS-	DIS-
	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(µG/L
	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)	AS P)	AS PO ₄)	AS AS)
	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00666)	(00671)	(00660)	(01000)
OCT 1981											_
29		0.62	0.63	2.5	2.5	0.070	0.21	0.080	0.050	0.15	1
OCT 1982											
20	0.77		.80		3.4	_		.020	<.010		1
NOV 1983											
02	. 47		.50		4.0	.030	.09	.020	<.010		
OCT 1984											
18	. 34		.40		4.0	<.010		.010	.020	.06	
OCT 1985											
25	. 37	.60	.40	3.5	3.3	.010	.03	<.010	.010	.03	
NOV 1986											
25	.46	. 30	.50	3.5	3.7	.050		.040	.030	.09	
OCT 1987											
29	.14	. 40	.20	3.1	2.9	.040		.020	.010	.03	_
OCT 1988											
31		.50	<.20	4.3		.020		.010	<.010		
OCT 1989		4.0									
31		.40	.40	3.9	3.9	.020		.010	.010	.03	
NOV 1990	2-										
09	. 35	.50	.40	4.4	4.3	<.010		<.010	<.010		_
NOV 1991	2.5										
13	.36	.60	.40	4.1	3.9	.030	_	.010	<.010		
NOV 1992			- 0-								
16		<.20	<.20	_		.020	_	.030	.010	.03	
NOV 1993									- 010		
23	_			_			_		<.010	_	
NOV 1994									. 010		
03		_							<.010	_	

Table 3. Water-quality data from surface-water sites—Continued

01478220 - West Branch White Clay Creek near Chesterville (Site 30)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE STB- STANCE (M~/L) (38260)
OCT 1981											
29	<1.0	1	<1	<1	110	<1	200	0.1	2	<4	ND
OCT 1982 20	<1.0	<1	4	2	35	<1	22	-	<1	<4	0.09
NOV 1983 02					52		22			_	_
OCT 1984					32		22				
18	_				39		11			_	_
OCT 1985					40		-				
25 NOV 1986			_		40		7		_		_
25	_			_	80		30			_	_
OCT 1987											
29 OCT 1988	_	_		_	81		19	_	_		_
31	_			_	49		21				
OCT 1989											
31		_	_		57	-	26		_		
NOV 1990 09	_		_		53	_	17		_		
NOV 1991				_	55		17				
13	_	_	_	_	58		12				
NOV 1992											
16 NOV 1993				_	66		27	_			
23					_				_		_
NOV 1994											
03		_	_	_		_					_

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	FIGNE- FIUM, DIS- FOLVED (MG/L AS MG) (CO925)
OCT 1981											
30	0845	-	288	7.8	9.0	_	11.3	130	_	30	13
NOV 1982											
01 NOV 1983	1030	4.9	254	8.0	12.0		11.1	130	_	30	14
01	0815	5.7	345	7.3	6.5	1.6	11.0	170		37	18
OCT 1984	0013	3.,	313	7.5	0.5	1.0	11.0	170		3,	10
19	0830	8.5	270	7.7	12.5	1.0	10.1	120	_	28	12
OCT 1985											
18	0830	6.7	299	7.5	7.0	1.5	12.0	130	_	30	13
NOV 1986 18	1000	6.9	305	7.8	9.5	. 90	10.4	140		32	15
OCT 1987	1000	0.9	303	7.0	9.5	. 90	10.4	140	_	32	13
30	0830	6.2	278	7.5	7.0	.50	12.5	130		30	13
NOV 1988											
08	0900	5.6	375	7.2	9.0	1.9	12.1	160	_	37	16
OCT 1989			225								
30 OCT 1990	0930	12	285	7.6	13.0	1.6	12.2	110	36	26	11
31	0900	6.0	300	6.7	9.0	.60	12.1	130	43	31	13
NOV 1991		• • •		• • • • • • • • • • • • • • • • • • • •	• • •					-	
07	1015	4.5	338	7.4	6.0	1.4	13.3	150	0	34	15
OCT 1992											
27 NOV 1993	1100	3.8	339	8.0	10.5	2.6	12.4	140	_	33	15
22	0900	5.9	391	7.8	5.5	_	12.9		_	_	
NOV 1994	0500	0.5	001	,.0	0.5		12.5				
08	0850	3.9	360	6.7	8.5	_	11.0	_	_	_	
	0850	3.9	360	6.7	8.5	_	11.0		_	_	_

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA. DIS- SOLVEI (MG/L AS SIO ₂) (00955)
OCT 1981										
30	7.7	11	0.3	4.8			22	15	<0.10	17
NOV 1982										
01	7.3	10	. 3	3.3	96	_	24	12	<.10	14
NOV 1983 01	8.6	10	.3	3.2	90		26	16		16
OCT 1984	0.0	10	.5	5.2	30		20	10		10
19	7.4	12	.3	3.0	82	_	14	12		15
OCT 1985										
18	8.2	12	.3	3.5	100		25	13		16
NOV 1986			_							
18	8.1	11	.3	3.6	80	_	29	13		17
OCT 1987	7.8	11	. 3	4.7	80	_	25	16		16
NOV 1988	7.0	11		4.7	00		2.5	10		10
08	8.9	11	. 3	4.0	102		30	16		17
OCT 1989										
30	8.6	14	. 4	3.9	74	_	25	15	-	14
OCT 1990			_							
31 NOV 1991	8.9	13	.3	3.5	88	_	25	18	<.10	16
07	8.3	11	.3	3.3	166		31	18	.10	15
OCT 1992	0.5			5.5	100		31	10	.10	10
27	7.3	10	.3	3.6		95	28	17	.10	14
NOV 1993										
22	_		_			102	27	25	<.10	_
NOV 1994						•				
08	_					96		19	_	

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS 1') (00608)
OCT 1981										
30	184		0.25	_	3.69	3.69	16	0.010	3.70	<0.010
NOV 1982										
01	176	179	.24	2.33	3.68	3.68	16	.020	3.70	<.010
NOV 1983					- 00					0.50
01 OCT 1984	215	201	. 29	3.31	5.00			<.010	5.00	.060
19	170	161	.23	3.90	4.55	4.55	20	.050	4.60	.050
OCT 1985	170	101	.23	3.30	4.55	4.55	20	.050	4.00	.050
18	171	188	.23	3.09	4.29	4.29	19	.010	4.30	.050
NOV 1986										
18	202	187	.27	3.76	4.80			<.010	4.80	.060
OCT 1987										
30	181	179	. 25	3.03	4.20	_	_	<.010	4.20	.050
NOV 1988 08		211	. 29	3.19	4.68	4.68	21	.020	4.70	.040
OCT 1989	_	211	.23	3.19	4.00	4.00	21	.020	4.70	.040
30		169	.23	5.48	4.69	4.69	21	.010	4.70	.030
OCT 1990										
31		194	.26	3.14	5.58	5.58	25	.020	5.60	.280
NOV 1991										
07		249	. 34	3.03	5.60			<.010	5.60	.030
OCT 1992 27		107	. 27	2 02	4.87	A 07	22	.030	4.90	.020
NOV 1993		197	.21	2.02	4.0/	4.87	22	.030	4.90	.020
22	_			_	4.98	4.98	22	.020	5.00	.040
NOV 1994										
08	_	_		_	4.60	_	_	<.010	4.60	<.015

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHOS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(006€6)
OCT 1981										
30	0.01	0.87		0.89	0.49	4.6	4.2	0.090	0.28	0.080
NOV 1982										
01	.01			_	.30		4.0		_	.030
NOV 1983										
01	.08	_	1.0		1.1		6.1	.050	.15	.C40
OCT 1984										
19	.06		. 35		.40		5.0	.030	_	.030
OCT 1985										
18	.06	.35	. 35	.40	.40	4.7	4.7	.030	.09	.030
NOV 1986										
18	.08	. 94	. 64	1.0	.70	5.8	5.5	.060	_	.030
OCT 1987										
30	.06	.25	_	.30	<.20	4.5	_	.040	_	.020
NOV 1988										
08	.05	. 46	.46	.50	. 50	5.2	5.2	.040	_	.030
OCT 1989										
30	.04	.27	. 27	.30	.30	5.0	5.0	.030		.020
OCT 1990										
31	. 36	. 92	. 82	1.2	1.1	6.8	6.7	.180		.120
NOV 1991	0.4		.17	<.20	.20		5 0	040		.030
07	.04	_	.17	<.20	.20	_	5.8	.040		.(30
OCT 1992	0.3	.38	. 48	40	EA	E 2	E 4	000		.060
27 NOV 1993	.03	. 38	.48	.40	.50	5.3	5.4	.080	_	. (60
22	.05			_			_			_
22 NOV 1994	.05	_	_	_	_		_		_	
NOV 1994 08										
UB						_			_	

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

	PHOS-	PHOS-								
	PHORUS,	PHATE,			BERYL-	01 W/T/W/	CHRO-	00737 F	00DDDD	TROY
	ORTHO, DIS-	ORTHO, DIS-	ARSENIC, DIS-	BARIUM, DIS-	LIUM, DIS-	CADMIUM, DIS-	MIUM, DIS-	COBALT, DIS-	COPPER, DIS-	IRCN, DIS-
	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLV.ED
DATE	(MG/L	(MG/L	(µG/L	(µG/L	(µG/L	(μG/L	(µG/L	(µG/L	(µG/L	(μG/L
DRIL	AS P)	AS PO ₄)	AS AS)	AS BA)	AS BE)	AS CD)	AS CR)	AS CO)	AS CU)	AS FE)
	(00671)	(00660)	(01000)	(01005)	(01010)	(01025)	(01030)	(01035)	(01040)	(01046)
OCT 1981									_	
30	0.080	0.25	<1			<1.0	3	<1	2	78
NOV 1982									_	
01 NOV 1983	.030	.09	1			<1.0	<1	<1	2	37
01	.020	.06	1			<1.0	<1	<1	1	40
OCT 1984	.020	.00	1			\1.0	~1	1,1	_	40
19	.030	.09	<1	_		<1.0	2		1	51
OCT 1985			-				-		-	
18	.030	.09	<1			<1.0	<1	_	<1	24
NOV 1986										
18	.020	.06	<1			<1.0	<1		<1	33
OCT 1987										
3	.020	.06	<1			<1.0	<1		1	43
NOV 1988										
08	.030	.09	<1	44	<0.5	<1.0	<5	<3	<10	40
OCT 1989			_				_			
30	.020	.06	<1	45	<.5	<1.0	<5	<3	<10	53
OCT 1990	100	~~		40		-1 0	45	<3	-10	
31 NOV 1991	.120	. 37	<1	42	<.5	<1.0	<5	<3	<10	50
07	.030	.09	<1	40	<.5	<1.0	<5	<3	<10	26
OCT 1992	.030	.09	\1	40	٧.5	\1.0	\3	\3	\10	20
27	.060	.18	<1	41	<.5	<1.0	<5	<3	<10	23
NOV 1993	.000	.10			1.5	12.0			-20	20
22	.040	.12	_	_			_	_		
NOV 1994										
08	<.010								_	_

Table 3. Water-quality data from surface-water sites—Continued

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METTY- LEYE BLUE ACTIVE SU?- STANCE (MG/L) (38260)
OCT 1981										
30	<1	_	130	<0.1	4	_	_		<4	0.10
NOV 1982										
01 NOV 1983	<1		32	<.1	<1				<4	.04
01	<1		31	.2	<1	<1.0	_		5	_
OCT 1984	**		3.			42.0			·	
19	2		40	<.1	2	<1.0	_		6	_
OCT 1985										
18	<1		30	<.1	<1	<1.0	_		7	
NOV 1986	_			_	_				_	
18	5		42	<.1	1	<1.0	_		5	
OCT 1987 30	<5		46	<.1	4	<1.0	_		<3	
NOV 1988			-10	٠.٠	•	12.0			••	
08	<10	42	32	1.8	<10	<1.0	96	<6	20	_
OCT 1989										
30	<10	<4	48	.5	<10	3.0	110	<6	<3	
OCT 1990	.10		25		.10	0	100			
31 NOV 1991	<10	<4	35	<.1	<10	<1.0	100	<6	4	_
07	<10	5	22	<.1	<10	1.0	96	<6	<3	_
OCT 1992		•								
27	<10	<4	25	<.1	<10	<1.0	99	<6	5	
NOV 1993										
22		_	_				_	_		_
NOV 1994 08		_								
00	_		_						_	

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	NAGNE- , SIUM, DIS- SCLVED (MG/L AS MG) (C0925)
OCT 1981											
30	1115		282	8.2	9.0	_	11.5	120	_	30	10
NOV 1982			250								10
01 NOV 1983	0900	4.2	252	8.3	11.0	_	12.5	110	_	27	10
01	1100	4.6	273	8.1	8.0	1.4	11.8	120	_	30	11
OCT 1984	1100		2,0	0.2	0.0		11.0	120			
19	1030	6.7	275	8.3	14.5	.50	14.1	110	_	28	10
OCT 1985											
18	1230	5.9	298	8.2	8.0	2.0	14.5	120	_	30	11
NOV 1986 18	1400	7.1	300	7.9	9.0	.80	11.1	130		31	12
NOV 1987	1400	7.1	300	7.3	3.0	.00	11.1	130		31	12
17	1500	8.4	290	8.5	14.0	.50	14.0	120	_	30	11
NOV 1988											
08	1200	6.4	315	7.6	9.5	3.9	12.7	130		32	12
OCT 1989											
30 NOV 1990	1230	14	305	7.5	15.0	. 70	13.5	120	54	30	11
01	1230	5.5	308	6.9	11.5	2.6	13.8	120	62	30	11
NOV 1991				•					-		
07	1245	3.6	321	7.7	5.5	.50	16.0	140	59	33	13
OCT 1992											
27	0915	4.0	319	7.9	8.0	. 70	11.2	130		33	12
NOV 1993 22	1230	6.6	332	8.5	6.0		15.2				
NOV 1994	1230	0.0	332	0.5	0.0		10.2				
08	1050	3.7	350	7.0	8.0	_	13.1	_	_		

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
OCT 1981										
30	9.8	15	0.4	6.7			29	19	<0.10	18
NOV 1982			_							
01 NOV 1983	9.3	15	. 4	3.7	72		30	16	<.10	14
01	12	17	. 5	4.7	86		37	21		17
OCT 1984				•••			•			
19	9.2	15	. 4	3.8	66	_	34	19	_	15
OCT 1985								4-		
18 NOV 1986	10	15	. 4	4.2	74		33	17		17
18	10	14	. 4	5.5	66		46	16		19
NOV 1987										
17	12	17	. 5	4.2	67	_	36	23	_	15
NOV 1988										
08 OCT 1989	11	15	. 4	5.5	70		50	17	_	17
30	10	15	. 4	4.0	66	_	35	17		17
NOV 1990				***						
01	9.9	15	. 4	3.6	58		33	19	.30	16
NOV 1991							.=			
07 OCT 1992	11	15	. 4	3.8	77		42	23	.10	15
27	35	35	1	6.7		66	34	61	.30	16
NOV 1993										
22			_	_		136	37	20	<.10	
NOV 1994						0-		0.5		
08				_		85		25		

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS I') (00608)
OCT 1981										
30	187	_	0.25	_	2.48	2.58	11	0.020	2.60	<0.010
NOV 1982										
01	159	165	. 22	1.80	2.68	2.68	12	.020	2.70	<.010
NOV 1983										
01 OCT 1984	187	203	.25	2.32	4.08	4.08	18	.020	4.10	.070
19	168	176	.23	3.04	3.85	3.85	17	.050	3.90	.040
OCT 1985	100	1,0	.23	3.04	3.03	5.03		.000	3.50	.040
18	174	182	.24	2.77	3.49	3.49	15	.010	3.50	.030
NOV 1986										
18	206	198	.28	3.95	4.27	4.27	19	.030	4.30	.040
NOV 1987										
17 NOV 1988	203	187	.28	4.60	3.60	_	_	<.010	3.60	<.010
08	_	200	.27	3.46	2.99	2.99	13	.010	3.00	.020
OCT 1989		200	,	5.10	2.77	2.55	10	.010	5.00	
30		181	.25	6.85	3.88	3.88	17	.020	3.90	<.010
NOV 1990										
01	_	176	.24	2.61	4.08	4.08	18	.020	4.10	<.010
NOV 1991										
07 OCT 1992		204	.28	1.98	3.70	_	_	<.010	3.70	.020
27		252	. 34	2.72	3.19	3.19	14	.010	3.20	<.010
NOV 1993		232	.54	2.12	3.13	3.19		.010	3.20	7.010
22	_	_			3.58	3.58	16	.020	3.60	.020
NOV 1994										
08	_				2.70	_		<.010	2.70	<.015

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

DATE	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/I. AS P) (00666)
OCT 1981										
30	0.01	0.74		0.74	0.57	3.2	3.2	0.080	0.25	0.060
NOV 1982 01	.01	_		_	.70	_	3.4			.030
NOV 1983	00		0.70		00		4.0	100	21	000
01 OCT 1984	.09	_	0.73		. 80	_	4.9	.100	. 31	.080
19	.05		. 66	_	.70	_	4.6	.050		. 060
OCT 1985										
18	.04	.57	. 57	. 60	. 60	4.1	4.1	.060	.18	. 050
NOV 1986 18	.05	.56	.26	. 60	.30	4.9	4.6	.020		.050
NOV 1987	.05	.56	.20	. 60	.30	4.9	4.0	.020		.030
17	_	.20		.20	.20	3.8	3.8	.070		.050
NOV 1988										
08	.03	.48	.48	. 50	. 50	3.5	3.5	.070		. 050
OCT 1989 30		. 70		. 70	. 30	4.6	4.2	. 030		.020
NOV 1990		. 10	_	. 10	. 30	4.0	4.2	.030		.020
01		.70		.70	. 60	4.8	4.7	.050	_	.030
NOV 1991										
07	.03	.28	.28	.30	.30	4.0	4.0	.020		. 030
OCT 1992 27		.20		.20	.20	3.4	3.4	.030	_	.010
NOV 1993		.20		.20	.20	J		,,,,,		
22	. 03	_			_	_	_			
NOV 1994										
08	_	_	_		_	_				

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/I AS FE) (01046)
OCT 1981										
30	0.050	0.15	ND			<1.0	2	<1	<1	58
NOV 1982 01 NOV 1983	.020	.06	<1	_	_	<1.0	<1	1	1	40
01	.080	.25	1			<1.0	<1	_	2	55
OCT 1984										
19	.060	.18	<1			<1.0	<1		1	36
OCT 1985 18	. 050	.15	<1			<1.0	<1	_	<1	18
NOV 1986 18 NOV 1987	.030	.09	<1			<1.0	<1		4	48
17 NOV 1988	.030	.09	<1			<1.0	<1	-	1	26
08 OCT 1989	.040	.12	<1	54	<0.5	<1.0	< 5	<3	<10	6 5
30 NOV 1990	.020	.06	<1	53	<.5	<1.0	< 5	<3	<10	42
01 NOV 1991	.030	.09	<1	49	<.5	<1.0	< 5	<3	<10	33
07 OCT 1992	.010	.03	<1	52	<.5	<1.0	< 5	<3	<10	26
27 NOV 1993	.010	.03	<1	51	<.5	<1.0	<5	<3	10	49
22 NOV 1994	.050	.15	_		-	_	_			
08	<.010									

Table 3. Water-quality data from surface-water sites—Continued

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METTY- LENE BIJUE ACTIVE SUF- STANCE (MC/L) (38260)
OCT 1981										
30	<1		62	0.3	1	_			<4	ND
NOV 1982										
01	<1	-	21	<.1	<1	_			<4	0.05
NOV 1983	-		07	•					_	
01 OCT 1984	1		27	. 2	1	<1.0			5	
19	<1		17	<.1	1	<1.0			<3	
OCT 1985					-	11.0			~5	
18	<1	_	6	<.1	<1	<1.0			9	
NOV 1986										
18	< 5	_	36	<.1	3	<1.0			4	
NOV 1987									_	
17 NOV 1988	<5		19	<.1	1	<1.0			<3	
08	<10	5	33	<.1	<10	<1.0	130	<6	11	
OCT 1989	110	J	33	···	110	11.0	130	~0		
30	<10	<4	19	.1	<10	<1.0	130	<6	<3	
NOV 1990										
01	<10	6	15	<.1	<10	<1.0	130	<6	<3	_
NOV 1991										
07	<10	5	9	<.1	<10	<1.0	130	<6	13	
OCT 1992 27	<10	24	17	<.1	<10	<1.0	170	<6	23	
NOV 1993	110	24	17	₹.1	~10	\1.0	170	46	23	_
22	_									_
NOV 1994										
08				_					_	_

Table 3. Water-quality data from surface-water sites—Continued

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM. DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
02	1545		198	8.0	12.0	_	11.4	76	_	19	7.0
OCT 1982											
27	1535	22	196	7.5	10.5		12.3	76		19	6.9
NOV 1983											
04	0915	19	198	7.4	8.5	1.5		81	_	20	7.5
OCT 1984	4.400										
30	1430	38	200	7.5	15.5	4.1	9.8	70		17	6.7
OCT 1985 21	1200	19	200	7.4	8.0	.60	12.0	75		18	7.2
NOV 1986	1200	19	200	7.4	8.0	.60	12.0	75		16	1.2
17	1500	17	210	7.7	8.5	. 70	11.2	82	_	20	7.9
OCT 1987	1500	1,	210	,.,	0.5	. 70	11.2	02		20	7.3
22	1100	23	200	7.5	9.5	.50	12.7	79	_	19	7.6
OCT 1988			200	,,,	2.0		22				
05	1430	17	220	7.8	15.5	1.4	11.4	80		19	7.9
OCT 1989											
10	1500	38	214	7.5	1.5	.70	9.5	78	30	19	7.5
OCT 1990											
16	1130	22	232	7.1	14.0	1.0	1.3	82	20	20	7.7
NOV 1991											
18	1300	14	220	7.4	5.0	.60	15.2	80	31	20	7.4
OCT 1992											
30	1100	19	234	7.2	1 .5	.90	11.8	85	_	21	7.8
NOV 1993	4000	24	005		40.5		44.0				
15	1330	31	205	8.2	13.5		11.3		_		
OCT 1994	1100		000		2 2		40.0				
13	1120	14	238	7.6	9.0	_	12.3				

Table 3. Water-quality data from surface-water sites—Continued

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DER. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
02	7.6	17	0.4	4.3	_		20	16	<0.10	12	125
OCT 1982				2.0					. 10		
27 NOV 1983	6.6	15	.3	3.0	46		16	14	<.10	14	119
04	7.9	17	. 4	3.5	48		21	17		15	140
OCT 1984	,			• • •							
30	6.6	15	.3	7.4	42		20	13		13	137
OCT 1985											
21 NOV 1986	8.0	18	. 4	3.0	50	_	18	16		13	118
17	8.1	17	. 4	3.5	34		22	13		18	145
OCT 1987	0.2				•						
22	8.1	18	. 4	3.3	51		19	15		14	127
OCT 1988											
05 OCT 1989	7.6	16	. 4	4.9	55		20	16		14	
10	8.0	18	. 4	2.6	48	_	17	15		16	
OCT 1990	0.0										
16	8.1	17	. 4	4.8	62		17	16	<.10	16	
NOV 1991											
18	9.0	19	. 4	2.6	49	_	22	21	<.10	12	
OCT 1992 30	9.5	19	. 4	3.4		58	19	17	<.10	14	
NOV 1993	2.5	13	• •	5.4		50	**	• '	20	**	
15		_	_	_		47	18	16	.10		
OCT 1994											
13						52		_			

Table 3. Water-quality data from surface-water sites—Continued

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GTN, ORGANIC TCTAL (FG/L AS N) (OC 505)
NOV 1981											
02	_	0.17		1.40	-		<0.010	1.40	<0.010	0.01	0.43
OCT 1982											
27 NOV 1983	118	.16	7.20	2.50			<.010	2.50	.010	.01	
04	134	.19	7.18	2.99	2.99	13	.010	3.00	.020	.03	
OCT 1984	-0.	.25	,,,,,	2.33	2.55		.020	3.00	.020	.00	
30	117	.19	14.1	1.70			<.010	1.70	.030	.04	
OCT 1985											
21	126	.16	6.05	2.90			<.010	2.90	.020	.03	.58
NOV 1986 17	129	.20	6.66	3.60			<.010	3.60	<.010		
OCT 1987	129	.20	0.00	3.00	_	_	<.010	3.60	<.010		_
22	130	.17	7.89	2.90			<.010	2.90	.020	.03	.78
OCT 1988											
05	136	.18	6.24	3.00	_		<.010	3.00	.020	.03	.58
OCT 1989											
10 OCT 1990	131	.18	13.5	3.89	3.89	17	.010	3.90	.020	.03	.38
16	138	.19	8.18	2.39	2.39	11	.010	2.40	.030	.04	. 57
NOV 1991	100		0.20	2.05	2.03		.010	2.10			
18	137	.19	5.17	3.00			<.010	3.00	.020	.03	_
OCT 1992											
30	141	.19	7.40	3.29	3.29	15	.010	3.30	.020	.03	
NOV 1993 15				3.29	3.29	15	.010	3.30	.010	.01	_
OCT 1994				3.49	3.49	13	.010	3.30	.010	.01	
13		_		3.10			<.010	3.10	<.015	_	

Table 3. Water-quality data from surface-water sites—Continued

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, FIS- SOLVED (FG/L AS AS) (01.000)
NOV 1981											
02		0.43	0.31	1.8	1.7	0.010	0.03	0.030	<0.010	_	ND
OCT 1982											
27 NOV 1983	0.59	_	.60		3.1			.030	<.010		<1
04	. 48		.50		3.5	.050	.15	.040	.020	.06	
OCT 1984	. 10		.50		3.3	.050	.10	.010	.020		
30	.77	_	.80		2.5	.150		.070	.090	.28	
OCT 1985											
21	. 38	.60	.40	3.5	3.3	.050	.15	.040	.040	.12	
NOV 1986		<.20	.60			. 070		.060	.040	.12	
17 OCT 1987		<.20	.60		4.2	.070		.060	.040	.12	
22	.58	.80	. 60	3.7	3.5	.040		.060	.030	.09	
OCT 1988											
05	.58	.60	.60	3.6	3.6	.070		.060	.040	.12	
OCT 1989											
10	. 28	.40	.30	4.3	4.2	.040		.030	.030	.09	
OCT 1990 16	. 47	. 60	.50	3.0	2.9	.060		.050	.040	.12	
NOV 1991			.50	3.0	2.,	.000		.000		• • • •	
18		<.20	<.20			<.010	_	<.010	<.010	_	
OCT 1992											
30	.18	<.20	.20		3.5	.030		.030	.020	.06	
NOV 1993									.020	.06	
15 OCT 1994				_			_	_	.020	.06	
13		_							.020	.06	

Table 3. Water-quality data from surface-water sites—Continued

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
02	<1.0	<1	1	<1	140	<1	32	<0.1	4	<4	ND
OCT 1982											
27 NOV 1983	<1.0	<1	<1	<1	71	<1	11	<.1	<1	<4	0.04
04					81		20				
OCT 1984					01		20				
30			-		230		24				
OCT 1985											
21	_		_	_	42		11	-		_	_
NOV 1986											
17					70		20				_
OCT 1987 22		_	_		59	_	13				
OCT 1988					33		13				
05				_	57		14	_	_	_	_
OCT 1989											
10	_		_	_	64		21				_
OCT 1990											
16 NOV 1991					100		20			_	
18		_			56	_	14				
ОСТ 1992					30						
30	_				64		20	-		_	_
NOV 1993											
15	_				_	_		_			_
OCT 1994											
13		_		_							_

Table 3. Water-quality data from surface-water sites—Continued

01480629 - Buck Run at Doe Run, Pa. (Site 46)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
05	1000		206	_	7.5		11.7	82		21	7.1
OCT 1982											
28	0930	11	195	7.6	7.0		13.5	78	_	20	6.9
OCT 1983 28	1230	11	214	7.5	9.0	1.2	11.4	83	_	21	7.4
OCT 1984	1230	11	214	7.5	9.0	1.2	11.4	63		21	7.4
31	0900	18	220	7.3	14.0	1.1	10.5	80	_	20	7.2
OCT 1985											
29	0945	11	260	7.3	9.0	1.0	12.2	86	_	22	7.6
OCT 1986											
30	0800	8.6	215	7.4	11.0	1.0	9.6	79	_	20	7.0
NOV 1987 19	0900	15	228	7.1	9.0	.50	12.0	87	_	22	7.8
NOV 1988	0300	13	220	7.1	3.0	.50	12.0	0,		22	7.0
14	0830	15	240	7.6	7.0	2.5	13.2	92	_	23	8.3
NOV 1989											
07	0845	19	223	7.6	8.5	1.1	12.8	78	39	19	7.5
OCT 1990											
17 OCT 1991	1130	12	237	6.9	12.5	1.8	10.9	80	20	20	7.4
31	0845	8.2	239	7.8	8.5	. 60	11.1	83	42	21	7.3
OCT 1992	00.10	0.2	207	,,,	0.0			•			
16	1240	13	250	7.1	14.0	.80	11.1	90	_	23	7.8
NOV 1993											
08	1240	13	242	7.7	6.0	_	14.0		_	_	
NOV 1994	0035	11	244	6 7	0 =		11 -				
14	0935	11	244	6.7	8.5		11.5		_		

Table 3. Water-quality data from surface-water sites—Continued

01480629 - Buck Run at Doe Run, Pa. (Site 46)-Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
05	9.6	20	0.5	2.6		_	17	17	<0.10	7.0	124
OCT 1982				_							
28	8.5	18	. 4	4.0	40		16	17	<.10	7.8	129
OCT 1983	0.0	19	. 4		40		00	19		0.6	145
28 OCT 1984	9.2	19	. 4	2.9	48		20	19		9.6	143
31	9.1	19	. 4	3.0	46	-	17	15	_	8.4	126
OCT 1985	7.2		• •	3.0						• • •	
29	10	20	. 5	2.8	50		18	20		8.1	121
OCT 1986											
30	9.0	19	. 4	3.3	50	_	19	17	_	9.0	141
NOV 1987											
19	11	21	. 5	2.9	47		20	23		8.7	143
NOV 1988	10	19	. 5	3.0	40		19	18		8.8	
14 NOV 1989	10	19	. 5	3.0	48	_	19	18		0.0	
07	8.1	18	. 4	2.1	39		16	15		7.8	
OCT 1990	0.1		• •	2.2	3,						
17	9.0	19	. 4	2.7	60	_	16	17	<.10	9.7	
OCT 1991											
31	9.2	19	. 4	3.0	41		21	21	.10	7.8	_
OCT 1992											
16	9.1	17	. 4	3.1	_	47	19	17	.10	9.1	
NOV 1993						40	1.0	10	. 10		
08 NOV 1994	_		_			49	19	19	<.10		
14	_	_	_			43		19		_	

Table 3. Water-quality data from surface-water sites—Continued

01480629 - Buck Run at Doe Run, Pa. (Site 46)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)
NOV 1981											
05	_	0.17		3.80			<0.010	3.90	<0.010	0.01	0.48
OCT 1982											
28	122	.18	3.97	3.99	3.99	18	.010	4.00	<.010	.01	
OCT 1983	120	-00	4 21	4 40							
28 OCT 1984	138	.20	4.31	4.40			<.010	4.40	<.010		_
31	125	.17	6.12	3.90			<.010	3.90	.020	.03	
OCT 1985	125		0.12	3.50			7.010	3.50	.020	.03	
29	139	.16	3.72	4.49	4.49	20	.010	4.50	.030	.04	.27
OCT 1986											
30	132	.19	3.27	4.00			<.010	4.00	.020	.03	. 48
NOV 1987											
19 NOV 1988	144	.19	5.60	4.60			<.010	4.60	<.010		.40
14	142	.19	5.76	5.18	5.18	23	.020	5.20	.020	.03	.38
NOV 1989	1.2		0.70	3.10	3.10	20	.020	3.20	.020	,05	. 50
07	124	.17	6.38	5.69	5.69	25	.010	5.70	.010	.01	.19
OCT 1990											
17	138	.19	4.47	4.59	4.59	20	.010	4.60	.020	.03	.88
OCT 1991			2 26								
31 OCT 1992	134	.18	2.96	4.20			<.010	4.20	.020	.03	
16	139	.19	4.74	5.09	5.09	23	.010	5.10	.020	.03	. 28
NOV 1993	100			2.03	0.05		.010	0.10	.020	.05	.20
08				5.48	5.48	24	.020	5.50	.020	.03	
NOV 1994											
14	-		_	4.78	4.78	21	.020	4.80	<.015		_

Table 3. Water-quality data from surface-water sites—Continued

01480629 - Buck Run at Doe Run, Pa. (Site 46)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
05		0.48	0.53	4.3	4.4	0.130	0.40	0.130	0.110	0.34	ND
OCT 1982											_
28		_	.70		4.7	_		.090	.080	. 25	1
OCT 1983 28			. 80		5.2	.100	.31	.090	.080	.25	
OCT 1984			.00		3.2	.100	.51	.030			
31	0.28		.30		4.2	.080		.070	.060	.18	_
OCT 1985											
29	.17	.30	.20	4.8	4.7	.080	. 25	.080	.070	.21	
OCT 1986 30	. 38	. 50	.40	4.5	4.4	.130		.090	.090	. 28	
NOV 1987	. 30	. 50	.40	4.5	7.7	.130		.030	.030	.20	
19		.40	. 30	5.0	4.9	.100		.070	.040	.12	_
NOV 1988											
14	. 38	.40	.40	5.6	5.6	.110		.090	.080	.25	
NOV 1989	20		40	- 0					0.20	00	
07 OCT 1990	. 39	.20	. 40	5.9	6.1	.040	_	.020	.030	.09	
17	. 38	.90	.40	5.5	5.0	.070	_	.070	.050	.15	_
OCT 1991											
31		<.20	<.20			.060		.050	.040	.12	_
OCT 1992		20	20			0.50		050	0.40	10	
16 NOV 1993	. 28	.30	.30	5.4	5.4	.060		.050	.040	.12	
08									.030	.09	_
NOV 1994											
14									<.010	_	_

Table 3. Water-quality data from surface-water sites—Continued
01480629 - Buck Run at Doe Run, Pa. (Site 46)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (μG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	MTTHY- LENE BLUE ACTIVE STB- STANCE (MG/L) (39260)
NOV 1981											
05	<1.0	<1	<1	3	54	<1	25	0.7	<1	5	ND
OCT 1982	-1 0			•					_		
28 OCT 1983	<1.0	<1	1	2	76	<1	22	<.1	1	<4	0.06
28					62		24				
OCT 1984											
31	_				71	_	27				
OCT 1985											
29 OCT 1986					37	_	13				_
30					45		13				
NOV 1987							10				
19					47		36				_
NOV 1988											
14	_	_	_		42	_	19				
NOV 1989 07					42		22				
OCT 1990					42		22				
17				_	40	_	26				
OCT 1991											
31	_				67		25		_		
OCT 1992					7.4		-00				
16 NOV 1993				_	74		30	~	_		_
08			_		_				_		
NOV 1994											
14										_	

Table 3. Water-quality data from surface-water sites—Continued

01480632 - Doe Run at Springdell, Pa. (Site 45)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD - NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- , SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
05	0845	_	127	7.4	6.5		11.9	49		12	4.6
OCT 1982											
28	1100	5.0	122	7.4	7.0	_	13.8	50		12	4.8
OCT 1983 28	1345	5.4	131	7.3	10.5	<1.0	11.5	50		12	4.9
OCT 1984	1343	3.4	131	7.5	10.5	11.0	11.5	30		12	4.5
31	1100	10	135	7.5	14.0	.90	11.2	51	_	12	5.0
OCT 1985											
29	1530	6.6	140	7.4	9.0	.80	12.9	51	_	12	5.0
OCT 1986											
30 NOV 1987	1100	4.6	135	7.6	12.5	.60	10.7	50	_	12	4.9
19	1330	7.2	140	7.4	10.5	. 50	12.8	54		13	5.3
NOV 1988	1330	7.2	140	7.4	10.5	.50	12.0	34		1.5	3.3
14	1245	6.7	150	7.2	12.0	1.4	13.4	55	_	13	5.4
NOV 1989											
07	1230	14	152	7.6	11.5	1.5	12.5	51	20	12	5.2
OCT 1990 17	0900	5.9	146	7.1	11 5	1.0	10.8	51	0	12	5.1
OCT 1991	0900	5.9	146	7.1	11.5	1.0	10.8	21	U	12	3.1
31	1045	4.9	142	7.0	10.0	5.7	11.4	50	7	12	4.8
OCT 1992											
16	0900	6.4	159	7.2	13.0	.70	10.8	53		13	5.0
NOV 1993											
08	0920	7.1	150	7.6	5.0		13.4	_	_		
NOV 1994	1140	E 0	154	e =	11 =		10 1				
09	1140	5.8	154	6.5	11.5		12.1		_		

Table 3. Water-quality data from surface-water sites—Continued

01480632 - Doe Run at Springdell, Pa. (Site 45)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	WAT WH TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
05 OCT 1982	4.6	16	0.3	1.9		_	6.9	9.6	<0.10	9.0	83
28 OCT 1983	4.8	17	.3	2.4	28		10	10	<.10	9.9	85
28 OCT 1984	5.0	17	.3	2.1	28		9.9	11		9.8	92
31 OCT 1985	5.3	18	.3	2.0	28		9.3	8.7	_	9.2	82
29 OCT 1986	5.2	18	. 3	2.0	58		9.7	10	_	9.4	76
30 NOV 1987	4.9	17	. 3	2.6	32	_		_	_	10	93
19 NOV 1988	5.7	18	.3	2.2	32		11	16		8.9	90
14 NOV 1989	5.3	16	. 3	3.0	34		11	11	_	9.0	_
07 OCT 1990	5.1	17	. 3	1.7	31		10	10	_	9.5	_
17 OCT 1991	5.1	17	. 3	2.0	51		7.6	9.6	<.10	11	_
31 OCT 1992	5.0	17	. 3	2.1	43		9.5	12	<.10	10	
16 NOV 1993	5.4	17	. 3	2.2	_	71	8.7	11	<.10	10	_
08 NOV 1994		_		_	_	27	8.9	11	.10	-	_
09	_	_		_	_	25	_	11			_

Table 3. Water-quality data from surface-water sites—Continued

01480632 - Doe Run at Springdell, Pa. (Site 45)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, O~GANIC TOTAL (MG/L AS N) (00605)
NOV 1981											
05		0.11		3.00	-		<0.010	3.10	<0.010	0.01	0.46
OCT 1982											
28	84	.12	1.15	2.90			<.010	2.90	<.010	.01	_
OCT 1983											
28	88	.13	1.34	3.80			<.010	3.80	<.010		_
OCT 1984	0.5			2 40				2 40	0.40		
31 OCT 1985	83	.11	2.21	3.40			<.010	3.40	.040	.05	
29	106	.10	1.35	4.10			<.010	4.10	.020	.03	
OCT 1986	100	.10	1.33	4.10			<.010	4.10	.020	.03	
30				3.30		_	<.010	3.30	.040	.05	1.8
NOV 1987				3.30			1.010	3.30	.040	.03	1.0
19	98	.12	1.75	3.80			<.010	3.80	<.010		.30
NOV 1988											
14	96	.13	1.74	4.09	4.09	18	.010	4.10	.030	.04	.37
NOV 1989											
07	94	.13	3.55	4.90			<.010	4.90	.030	.04	.27
OCT 1990											
17	101	.14	1.62	4.10			<.010	4.10	<.010		.80
OCT 1991											
31	98	.13	1.30	3.80			<.010	3.80	.010	.01	.19
OCT 1992											
16	118	.16	2.03	4.40	-		<.010	4.40	.020	.03	_
NOV 1993				4 00			. 010	4 00	000	63	
08		_		4.80			<.010	4.80	.020	.03	
NOV 1994 09				4 40			- 010	4 40	J 015		_
09				4.40	_		<.010	4.40	<.015		

Table 3. Water-quality data from surface-water sites—Continued

01480632 - Doe Run at Springdell, Pa. (Site 45)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	AFSENIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
05		0.46	0.35	3.5	3.5	0.010	0.03	0.020	<0.010	*****	ND
OCT 1982											_
28 OCT 1983			. 30	*****	3.2			.010	<.010		<1
28			.10		3.9	.020	.06	.020	.010	0.03	_
OCT 1984					0.0	.020		,,,,,		*****	
31	0.26	_	.30		3.7	<.010	_	<.010	<.010	_	_
OCT 1985											
29	.28	_	.30		4.4	.010	.03	.010	.010	.03	
OCT 1986 30	. 66	1.8	. 70	5.1	4.0	.010		.010	.010	. 03	
NOV 1987	.00	1.0	. 70	3.1	4.0	.010	_	.010	.010	. 03	_
19		. 30	.30	4.1	4.1	.030		.010	<.010		
NOV 1988											
14	.77	.40	.80	4.5	4.9	.030		.020	.010	.03	
NOV 1989			40						000		
07 OCT 1990	. 37	. 30	. 40	5.2	5.3	.030	_	<.010	.020	. 06	
17		.80	.50	4.9	4.6	.020		.020	<.010		
OCT 1991											
31		.20	<.20	4.0	*****	<.010		<.010	<.010		
OCT 1992											
16	.28	<.20	. 30		4.7	.030		.030	.020	.06	_
NOV 1993 08			_						.010	.03	
NOV 1994									.010	.03	
09	_	4		_	_		_	****	.010	.03	_

Table 3. Water-quality data from surface-water sites—Continued

01480632 - Doe Run at Springdell, Pa. (Site 45)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (μG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	MFTHY- I.ENE F'JOE ACTIVE SUB- ST'NCE (NG/L) (38260)
NOV 1981											
05 OCT 1982	<1.0	<1	<1	<1	29	<1	14	0.4	1	<4	NI
28	<1.0	<1	<1	1	27	<1	8	<.1	<1	6	0.04
OCT 1983 28	_		_	_	32		14	_	_		_
OCT 1984					32		14				
31			_		35		11			_	
ОСТ 1985 29			_	_	18		9				
OCT 1986							-				
30			_	_	30		10		_		_
NOV 1987 19			_		29		10				_
NOV 1988											
14 NOV 1989		_	_		29		8				
07	_	_			30		14				_
OCT 1990											
17 OCT 1991			_		27		9				
31			_		51		12				_
OCT 1992											
16 NOV 1993					35	_	10				_
08	_			_			_	_	_		_
NOV 1994											
09	_					_	_				_

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
04	1445		240	7.5	10.5	_	12.0	93	_	23	8.6
OCT 1982											
21	1530	59	238	7.7	13.0		10.9	86		21	8.1
OCT 1983 31	1130	71	245	7.4	8.0	1.2	11.6	92		23	0.3
OCT 1984	1130	/1	243	1.4	0.0	1.2	11.6	92	_	23	8.3
16	1130	100	225	8.2	13.0	. 40	11.4	84		21	7.6
OCT 1985				• • •	20.0			•		~-	
22	1400	74	250	7.6	10.0	. 60	12.6	88		22	8.1
NOV 1986											
03	1130	51	245	7.8	11.0	1.0	10.3	92	_	23	8.4
NOV 1987											
03 OCT 1988	1000	69	230	7.4	12.0	.50	11.2	92		23	8.4
11	1030	57	258	7.3	12.0	.30	11.7	95		23	9.0
OCT 1989	2000	٥,	200	7.0	12.0	.50	11.7	,,,		23	3.0
13	1430	106	230	7.5	15.5	.40	13.0	82	38	20	7.7
OCT 1990											
15	1100	79	258	6.8	19.0	2.5	8.4	88	0	22	7.9
OCT 1991											
30	0930	50	270	6.8	8.0	.30	12.1	96	27	24	8.7
OCT 1992 29	0915	56	270	7.8	9.0	.90	11 2	00		22	0 3
NOV 1993	0913	36	210	1.0	9.0	. 90	11.3	89		22	8.3
15	0945	84	261	7.7	12.0	_	11.3		_	_	
OCT 1994			-				-				
11	1000	52	263	7.3	11.5	_	10.4	_	_	_	

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (NG/L AS SIO ₂) (00955)
NOV 1981										
04	14	24	0.6	3.7	_	_	22	21	0.20	7.9
OCT 1982			_							
21	12	23	. 6	3.1	56	_	20	22	.20	8.1
OCT 1983 31	13	23	.6	4.0	52	_	25	22	_	10
OCT 1984	13	23	. 0	4.0	32		23	22		10
16	9.6	19	.5	2.6	52	_	20	18	_	8.3
OCT 1985										
22	12	22	.6	3.7	62	_	21	20	_	9.4
NOV 1986			_							
03	12	21	.5	4.2	62	_	22	19	_	9.6
NOV 1987 03	11	20	.5	3.9	60		22	18		11
OCT 1988	11	20	. 5	3.3	60		22	10		11
11	13	22	. 6	3.2	60	_	21	20	_	8.9
OCT 1989										
13	10	20	.5	3.0	44	_	20	17	_	10
OCT 1990										
15	12	22	. 6	4.3	88		18	19	.50	13
OCT 1991	13	22	. 6	3.9	69		24	24	20	8.8
30 OCT 1992	13	22	. 6	3.9	69		24	24	.20	0.0
29	12	22	. 6	3.6		59	22	21	.30	8.4
NOV 1993			• •							
15	_	_	_			49	26	20	.20	-
OCT 1994										
11		_				62	_	25	_	_

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

	SOLIDS,	SOLIDS,				NITRO-	NITRO-	NITRO-	NITRO-	NITRO-
	RESIDUE	SUM OF	SOLIDS,	SOLIDS,	NITRO-	GEN,	GEN,	GEN,	GEN,	GEN,
	AT 180	CONSTI-	DIS-	DIS-	GEN,	NITRATE	NITRATE	NITRITE	$NO_2 + NO_3$	AMMONIA
	DEG. C	TUENTS,	SOLVED	SOLVED	NITRATE	DIS-	DIS-	DIS-	DIS-	DIS-
	DIS-	DIS-	(TONS	(TONS	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	SOLVED	SOLVED	PER	PER	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	(MG/L)	(MG/L)	AC-FT)	DAY)	AS N)	AS N)	AS NO ₃)	AS N)	AS N)	AS N)
	(70300)	(70301)	(70303)	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)
NOV 1981										
04	142		0.19		2.37	2.34	10	0.060	2.40	<0.010
OCT 1982										
21	140	139	.19	22.3	2.36	2.36	10	.040	2.40	<.010
OCT 1983										
31	153	154	.21	29.3	3.76	3.76	17	.040	3.80	.060
OCT 1984										
16	135	135	.18	36.5	3.55	3.55	16	.050	3.60	.070
OCT 1985										
22	140	148	.19	28.0	3.15	3.15	14	.050	3.20	.C40
NOV 1986										
03	152	148	.21	2.9	2.69	2.69	12	.010	2.70	<.010
NOV 1987										
03	144	148	.20	26.8	3.13	3.13	14	.070	3.20	.110
OCT 1988					2 - 2				2 50	000
11		150	.20	23.1	3.50	_		<.010	3.50	. 020
OCT 1989 13		130	.18	37.3	3.59	3.59	16	.010	3.60	.010
OCT 1990		130	.10	37.3	3.39	3.39	10	.010	3.60	.(10
15	-	162	. 22	34.6	2.78	2.78	12	.020	2.80	.030
OCT 1991		102		34.0	2.70	2.70	12	.020	2.00	.030
30		161	.22	21.7	2.80			<.010	2.80	<.010
OCT 1992					2.00					
29		149	.20	22.7	3.58	3.58	16	.020	3.60	<.010
NOV 1993		=	. = •							
15				_	3.60			<.010	3.60	.010
OCT 1994										
11		_	_		3.60		_	<.010	3.60	<.015

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHOS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00666)
NOV 1981										
04	0.01	0.49		0.49	0.66	2.9	3.1	0.200	0.61	0.170
OCT 1982	0.01	0.49		0.49	0.00	2.5	3.1	0.200	0.01	0.170
21	.01				1.7		4.1			.140
OCT 1983	.01				1.,		***			
31	. 08	_	0.34		. 40		4.2	.170	.52	.150
OCT 1984										
16	. 09	_	.33		.40		4.0	.130		.130
OCT 1985										
22	.05	. 76	.66	.80	.70	4.0	3.9	.150	.46	.140
NOV 1986										
03	_	.80		.80	. 60	3.5	3.3	.190	_	.170
NOV 1987										
03	.14	.59	.39	.70	.50	3.9	3.7	.120	_	.100
OCT 1988										
11	.03	.38	.38	.40	.40	3.9	3.9	.150		.140
OCT 1989										
13	.01	.49	. 39	.50	.40	4.1	4.0	.080	_	.070
OCT 1990										
15	.04	.57	.57	.60	. 60	3.4	3.4	.140	_	.100
OCT 1991										
30		. 30		.30	<.20	3.1	_	.120	 -	.110
OCT 1992										
29		.20	_	. 20	.20	3.8	3.8	.110		.090
NOV 1993										
15	.01	_	_		_			_	_	
OCT 1994										
11	_	_	_	_	_					_

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS SOLVED (µG/L AS FF) (01046)
NOV 1981										
04	0.150	0.46	ND	_		<1.0	<1	<1	2	65
OCT 1982	120	40				-11 0	-1	•	3	50
21 OCT 1983	.130	.40	1	_	_	<1.0	<1	1	3	50
31	.150	. 46	1	_		<1.0	<1	_	3	81
OCT 1984							_		_	
16 OCT 1985	.130	. 40	<1	_		<1.0	2		1	46
22	.130	.40	<1			<1.0	1		2	42
NOV 1986										
03 NOV 1987	.140	. 43	<1	_	_	1.0	<1	_	3	65
03	.100	. 31	<1		_	<1.0	2	_	4	58
OCT 1988										
11 OCT 1989	. 120	. 37	<1	25	<0.5	<1.0	<5	<3	<10	35
13	.060	.18	<1	25	<.5	<1.0	<5	<3	<10	41
OCT 1990										
15	.110	. 34	<1	30	<.5	<1.0	<5	<3	<10	67
OCT 1991 30	.090	. 28	<1	26	<.5	1.0	<5	<3	<10	75
OCT 1992			-							
29	.070	.21	<1	27	<.5	<1.0	<5	<3	<10	57
NOV 1993 15	.040	. 12	_			_	_	_		
OCT 1994	.010	. 12			_					
11	.060	. 18	_				_		_	

Table 3. Water-quality data from surface-water sites—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (μG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE STIB- STINCE (MG/L) (38260)
NOV 1981										
04	<1		33	<0.1	7	_	_		<4	0.10
OCT 1982 21 OCT 1983	<1		23		3				<4	.03
31	1	_	30	.1	4	<1.0	_	_	11	-
OCT 1984										
16	3		18	<.1	3	<1.0	_	_	6	_
OCT 1985 22	<1		12	<.1	4	<1.0		_	20	
NOV 1986	~1		12	\.1	4	1.0			20	
03	<5	_	23	<.1	11	<1.0		_	15	-
NOV 1987										
03 OCT 1988	<5		32	<.1	5	<1.0	_	_	7	
11	<10	<4	10		<10	<1.0	94	<6	13	_
OCT 1989		-•						••		
13	<10	4	23	. 2	<10	<1.0	91	<6	<3	
OCT 1990		_							_	
15 OCT 1991	<10	4	32	<.1	<10	<1.0	96	<6	8	_
30	<10	5	28	<.1	<10	<1.0	97	<6	12	_
OCT 1992		-								
29	<10	<4	14	<.1	<10	<1.0	100	<6	7	_
NOV 1993										
15 OCT 1994			_			_		_		
11								_		_

Table 3. Water-quality data from surface-water sites—Continued

01480647 - East Branch Brandywine Creek near Struble Dam, Pa. (Site 43)

DATE OCT 1981	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER ATURE WATER (DEG C) (00010)	DIS- SOLVEI (MG/L)	(MG/L AS CACO ₃)	CALCIUM L DIS- SOLVED (MG/L AS CA)	DIS- SOLVED (MG/L	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)
22	1430		215	7.6	14.5	12.6	69	17	6.5	8.9	21
NOV 1982 03	1100	1.6	165	7.3	14.5	9.6	66	16	6.4	6.2	16
DATE	SODIUM AD- SORP- TION RATIO (00931	DIS- SOLVEI (MG/L) AS K)	WAT WE TOT FE FIELD (MG/L A CACO ₃)	H SULFA ET DIS- SOLVE AS (MG/I AS SO	DIS- D SOLVEI L (MG/L L) AS CL	E, RIDE, DIS- SOLVEI (MG/L AS F)	DIS- SOLVEI (MG/L AS SIO ₂)	AT 180 DEG. O DIS- SOLVED (MG/L)	DE SUM OF CONST: TUENTS, DIS- SOLVEI (MG/L)	F SOLIDS, I- DIS- , SOLVEI (TONS D PER AC-FT)	DIS- SOLVEI (TONS PER DAY)
OCT 1981 22	0.	5 3.4	<u> </u>	19	15	<0.10	21	135		0.18	_
NOV 1982 03		3 4.0) 4	44 16	12	.10	7.7	112	103	.15	0.49
DAT: OCT 1981 22 NOV 1982	E	NITRATE TOTAL (MG/L AS N)	DIS- SOLVED (MG/L AS N)	DIS- SOLVED (MG/L AS NO ₃)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)
03		1.78	1.78	7.9	.020	1.80	.040	. 05	_	.46	
D	ATE	NITRO- GEN, AM- MONIA - ORGANIC DIS. (MG/L AS N) (00623)		NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS-PHORUS, TOTAL (MG/L AS P)	TOTAL (MG/L AS PO ₄)	SOLVE (MG/L AS P)	DIS- D SOLVED (MG/L AS P)	PHOS- PHATE ORTHO, DIS- SOLVED (MG/L AS PO ₄)	ARSENIC, DIS- SOLVED (µG/L AS AS)	CADMIUN'. DIS- SOLVEN (µG/L AS CL) (01025)
OCT 198 22		1.4	5.4	5.6	0.090	0.28	0.050	0.030	0.09	1	3.0
NOV 198	2	.50	_	2.3	_		.010	<.010		1	<1.0
03		.50		2.3			.010	<.010		-	VI. 0
DATE	2	DIS- SOLVED SO (µG/L AS CR)	DIS- OLVED : (µG/L AS CO) :	(µG/L () AS CU)	IRON, DIS- SOLVED µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	DIS- SOLVED			SOLVED (µG/L S AS ZN)	METHY- LENE BLUE ACTIVE SUB- TANCE (MG/L) (38260)
OCT 198 22		5	1	20	610	1	140	0.5	22	6	
NOV 198	2										0.03
03		<1	1	<1	49	<1	82	<.1	<1	<4	0.03

Table 3. Water-quality data from surface-water sites—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
22	1245	_	185	7.3	9.5		10.1	64		17	5.3
NOV 1982 03	0930	2.6	158	7 7	14 5		10 5	67		17	F 0
NOV 1983	0930	2.6	138	7.7	14.5		10.5	67		17	5.9
03	0945	3.2	121	8.0	10.0	2.0	9.3	66		17	5.8
OCT 1984											
17	1000	2.9	185	7.5	12.5	.80	10.2	70	_	18	6.0
OCT 1985											
23 OCT 1986	0900	2.6	185	7.1	8.0	. 90	10.5	67		17	6.0
29	0900	3.1	180	7.5	10.0	2.6	10.8	68		17	6.2
OCT 1987	0,500	3.1	100	7.5	10.0	2.0	10.0	00			0.2
19	0930	3.6	178	7.3	10.5	2.3	11.2	68	-	17	6.1
NOV 1988											
16	0915	4.3	180	7.4	9.5	5.2	11.4	71	_	18	6.3
OCT 1989 16	1030		202	7.2	16.5	1.3	10.0	75	26	19	6.6
OCT 1990	1030	4.4	202	1.2	16.5	1.3	10.0	75	20	19	0.0
26	0900	2.6	212	6.2	9.5	1.9	10.5	84	26	22	7.0
NOV 1991											
01	0945	1.9	208	7.2	11.5	1.6	10.9	78	4	20	6.7
OCT 1992											
26 NOV 1993	1200	2.7	204	7.0	9.0	2.4	11.5	75		19	6.6
03	0940	6.1	198	7.5	7.5		11.0			_	
OCT 1994	0740	0.1	170	7.5	7.5		11.0				
12	0920	1.9	210	7.0	9.0		10.8			_	

Table 3. Water-quality data from surface-water sites—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 46)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	AS K)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DFG. C DIS- SOLVED (MG/L) (70500)
OCT 1981											
22 NOV 1982	8.2	21	0.4	2.1		_	12	8.7	<0.10	24	112
03 NOV 1983	6.9	17	. 4	3.2	44	_	14	10	.10	14	107
03	7.6	19	. 4	2.9	52		18	11		12	120
OCT 1984											
17	6.4	16	.3	2.8	48		16	11		15	130
OCT 1985											
23	7.3	18	. 4	3.0	54		15	12		16	108
OCT 1986										10	***
29 OCT 1987	7.2	18	. 4	3.7	48	_	17	13	_	12	119
19	7.0	18	. 4	3.3	46		13	11		15	117
NOV 1988	7.0	10		3.3	40		13	11		13	11,
16	6.7	16	.3	3.5	50		19	11	_	10	
OCT 1989											
16	7.1	16	. 4	3.4	49	_	13	12	_	15	
OCT 1990											
26	8.0	17	. 4	3.0	58	_	21	17	.10	23	_
NOV 1991											
01	7.8	17	. 4	2.9	74		15	15	<.10	16	
OCT 1992											
26	7.6	17	. 4	3.0	-	47	16	14	.10	15	
NOV 1993						50		10	0.0		
03 OCT 1994	_					50	16	12	.20	_	
12						53		13			

Table 3. Water-quality data from surface-water sites—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L #S N) (00605)
OCT 1981											
22		0.15		3.09	_	_	<0.010	3.10	0.040	0.05	0.22
NOV 1982							•••				
03 NOV 1983	106	.15	0.75	1.98	1.98	8.8	. 020	2.00	<.010	.01	_
03	118	.16	1.04	2.77	2.77	12	.030	2.80	.130	.17	_
OCT 1984			2.0.	2	2.,,			2.00			
17	120	.18	1.02	3.44	3.44	15	.060	3.50	.130	.17	_
ОСТ 1985											
23	126	.15	.76	3.79	3.79	17	.010	3.80	.050	. 06	
OCT 1986 29	113	.16	1.0	1.80			<.010	1.80	<.010		. 90
OCT 1987	113	.10	1.0	1.00			<.010	1.00	<.010	_	. 90
19	115	.16	1.14	3.39	3.39	15	.010	3.40	.030	.04	1.2
NOV 1988											
16	118	.16	1.37	2.97	2.97	13	.030	3.00	.210	.27	. 69
OCT 1989	100	4.5		2 57	2 55	1.6		2.60	222		20
16 OCT 1990	122	.17	1.44	3.57	3.57	16	.030	3.60	.020	.03	.78
26	159	.22	1.13	5.18	5.18	23	. 020	5.20	.030	. 04	.77
NOV 1991											
01	144	.20	.74	3.68	3.68	16	.021	3.70	.021	.03	.48
ОСТ 1992											
26 NOV 1993	124	.17	. 90	3.18	3.18	14	.020	3.20	.020	.03	.58
03				2.47	2.47	11	.030	2.50	.180	.23	
OCT 1994											
12		_		3.88	3.88	17	.020	3.90	.030	.04	

Table 3. Water-quality data from surface-water sites—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
OCT 1981											
22	0.26	0.24	0.30	3.3	3.4	0.040	0.12	<0.010	0.020	0.06	2
NOV 1982								01.0	212		
03 NOV 1983		_	. 50		2.5	_		.010	.010	.03	1
03	. 67		.80		3.6	.050	.15	.020	<.010		
OCT 1984											
17	.47		. 60		4.1	.050		.040	.040	.12	
OCT 1985											
23	. 35		.40		4.2	.030		.010	.010	.03	
OCT 1986 29		.90	. 60	2.7	2.4	. 050		<.010	<.010		
OCT 1987		. 90	. 60	2.1	2.4	.030		V.010	V.010		
19	. 47	1.2	.50	4.6	3.9	.040	_	.030	<.010		
NOV 1988											
16	. 39	.90	. 60	3.9	3.6	.040	_	.020	<.010		
OCT 1989											
16 OCT 1990	. 58	.80	. 60	4.4	4.2	.070		.030	.030	.09	
26	.77	. 80	. 80	6.0	6.0	.060		.040	.040	.12	
NOV 1991	• • • •	.00		0.0	0.0			.010	.010	,,,,	
01	.28	.50	.30	4.2	4.0	.041		.021	<.010	_	_
OCT 1992											
26	. 58	. 60	. 60	3.8	3.8	.050	_	.020	.010	.03	
NOV 1993									000	06	
03 OCT 1994					_		_		.020	.06	
12							_		<.010		

Table 3. Water-quality data from surface-water sites—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE FLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981											
22	<1.0	2	<1	2	84	<1	25	<0.1	<1	8	_
NOV 1982											
03	<1.0	<1	<1	1	50	<1	39	<.1	<1	<4	0.04
NOV 1983											
03	_				70		54				
OCT 1984 17					120		33				
OCT 1985					120	-	33			_	
23			_		36		13	_		_	_
OCT 1986											
29				_	37		27	_			_
OCT 1987											
19					61		22				
NOV 1988 16					38		25				
OCT 1989			_	_	36	_	25	_	_		_
16	_				48		28				
OCT 1990							20				
26	_	_			93		52	****			
NOV 1991											
01					54		26		_		_
OCT 1992											
26 NOV 1993		_			66		26				
NOV 1993								_			_
OCT 1994											
12				_	_			_	_		

Table 3. Water-quality data from surface-water sites—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	BID- ITY (NTU)	OXYGEN, DIS- SOLVED (MG/L) (00300)	(MG/L AS CACO ₃)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	AS CA)	MAGNE, SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODITM, DIS- SOLVED (MG/: AS N;) (00937)
NOV 1981												
02	110) 	169	7.5	9.5		10.4	65	_	16	6.1	8.3
NOV 1982 03	133	7.6	154	8.0	16.5			61		16	5.1	6.6
NOV 1983	133	J 1.6	134	8.0	16.5		9.8	91		10	5.1	0.0
03	123	7.6	164	6.5	10.5	1.5	10.2	65		17	5.4	7.3
OCT 1984												
17	133	9.2	178	7.8	12.5	.70	11.6	68		18	5.5	6.8
OCT 1985 23	130	0 7.0	170	7.7	10.0	. 90	11.9	65		16	6.0	8.0
DEC 1986	130	7.0	170	1.1	10.0	. 90	11.9	65		10	6.0	6.0
05	100	0 25	140	7.6	3.0	2.6	13.4	60		15	5.5	6.7
OCT 1987												
23	120	8.0	173	7.2	9.0	.70	12.4	66	_	17	5.7	7.2
NOV 1988 15	090	0 12	178	7.4	8.0	2.2	13.4	66		17	5.7	7.3
NOV 1989	090	J 12	1/0	7.4	8.0	2.2	13.4	00		17	3.7	7.3
01	114	5 20	193	8.0	12.5	.80	11.1	70	22	18	6.0	7.8
OCT 1990												
26	120	0 11	197	6.4	10.5	1.7	11.4	73	17	19	6.1	7.9
NOV 1991 01	120	0 7.0	199	7.5	11.5	. 60	12.1	71	0	19	5.8	8.0
NOV 1992	120	,.0	133	7.3	11.5	. 00	12.1	,_	•	13	3.0	0.0
17	123	0 13	180	7.5	5.5	2.7	13.5	69	_	18	5.9	7.4
NOV 1993												
04 OCT 1994	095	0 11	198	7.6	6.0	_	11.8	_			_	_
12	121	5 6.2	208	7.1	9.5		12.4					_

Table 3. Water-quality data from surface-water sites—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

		SODIUM	POTAS- SIUM,	WAT WH	ALKA- LINITY WAT WH	SULFATE,	CHLO- RIDE,	FLUO- RIDE,	SILICA, DIS-	SOLIDS, RESIDUE AT 180	SOLIDS, SUM OF CCNSTI-
		AD- SORP-	DIS- SOLVED	TOT FET FIELD	TOT IT FIELD	DIS- SOLVED	DIS- SOLVED	DIS- SOLVED	SOLVED (MG/L	DEG. C DIS-	TUENTS, DIS-
DATE	SODIUM	TION	(MG/L	(MG/L AS	(MG/L AS	(MG/L	(MG/L	(MG/L	AS	SOLVED	SCLVED
	PERCENT	RATIO	AS K)	CACO ₃)	CACO ₃)	AS SO ₄)	AS CL)	AS F)	SIO ₂)	(MG/L)	(NG/L)
	(00932)	(00931)	(00935)	(00410)	(00419)	(00945)	(00940)	(00950)	(00955)	(70300)	(70301)
NOV 1981											
02	. 21	0.4	2.3			14	11	0.10	20	113	
NOV 1982		0.4	2.3			1.7		0.10	20	113	
03	18	. 4	2.5	46		13	11	<.10	15	106	105
NOV 1983											
03	19	. 4	2.2	42		16	11		16	120	113
OCT 1984	l										
17	17	. 4	2.2	48	_	14	12		17	132	121
OCT 1985	5										
23	20	.4	2.5	44	_	14	11		18	106	115
DEC 1986	5										
05	19	. 4	3.0	40	_	18	13		13	101	109
OCT 1987											
23	18	. 4	3.1	48		11	11		18	114	114
NOV 1988											
15	19	. 4	3.1	47	-	16	11		15	-	115
NOV 1989		_									
01	19	. 4	3.0	48		13	12		17	_	120
OCT 1990		_									
26	18	. 4	3.1	56	_	15	12	.10	21		133
NOV 1991			2.4	96		1.5	1.4	- 10	17		153
01 NOV 1992	. 19	. 4	2.4	96		15	14	<.10	17	_	153
17	18	. 4	2.7		36	16	13	.10	15		114
NOV 1993		.~	2.1		30	10	13	.10	13		114
04	_				47	15	12	.10		-	
OCT 1994	1					4.5	12	. 10			
12	_				44	_	13	_			

Table 3. Water-quality data from surface-water sites—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

				NITRO-	NITRO-	NITRO-	NITRO-	NITRO-	NITRO-		NITPO-
	SOLIDS,	SOLIDS,	NITRO-	GEN,	GEN,	GEN,	GEN,	GEN,	GEN,	NITRO-	GEI',
	DIS-	DIS-	GEN,	NITRATE	NITRATE	NITRITE	$NO_2 + NO_3$	AMMONIA	AMMONIA	GEN,	ORGANIC
	SOLVED	SOLVED	NITRATE	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	ORGANIC	DIS-
	(TONS	(TONS	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	TOTAL	SOLVED
DATE	PER	PER	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AC-FT)	DAY)	AS N)	AS N)	AS NO3)	AS N)	AS N)	AS N)	AS NH ₄)	AS N)	AS N)
	(70303)	(70302)	(00620)	(00618)	(71851)	(00613)	(00631)	(00608)	(71846)	(00605)	(00607)
NOV 1981											
02	0.15		1.70			<0.010	1.70	<0.010	0.01	0.48	_
NOV 1982											
03	.14	2.18	1.89	1.89	8.4	.010	1.90	.010	.01		0.19
NOV 1983		0.46	0.00				2 22	0.50	.08		. 44
03 OCT 1984	.16	2.46	2.90			<.010	2.90	.060	.08		.44
17	.18	3.27	3.66	3.66	16	.040	3.70	.090	.12		. 41
OCT 1985	.10	3.21	3.00	3.00	16	.040	3.70	.090	.12		.41
23	.14	2.00	2.89	2.89	13	.010	2.90	.030	.04	. 97	. 47
DEC 1986	.14	2.00	2.09	2.03	13	.010	2.50	.030	.04		
05	.14	6.82	2.40			<.010	2.40	.030	.04	. 87	.87
OCT 1987		2.02	2010								
23	.16	2.46	2.80			<.010	2.80	.030	.04	.27	. 37
NOV 1988											
15	.16	3.71	2.69	2.69	12	.010	2.70	.020	.03	.48	.38
NOV 1989											
01	.16	6.48	3.20			<.010	3.20	.030	.04	.37	. 27
OCT 1990											
26	.18	3.97	3.28	3.28	15	.020	3.30	.020	.03	1.6	.78
NOV 1991											
01	. 21	2.89	3.20	_		<.010	3.20	.021	.03	_	.28
NOV 1992											
17	.16	3.98	3.26	3.26	14	.040	3.30	.010	.01	.29	.29
NOV 1993											
04		_	2.89	2.89	13	.010	2.90	.020	.03	_	
OCT 1994											
12	_	_	3.39	3.39	15	.010	3.40	<.015		_	

Table 3. Water-quality data from surface-water sites—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

	NITRO-	NITRO-						PHOS-	PHOS-		
	GEN, AM-	GEN, AM-		NITRO-			PHOS-	PHORUS,	PHATE,		
	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,	ORTHO,	ORTHO,	ARSENIC,	CADMIUM
	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-	DIS-	DIS-	DIS-	DIS-
	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(µG/L	(l.e\r
	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)	AS P)	AS PO ₄)	AS AS)	AS CD)
	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00666)	(00671)	(00660)	(01000)	(01025)
NOV 1981											
02	0.48	0.59	2.2	2.3	0.020	0.06	0.040	0.010	0.03	ND	<1.0
NOV 1982											
03		.20		2.1		_	.020	<.010		1	<1.0
NOV 1983											
03	_	.50		3.4	.030	.09	.020	<.010			
OCT 1984											
17		.50		4.2	.030	_	.030	.030	.09		
OCT 1985											
23	1.0	.50	3.9	3.4	.020	.06	.020	.010	.03		
DEC 1986											
05	. 90	. 90	3.3	3.3	. 060	_	.020	.010	.03		
OCT 1987											
23	.30	.40	3.1	3.2	.030	_	<.010	<.010	-	<1	<1.0
NOV 1988											
15	.50	.40	3.2	3.1	.030		.020	.010	.03		
NOV 1989											
01	. 40	. 30	3.6	3.5	.030		<.010	.010	.03		
OCT 1990 26	1.6	.80	4.0	4.1	040		020	0.40	10		
NOV 1991	1.6	.80	4.9	4.1	.040		.030	.040	.12		
01	<.20	. 30		3.5	.021		<.010	.030	.09		
NOV 1992	1.20	. 30		3.5	.021		₹.010	.030	.09		
17	.30	.30	3.6	3.6	.040		.020	<.010			
NOV 1993	. 30	.30	3.0	3.0	. 040		.020	~.010			
04					_			.010	.03		
OCT 1994								.010	.05		
12								.010	.03		

Table 3. Water-quality data from surface-water sites—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

DATE	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
02	<1	1	<1	77	<1	49	<0.1	1		6	
NOV 1982						00					0.00
03 NOV 1983	<1	1	<1	55	<1	22	<.1	<1	_	<4	0.02
03	_			67	_	25			_		
OCT 1984											
17			_	69	_	16					
OCT 1985											
23 DEC 1986				50	_	11		_	_	_	
05				71	_	18					
OCT 1987											
23	<1	-	<1	67	<5	11	<.1	1	<1.0	<3	_
NOV 1988				6 5							
15 NOV 1989				67		12			_		
01				92	_	19					
OCT 1990											
26	_			100		30				_	
NOV 1991											
01				65	_	13					
NOV 1992 17				77	_	18					
NOV 1993				• •							
04	_					_			_		
OCT 1994											
12	_									_	

Table 3. Water-quality data from surface-water sites—Continued

01480656 - Indian Run near Springton, Pa. (Site 47)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	IGGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
02	1345		164	7.6	11.5	_	10.9	64	_	18	4.6
NOV 1982											
03 NOV 1983	1500	1.9	157	7.9	15.5	_	9.8	63		18	4.4
03	1400	2.1	156	6.5	12.0	1.1	9.3	63		18	4.5
OCT 1984		-/-					,,,				
17	1600	2.7	170	7.6	12.0	.50	9.9	63		18	4.4
OCT 1985											
23 OCT 1986	1330	. 94	175	7.4	9.5	.70	10.8	61	_	17	4.4
29	1500	1.8	185	7.5	13.0	.40	9.5	68		19	4.9
OCT 1987							2.0				
19	1400	2.0	175	7.3	12.5	.30	11.2	64		18	4.6
NOV 1988											
15	1300	2.2	178	7.4	10.0	1.4	12.8	64	_	18	4.7
OCT 1989 16	1510	3.0	183	7.1	18.5	.50	9.8	63	13	18	4.3
NOV 1990	1010	3.0	100	,	10.5		5.0	03	-13	10	1.5
13	1030	3.7	160	7.6	5.5	1.0	12.6	57	17	16	4.1
NOV 1991											
05	1200	1.7	191	7.5	6.0	.50	13.5	82	7	17	9.5
OCT 1992 26	0845	1.7	202	6.7	7.0	.60	11.6	74		21	5.2
NOV 1993	0040	1.,		J.,	,	.00	11.0	, -2		-1	5.2
02	1010	3.1	162	7.4	6.0		11.6	_	_		_
OCT 1994											
14	0950	1.7	210	7.1	9.5	_	11.5	_	_		- Charles

Table 3. Water-quality data from surface-water sites—Continued

01480656 - Indian Run near Springton, Pa. (Site 47)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	WAT WH TOT FET FIELD	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
02	8.7	22	0.5	1.4	_	-	7.6	9.8	<0.10	28	120
NOV 1982 03	8.5	22	.5	1.6	57		9.0	9.7	<.10	26	117
NOV 1983	0.5	22		1.0	37		3.0	3.1	V.10	20	117
03	9.2	23	. 5	1.4	38		9.2	11	_	26	126
OCT 1984											
17	8.4	22	. 5	1.3	50	-	8.2	11	_	25	120
OCT 1985 23	9.0	24	.5	1.6	60		7.8	10		27	140
OCT 1986	9.0	24		1.0	00		7.0	10		21	140
29	9.8	23	.5	2.0	58		10	12		28	145
OCT 1987											
19	9.3	24	. 5	1.5	55	_	11	10		25	125
NOV 1988 15	9.2	23	.5	1.6	49		14	11	_	24	
OCT 1989	3.2	23	.3	1.0	47		14	11		24	
16	9.4	24	. 5	1.7	50		9.0	10	_	26	
NOV 1990											
13	7.4	21	. 4	1.6	40		13	11	<.10	24	
NOV 1991 05	15	28	.7	2.3	75		9.4	14	<.10	14	
OCT 1992	13	20	• •	2.3	73		3.4	17	1.10	4-4	
26	10	22	. 5	1.9	_	60	8.8	12	.10	26	
NOV 1993											
02	_		_	_	-	47	12	8.6	.10		
OCT 1994 14	_		_			58	_	13			
17					- 	30		13			

Table 3. Water-quality data from surface-water sites—Continued

01480656 - Indian Run near Springton, Pa. (Site 47)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L FS N) (00605)
NOV 1981											
02		0.16		2.69	2.89	13	0.010	2.90	<0.010	0.01	0.46
NOV 1982											
03 NOV 1983	122	.16	0.60	2.19	2.19	9.7	.010	2.20	.040	. 05	
03	118	.17	.71	3.38	3.38	15	.020	3.40	.060	.08	
OCT 1984	110		• • • •	5.55	3.30		.020	5.10	.000		
17	122	.16	.87	3.36	3.36	15	.040	3.40	.100	.13	_
OCT 1985											
23	125	.19	. 36	2.69	2.69	12	.010	2.70	.020	. 03	.88
OCT 1986 29	135	. 20	.70	3.10			<.010	3.10	.020	.03	. 38
OCT 1987	133	.20	. 10	3.10			~.010	3.10	.020	.03	. 30
19	129	.17	. 68	3.60			<.010	3.60	.020	.03	. 28
NOV 1988											
15	125	.17	.74	2.88	2.88	13	.020	2.90	.030	.04	. 67
OCT 1989	120	.16	.97	2.46	2 46	11	040	2.50	.020	.03	.28
16 NOV 1990	120	.16	.97	2.46	2.46	11	.040	2.50	.020	.03	.20
13	113	. 15	1.13	2.59	2.59	11	.010	2.60	.060	.08	. 24
NOV 1991											
05	141	. 19	. 6 5	3.40		_	<.010	3.40	.010	.01	.19
OCT 1992											
26 NOV 1993	134	.18	. 62	2.98	2.98	13	.020	3.00	<.010		.30
02				1.70			<.010	1.70	.030	.04	
OCT 1994											
14	_			4.19	4.19	19	.010	4.20	<.015	_	_

Table 3. Water-quality data from surface-water sites—Continued

01480656 - Indian Run near Springton, Pa. (Site 47)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (010C0)
NOV 1981											
02	_	0.46	0.40	3.2	3.3	0.170	0.52	0.150	0.150	0.46	LLD.
NOV 1982											
03	0.66		.70		2.9			.320	.340	1.0	1
NOV 1983 03	.74		.80		4.2	.140	. 43	.130	.120	.37	_
OCT 1984	. /4		.00		4.2	.140	.43	.130	.120	.37	
17	.20		.30		3.7	.140		.160	.150	.46	_
OCT 1985											
23	.48	.90	.50	3.6	3.2	.130	.40	.120	.110	.34	_
OCT 1986 29	. 38	.40	.40	3.5	3.5	.180		.120	.120	.37	
OCT 1987	. 30	.40	.40	3.5	3.3	.100		.120	.120	.31	
19	.18	. 30	.20	3.9	3.8	. 090		.080	.070	.21	
NOV 1988											
15	. 67	.70	.70	3.6	3.6	.120	_	.110	.100	. 31	
OCT 1989											
16 NOV 1990	. 28	. 30	. 30	2.8	2.8	.060		.050	.060	.18	
13	. 34	.30	.40	2.9	3.0	.040	_	.030	.040	.12	
NOV 1991		,,,,	,		•						
05	-	.20	<.20	3.6	_	.060		.060	.040	.12	
OCT 1992											
26 NOV 1993		.30	<.20	3.3		.040		.030	.020	.06	_
02			_					_	.030	. 09	
OCT 1994									.030		
14	-	_			_				.020	.06	_

Table 3. Water-quality data from surface-water sites—Continued

01480656 - Indian Run near Springton, Pa. (Site 47)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	AS ZN)	PTTHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
02 NOV 1982	<1.0	5	<1	<1	41	<1	11	0.1	1	<4	ND
03 NOV 1983	<1.0	<1	<1	5	23	<1	3	<.1	<1	<4	0.03
03		_			31	_	4				
OCT 1984											
17 OCT 1985		_	_	_	31		5				
23		_			18		5				
OCT 1986					10		J				
29					34		6				
OCT 1987											
19 NOV 1988			_	_	18		2		_		
15				_	27		2		_		
OCT 1989					•		_				
16		_	-	_	46		5		_	_	
NOV 1990							_				
13 NOV 1991			_	_	61		5			_	
05					47		17			_	
OCT 1992											
26					36		3				
NOV 1993											
	_	_	_	-	_	_		_	_	_	_

Table 3. Water-quality data from surface-water sites—Continued

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 38)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) 00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE-, SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
04	0900	24	174	7.4	7.5		10.8	66		17	5.6
OCT 1982 28	1 2 2 0	31	164	7 5	10.5		12.8	62		16	5.4
28 NOV 1983	1330	31	104	7.5	10.5		12.8	62		10	3.4
04	1230	40	169	7.6	9.0	2.5	11.8	61	15	16	5.2
OCT 1984											
30	1000	69	165	7.8	15.5	. 70	10.4	58		15	5.0
OCT 1985	1500	26	170		0.5	. 60		60		16	5 4
21 NOV 1986	1500	36	178	7.1	9.5	. 60	11.4	62		10	5.4
17	0930	29	180	7.6	8.0	1.5	10.8	66		17	5.7
OCT 1987											
20	1130	34	178	7.2	14.0	. 60	12.0	63	_	16	5.5
OCT 1988											
05 OCT 1989	0900	27	193	7.3	14.5	1.5	10.8	67		17	6.0
10	1015	60	187	7.2	11.0	1.1	10.7	62	8	16	5.4
OCT 1990									-		
16	0845	45	186	7.8	15.0	1.5	9.3	62	6	16	5.4
NOV 1991											
05 OCT 1992	0930	31	193	7.4	6.0	1.5	12.6	68	20	18	5.6
30	0900	28	200	7.4	10.5	1.3	10.7	69		18	5.8
NOV 1993	0,500				20.0	2.0	20				0.0
03	1245	44	195	7.6	9.0		10.8	_			
OCT 1994											
13	0915	20	208	7.2	9.0		11.9		_		_

Table 3. Water-quality data from surface-water sites—Continued

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	•	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIL'TE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
04 OCT 1982	9.5	23	0.5	2.2	_		13	16	0.10	13	110
28	8.7	22	.5	3.0	36		16	15	<.10	13	108
NOV 1983											
04 OCT 1984	9.1	24	.5	2.2	46		18	16		12	111
30	7.9	22	. 5	3.2	38		16	12		11	106
OCT 1985											
21	9.0	23	. 5	2.6	44	_	17	17		12	102
NOV 1986 17	9.1	22	.5	2.3	30		18	13		14	122
OCT 1987				2.0							
20	9.4	23	.5	3.4	44		15	15	_	11	113
OCT 1988 05	8.6	21	.5	2.6	46		18	15		14	
OCT 1989	0.0	21		2.0	40		10	13		7.2	
10	8.2	22	.5	2.3	54		14	14		14	_
OCT 1990 16	8.7	22	. 5	2.5	56		14	16	<.10	11	
NOV 1991	8.7	22	. 5	2.5	36		14	10	<.10	11	
05	8.8	21	.5	2.2	48		17	20	<.10	12	
OCT 1992			_								
30 NOV 1993	9.1	22	.5	2.3	_	49	15	16	.10	12	
03			_			43	17	16	.10		_
OCT 1994											
13						49		19			

Table 3. Water-quality data from surface-water sites—Continued

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, OFGANIC TOTAL (MG/L AS N) (00605)
NOV 1981											
04		0.15		0.980	0.980	4.3	0.020	1.00	0.170	0.22	0.57
OCT 1982	* 0.5	4.5	0.04				212		0.50	0.0	
28 NOV 1983	105	.15	9.04	1.29	1.29	5.7	.010	1.30	.060	.08	_
04	113	. 15	12.0	1.49	1.49	6.6	.010	1.50	.230	.30	_
OCT 1984			12.0	21.25				_,,,,	.200		
30	98	.14	19.7	1.00			<.010	1.00	.030	.04	
OCT 1985											
21	112	.14	9.91	1.49	1.49	6.6	.010	1.50	.040	.05	
NOV 1986	105	.17	0.55	1 00			. 010	1 00	100	12	.20
17 OCT 1987	105	.17	9.55	1.80		_	<.010	1.80	.100	.13	.20
20	109	.15	1.4	1.60			<.010	1.60	.050	.06	. 65
OCT 1988											
05	118	.16	8.57	1.89	1.89	8.4	.010	1.90	<.030		.50
OCT 1989											
10	116	.16	18.7	1.99	1.99	8.8	.010	2.00	.090	.12	
OCT 1990 16	111	.15	13.4	.900			<.010	. 900	.020	.03	. 58
NOV 1991	111	.13	13.4	.500			1.010	. 500	.020	.03	. 50
05	119	.16	9.83	1.28	1.28	5.7	.020	1.30	.120	.15	.28
OCT 1992											
30	116	.16	8.74	1.68	1.68	7.4	.020	1.70	.060	.08	.14
NOV 1993				1 20	1 20	6.2	01.0	1 40	.060	.08	
03 OCT 1994				1.39	1.39	0.2	.010	1.40	.060	.08	
13				1.89	1.89	8.4	.010	1.90	.020	.03	
				- · · ·							

Table 3. Water-quality data from surface-water sites—Continued

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
04	0.56	0.74	0.73	1.7	1.7	0.020	0.06	0.020	<0.010		ND
OCT 1982 28 NOV 1983	. 24		.30		1.6	_	_	.020	.010	0.03	<1
04	1.3		1.5	_	3.0	.030	.09	. 020	<.010		
OCT 1984											
30	.37	_	. 40	_	1.4	<.010	_	<.010	.020	.06	
OCT 1985											
21 NOV 1986	.86	_	. 90	_	2.4	.020	.06	.010	.010	.03	
17	.50	.30	. 60	2.1	2.4	.040		.010	<.010		
OCT 1987											
20	. 35	.70	. 40	2.3	2.0	.010	_	<.010	<.010		_
OCT 1988 05	_	. 50	. 50	2.4	2.4	.010	_	.010	<.010		
OCT 1989		. 50	. 50	2.7	2.7	.010		.010	1.010		
10	.31	<.20	. 40		2.4	.030		.010	<.010		_
OCT 1990											
16 NOV 1991	. 28	.60	.30	1.5	1.2	.020		<.010	<.010		
05	.18	. 40	.30	1.7	1.6	<.010		<.010	<.010		
OCT 1992	,										
30	.14	.20	.20	1.9	1.9	<.010	_	.010	<.010		_
NOV 1993									010	0.3	
03 OCT 1994	_	_	_		_			_	.010	.03	
13	_				_		_	_	<.010		

Table 3. Water-quality data from surface-water sites—Continued

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCF (MG/L) (38260)
NOV 1981											
04	<1.0	2	<1	1	240	<1	750	0.1	1	<4	ND
OCT 1982 28	-1 0	<1	<1	2	59	<1	74	<.1	2	<4	0.03
28 NOV 1983	<1.0	<1	<1	2	59	<1	/4	<.1	2	<4	0.03
04					150		140				
OCT 1984											
30			_	_	71		23		_		
OCT 1985											
21 NOV 1986					54	-	27	-		_	
17					120		140			_	
OCT 1987											
20					87	_	96		_	_	
OCT 1988											
05	_	_			290		99		_		
OCT 1989					190		160				
OCT 1990					130		100				
16				_	87		34				
NOV 1991											
05			_		370	_	350		_	_	
OCT 1992 30					98		240				
NOV 1993		_			98	_	240		_	_	_
03				_							
OCT 1994											
13	_	_					_				-

Table 3. Water-quality data from surface-water sites—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)
NOV 1981										
04	1045	_	308	7.8	8.0		10.9	140	_	36
OCT 1982 28 OCT 1983	1445	7.3	324	8.4	10.7		12.4	150	_	33
31 OCT 1984	1345	7.0	377	8.0	10.0	1.3	12.4	170	_	38
16 OCT 1985	1500	11	370	8.7	14.0	. 40	12.8	150		33
31 OCT 1986	0930	8.3	340	7.6	11.0	. 60	12.2	150		37
08 NOV 1987	1330	5.5	345	8.5	14.5	.40	12.6	170	_	35
04 OCT 1988	1400	7.8	335	8.6	15.0	.40	14.6	150	_	37
14 OCT 1989	1530	12	321	7.6	12.0	1.5	13.4	130		33
06 OCT 1990	1015	21	370	7.8	13.0	.40	11.5	160	54	36
11 NOV 1991	1245	6.1	390	6.9	19.0	.50	10.2	160	48	32
18 NOV 1992	0945	4.4	349	7.5	3.5	1.1	15.0	150	60	38
17 NOV 1993	0915	7.4	329	7.9	4.5	.70	14.5	130	_	34
04 OCT 1994	1300	8.6	429	8.4	9.0	_	14.0	_	_	
06	1000	5.4	390	8.0	10.0	_	12.0			

Table 3. Water-quality data from surface-water sites—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

DATE	SI DI SOL (MG	MG)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ANC WATER UNFLTRD FET FIELD (MG/L AS CACO ₃) (00410)	IT FIELD (MG/L AS CACO ₃)	AS SO ₄)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	AT 180 DEG. C DIS- SCLVED (NG/L)
NOV 1	981												
04.		13	11	14	0.4	1.7			29	20	<0.10	6.1	190
OCT 1			1.0	10		0.4	00		22	10	. 10		202
28. OCT 1		17	10	12	. 4	2.4	92	_	33	19	<.10	5.7	203
04.		19	10	11	.3	2.5	84		55	19		5.4	231
OCT 1	984												
16.		16	9.7	12	.3	2.1	100		42	19		4.5	196
OCT 1:		14	13	16	.5	2.0	108		27	28		6.0	195
OCT 1		1.4	13	10	.5	2.0	100	_	21	20		0.0	193
08.		19	11	12	. 4	3.2	104		49	20	_	6.2	240
NOV 1													
04.		15	12	14	. 4	2.5	114	_	31	23		5.0	202
OCT 1:		12	11	15	. 4	1.7	101		25	22		6.4	
OCT 1		12	11	13	• •	1.,	101		23	22		0.4	
06.		16	12	14	. 4	2.4	102		38	23	_	7.5	
OCT 1													
11. NOV 1		20	12	14	. 4	3.1	114		43	24	<.10	5.8	220
18.		14	13	15	. 5	1.8	93	_	32	27	.10	4.1	_
NOV 1									-				
17.		12	13	17	. 5	1.7		82	27	25	<.10	6.6	_
NOV 1													
04. OCT 1								138	40	29	<.10		_
06.				_	_		110	110		32		_	

Table 3. Water-quality data from surface-water sites—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	PITROGEN, OFGANIC TOTAL (MG/L AS N) (C0605)
NOV 1981											
04		0.26		2.40			<0.010	2.20	<0.010	0.01	_
OCT 1982											
28	186	. 28	4.01			_	<.010	2.40	.020	.03	
OCT 1983 31	216	. 31	4.37		3.60	16	.010	3.60	.010	.01	
OCT 1984	210	. 31	4.31		3.00	10	.010	3.60	.010	.01	
16	200	. 27	5.82		2.96	13	.040	3.00	.050	.06	
OCT 1985											
31	204	.27	4.37				<.010	2.70	.010	.01	_
OCT 1986											
08	217	. 33	3.56		2.39	11	.010	2.40	<.010		
NOV 1987	005	0.77	4 0-								
04	205	. 27	4.25		_	_	<.010	2.40	.020	.03	C.88
OCT 1988 14	183	.25	5.92		_		<.010	2.50	.010	.01	
OCT 1989	100	.20	J.J2				1.010	2.00	.010	.01	
06	208	.28	11.8				<.010	2.70	.010	.01	
OCT 1990											
11	219	. 30	3.63		_	_	<.010	2.40	<.020	_	
NOV 1991		_									
18	196	.27	2.35	_		_	<.010	2.30	.010	.01	
NOV 1992	170	24	2 50		2 26	10	040	2.40	040	0.5	
17 NOV 1993	179	. 24	3.58		2.36	10	.040	2.40	.040	.05	
04		_					<.010	2.00	.020	.03	
OCT 1994											
06	_				_	_	<.010	2.40	<.015	_	

Table 3. Water-quality data from surface-water sites—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSINIC, DIS- SOLVED (µG/L AS AS) (01000)
NOV 1981											
04		0.31	0.24	2.7	2.4	0.100	0.31	0.110	0.090	0.28	0
OCT 1982											
28	0.78		.80	_	3.2			.080	.080	. 25	1
OCT 1983	. 69		.70		4.3	.100	.31	.100	.080	. 25	
31 OCT 1984	.03		. 70		4.3	.100	.31	.100	.080	.23	_
16	.35		.40		3.4	.060		.070	.060	.18	_
OCT 1985											
31	_	<.20	<.20	_		.090	.28	.080	.080	. 25	
OCT 1986											
08	_	.70	<.20	3.1		.050	_	.040	.030	. 09	
NOV 1987 04	.38	. 90	.40	3.3	2.8	.070		. 060	.060	.18	
OCT 1988	. 30	. 30	.40	3.3	2.0	.070		.000	.000	.10	
14		<.20	<.20		_	.050		.050	.030	.09	_
OCT 1989											
06	.29	<.20	.30	_	3.0	.020		.020	.020	.06	
OCT 190											
11 NOV 1991		.50	.20	2.9	2.6	.020		<.010	<.010	_	
18		<.20	<.20			<.010		<.010	<.010		_
NOV 1992											
17		<.20	<.20			.020		<.010	<.010	_	
NOV 1993											
04		_		_		_			.010	.03	_
OCT 1994									- 010		
06						_			<.010	_	

Table 3. Water-quality data from surface-water sites—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

DATE	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (μG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
04	<1.0	<1.0	2.0	<1.0	16	<1.0	46	0.1	2.0	<4.0	ND
OCT 1982 28	<1.0	<1.0	<1.0	<1.0	18	<1.0	5.0	<.1	1.0	<4.0	0.04
OCT 1983											
31		_	_		16		8.0		_	_	
OCT 1984											
16 OCT 1985	_		_		13		4.0				
31		_	_		10		8.0	_			
OCT 1986											
08		_	_		13		8.0	_			_
NOV 1987											
04 OCT 1988		_	_		13		6.0				
14	_				17	-	6.0				
OCT 1989											
06					14		7.0				
OCT 1990 11		<1.0			24		17				
NOV 1991		(1.0	_		24		17		_		
18			_		15		4.0	_			
NOV 1992											
17	1.0	<5.0	<3.0	<10	20	<10	8.0		<10	<3.0	
NOV 1993 04				_					_		_
OCT 1994											
06		_							_	_	

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS, NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- I, SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
04	1330	_	328	6.7	10.5	_	12.4	120		29	12
OCT 1982 21 OCT 1983	1400	56	290	8.0	14.5	_	11.3	100	_	25	10
31	0945	78	284	7.5	7.5	2.4	10.8	120		28	11
OCT 1984											
16	0930	68	290	7.8	13.0	1.3	12.4	110		26	10
OCT 1985 22 NOV 1986	0900	55	290	7.5	9.5	1.0	13.8	110		27	11
03 NOV 1987	1400	50	293	7.9	12.0	.70	11.4	110		27	10
04 OCT 1988	0930	66	292	7.4	12.5	.60	12.6	110	_	28	10
06 OCT 1989	1030	52	374	7.8	12.5	1.8	13.4	130		30	13
13 OCT 1990	0915	113	293	7.5	13.0	.80	10.9	110	35	26	9.7
15 OCT 1991	1300	86	295	6.6	19.5	1.5	8.8	100	26	25	9.7
30 OCT 1992	1245	51	350	8.3	10.5	.50	16.4	120	45	30	11
29 NOV 1993	1300	46	350	7.6	11.5	. 90	11.6	110		27	10
16 OCT 1994	1000	55	338	8.2	12.0		12.8		_	-	_
11	1300	57	377	7.8	12.5		12.4				

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)---Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
NOV 1981										
04	20	26	0.8	3.4	_	_	29	24	0.10	13
OCT 1982										
21	16	25	.7	2.8	74	_	32	23	.10	10
OCT 1983 31	16	23	. 6	3.1	84		31	23	_	11
OCT 1984	10	25	. 0	3.1	04		31	23		
16	16	24	.7	2.7	82		25	22		9.0
OCT 1985										
22	16	23	. 7	3.4	80	_	28	25	-	9.7
NOV 1986		05	-	2.0	84		24	0.5		10
03 NOV 1987	17	25	.7	3.9	84	_	24	25		10
04	18	25	.7	3.8	85	_	26	26		12
OCT 1988		-	. ,		• •					
06	19	24	.7	3.7	94		29	27		11
OCT 1989										
13 OCT 1990	15	23	.6	3.3	70		21	21		12
15	15	23	. 6	4.0	77		21	22	.20	12
OCT 1991	10	23		4.0	• • • • • • • • • • • • • • • • • • • •				.20	
30	22	28	. 9	4.5	75	_	30	33	.20	9.8
OCT 1992										
29	19	27	. 8	4.1		76	24	33	.20	10
NOV 1993 16						70	28	26	.10	
OCT 1994		_		_	_	70	20	20	.10	
11	_	_		_	_	108		37	_	_

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO-GEN, AMMONIF DIS-SOLVED (MG/L AS N) (00608)
NOV 1981										
04	189		0.26		2.24	2.04	9.0	0.160	2.20	0.497
OCT 1982										
21	176	174	.24	26.5	1.94	1.94	8.6	.060	2.00	. 061
OCT 1983										
31	188	188	.26	39.6	2.85	2.85	13	.050	2.90	.310
OCT 1984	175			20.1	0.01				2 22	
16 OCT 1985	175	175	. 24	32.1	2.91	2.91	13	.090	3.00	.070
22	174	180	. 24	25.8	2.31	2.31	10	.090	2.40	.110
NOV 1986		100		23.0	2.51	2.51	10	.050	2.40	.110
03	186	180	. 25	25.1	2.23	2.23	9.9	.070	2.30	.170
NOV 1987						_				_
04	182	188	.25	32.4	2.58	2.58	11	.020	2.60	.050
OCT 1988										
06		205	.28	28.8	3.09	3.09	14	.010	3.10	.020
OCT 1989										
13		165	.22	50.5	3.18	3.18	14	.020	3.20	.020
OCT 1990										
15 OCT 1991		166	.23	38.8	2.18	2.18	9.6	.020	2.20	.040
30		201	.27	27.5	3.19	3.19	14	.010	3.20	.010
OCT 1992		201	.21	27.3	3.19	3.19	14	.010	3.20	.010
29	-	190	.26	23.8	3.57	3.57	16	.030	3.60	.090
NOV 1993										
16			-		3.67	3.67	16	.030	3.70	.050
OCT 1994										
11	-				4.18	4.18	19	.020	4.20	.020

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

DATE	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PTOS- PHOTUS, DIS- SOLVED (MT/L AS P) (00566)
NOV 1981										
04	0.63	1.1	0.71	1.6	1.2	4.0	3.4	0.900	2.8	0.800
OCT 1982										500
21 OCT 1983	.08		1.2	_	1.3		3.3	_		. 530
31	.40	_	. 39		. 70	-	3.6	.520	1.6	.510
OCT 1984										
16	.09	_	.23		.30	_	3.3	.710	_	. 670
OCT 1985 22	.14	. 59	.49	.70	. 60	3.1	3.0	.480	1.5	. 450
NOV 1986	.14	. 39	.43	. 70	. 60	3.1	3.0	.400	1.5	.430
03	. 22	. 43	.63	.60	.80	2.9	3.1	.690	_	. 660
NOV 1987										
04	.06	. 65	.55	. 70	. 60	3.3	3.2	.530	_	. 560
OCT 1988 06	. 03	. 68	. 68	. 70	.70	3.8	3.8	.700	_	. 690
OCT 1989				.,,		3.0	0.0	.,,,,		
13	.03	.48	. 68	.50	.70	3.7	3.9	.330	_	.320
OCT 1990	0.5		.36		40		0.6	200		200
15 OCT 1991	. 05	. 66	.36	.70	. 40	2.9	2.6	.320	_	. 320
30	.01	. 39	.29	.40	.30	3.6	3.5	.350		.330
OCT 1992										
29	.12	.61	.51	.70	. 60	4.3	4.2	.320	_	.250
NOV 1993 16	.06				_					
OCT 1994	. 00									
11	.03	_	_		_					_

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
NOV 1981										
04	0.800	2.5	1	_	_	<1.0	<1	<1	2	66
OCT 1982										
21 OCT 1983	.570	1.7	1	_		<1.0	<1	1	4	45
31	.530	1.6	1			1.0	<1		3	74
OCT 1984	.550	1.0	-			1.0	~1		3	, .
16	.700	2.1	<1			<1.0	1		1	41
OCT 1985										
22	.410	1.3	<1	_	_	<1.0	<1		2	33
NOV 1986									_	
03 NOV 1987	.640	2.0	<1			1.0	<1		3	68
04	.490	1.5	<1			<1.0	90		4	68
OCT 1988		1.0				11.0	30		•	00
06	.610	1.9	<1	31	<0.5	2.0	5	<3	<10	53
OCT 1989										
13	.300	. 92	<1	38	<.5	<1.0	< 5	<3	<10	99
OCT 1990 15	. 340	1.0	<1	25		<1.0	<5	42	410	74
OCT 1991	.340	1.0	<1	35	<.5	<1.0	<5	<3	<10	74
30	.270	.83	<1	30	<.5	<1.0	<5	<3	<10	130
OCT 1992			_							
29	.240	.74	<1	33	<.5	<1.0	<5	<3	<10	50
NOV 1993										
16	.330	1.0		_		_		_		
OCT 1994	150									
11	.150	.46				_		_	_	

Table 3. Water-quality data from surface-water sites—Continued

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METTY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981										
04	<1		49	0.1	2	_	_		5	0.10
OCT 1982			22		_					
21 OCT 1983	<1		33	_	3	_	_	_	<4	.05
31	1		45	<.1	<1	<1.0	_		6	_
OCT 1984	-		43	~.1	~1	11.0			U	
16	1		21	<.1	2	<1.0		_	<3	
OCT 1985										
22	<1		18	<.1	<1	<1.0	_	_	27	_
NOV 1986										
03	<5	_	38	.1	3	<1.0		_	15	_
NOV 1987			40	•	_				_	
04 OCT 1988	<5	_	43	. 2	3	<1.0	_		5	_
06	<10	8	20	.1	<10	3.0	120	<6	12	
OCT 1989	110	ŭ	20	• •	710	3.0	120	10	12	
13	<10	6	22	<.1	<10	<1.0	120	<6	4	
OCT 1990										
15	<10	6	39	<.1	<10	<1.0	110	<6	8	
OCT 1991										
30	<10	7	23	<.1	<10	<1.0	120	<6	8	
OCT 1992			••							
29 NOV 1993	<10	4	20	<.1	<10	<1.0	120	<6	10	_
16	_						_	_	_	
OCT 1994										
11					_					

Table 3. Water-quality data from surface-water sites—Continued

01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
04	1645	121	265	7.6	11.0		11.2	100		25	9.7
OCT 1982											
21	1045	157	262	7.5	12.5		10.3	94	_	23	8.9
OCT 1983	1.600	121	050					100		0.5	۰.
31 OCT 1984	1600	131	252	7.6	9.0	1.6	11.2	100	_	25	9.5
15	1600	165	230	8.4	14.0	. 60	12.4	89	_	22	8.2
OCT 1985	1000	100	250	٠	11.0		*2.3	U,			0.2
30	1100	135	250	8.0	10.0	. 70	13.9	95		23	9.1
DEC 1986											
02	0930	258	240	7.8	5.0	1.8	11.8	92		22	8.9
NOV 1987											
20	1200	199	250	7.4	9.5	.80	11.6	90		22	8.4
OCT 1988	1000		005	7.6	10.0		10.4	100		0.4	10
07 OCT 1989	1000	116	285	7.6	12.0	1.5	10.4	100		24	10
17	1030	278	260	7.3	17.5	.70	8.7	92		22	8.9
OCT 1990	1050	2,0	200	,	17.5		0.,	72			0.5
15	0930	201	242	6.8	19.0	3.7	7.6	80	4	19	7.8
NOV 1991											
15	1000	127	299	7.4	7.5	. 70	12.4	100	38	26	9.4
OCT 1992											
27	1345	135	290	8.4	10.5	.80	13.9	98	_	24	9.2
NOV 1993 09	0945	191	275	7 2	5.5		12.9				
OCT 1994	0945	131	275	7.3	5.5		12.9		_		
04	1000	169	295	7.6	12.5		9.4				
· · · · ·	2000		200		22.0		J. 1				

Table 3. Water-quality data from surface-water sites—Continued

01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)
NOV 1981											
04	14	22	0.6	3.4			26	21	0.20	11	164
OCT 1982											
21	15	25	.7	3.0	62	_	24	24	.20	9.8	161
OCT 1983			_	2.6			0.0			10	170
31 OCT 1984	14	22	. 6	3.6	64		29	21	_	12	172
15	11	21	. 5	2.6	62		22	18		8.8	143
OCT 1985	11	21		2.0	02		22	10		0.0	143
30	13	22	. 6	3.3	70		23	21		11	146
DEC 1986											
02	11	20	. 5	3.1	72		25	23	_	13	150
NOV 1987											
20	14	24	. 6	3.5	65		21	24		11	164
OCT 1988			_		=0						
07 OCT 1989	14	22	. 6	3.3	78	_	24	22	_	10	
17	13	23	. 6	3.4	58		21	20		9.9	
OCT 1990	13	25	. 0	3.4	30		21	20		3.3	
15	11	22	.5	4.5	76	_	19	18	.30	12	
NOV 1991											
15	16	24	.7	3.6	66	_	25	26	.20	8.5	
OCT 1992											
27	15	24	. 7	3.7		59	23	23	.20	9.3	
NOV 1993							0.7	00	20		
09	_	_				64	27	22	.20	_	
OCT 1994 04			_	_	68	68	_	26	_		
U**···					00	00	_	20	_		

Table 3. Water-quality data from surface-water sites—Continued

01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Continued

DATE	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) 70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITPO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)
NOV 1981											
04	-	0.22	_	2.21	2.12	9.4	0.080	2.20	0.090	0.12	0.71
OCT 1982		22	co 2	0 17	0 17	0.6	.030	2.20	010	01	
21 OCT 1983	156	.22	68.2	2.17	2.17	9.6	.030	2.20	.010	.01	
31	166	.23	60.8	2.88	2.88	13	.020	2.90	.040	.05	
OCT 1984											
15	143	.19	63.7	2.76	2.76	12	.040	2.80	.070	.09	
OCT 1985	156	.20	53.2	2.26	2.26	10	.040	2.30	.020	.03	. 58
DEC 1986		.20	33.2	2.20	2.20	10	.040	2.30	.020	.03	. 36
02	163	.20	104	2.97	2.97	13	.030	3.00	.160	.21	. 94
NOV 1987											
20	155	.22	88.1	2.49	2.49	11	.010	2.50	<.010	_	. 50
OCT 1988 07	168	.23	52.7	3.00	_		<.010	3.00	<.010		.40
OCT 1989		.23	32.7	3.00			V.010	3.00	V.010		. 40
17	147	.20	111	3.08	3.08	14	.020	3.10	.020	.03	. 58
OCT 1990											
15	147	.20	79.8	1.98	1.98	8.8	.020	2.00	.050	.06	. 55
NOV 1991 15	169	.23	57.9	3.20		_	<.010	3.20	.010	.01	.29
OCT 1992		.23	37.3	3.20			1.010	3.20	.010	.01	.23
27	156	.21	56.8	2.88	2.88	13	.020	2.90	<.010	_	.30
NOV 1993											
09	_	_	_	3.19	3.19	14	.010	3.20	.010	.01	
OCT 1994 04	_	_		3.39	3.39	15	.010	3.40	<.015		
·				5.55	3.33		.010	0			

Table 3. Water-quality data from surface-water sites—Continued

01461030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Continued

DATE	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, FIS- SCLVED (µG/L AS AS) (01000)
NOV 1981											
04	0.58	0.85	0.67	3.2	2.9	0.410	1.3	0.360	0.330	1.0	1
OCT 1982											
21	.39		.40		2.6	_	_	.290	.330	1.0	1
OCT 1983	76		00		2.7	200		000	250	77	
31 OCT 1984	. 76		.80		3.7	.300	. 92	.290	.250	.77	
15	. 43	_	.50		3.3	.250		.250	.260	.80	
OCT 1985			.50		5.5	.250		.230	.200	.00	
30	.38	. 60	.40	2.9	2.7	.280	.86	.260	.240	.74	
DEC 1986											
02	.34	1.1	.50	4.1	3.5	.200	_	.160	.130	. 40	
NOV 1987											
20		. 50	<.20	3.0		.290	_	.260	.170	. 52	
OCT 1988		. 40	40	2.4	2.4	200		21.0	260	00	
07 OCT 1989	_	. 40	.40	3.4	3.4	.320		.310	.260	. 80	_
17	. 48	. 60	.50	3.7	3.6	.210		.170	.170	. 52	_
OCT 1990				• • • • • • • • • • • • • • • • • • • •	5.0	.220					
15	.75	. 60	.80	2.6	2.8	.190	_	.140	.150	. 46	_
NOV 1991											
15	.19	.30	.20	3.5	3.4	.150		.130	.120	.37	_
OCT 1992											
27		. 30	.20	3.2	3.1	.110		.090	.080	. 25	_
NOV 1993 09	_		_		_				.110	. 34	
OCT 1994									.110	. 34	_
04					_				.080	. 25	

Table 3. Water-quality data from surface-water sites—Continued

01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Contined

DATE	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE FLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981											
04	<1.0	<1	<1	1	67	<1	56	0.7	4	<4	
OCT 1982 21	<1.0	<1	1	4	61	<1	37		4	7	C.05
OCT 1983					88		47				
31 OCT 1984	_		_		88		4 /		_		
15					50		18				_
OCT 1985											
30			_		46		19				
DEC 1986 02			_		67		44				
NOV 1987					•						
20	_	_	_	_	57	_	40	_	_	_	_
OCT 1988							00				
07 OCT 1989		_	_	_	55	_	20	_	_		
17	_				69		20				
OCT 1990											
15 NOV 1991		_		_	89	_	35	_	_		_
15	_	_	_	_	45		18		_	_	_
OCT 1992											
27		_	_	_	66	-	16	_	_	_	
NOV 1993 09	_		_				_			_	_
09 OCT 1994		_	_			_	_		_	_	_
04									_	_	

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
29	0930	_	190	7.2	9.5	_	9.8	57		13	6.0
NOV 1982											
01 NOV 1983	1300	3.2	132	7.4	13.0		9.2	44		9.9	4.7
02	1430	4.7	129	7.1	11.0	1.5	9.9	42		9.4	4.6
OCT 1984	1450		123		11.0	1.0	3.5			J. 1	
18	0830	7.4	148	7.3	13.0	.90	9.9	49		11	5.2
OCT 1985											
17	0815	_	148	6.9	7.0	.80	10.8	50	_	11	5.4
OCT 1986											
28	0830	5.0	170	7.4	12.5	1.2	9.6	57		13	5.9
OCT 1987	0000		1.45	~ .	~ ^	-0	10.0				- 4
27 OCT 1988	0900	4.6	145	7.1	7.0	.50	12.0	50		11	5.4
17	0900	4.1	169	6.8	13.5	.90	10.6	56		12	6.2
OCT 1989	0,000				20.0						•
12	1000	11	178	7.1	11.5	.70	11.8	55	30	12	6.0
OCT 1990											
18	1245	4.7	180	6.5	16.0	1.4	9.8	56	28	13	5.8
OCT 1991									_		
25	1200	3.7	182	7.2	13.5	1.0	10.3	57	13	13	5.9
NOV 1992	1000	F 2	170	7.6	~ ^		10.0			11	5.7
10 NOV 1993	1200	5.7	170	7.6	7.0	1.7	12.8	51	_	11	3.1
10	1225	6.4	167	7.5	6.5		12.3				
NOV 1994	1000	٠			0.0						
04	1315	4.4	178	7.2	12.5	_	10.4	_			

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD~ SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
OCT 1981										
29 NOV 1982	13	30	0.7	7.9			14	21	0.10	14
01 NOV 1983	6.7	23	. 4	3.3	28		8.0	12	<.10	10
02 OCT 1984	6.6	24	. 4	2.5	22		8.2	12		11
18 OCT 1985	6.1	20	. 4	2.7	28		6.4	13		11
17 OCT 1986	6.5	21	. 4	2.9	26		9.0	12		10
28 OCT 1987	7.4	20	. 4	6.5	34		12	13		13
27 OCT 1988	6.5	21	. 4	2.8	30	_	9.7	12		11
17 OCT 1989	6.9	20	. 4	3.4	51		9.7	12		9.8
12 OCT 1990	6.9	20	. 4	3.5	25		10	12	_	11
18 OCT 1991	7.2	20	. 4	3.6	28		7.4	15	<.10	11
25 NOV 1992	7.5	21	. 4	4.3	44		11	18	<.10	11
10 NOV 1993	8.2	25	.5	3.0	_	22	7.8	14	<.10	13
10 NOV 1994		_		_	_	26	_		_	-
04					_	32		15		

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVFD (MG/I AS N) (00608)
OCT 1981										
29	128		0.17	_	3.18	3.07	14	0.030	3.10	0.020
NOV 1982	0.5									250
01 NOV 1983	85	90	.12	0.73	3.97	3.97	18	.030	4.00	.060
02	92	88	.13	1.17	4.36	4.36	19	.040	4.40	.210
OCT 1984		• • •								
18	92	97	.13	1.84	5.35	5.35	24	.050	5.40	.120
OCT 1985										
17	84	94	.11	_	4.78	4.78	21	.020	4.80	.030
OCT 1986 28	115	113	.16	1.55	4.68	4.68	21	.020	4.70	.020
OCT 1987	115	113	.10	1.55	4.00	4.00	21	.020	4.70	.020
27	90	99	.12	1.12	5.09	5.09	23	.010	5.10	.030
OCT 1988										
17		119	.16	1.32	5.98	5.98	26	.020	6.00	.030
OCT 1989		107	1.5	2.10		- 0-	00	240	c 20	010
12 OCT 1990		107	. 15	3.19	6.26	6.26	28	.040	6.30	.210
18		109	.15	1.37	6.18	6.18	27	.020	6.20	.010
OCT 1991					4	• • • • • • • • • • • • • • • • • • • •			**-*	
25	_	125	.17	1.25	5.98	5.98	26	.020	6.00	.020
NOV 1992										
10	_	101	.14	1.55	5.47	5.47	24	.030	5.50	<.010
NOV 1993 10				_	5.69	5.69	25	.010	5.70	.010
NOV 1994					3.09	3.09	2.3	.010	3.70	.010
04		_	_	_	4.88	4.88	22	.020	4.90	<.015

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)-Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHOS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SO VED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(M3/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00<66)
OCT 1981										
29	0.03	0.89	0.79	0.90	0.81	4.1	3.9	0.220	0.67	0.230
NOV 1982										
01	.08		1.1	_	1.2	_	5.2	_		.180
NOV 1983										
02	. 27		.89	_	1.1		5.5	.130	.40	.120
OCT 1984										
18	.15	_	.28		.40		5.8	.090		.090
OCT 1985										
17	.04	. 47	.27	.50	. 30	5.3	5.1	.080	.25	.080
OCT 1986										
28	.03	1.5	1.3	1.5	1.3	6.2	6.0	.190		.180
OCT 1987										
27	.04	. 47		.50	<.20	5.6	_	.070		.080
OCT 1988										
17	.04	. 87	. 67	.90	.70	6.9	6.7	.710		. 690
OCT 1989	0.7		20		60					000
12	.27	.59	.39	.80	.60	7.1	6.9	.920	_	.890
OCT 1990 18	.01	1 -	. 69	. 7	.70	7.0		400		400
OCT 1991	.01	1.7	. 69	1.7	. 70	7.9	6.9	. 420		.400
25	.03	. 38	.18	.40	. 20	6.4	6.2	.430		.420
NOV 1992	.05	.50	.10	.40	.20	0.4	0.2	.430		.420
10		.20		.20	.30	5.7	5.8	.100		.080
NOV 1993		.20			.50	0.,	3.0	.100		.000
10	.01	-						_		
NOV 1994										
04								_		

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

	PHOS- PHORUS,	PHOS- PHATE,			BERYL-		CHRO-			
	ORTHO,	ORTHO,	ARSENIC,	BARIUM,	LIUM,	CADMIUM,	MIUM,	COBALT,	COPPER,	IRON,
	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
DATE	(MG/L	(MG/L	(µG/L	(µG/L	(µG/L	(µG/L	(µG/L	(µG/L	(µG/L	(µG/L
	AS P)	AS PO ₄)	AS AS)	AS BA)	AS BE)	AS CD)	AS CR)	AS CO)	AS CU)	AS FE)
	(00671)	(00660)	(01000)	(01005)	(01010)	(01025)	(01030)	(01035)	(01040)	(01046)
OCT 1981										
29	0.190	0.58	ND			<1.0	<1	2	7	140
NOV 1982										
01	.180	.55	1			<1.0	<1	<1	1	56
NOV 1983										
02	.120	.37	<1			<1.0	<1	_	2	58
OCT 1984										
18	.100	.31	<1			<1.0	<1	_	2	44
OCT 1985										
17	.070	. 21	<1			<1.0	<1		<1	23
OCT 1986 28	.140	. 43	<1			2.0	<1		4	66
OCT 1987	.140	.43	1			2.0	<1	_	-	00
27	.060	.18	<1			<1.0	<1		1	37
OCT 1988	.000	.10				11.0	`-		-	<i>J.</i>
17	.610	1.9	<1	23	<.5	<1.0	< 5	<3	<10	34
OCT 1989										
12	.890	2.7	<1	25	<.5	<1.0	<5	<3	<10	43
OCT 1990										
18	.410	1.3	<1	23	<.5	<1.0	<5	<3	<10	27
OCT 1991										
25	.370	1.1	<1	24	<.5	<1.0	<5	<3	<10	40
NOV 1992										
10	.080	. 25	<1	22	. 6	<1.0	<5	<3	<10	50
NOV 1993		_								
10	.080	.25	_			_	_			
NOV 1994										
04	.070	.21	_							

Table 3. Water-quality data from surface-water sites—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENF BLUF ACTIVE SUB- STANCE (MG/I.) (3826C)
OCT 1981										
29	<1		790	0.1	3	_			6	0.10
NOV 1982	_									
01 NOV 1983	<1		23	<.1	<1	_	_	_	<4	. 05
02	<1		20	.2	<1	<1.0		_	5	_
OCT 1984					-				-	
18	<1	_	11	<.1	<1	<1.0			6	
OCT 1985									_	
17 OCT 1986	<1		9	<.1	<1	<1.0			6	
28	<5		13	<.1	3	1.0	_		29	
OCT 1987					•					
27	<5		14	<.1	2	<1.0	_	_	3	_
OCT 1988										
17	<10	<4	13	.2	<10	<1.0	80	<6	27	_
OCT 1989 12	<10	<4	18	<.1	<10	<1.0	82	<6	8	
OCT 1990	110	**	10		120	42.0	02	•••	Ū	
18	<10	<4	10	.1	<10	1.0	83	<6	3	
OCT 1991										
25	<10	4	15	<.1	<10	<1.0	84	<6	10	
NOV 1992 10	<10	<4	25	<.1	<10	<1.0	80	<6	5	
NOV 1993	710	7.7	2.5	~	710	11.0	00	10	3	
10					_			_		_
NOV 1994										
04						_	_	_	_	_

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
OCT 1981											
29 NOV 1982	1100		180	7.5	9.5	_	10.4	56		13	5.8
01 NOV 1983	1430	3.4	146	7.8	16.5	_	10.4	46	_	10	5.2
02	1300	6.6	141	6.2	11.0	1.4	11.1	46		10	5.1
OCT 1984											
18	1030	7.0	155	7.6	14.0	.80	11.8	46	_	10	5.2
OCT 1985	1100		100	- 0						10	6.1
17 OCT 1986	1100	6.4	188	7.0	8.0	2.1	12.4	55	_	12	6.1
28	1200	4.9	200	7.6	15.5	2.8	11.1	56		12	6.3
OCT 1987											
27	1300	4.9	160	7.2	10.0	.80	11.4	51		11	5.7
OCT 1988											
17	1430	4.7	201	7.2	17.0	.80	12.4	61		13	6.9
OCT 1989			1-0							10	
12 OCT 1990	1445	9.7	179	7.7	14.5	.70	12.9	55	32	12	6.1
29	0930	8.9	191	7.7	7.5	2.8	12.1	60	18	13	6.6
OCT 1991	0300			. , ,		2.0	12.1		10		
25	0915	5.0	208	7.3	13.5	.70	10.8	64	31	14	6.9
NOV 1992											
10	0945	5.7	210	7.4	6.5	. 60	13.2	60		13	6.7
NOV 1993											
10 NOV 1994	1000	7.6	216	7.2	5.5	_	13.4			_	_
04	1015	4.7	223	7.4	12.0	_	12.1			_	_
04	1010		223	,,,,	12.0		TT				

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
OCT 1981										
29	17	36	1	6.9			86	26	<0.10	14
NOV 1982 01	8.7	28	. 6	2.7	22	_	9.0	15	- 10	9.1
NOV 1983	0.7	20	. 0	2.7	22		9.0	15	<.10	9.1
02	8.3	27	. 5	2.6	18	_	9.8	15		10
OCT 1984										
18	7.4	25	. 5	2.2	26		7.5	15	_	9.6
OCT 1985			-	6.0	20					
17 OCT 1986	9.3	24	. 5	6.3	30		16	18		9.7
28	9.5	25	. 6	5.8	29		13	17		12
OCT 1987										
27	8.9	26	.5	2.8	24		11	16	_	9.0
OCT 1988			_							
17 OCT 1989	13	30	.7	3.2	34		11	19		9.9
12	9.2	25	.5	2.7	23		10	16		9.0
OCT 1990										
29	9.1	24	. 5	2.8	42		9.1	19	.20	13
OCT 1991			_							
25 NOV 1992	13	30	. 7	3.3	33	-	10	23	.10	9.6
10	12	29	. 7	3.6		18	12	22	.10	12
NOV 1993										
10		_	_			27				
NOV 1994										
04						40	_	23		-

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMPONIA DIS- SOLVED (MG/L AS N) (00608)
OCT 1981										
29	234	_	0.32	-	3.10			<0.010	3.10	<7.010
NOV 1982							_			
01 NOV 1983	91	94	.12	0.84	4.56	4.56	20	.040	4.60	.050
02	104	94	.14	1.85	4.88	4.88	22	.020	4.90	. 030
OCT 1984	201		•	1.00	1.00	4.00			1.50	
18	103	96	.14	1.95	5.25	5.25	23	.050	5.30	.080
OCT 1985										
17	106	118	.14	1.83	4.98	4.98	22	.020	5.00	.050
OCT 1986 28	119	115	.16	1.57	4.98	4.98	22	.020	5.00	.030
OCT 1987	119	113	.10	1.37	4.50	4.50	22	.020	3.00	.030
27	102	104	.14	1.35	5.48	5.48	24	.020	5.50	.020
OCT 1988										
17		120	.16	1.52	5.09	5.09	23	.010	5.10	.020
OCT 1989		100		0.70	F 20	r 20	0.4	000	F 40	010
12 OCT 1990		103	.14	2.70	5.38	5.38	24	.020	5.40	.010
29		128	.17	3.09	6.68	6.68	30	.020	6.70	.070
OCT 1991										
25	_	124	.17	1.66	5.39	5.39	24	.010	5.40	<.010
NOV 1992								242		
10 NOV 1993		119	.16	1.84	5.96	5.96	26	.040	6.00	<.010
10		_			5.99	5.99	27	.010	6.00	.020
NOV 1994										
04	_				5.48	5.48	24	.020	5.50	.020

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHCS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(006€6)
OCT 1981										
29	0.01	1.2		1.2	1.3	4.3	4.4	0.170	0.52	0.060
NOV 1982										
01	.06		0.25		.30		4.9			.160
NOV 1983										
02	.04		.17	_	. 20	_	5.1	.130	. 40	.110
OCT 1984										
18	.10	_	.22		.30	-	5.6	.100	-	.080
OCT 1985										
17	.06	.75	.55	.80	.60	5.8	5.6	.090	. 28	.070
OCT 1986										
28	.04	. 97	. 67	1.0	. 70	6.0	5.7	.230		.130
OCT 1987										
27	.03	. 58	. 68	.60	. 70	6.1	6.2	.110	_	.1.30
OCT 1988	0.2	40	40	F.0	50			070		200
17	.03	.48	. 48	.50	.50	5.6	5.6	.270	_	.260
OCT 1989 12	.01	. 29	. 49	.30	. 50	5.7	5.9	. 090		.070
OCT 1990	.01	. 29	.45	.30	. 50	5.7	3.9	.090	_	.070
29	. 09	1.1	.53	1.2	. 60	7.9	7.3	.090		.070
OCT 1991	. 0 5			1.2				.050		.0.0
25		.30		.30	.20	5.7	5.6	.170		.170
NOV 1992										
10		.20	_	.20	.30	6.2	6.3	.140		.130
NOV 1993										
10	. 03	_		_		_	_	_		
NOV 1994										
04	.03				_	_				_

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
OCT 1981										
29	0.010	0.03	ND			<1.0	<1	3	4	230
NOV 1982						_		_		
01 NOV 1983	.150	. 46	1			<1.0	<1	<1	<1	34
02	.110	. 34	1			1.0	<1		2	46
OCT 1984	.110	. 34	1			1.0			2	40
18	.110	. 34	<1			<1.0	1	_	<1	35
OCT 1985							_			
17	.070	.21	<1			<1.0	<1		1	45
OCT 1986										
28	.110	. 34	<1	_		<1.0	<1		2	59
OCT 1987									_	
27	.100	.31	<1			<1.0	1		<1	28
OCT 1988 17	.240	.74	<1	22	<.5	<1.0	<5	<3	<10	27
OCT 1989	.240	. / 4	/1	22	\. .5	\1.0	\ 3	\ 3	/10	21
12	.080	. 25	<1	21	<.5	1.0	<5	<3	<10	33
OCT 1990							_			
29	.080	. 25	<1	29	<.5	<1.0	<5	<3	<10	37
OCT 1991										
25	.140	. 43	<1	32	<.5	<1.0	<5	<3	<10	34
NOV 1992										
10 NOV 1993	.130	.40	<1	29	<.5	<1.0	<5	<3	<10	60
10	.110	.34			_	_				
NOV 1994	.110									
04	.070	.21		_	_		_			

Table 3. Water-quality data from surface-water sites—Continued

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
OCT 1981										
29	13	_	39,000	48	4		_	_	8	0.10
NOV 1982										
01	<1		22	<.1	<1		_	_	<4	.03
NOV 1983 02	<1		17	.7	<1	<1.0			8	
OCT 1984	<1		17	. ,	<1	<1.0	_		0	_
18	1	_	17	<.1	1	<1.0			<3	
OCT 1985	-				-	12.0				
17	1		18	<.1	<1	<1.0		_	6	
OCT 1986										
28	<5	_	32	.3	3	<1.0	-	_	20	
OCT 1987										
27	< 5	_	13	<.1	<1	<1.0	_	_	4	
OCT 1988					-10				_	
17 OCT 1989	<10	<4	14	.1	<10	<1.0	98	<6	6	
12	<10	<4	12	.2	<10	<1.0	89	<6	6	
OCT 1990	110	7.			110	11.0	0,5	10	·	
29	<10	<4	32	<.1	<10	<1.0	100	<6	<3	
OCT 1991										
25	<10	5	15	<.1	<10	<1.0	110	<6	6	
NOV 1992										
10	<10	<4	22	<.1	<10	<1.0	110	<6	5	
NOV 1993										
10	_	_		_			_			
NOV 1994 04	_			_		_	_			
U4	_			_			_	_		

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
03	0915	_	246	6.8	9.0		10.3	97	_	23	9.5
OCT 1982											
27	0900	4.0	277	6.5	6.5		11.3	100	52	25	10
OCT 1983	0000		24.0		~ ^		10.0	400			
28 OCT 1984	0830	6.9	210	7.0	7.0	4.8	10.0	100	_	24	10
26	1100	7.5	275	7.9	14.0	3.4	8.8	100		24	10
OCT 1985	1100	7.5	2,0	,.,	14.0	3.4	0.0	100		2.1	10
24	0900	5.3	265	7.1	9.5	2.0	8.4	100		24	10
NOV 1986											
20	0900	4.7	260	7.5	3.0	2.8	10.8	110		25	11
NOV 1987											
18	0900	11	265	7.1	13.5	3.7	10.6	100		24	10
NOV 1988											
07	0845	7.1	295	7.4	9.5	6.0	10.8	120	_	28	11
OCT 1989 27	0915	9.1	290	7.2	11.0	3.1	11.0	110	66	26	11
OCT 1990	0915	3.1	290	7.2	11.0	3.1	11.0	110	00	20	11
18	0900	5.4	299	6.2	16.0	4.0	8.2	110	48	27	11
OCT 1991										= '	
24	0900	4.8	299	7.3	13.0	.70	8.0	110	70	26	11
NOV 1992											
09	0915	5.3	230	7.5	3.5	2.1	13.1	110	_	26	11
OCT 1993											
19	0930	7.9	308	7.2	12.0	_	9.8			_	
NOV 1994	2000		21.5								
21	0900	6.0	312	7.2	8.5	_	11.4	_			

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)
NOV 1981										
03	8.3	15	0.4	4.6	_		22	15	<0.10	16
OCT 1982										
27 OCT 1983	8.8	14	. 4	9.6	52		30	19	<.10	14
28	8.4	15	. 4	4.5	40		33	18		16
OCT 1984	• • •									
26	9.5	16	. 4	4.7	52		30	16		14
OCT 1985										
24 NOV 1986	8.3	15	. 4	4.0	54		28	16		11
20	8.1	13	. 3	6.6	50		36	17		15
NOV 1987	0.1			0.0						10
18	8.4	15	. 4	4.5	42		29	19		12
NOV 1988										
07 OCT 1989	8.7	13	. 4	6.9	62	_	37	17	_	16
27	7.5	12	.3	4.2	44		30	17	_	16
OCT 1990	7.5			3.6			30	-,		10
18	8.6	14	. 4	4.4	65		25	19	.10	16
OCT 1991										
24	11	17	. 5	2.6	40		21	28	.10	15
NOV 1992 09	9.7	15	. 4	4.4		56	31	19	<.10	17
OCT 1993	5.1	10	• •	7.7		30	J.	17	10	- '
19	_	_			_	46	_	_	_	
NOV 1994										
21	_					44		20	_	

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITROGEN, AMMONIA DISSOLVED (1"3/L AS N) (00608)
NOV 1981										
03	149		0.20	_	5.05	5.04	22	0.060	5.10	0.020
OCT 1982										
27	177	170	.24	1.91	4.85	4.85	21	.050	4.90	.070
OCT 1983										
28	180	168	.24	3.35	6.67	6.67	30	.030	6.70	<.010
OCT 1984										
26 OCT 1985	172	167	.23	3.48	6.03	6.03	27	.070	6.10	. 250
24	148	165	.20	2.12	6.97	6.97	31	.030	7.00	.050
NOV 1986	140	103	.20	2.12	0.37	0.37	31	.030	7.00	.030
20	183	177	.25	2.32	6.17	6.17	27	.030	6.20	.160
NOV 1987					•••		-,	,,,,,	0.20	
18	188	163	.26	5.58	6.98	6.98	31	.020	7.00	<.010
NOV 1988										
07		193	.26	3.71	6.96	6.96	31	.040	7.00	.050
OCT 1989										
27		179	.24	4.39	9.07	9.07	40	.030	9.10	.020
OCT 1990										
18		186	.25	2.72	8.06	8.06	36	.040	8.10	.030
OCT 1991 24		177	.24	2.30	0.64	8.64	38	.060	0.70	040
NOV 1992	_	1//	.24	2.30	8.64	0.04	36	.060	8.70	.040
09		192	.26	2.74	8.85	8.85	39	.050	8.90	.040
OCT 1993										
19	-				9.78	9.78	43	.020	9.80	.030
NOV 1994										
21		_	_		9.37	9.37	41	.030	9.40	<.015

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

	NITRO-		NITRO-	NITRO-	NITRO-					
	GEN,	NITRO-	GEN,	GEN, AM-	GEN, AM-		NITRO-			PHOS-
	AMMONIA	GEN,	ORGANIC	MONIA +	MONIA +	NITRO-	GEN,	PHOS-	PHOS-	PHORUS,
	DIS-	ORGANIC	DIS-	ORGANIC	ORGANIC	GEN,	DIS-	PHORUS,	PHORUS,	DIS-
	SOLVED	TOTAL	SOLVED	TOTAL	DIS.	TOTAL	SOLVED	TOTAL	TOTAL	SOLVED
DATE	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
	AS NH ₄)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS PO ₄)	AS P)
	(71846)	(00605)	(00607)	(00625)	(00623)	(00600)	(00602)	(00665)	(71886)	(00666)
NOV 1981										
03	0.03	0.68	0.66	0.70	0.68	5.8	5.8	0.100	0.31	0.050
OCT 1982										
27	.09		. 63		.70	_	5.6	_		.070
OCT 1983										
28			_		. 60		7.3	.090	.28	.040
OCT 1984										
26	. 32	_	.15	_	.40	_	6.5	.180		.140
OCT 1985										
24	.06	1.2	.55	1.3	. 60	8.3	7.6	.040	.12	.020
NOV 1986										
20	.21	.74	.74	. 90	. 90	7.1	7.1	.150	-	.130
NOV 1987										
18		. 60		. 60	.80	7.6	7.8	.070		.040
NOV 1988										
07	.06	2.0	1.7	2.1	1.7	9.1	8.7	.160		.100
OCT 1989										
27	.03	.38	. 58	.40	. 60	9.5	9.7	.070	_	.040
OCT 1990 18	.04	.77	.87	.80	. 90	8.9	9.0	.050		.030
OCT 1991	.04	. , ,	.07	. 80	. 90	0.9	9.0	.050		.037
24	. 05	. 46	. 36	.50	. 40	9.2	9.1	.110		.069
NOV 1992	.03	.40	. 50	.50	.40	9.2	9.1	.110		.007
09	.05	. 26	.26	.30	.30	9.2	9.2	.060		.051
OCT 1993	.55	.20	.20	.50	.50	7.2	7.2	.000		.00,
19	. 04	_			_	_				_
NOV 1994	.01									
21		_			_	_	_		-	

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046
NOV 1981										
03	0.040	0.12	ND			<1.0	<1	<1	<1	74
OCT 1982										
27	.050	.15	<1			<1.0	<1	1	1	72
OCT 1983 28	.050	.15								78
OCT 1984	.030	.13								76
26	.160	.49	<1			<1.0	<1		3	58
OCT 1985										
24	.020	.06	<1		-	<1.0	<1		<1	26
NOV 1986										
20	.090	.28	<1	_	_	<1.0	<1	_	2	57
NOV 1987 18	.020	.06	<1			<1.0	1		2	37
NOV 1988	.020	.00	~-			~1.0	•		-	3,
07	.080	.25	<1	64	<0.5	<1.0	<5	<3	<10	70
OCT 1989										
27	.030	.09	<1	65	<.5	<1.0	<5	<3	<10	47
OCT 1990	242	10								4.0
18 OCT 1991	.040	.12	<1	67	<.5	<1.0	<5	<3	<10	43
24	.060	.18	_	_		_		-		40
NOV 1992	,,,,	,_,								••
09	.030	.09	<1	65	<.5	<1.0	<5	<3	<10	65
OCT 1993										
19	.030	.09	_	-	_	_	_		_	_
NOV 1994	. 0 0									
21	<.010	_			_	_				_

Table 3. Water-quality data from surface-water sites—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (µG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE ELUE ACTIVE SUB- STANCE (FG/L) (38260)
NOV 1981										
03	15		80	<0.1	1			_	<4	0.10
OCT 1982					_				_	
27 OCT 1983	1		39	<.1	1			_	7	.06
28	_		73	_				_		_
OCT 1984										
26	1	<4	66	<.1	1	<1.0		_	7	_
OCT 1985										
24	<1	<4	16	<.1	3	<1.0		_	<3	_
NOV 1986 20	<5	5	74	_	2	<1.0			3	
NOV 1987	\ 5	5	14		2	<1.0	_	_	3	
18	<5		32	. 9	1	<1.0		_	7	_
NOV 1988										
07	<10	<4	41	<.1	<10	<1.0	110	<6	9	_
OCT 1989				_					_	
27 OCT 1990	<10	<4	39	<.1	<10	<1.0	120	<6	7	
18	<10	<4	19	<.1	<10	<1.0	130	<6	3	
OCT 1991	110	•••	13	\. <u>.</u>	710	12.0	130	ν.	3	
24			22						_	
NOV 1992										
09	<10	<4	44	<.1	<10	<1.0	130	<6	4	
OCT 1993										
19 NOV 1994									_	
21		_						_		

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	TUR- BID- ITY (NTU) (00076)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS, TOTAL (MG/L AS CACO ₃) (00900)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO ₃) (00902)	CALCIUM, DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, FIS- SOLVED (MG/L AS MG) (00925)
NOV 1981											
03	1130	_	255	7.4	10.5		10.5	110		31	7.8
OCT 1982											
27	1100	4.4	279	7.2	7.5		11.4	110		30	8.4
OCT 1983				. .							_
28	1000	5.9	266	7.4	8.5	1.9	10.5	110		30	9.0
OCT 1984 26	1400	6.9	275	7.7	15.5	1.3	10.0	110		28	9.0
OCT 1985	1400	0.9	2/3	7.7	13.3	1.3	10.0	110		20	9.0
24	1100	6.4	285	7.6	10.0	1.3	9.8	110		30	9.1
NOV 1986											
20	1300	6.1	280	7.8	4.0	1.6	12.0	110		30	9.2
NOV 1987											
18	1330	15	270	7.4	14.5	1.6	11.2	110	_	30	9.4
NOV 1988 07	1000	E 7	202	7 -	10.0	2 -	11 0	100		22	
OCT 1989	1230	5.7	292	7.5	10.0	2.5	11.0	120		32	9.8
27	1430	9.0	295	7.5	14.5	1.3	10.8	110	53	29	9.4
OCT 1990											• • •
18	1100	4.4	308	6.6	16.5	4.5	8.2	120	18	31	9.3
OCT 1991											
24	1100	3.6	311	7.5	13.5	1.5	9.6	120	53	32	9.7
NOV 1992											
09 OCT 1993	1130	4.8	308	7.7	5.5	.80	12.2	120		31	9.7
19	1145	5.9	328	7.2	12.5	_	11.8				_
NOV 1994	-140	3.3	520		12.0		11.0				
23	0900	5.3	328	7.4	5.5	_	11.1				

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)—Continued

DATE	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	ALKA- LINITY WAT WH TOT IT FIELD (MG/L AS CACO ₃) (00419)	SULFATE, DIS- SOLVED (MG/L AS SO ₄) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVEN (MG/L AS SIO ₂) (00955)
NOV 1981										
03	7.6	13	0.3	3.1	_	_	23	16	<0.10	9.1
OCT 1982	10						0.4	10	. 10	
27 OCT 1983	10		. 4	<.10	64		24	18	<.10	11
28	8.9	14	. 4	3.6	62		27	18		12
OCT 1984				• • • •						
26	8.1	14	.3	3.6	64	_	24	15		11
OCT 1985			_							
24 NOV 1986	11	17	. 5	3.5	74		26	19	_	9.3
20	8.7	14	. 4	5.0	64		30	19		12
NOV 1987										
18	9.9	15	. 4	4.5	61		27	24	_	10
NOV 1988										
07 OCT 1989	9.9	15	. 4	5.0	70	_	28	17		12
27	7.9	13	.3	3.5	58	_	23	16		11
OCT 1990					•					
18	9.0	14	. 4	3.8	98		22	19	.10	11
OCT 1991										
24 NOV 1992	11	16	. 4	4.0	67		29	22	.10	11
09	11	16	. 4	4.0		58	25	18	<.10	12
OCT 1993										
19					_	66	_			
NOV 1994										
23		_		_		69		22		_

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)—Continued

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS- SOLVED (TONS PER DAY) (70302)	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA IIS- SCLVED (MG/L AS N) (00608)
NOV 1981										
03	154		0.21		4.31	4.32	19	0.080	4.40	0.050
OCT 1982										
27	170		.23	2.03	4.55	4.55	20	.050	4.60	.110
OCT 1983	170	176	0.4	0.04			20		c =0	- 010
28 OCT 1984	178	176	. 24	2.84	6.69	6.69	30	.010	6.70	<.010
26	167	161	.23	3.11	5.36	5.36	24	.040	5.40	.120
OCT 1985	10,	101	.23	3.11	3.30	3.30		.040	3.40	.120
24	164	180	.22	2.83	6.06	6.06	27	.040	6.10	.180
NOV 1986										
20	162	175	. 22	2.67	5.07	5.07	22	.030	5.10	.160
NOV 1987										
18	176	177	.24	7.13	5.69	5.69	25	.010	5.70	.070
NOV 1988 07		182	.25	2.80	5.65	5.65	25	.050	5.70	.160
OCT 1989		102	.23	2.00	3.63	3.63	23	.030	3.70	.160
27		170	.23	4.13	7.77	7.77	34	.030	7.80	.150
OCT 1990										
18		191	.26	2.27	5.94	5.94	26	.060	6.00	.190
OCT 1991										
24	_	184	.25	1.79	5.44	5.44	24	.060	5.50	.100
NOV 1992		170	0.4	0.21	7.04	7.04	20	060	7 20	100
09 OCT 1993		178	.24	2.31	7.24	7.24	32	.060	7.30	.120
19					8.06	8.06	36	.040	8.10	.340
NOV 1994					0.00	0.00		.010	0.10	.540
23	_	_	_		6.36	6.36	28	.040	6.40	.340

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)—Continued

DATE	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS- PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)
NOV 1981										
03	0.06	0.65	0.57	0.73	0.62	5.1	5.0	0.160	0.49	0.140
OCT 1982										
27 OCT 1983	.14		1.6		1.7	_	6.3		_	.100
28				_	.80		7.5	.160	.49	.120
OCT 1984					700					
26	.15		. 28	_	.40		5.8	.090		.110
OCT 1985										
24	.23	1.0	. 32	1.2	.50	7.3	6.6	.080	.25	.050
NOV 1986 20	.21	.94	.74	1.1	. 90	6.2	6.0	.140		.100
NOV 1987	.21			1.1	. 50	0.2	0.0	.140		.100
18	.09	.43	.23	. 50	.30	6.2	6.0	.140	_	.010
NOV 1988										
07	.21	. 64	. 54	.80	. 70	6.5	6.4	.160		.140
OCT 1989 27	.19	.75	. 45	. 90	. 60	8.7	8.4	.100		.080
OCT 1990	.13	. 73	.45	. 30	. 00	0.7	0.4	.100		.000
18	.24	. 71	.81	.90	1.0	6.9	7.0	.140		.080
OCT 1991										
24	.13	.40	.30	.50	. 40	6.0	5.9	.180		.160
NOV 1992		20	20	40	40			000		0.50
09 OCT 1993	.15	.28	. 28	. 40	. 40	7.7	7.7	.080	_	.060
19	. 44									
NOV 1994										
23	. 44			_		_				_

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)—Continued

DATE	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P) (00671)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BERYL- LIUM, DIS- SOLVED (µG/L AS BE) (01010)	CADMIUM, DIS- SOLVED (µG/L AS CD) (01025)	CHRO-MIUM, DIS-SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
NOV 1981										
03	0.120	0.37	ND	_	_	1.0	<1	1	1	100
OCT 1982	222									
27 OCT 1983	.090	. 28	<1			1.0	<1	<1	1	53
28	.120	. 37	1			<1.0	<1		1	66
OCT 1984							_		_	
26	.090	. 28	<1			<1.0	1		1	37
OCT 1985	252									
24 NOV 1986	.050	.15	<1	****		<1.0	<1	****	1	26
20	.080	. 25	<1			<1.0	<1		2	63
NOV 1987										
18	.060	.18	<1	_		<1.0	3	_	2	39
NOV 1988		2.4		- 4	.0.5					40
07 OCT 1989	.110	. 34	<1	54	<0.5	<1.0	<5	<3	<10	48
27	.070	.21	<1	47	<.5	<1.0	<5	<3	<10	34
OCT 1990										
18	.090	.28	<1	53	<.5	<1.0	< 5	<3	<10	31
OCT 1991					_			_		
24 NOV 1992	.120	. 37	1	51	<.5	<1.0	10	<3	<10	45
09	.060	.18	<1	50	. 6	<1.0	<5	<3	<10	56
OCT 1993		, _ ,								•••
19	.090	.28		_			_			_
NOV 1994										
23	.090	. 28								

Table 3. Water-quality data from surface-water sites—Continued

01578343 - Valley Creek near Atglen, Pa. (Site 34)—Continued

DATE	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM, DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SILVER, DIS- SOLVED (µG/L AS AG) (01075)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	VANA- DIUM, DIS- SOLVED (µG/L AS V) (01085)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L) (38260)
NOV 1981										
03	1	_	65	0.1	3	_		_	4	0.10
OCT 1982										
27	<1	_	33	<.1	<1		_	_	4	.07
OCT 1983 28	1		39	<.1	3	<1.0	_	_	4	
OCT 1984	-		33	\.I	3	11.0			7	
26	1	_	25	<.1	<1	<1.0	_	_	6	
OCT 1985										
24	<1		17	<.1	4	<1.0	_		4	
NOV 1986										
20 NOV 1987	<5	_	47	<.1	<1	<1.0	_	_	4	
18	<5		21	<.1	2	<1.0	_		<3	_
NOV 1988				***	-	-2.0				
07	<10	<4	29	.2	<10	<1.0	140	<6	6	_
OCT 1989										
27	<10	<4	22	<.1	<10	<1.0	130	<6	7	
OCT 1990 18	<10	4	18	<.1	<10	<1.0	140	<6	<3	_
OCT 1991	\10	7	10	\. <u>.</u>	110	1.0	140	``	\3	
24	<10	6	23	<.1	<10	<1.0	140	<6	4	
NOV 1992										
09	<10	<4	30	<.1	<10	1.0	140	<6	10	
OCT 1993										
19 NOV 1994		_	_	_			_			_
23	_	_	_				_			_

Table 3. Water-quality data from surface-water sites—Continued

01578345 - East Branch Octoraro Creek at Steelville, Pa. (Site 35)

DATE	TIME	DIS- CHARGE, INST. (CUBIC FEET PER SECOND) (00061)	SPE- CIFIC CON- DUCT- ANCE (µS/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	OXYGEN, DIS- SOLVED (MG/L) (00300)	HARD- NESS TOTAL (MG/L AS CACO ₃) (00900)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)	SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)
NOV 1981 03	1330		246	7.8	11.0	_	100	27	8.1	9.5	16
OCT 1982 27	1315	14	272	7.6	9.0	12.2	99	26	8.3	8.8	15
DATE	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	ALKA- LINITY WAT WH TOT FET FIELD (MG/L AS CACO ₃) (00410)	SULFATE, DIS- SOLVED S (MG/L AS SO ₄) (00945)	DIS- SOLVED (MG/L	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO ₂) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L) (70301)	SOLIDS, DIS- SOLVED (TONS PER AC-FT) (70303)	(TONS PER
NOV 1981 03	0.4	3.9		20	15	<0.10	10	150		0.20	
OCT 1982 27	. 4	8.5	54	26	19	<.10	10	170	159	.23	6.47
	DATE	NITRO- GEN, NITRATE TOTAL (MG/L AS N) (00620)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N) (00618)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS NO ₃) (71851)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH ₄) (71846)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N) (00607)	NITRO- GEN, AM- MOYIA + OF GANIC TOTAL (MG/L AS N) (C0625)
	1981 3	4.24	4.24	19	0.060	4.30	<0.010	0.01	0.52		0.52
OCT	1982								0.52	2.54	0.52
2	7	4.25 NITRO-	4.25	19	.050	4.30	.060	.08	PHOS-	0.64	
	DATE	GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	NITRO- GEN, DIS- SOLVED (MG/L AS N) (00602)	PHOS-PHORUS, TOTAL (MG/L AS P) (00665)	PHOS- PHORUS, TOTAL (MG/L AS PO ₄) (71886)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P) (00666)	PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	PHATE, ORTHO, DIS- SOLVED (MG/L AS PO ₄) (00660)	ARSENIC, DIS- SOLVED (µG/L AS AS) (01000)	CADMIUM, DIS- SOLVED (µG/L AS CD) (C1025)
NOV	1981										
0	3 1982	0.55	4.8	4.9	0.250	0.77	0.220	0.190	0.58	ND	<1.0
	7	.70	_	5.0			.180	.170	.52	1	<1.0
	DATE	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COBALT, DIS- SOLVED (µG/L AS CO) (01035)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	MANGA- NESE, DIS- SOLVED (µG/L AS MN) (01056)	MERCURY, DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)	METHY- LENE BLUE PCTIVE SUB- STANCE (MG/L) (38260)
	1981 3	<1	<1	1	150	<1	21	0.1	1	<4	0.10
OCT	1982 7	<1	<1	3	71	<1	13	<.1	<1	<4	.06
-				-				~··		***	

Table 4. Results of stream-bottom sediment sampling

[Concentrations in micrograms per gram; g/kg, gram per kilogram; μ g/kg, microgram per kilogram; PBC, polychlorinated biphenyls; PCN, polychlorinated napthalenes; <, less than; —, no data]

Station number	Site number	Date	Arsenic, total	Cad- mium, recover- able	Chro- mium, recover- able	Iron, recover- able	Copper, recover- able	Lead, recover- able	Manga- nese, recover- able	Mercury, recover- able	Zinc, recover- able
01472080	10	10-11-85				_					
01472109	6	10-11-85	_		_	_		_	_	_	
01472138	13	10-22-86				_			_	_	
01472140	12	10-10-85				_		_	_	_	_
01472154	14	10-11-85	_	_	_	_	_				_
01472157	15	10-28-94	1	<1	20	24,000	20	30	590	0.03	100
014721612	16	10-09-85			_	_		_	_	_	
01472170	1	10-09-87	_		_			_		_	_
01472174	2	10-07-86						_			
014721854	3	10-08-86		_	_	_		_			_
014721884	4	10-07-85	_			_		_	_		
01472190	5	10-06-86	_	_	_		_		_		
		10-26-94	1	<1	10	7,400	6	20	210	.01	40
		10-28-94	2	<1	10	17,000	20	80	460	.03	100
01473167	49	11-07-86				_	_		_		
		11-16-87		_	_		_				
		11-18-93	6	1	40	28,000	20	30	760	.02	100
01473168	50	10-09-85	_	_	_					_	_
		11-18-93	3	1	20	9,300	30	50	360	.03	110
01475840	19	10-09-86		_		_	_	_	_		_
01476430	20	10-15-85	_	_		_	_		_		
01476435	21	10-09-86	_	_	_		_				_
01476790	22	10-15-86	_	_	_			_	_		
01476830	23	10-15-86						_	_		_
01476835	24	10-16-85		_			_		_		_
		10-21-94	<1	<1	20	14,000	20	20	190	.16	80
01476840	25	11-04-88	4	1	30		40	60		.76	170
		11-19-93	1	<1	30	15,000	20	20	260	.40	91
01476848	51	10-16-86		_	_	_	_		_		_
		10-17-94	<1	<1	10	7,300	9	20	70	.34	51
01478120	28	10-25-85	_		_	_	_		_	_	
		11-24-93	<1	<1	10	6,000	4	10	190	<.10	27
01478190	29	12-02-86			_	_		_	_	_	_
		11-24-93	2	<1	20	12,000	10	10	240	.01	41
01478220	30	10-25-85		_	_		_			_	
		11-23-93	2	<1	20	15,000	10	10	240	.01	57
01479680	27	11-01-83	_								_
		11-18-86		_			_				_
		11-22-93	<1	<1	20	7,300	5	10	150	.01	4^
		10-17-94	<1	<1	10	7,300	9	20	70	.34	5ባ
01479800	26	10-18-85	_			_				_	_
		11-22-93	1	<1	20	10,000	7	10	240	<.10	3^
01480629	46	10-29-85	_		_	-			_	_	_
		10-30-86									

Table 4. Results of stream-bottom sediment sampling—Continued

Station number	Site number	Date	Arsenic, total	Cad- mium, recover- able	Chro- mium, recover- able	Iron, recover- able	Copper, recover- able	Lead, recover- able	Manga- nese, recover- able	Mercury, recover- able	Zinc, recover- able
01480640	38	10-22-85			_	_		_	_		
		11-15-93	2	<1	50	17,000	10	20	210	.03	70
01480648	48	10-29-86	_					_	_		
01480653	42	10-23-85	_		_	_		_	_		
01480656	47	10-29-86		_	_		_		_	-	
01480700	36	10-21-85		_	_		_	_		_	_
01480903	44	10-31-85	_		_	_	_		_	_	_
01480950	39	11-03-86	_		_	_	_	_	_		
		11-16-93	2	<1	20	12,000	10	20	370	0.06	60
01481030	40	10-30-85		_			_				_
01494900	31	10-28-86	_	_	_		_			_	
		11-04-94	<1	<1	9	10,000	6	<10	260	<.01	20
01494950	32	10-17-85		_	_		_				_
		11-04-94	2	<1	10	15,000	10	20	540	.02	50
01578340	33	11-21-94	2	<1	50	17,000	20	30	360	.03	100
01578343	34	10-24-85		_				_			

Table 4. Results of stream-bottom sediment sampling—Continued

Station number	Site num be r	Date	Carbon, inorg + organic (gm/kg as C)	Aldrin, total (μg/kg)	Chlor- dane, total (µg/kg)	DDD, recover- able (µg/kg)	DDE, recover- able (µg/kg)	DDT, recover- able (µg/kg),	Dieldrin, total, (μg/kg)	Endo- sulfan, total (µg/kg)	Endrin, total (µg/kg)
01472080	10	10-11-85	_	<0.100	<1.00	<0.100	0.100	<0.100	<0.100	<0.100	<0.107
01472109	6	10-11-85	_	<.100	6.00	.400	1.00	<.100	.300	<.100	<.107
01472138	13	10-22-86		<.100	<1.00	1.20	1.10	<.100	.300	<.100	<.101
01472140	12	10-10-85	_	<.100	<1.00	.300	.400	.400	4.80	<.100	.10า
01472154	14	10-11-85	-	<.100	6.00	<.100	.600	<.100	.100	<.100	<.107
01472157	15	10-28-94	15	<.100	<1.00	.100	.300	.200	<.800	<.100	<.101
014721612	16	10-09-85	_	<.100	5.00	<.100	<.100	<.100	.200	<.100	<.101
		10-28-94	18	<.100	24.0	.600	.600	.600	5.40	<.100	<.101
01472170	1	10-09-87	_	<.100	2.00	.300	.200	<1.00	<.100	<.100	<.101
01472174	2	10-07-86	_	<.100	<1.00	<.200	.500	<.100	<.100	<.200	<.101
014721854	3	10-08-86	-	<.100	<1.00	.300	.400		<.100	.100	<.101
014721884	4	10-07-85	-	<.100	<1.00	<.100	_	<.100	.100	<.100	<.107
01472190	5	10-06-86	-	<.100	<1.00	<.100	.400	.300	<.100	.300	<.101
		10-26-94	3.0	<.100	<1.00	<.100	<.100	<.100	<.800	<.100	<.80ำ
01473167	49	11-07-86			_	-	_			_	_
		11-16-87	_	<1.0	13.0	.300	<1.0	<1.0	.800	<.100	<.101
		11-18-93	17	<.100	5.00	.600	<.100	<.400	1.10	.500	<.100
01473168	50	10-09-85	-	<.100	5.00	1.70	1.70	3.20	.100	<.100	<.109
		11-18-93	30	<.100	5.00	1.40	1.0	3.60	.400	<.100	<.10
01475840	19	10-09-86		<.100	7.00	.100	.300	2.20	.100	<.100	<.10
01476430	20	10-15-85		<.100	7.00	.600	.600	<.100	.300	<.100	<.10
01476435	21	10-09-86	_	<.100	<1.00	.100	.100	<.100	<.100	<.100	<.100
01476790	22	10-15-86	*****	<.100	30.0	.800	1.60	1.30	.500	<.100	<.100
01476830	23	10-15-86	_	<.100	<1.00	.300	.600	<.100	.400	<.100	<.1(^1
01476835	24	10-16-85	-	<.100	7.00	<.100	.300	<.100	.100	<.100	<.1(^0
		10-21-94	17	<.100	6.00	.300	.800	.300	.800	<.100	<.8(^1
01476840	25	11-04-88	20	<.100	51.0	7.50	1.90	13.0	1.80	<.100	<.10
		11-19-93	9.2	<.100	10.0	2.30	1.20	12.0	.200	<.100	<.10
01476848	51	10-16-86	_	<.100	110	5.00	2.10	1.20	.600	<.100	<.10
		10-17-94	5.0	<.100	2.00	.700	.400	.800	<.800	<.100	<.80
01478120	28	10-25-85	_	<.100	<1.00	6.30	2.80	.400	.100	<.100	<.10
		11-24-93	7.3	<.100	<1.00	<.100	.900	<.100	<.200	<.100	<.1(^)
01478190	29	12-02-86		<.100	<1.00	1.10	1.20	1.30	.100	<.100	<.100
		11-24-93	4.4	<.100	1.00	<.100	1.60	<.100	<.200	<.100	<.100
01478220	30	10-25-85	_	<.100	<1.00		.400	<.100	<.100	<.100	<.100
		11-23-93	3.4	<.100	<1.00	<.100	.300	<.100	<.200	<.100	<.100
01479680	27	11-01-83	_	<1.00	<10.0	260	_	15.0	2.50	<1.00	<1.00
		11-18-86	_	<.100	_		_	_	_	<.100	<.100
		11-22-93	5.8	<.100	7.00	23.0	2.0	27.0	.200	<.100	<.200
01479800	26	10-18-85	_	<.100	5.00	36.0	22.0	61.0	<.100	<.100	<.100
		11-22-93	1.9	<.100	1.00	2.10	1.80	2.60	<.100	<.100	<.100
01480629	46	10-29-85		<.100	<1.00	<.100	<.100	<.100	<.100	<.100	<.100
01480632	45	10-30-86	_	<.100	4.00	.600	2.10	<.100	.700	<.100	<.100
01480640	38	10-22-85		<.100	3.00	.600	.200	<.100	.100	<.100	<.100
		11-15-93	3.4	<.200	4.00	1.30	1.40	1.00	.400	<.100	<.100

Table 4. Results of stream-bottom sediment sampling—Continued

Station number	Site number	Dat e	Carbon, inorg + organic (gm/kg as C)	Aldrin, total (μg/kg)	Chlor- dane, total (µg/kg)	DDD, recover- able (µg/kg)	DDE, recover- able (µg/kg)	DDT, recover- able (µg/kg),	Dieldrin, total, (μg/kg)	Endo- sulfan, total (µg/kg)	Endrin, total (µg/kg)
01480648	48	10-29-86.		0.100	1.00	0.300	1.80	<0.100	0.400	<0.100	<0.100
01480653	42	10-23-85		<.100	<1.00	<.100	.200	<.100	<.100	<.100	<.100
01480656	47	10-29-86	_	<.100	<1.00	.400		<.100	.400	<.100	<.100
01480700	36	10-21-85		<.100	<1.00	.100	.200	<.100	<.100	<.100	<.100
01480903	44	10-31-85	_	<.100	4.00	.400	<.100	<.100	.300	<.100	<.100
01480950	39	11-03-86	_	<.100	32.0	4.40	4.10	1.30	3.20	.200	<.100
		11-16-93	4.9	<.100	3.00	.200	.500	.300	.200	<.100	<.100
01481030	40	10-30-85		<.100	3.00	3.60	2.50	<.100	<.100	<.100	<.100
01494900	31	10-28-86		<.100	29.0	3.20	7.40	.800	.900	<.100	<.100
		11-04-94	1.5	<.100	<1.00	.100	<.100	.200	<.400	<.100	<.100
01494950	32	10-17-85	_	<.100	1.00	.800	1.00	3.10	<.100	<.100	<.100
		11-04-94	10	<.100	1.00	.600	.500	.600	<.400	<.100	<.100
01578340	33	11-21-94	27	<.100	5.00	1.10	1.10	1.20	<.800	<.200	<.300
01578343	34	10-24-85		<.100	<1.00	.100	<.100	.200	<.100	<.100	<.100

Table 4. Results of stream-bottom sediment sampling—Continued

01472080 10 01472109 6 01472138 13 01472154 14 01472157 15 014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01473169 19 01476430 20 01476435 21 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01480629 46	e ber	Date	Hepta- chlor, total (µg/kg)	Hepta- chlor, epoxide, total (µg/kg)	Lindane, total (µg/kg)	Meth- oxy- chlor, total (μg/kg)	Mirex, total (μg/kg)	Per- thane, total (μg/kg)	Toxa- phene, total (µg/kg)	PCB, total (µg/kg)	PCN, total (µg/い)
01472138 13 01472140 12 01472154 14 01472157 15 014721612 16 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476835 21 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26	1	0-11-85	<0.100	<0.100	<0.100	<0.100	<0.100	<1.00	<10.0	<1.00	<1.00
01472138 13 01472140 12 01472154 14 01472157 15 014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01473168 50 01473168 50 01476430 19 01476435 21 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26	1	0-11-85	<.100	.200	<.100	<.100	<.100	<1.00	<10.0	3.00	<1.00
01472140 12 01472154 14 01472157 15 014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-22-86	<.100	<.100	.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01472154 14 01472157 15 014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 014721890 5 01473167 49 01473168 50 01473468 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-10-85	<.100	.400	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01472157 15 014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-11-85	<.100	.100	<.100	<.100	<.100	<1.00	<10.0	12.0	<1.00
014721612 16 01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476790 22 01476830 23 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-28-94	<.100	<.100	<.100	<.800	<.100	<1.00	<10.0	4.00	<1.00
01472170 1 01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-09-85	<.100	.100	<.100	<.100	<.100	<1.00	<10.0	5.00	<1.00
01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-28-94	.300	.600	<.100	<.800	<.100	<1.00	<10.0	18.0	<1.00
01472174 2 014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-09-87	<.100	<.100	<.100	2.40	<.100	<1.00	<10.0	3.00	<1.00
014721854 3 014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476845 24 01476846 25 01476847 25 01478120 28 01478190 29 01479680 27 01479800 26		0-07-86	<.100	<.100	<.100	<.800	<.100	<1.00	<10.0	<5.00	<1.00
014721884 4 01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-08-86	<.100	3.80	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01472190 5 01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-07-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	9.00	<1.00
01473167 49 01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-06-86	<.100	<.100	<.100	<.100	.200	<1.00	<10.0	<1.00	<1.00
01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-26-94	<.100	<.800	<.100	<2.40	<.100	<1.00	<10.0	1.00	<1.00
01473168 50 01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		1-07-86				55.0	_	_	_	15,000	_
01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476845 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		1-16-87	<1.0	<.100	<.100	13.0	<1.0	<1.00	<10.0	540	<1.00
01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		1-18-93	<.100	<.100	<.100	<.100	<1.0	<1.00	110	<1.00	<1.00
01475840 19 01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01479680 27 01479800 26		0-09-85	.100	.100	<.100	<.100	<.100	<1.00	<10.0	18.0	<1.00
01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		1-18-93	<.100	<.100	.100	<.400	<.100	<1.00	<10.0	22.0	<1.00
01476430 20 01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-09-86	<.100	<.100	<.100	<.100	.700	<1.00	<10.0	7.00	<1.00
01476435 21 01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-15-85	<.100	.400	.100	<.100	<.100	<1.00	<10.0	5.00	<1.00
01476790 22 01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-09-86	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01476830 23 01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-15-86	<.100	.100	.100	<.100	<.100	<1.00	<10.0	8.00	<1.00
01476835 24 01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-15-86	<.100	.200	<.100	<.100	<.100	<1.00	<10.0	4.00	<1.00
01476840 25 01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-16-85	<.100	.100	.400	<.100	<.100	<1.00	<10.0	2.00	<1.00
01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-21-94	<.100	<.800	<.100	<22.0	<.100	<1.00	<10.0	22.0	<1.00
01476848 51 01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		1-04-88	<.100	.300	.300	<1.00	<.100	<1.00	<10.0	120	<1.00
01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		1-19-93	.100	<.100	.100	<5.00	<.100	<1.00	<10.0	16.0	<1.00
01478120 28 01478190 29 01478220 30 01479680 27 01479800 26		0-16-86	<.100	.100	1.00	<.100	<.100	<1.00	<10.0	73.0	<1.00
01478190 29 01478220 30 01479680 27 01479800 26		0-10-00	<.100	<.800	<.100	<5.20	<.100	<1.00	<10.0	10.0	<1.00
01478190 29 01478220 30 01479680 27 01479800 26		0-25-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01478220 30 01479680 27 01479800 26		1-24-93	<.100	<.100	<.100	<.200	<.100	<1.00	<10.0	<1.00	<1.00
01478220 30 01479680 27 01479800 26		2-02-86	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	3.00	<1.00
01479680 27 01479800 26		1-24-93	<.100	<.100	<.100	<.200	<.100	<1.00	<10.0	<1.00	<1.00
01479680 27 01479800 26		0-25-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01479800 26		1-23-93	<.100	<.100	<.100	<.200	<.100	<1.00	<10.0	<1.00	<1.00
01479800 26			<1.00	<1.00	<1.00	<.200 88.0	<1.00				
		1-01-83						<10.0	<10.0	5,600	 -1 00
		1-18-86	<.100	<.100 <.100	<.100	<.100 <5.00	.100	 -1 00	<10.0 <20.0	1,400 550	<1.00 <1.00
		1-22-93	<.100		<.100		<.100	<1.00			
01490620 46		0-18-85	- 100	<.100	.300	<.100	<.100	<1.00	<10.0	38.0	1.00
		1-22-93	<.100	<.100	<.100	<.400	<.100	<1.00	<10.0	2.00	<1.00
		0-29-85	<.100	<.100	<.100	<.400	<.100	<1.00	<10.0	<1.00	<1.00
01480632 45		0-30-86	<.100	.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01480640 38		10-22-85 11-15-93	<.100 <.100	.100 <.100	<.100 <.100	<.100 <.200	<.100 <.100	<1.00 <1.00	<10.0 <10.0	11.0 12.0	<1.00 <1.00

Table 4. Results of stream-bottom sediment sampling—Continued

Station number	Site number	Date	Hepta- chlor, total (μg/kg)	Hepta- chlor, epoxide, total (µg/kg)	Lindane, total (µg/kg)	Meth- oxy- chlor, total (μg/kg)	Mirex, total (μg/kg)	Per- thane, total (μg/kg)	Toxa- phene, total (μg/kg)	PCB, total (μg/kg)	PCN, total (μg/kg)
01480648	48	10-29-86	<0.100	<0.100	<0.100	<0.100	<0.100	<1.00	<10.0	<1.07	<1.00
01480653	42	10-23-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01480656	47	10-29-86	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	3.00	<1.00
01480700	36	10-21-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01480903	44	10-31-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	40.0	<1.00
01480950	39	11-03-86	<.100	<.100	.200	.200	<.100	<1.00	<10.0	14.0	<1.00
		11-16-93	<.100	<.100	<.100	<.200	<.100	<1.00	<10.0	3.00	<1.00
01481030	40	10-30-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	6.00	<1.00
01494900	31	10-28-86	.500	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
		11-04-94	<.100	<.100	<.100	<4.00	<.100	<1.00	<10.0	<1.00	<1.00
01494950	32	10-17-85	<.100	<.100	<.100	<4.00	<.100	<1.00	<10.0	<1.00	<1.00
		11-04-94	<.100	.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00
01578340	33	11-21-94	<.100	<.100	<.100	<14.0	<.100	<1.00	<10.0	3.00	<1.00
01578343	34	10-24-85	<.100	<.100	<.100	<.100	<.100	<1.00	<10.0	<1.00	<1.00

Table 5. Benthic-macroinvertebrate data

[<, less than; —, not found]

01472054 - Pigeon Creek near Bucktown, Pa. (Site 8)

Date	Oct. 2	1, 1981	Oct. 29, 1982		
Total count	8	22	9	75	
Organism	Count	Percent	Count	Percent	
Platyhelminthes (flatworms)					
Turbellaria					
Tricladida					
Planariidae	7	<1	1	<1	
Nemertea (proboscis worms)					
Enopla					
Hoplonemertea					
Tetrastemmatidae					
Prostoma	_		4	<1	
Mollusca (molluscs)					
Gastropoda					
Basommatophora					
Ancylidae					
Ferrissia	1	<1	_		
Physidae					
Physa	1	<1			
Annelida (segmented worms)					
Oligochaeta	4	<1	3	<1	
Arthropoda (arthropods)	•		•		
Acariformes					
Hydrachnidia	2	<1	1	<1	
Insecta		~1	•	-1	
Ephemeroptera					
Baetidae					
Baetis	13	2	12	1	
	13	L	2	<1	
Pseudocloeon	_		2	<1	
Ephemerellidae Ephemerella	57	7	85	9	
Ephemerella	97	'	60	9	
Heptageniidae	05		110	11	
Stenonema	65	8	110	11	
Isonychiidae	_	_	_	_	
Isonychia	2	<1	5	<1	
Plecoptera					
Capniidae		_			
Allocapnia	1	<1			
Chloroperlidae	1	<1	10	1	
Perlidae					
Paragnetina	_		1	<1	
Perlodidae					
Isoperla	_		1	<1	
Taeniopterygidae					
Taeniopt er yx	27	3	44	4	
Megaloptera					
Corydalidae					
Nigronia	_		1	<1	

Table 5. Benthic-macroinvertebrate data—Continued

01472054 - Pigeon Creek near Bucktown, Pa. (Site 8)—Continued

Date	Oct. 2	1, 1981	Oct. 29, 1982		
Total count	8	22	9	75	
Organism	Count	Percent	Count	Percent	
Trichoptera					
Brachycentridae					
Micrasema			1	<1	
Glossosomatidae					
Glossosoma	2	<1	29	3	
Hydropsychidae					
Ceratopsyche	2	<1	18	2	
Cheumatopsyche	200	24	120	12	
Hydropsyche	240	29	190	19	
Philopotamidae					
Chimarra	37	4	100	10	
Polycentropodidae					
Polycentropus			1	<1	
Uenoidae					
Neophylax	1	<1	4	<1	
Coleoptera					
Dytiscidae	1	<1			
Elmidae					
Macronychus	_		1	<1	
Optioservus	32	4	14	1	
Oulimnius	2	<1			
Promoresia	21	3	3	<1	
Stenelmis	5	<1	3	<1	
Psephenidae					
Ectopria					
E. nervosa	1	<1	1	<1	
Diptera					
Chironomidae	65	8	92	9	
Empididae					
Hemerodromia	12	1	5	<1	
Simuliidae					
Simulium	12	1	18	2	
Tipulidae					
Antocha	8	1	95	10	

Table 5. Benthic-macroinvertebrate data—Continued

01472065 - Pigeon Creek at Porters Mill, Pa. (Site 9)

Date	Oct. 2	0, 1981	Oct. 29, 1982		
Total count	4	B2	9	18	
Organism	Count	Percent	Count	Percent	
Mollusca (molluscs)		-			
Gastropoda					
Basommatophora					
Lymnaeidae					
Lymnaea	1	<1	_		
Arthropoda (arthropods)					
Acariformes					
Hydrachnidia	2	<1	4	<1	
Insecta					
Ephemeroptera					
Baetidae					
Baetis	2	<1	_		
Pseudocloeon	_		4	<1	
Ephemerellidae					
Ephemerella .	4	<1	120	13	
Heptageniidae					
Stenon e ma	58	12	150	16	
Isonychiidae					
Isonychia	27	6	46	5	
Plecoptera		-		_	
Capniidae	_		1	<1	
Perlidae			-		
Paragnetina	12	2	1	<1	
Taeniopterygidae		_	_		
Taeniopteryx	6	1	5	<1	
Trichoptera	Ū	-	Ū		
Brachycentridae					
Micrasema	7	2	13	1	
Glossosomatidae	•	L	15	•	
Glossosoma	5	1	5	<1	
Goeridae	,	•	3	~1	
Goera			1	<1	
Hydropsychidae	_		1	~1	
Ceratopsyche	25	5	78	8	
Cheumatopsyche	180	37	64	7	
Hydropsyche	25	5	51	6	
Hydroptilidae	23	J	31	U	
Hydroptila			14	2	
Leucotrichia	2	<1	21	2	
	۷.	~1	7.1	۷.	
Leptoceridae <i>Oecetis</i>			1	<1	
	_		1	<1	
Philopotamidae	12	2	13	1	
Chimarra	12	4	13	1	
Psychomytidae	2	-1			
Psychomyia	2	<1	_		

 Table 5. Benthic-macroinvertebrate data—Continued

01472065 - Pigeon Creek at Porters Mill, Pa. (Site 9)—Continued

Date	Oct. 2	0, 1981	Oct. 2	9, 1982
Total count	4	82	9	18
Organism	Count	Percent	Count	Percent
Coleoptera				
Elmidae				
Optioservus	4	<1	3	<1
Stenelmis	1	<1	_	
Psephenidae				
Ectopria	1	<1	_	
Diptera	1	<1	_	
Athericidae				
Atherix	_		1	<1
Chironomidae	48	10	220	24
Empididae				
Hemerodromia	_		8	<1
Simuliidae				
Simulium	6	1	5	<1
Tipulidae				
Antocha	51	10	89	10

Table 5. Benthic-macroinvertebrate data—Continued

01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)

Date	OGI. 2	0, 1981	Oct. 2	9, 1982	Oct. 2	1, 1983	Oct. 2	2, 1984	Oct. 1	1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987
Total count	2,	785	1,	691	9	69	1,	492	1,	032	1,	133	2,	390
Organism	Count	Percent												
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planarlidae	11	<1	8	<1	5	<1	3	<1	1	<1	3	<1	5	<1
Nematoda (nematodes)	_		_		-		_		_				4	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		_		_		_		_		_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	_		_				_				_		-	
Physidae														
Physa -	_		_		-		_				_		_	
Annelida (segmented worms)														
Oligochaeta	5	<1	3	<1	4	<1	1	<1			_			
Tubificida														
Naididae	_		_		_								65	3
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	9	<1	3	<1			3	<1					84	4
Crustacea														
Cyclopoida														
Cyclopidae	-		_				_				_		2	<1
Amphipoda													_	•
Talitridae														
Hyallela														
H azteca													1	-1
	_				_		_				_		1	<1
Isopoda														
Asellidae													_	
Caecidotea	_		_		_		_						1	<1
Podocopa			_				_		_		_			
Insecta														
Ephemeroptera														
Baetidae														
Baetis	29	1	11	<1	-		1	<1	4	<1	19	2		
Pseudocloeon	14	<1	16	<1	3	<1	7	<1	_		7	<1	7	<1
Ephemerellidae														
Ephemerella	79	3	84	5	5	<1	74	5	41	4	21	2	380	18
Heptageniidae														
Epeorus			_		-		-				_		4	<1
Stenonema	280	10	110	6	81	8	150	10	58	6	48	4	92	4
Isonychiidae	_		_								_		_	
Isonychia	57	2	13	<1	27	3	38	3	17	2	55	5	12	<1
Leptophlebiidae		-	_	-		-	_	-	_	-		-	_	=
Paraleptophlebia			_				_		_				_	
Leptohyphidae	_		-		_				_		_		_	
Lentohunhidae														

Nov. 9	, 1988	Oct. 1	1, 1989	Oct. 4	l, 1990	Oct. 8	, 1991	Oct. 1	3, 1992		, 1993 	Oct. 3	31, 1994	D~te
1 2	,397	2,2	270	1,9	947	1,	705	4	40	1,1	61	1,	599	Total count
Count	Percent	Count	Percent	Count	Percent	Organism								
											_			Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
—		7	<1	1	<1	2	<1	3	<1	1	<1	4	<1	Plarariidae
-		_		_				_		_		2	<1	Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
		4	<1			1	<1	1	<1			4	<1	Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basomr atophora
														Ancylidae
_		_		_				_		2	<1	_		Ferrissia
														Physidae
_				_		_		1	<1	_		_		Physa
														Annelida (segmented worms)
_		_		_				_				_		Oligochaeta
														Tubificida
_		4	<1	_						_		10	<1	Naididae
														Arthropoda (arthropods)
														Acariformes
_		58	3	5	<1	12	<1	37	8	36	3	39	2	Hydrachnidia
														Crustacea
														Cyclopo'da
_				_		_		_		_				Cyc'opidae
														Amphipada
														Talitridae
														Hyallela
-				_				1	<1	_		_		H. azteca
														Isopoda
														Ase!lidae
3	<1	_		_				_				_		Caecidotea
_		1	<1	_				-				_		Podocopa
														Insecta
														Epheme-optera
														Baetidae
8	<1	11	<1	54	3	13	<1	1	<1	11	<1	2	<1	Baetis
-		14	<1	20	1	10	<1	_		7	<1	4	<1	Pseudocloeon
														Ephamerellidae
280	12	240	10	85	4	130	8	4	1	82	7	220	14	Ephemerella
														Heptageniidae
32	1	6	<1	12	<1	16	<1	_		13	1	5	<1	Epeorus
110	5	80	3	79	4	-		_				1	<1	Stenonema
		-				2	<1	_		_		_		Isonychiidae
53	2	8	<1	47	2	9	<1	2	<1	8	<1	17	1	Isonychia
		5	<1	5	<1	50	3	3	<1	29	2	47	3	Lep [†] ophlebiidae
5	<1	_		_				_		5	<1	5	4	Paraleptophlebi
														Leptohyphidae
_				_		1	<1			_		_		Tricorythodes

Table 5. Benthic-macroinvertebrate data—Continued
01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

Date	Oct. 2	0, 1981	Oct. 2	9, 1982	Oct. 2	1, 1983	Oct. 2	2, 1984	Oct. 1	1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987	
Total count	2,	785	1,6	591	9	69	1,4	192	1,0	032	1,	133	2,	09?	
Organism	Count	Percent	Count	Forcent											
Plecoptera						-							-		
Capniidae	3	<1	_				_				_				
Allocapnia	_		10	<1	2	<1	38	3	_		_		14	<1	
Chloroperlidae	_		_		_		_		_		_				
Perlidae															
Acroneuria	3	<1	_		1	<1	_		_		_		_		
Agnetina	_		_						_				_		
Paragnetina	6	<1	8	<1	4	<1	14	<1	2	<1	3	<1	4	<1	
Perlodidae															
Isoperla	_		_		_		_		_		_		_		
Taeniopterygidae															
Strophopteryx	_						_				_		13	<1	
Taeniopteryx	17	<1	23	1	2	<1	13	<1			7	<1	9	<1	
Hemiptera		•		•	-		- •				•		•		
Veliidae															
Rhagovelia	1	<1			_		2	<1	_		_		_		
Megaloptera	•	~•					-	~-							
Corydalidae															
Corydalus	1	<1											1	<1	
•		<1			_		_		_		_		1	<1	
Trichoptera															
Apataniidae													-		
Apatania	_		_		_		_		_				7	<1	
Brachycentridae	10								10	•	110	10	00		
Micrasema	17	<1	6	<1	9	<1	8	<1	17	2	110	10	82	4	
Glossosomatidae	•			_		_			_						
Glossosoma	8	<1	77	5	47	5	56	4	3	<1	17	2	10	<1	
Goeridae	_												_	_	
Goera	7	<1	_				_				_		1	<1	
Helicopsychidae															
Helicopsyche	_				_						_		_		
Hydropsychidae															
Ceratopsyche	760	27	350	21	240	24	210	14	54	5	120	11	130	6	
Cheumatopsyche	420	15	86	5	35	4	54	4	44	4	40	4	53	3	
Hydropsyche	100	4	60	4	91	9	48	3	8	<1	80	7	83	4	
Hydroptilidae															
Hydroptila	3	<1	2	<1	1	<1	2	<1			1	<1	41	2	
Leucotrichia	20	<1	130	8	210	21	340	23	400	40	360	33	100	5	
Leptoceridae															
Oecetis			_		_						_		_		
Philopotamidae															
Chimarra	94	3	68	4	41	4	43	3	41	4	15	1	62	3	
Wormaldia	_		_				_		_				_		
Polycentropodidae															
Polycentropus	_		_		1	<1					_				
Psychomylidae															
Psychomyia	_		2	<1	2	<1	9	<1	21	2	52	5	61	3	
Uenoidae					-		-				-				

93 Oct. 31, 1994	1993	Oct. 8,	3, 1992	Oct. 13	, 1991	Oct. 8	, 1990	Oct. 4	I, 1989	Oct. 11	, 1988	
1,599	61	1,1	\$ 0	44	'05	1,7	947	1,9	270	2,2	397	1 2
cent Count Percent	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
_		_						-		_		
3 <1		-						_	<1	2	<1	11
							<1	1		_		
	<1	3					<1	9	<1	1	<1	3
2 <1		-			<1	1			<1	2	<1	3
1 2 <1	<1	1	<1	1				_		_		
		-		_		_		_		_	<1	16
		_		_		_		_				
1 <1						_		_	<1	1	<1	8
				_	<1	1		_	<1	1		
_		_		_				_		_		
1 4 <1	1	14		_	<1	7	1	21	<1	3		_
3 28 2	3	31	16	74	11	180	23	460	11	250	3	83
1 13 <1	<1	3	<1	1	<1	9	1	21	<1	11	<1	3
1 4 <1	<1	6	1	6	<1	5	<1	5	<1	4	<1	3
1 1 <1	<1	1						_				_
0 340 21	10	120	9	41	12	210	15	300	12	280	10	240
	5	65	1	6	<1	14	2	32	3	60	4	99
		160	2	7	1	25	1	26	<1	20	3	67
		-00	_	-	-		-				•	•
1 1 <1	<1	10	<1	2	<1	1		_		_		_
	<1	6	36	160	28	480	8	160	11	260	19	450
		-					_					-
1 <1			1	4					<1	1		
			_	-					_			
1 37 2	<1	6	1	4	1	25	3	58	2	51	3	83
		_	-	_	-	_	•	_	_	-	<1	5
												•
1 —	<1	1		_	<1	3		_	<1	2		
-	~-	•			~~	-			~-	-		
1 13 <1	<1	4	<1	2	5	80	5	96	9	210	5	120
. 10 ~1	~1	-	~1	-	3	•••	J	50	3	210	J	160
							<1	3			<1	13

Table 5. Benthic-macroinvertebrate data—Continued
01472080 - Pigeon Creek near Parker Ford, Pa. (Site 10)—Continued

Date	Oct. 20	0, 1981	Oct. 2	9, 1982	Oct. 2	1, 1983	Oct. 2	2, 1984	Oct. 1	1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987
Total count	2,7	785	1,0	691	9	69	1,4	192	1,0	032	1,	133	2,0	390
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Coleoptera														
Chrysomelidae	1	<1			_		_				_		_	
Dryopidae														
Helichus	_		1	<1	_				_		_			
Dytiscidae	1	<1	_		_		_		_		_		_	
Elmidae														
Dubiraphia									_		1	<1	2	<1
Macronychus														
M. glabratus			1	<1									_	
Optioservus	31	1	3	<1	11	1	10	<1	4	1	5	<1	20	<1
Oulimnius			_		_				2	<1	_		1	<1
Promoresia					_				_				_	
Stenelmis	6	<1			_		7	<1	2	<1	1	<1	7	<1
Hydrophilidae			_		_									
Psephenidae														
Ectopria			_		_									
E. nervosa	1	<1	_		_								1	<1
Psephenus	3	<1	1	<1	_								5	<1
Hymenoptera			1	<1			1	<1	1	<1				
Diptera														
Athericidae														
Atherix									_				1	<1
Chironomidae	700	25	460	27	93	9	240	16	240	24	91	8	390	19
Empididae							_		_					
Hemerodromia	7	<1	11	<1	1	<1	2	<1			1	<1	13	<1
Ephydridae			_											
Simuliidae														
Simulium	30	1	27	2			16	1	13	1	6	<1	110	5
Tipulidae		_		_				-		-	-			-
Antocha	61	2	110	6	53	5	100	7	59	6	70	6	220	10
Dicranota							_		_					

 $^{^{1}}$ Extrapolated from a 3/8 subsample.

Nov. 9	, 1988	Oct. 1	1, 1989	Oct. 4	, 1990	Oct. 8	3, 1991	Oct. 1	3, 1992	Oct. 8	3, 1993	Oct. 3	1, 1994	Erde
1 2	,397	2,2	270	1,9	947	1,	705	4	40	1,	161	1,	599	Tota' count
Count	Percent	Org≈nism												
														Coleopt • ra
_		_												Chrysomelidae
														Dryopidae
				_		_								Helichus
				-				_		_		_		Dytiscidae
														Elmidae
				_		_		4	1	_				Dubiraphia
														Macronychus
		_				_						_		M. glabratus
37	2	99	4	60	3	20	1	28	6	14	1	34	2	Optioservus
		16	<1	5	<1			2	<1	2	<1			Oulimnius
_		1	<1	1	<1	2	<1					2	<1	Promoresia
11	<1	34	1	27	1	13	<1	6	1	6	<1	1	<1	Stenelmis
-				_						1	<1			Hydrophilidae
														Psephenidae
3	<1													Ectopria
_		2	<1			4	<1			2	<1	2	<1	E. nervosa
5	<1	14	<1	2	<1	4	<1	1	<1	11	<1	7	<1	Psephenus
														Hymenoptera
														Diptera
														Athericidae
		2	<1	2	<1			_						Atherix
520	22	270	12	170	9	260	15	21	5	340	28	430	27	Ch¹ronomidae
														Empididae
5	<1	20	<1			4	<1	5	1	4	<1	3	<1	Hemerodromia
_		_		1	<1	_								Ephydridae
				-	-									Sirnuliidae
8	<1	5	<1	9	<1	1	<1	1	<1	6	<1	10	<1	Simulium
		-												Tipulidae
110	5	210	9	170	9	110	6	11	2	150	13	120	8	Antocha
	-		-	_	-	_	=		-	_		1	<1	Dicranota

 Table 5.
 Benthic-macroinvertebrate data—Continued

01472109 - Stony Run near Spring City, Pa. (Site 6)

Date	Oct. 20	0, 1981	Oct. 1	9, 1982	Oct. 2	0, 1983	Oct. 9	, 1984	Oct. 1	1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987
Total count	1 2,	760	1,	265	2,	082	9	98	5	50	6	51	1,	4 E7
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	3	<1	9	<1	83	4	41	4	14	3	10	1	34	2
Nematoda (nematodes)					-		_		_		-		4	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae												_		
Prostoma	_		_		_		_		1	<1	1	<1	_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae	•										_			
Ferrissia	2	<1	_		_				_		1	<1	_	
Lymnaeidae						_								
Lymnaea	_				1	<1	_		_		_			
Physidae														
Physa	2	<1			1	<1					1	<1	1	<1
Planorbidae	-		_		_				_		_		_	
Gyraulus	_		_		_	_			_		_		-	_
Helisoma					2	<1					3	<1	1	<1
Planorbula					_						_		_	
Bivalvia														
Veneroida													_	
Sphaeriidae	1	<1	-		11	<1	1	<1	4	<1	8	1	7	<1
Pisidium	_		_				_		_		_		_	
Sphaerium					_		_				_			
Annelida (segmented worms)	120				00				•					
Oligochaeta	120	4	-		83	4	_		3	<1	_			
Lumbriculida Lumbriculidae														
Tubificida							_		_				_	
Naididae								.1			3	-1	140	0
Naididae Branchiobdellida	_		_				1	<1	_ 1	<1	3	<1	140	9
Arthropoda (arthropods)					_				1	<1				
Acariformes														
Hydrachnidia	_				10	<1					_		38	3
Crustacea	_		_		10	~1			_		_		30	3
Cyclopoida														
Cyclopidae	_		_								_		7	<1
Amphipoda	_		_										,	~1
Gammaridae														
Gammarus													2	<1
Talitridae	_										_		L	<1
Hyallela														
H. azteca					1	<1			_		_		_	
Isopoda	-		_			~1	_		_		_		_	
Asellidae														
Caecidotea	_		1	<1	_		,		,				3	<1
Lirceus	_		1	<1 <1	_				_		_			<1
Podocopa	_		_	~1	5	<1				<1	1	<1	1	<1
i odowpa	_		_		J	~1			L	<1	1	<1	1	<1

	9, 1988		1, 1989		1, 1990		1991		, 1992		, 1993		I, 1994	Date
	B16		122		129		489		71		93		010	Total count
Count	Percent	Count	Percent	Count	Percent	Orçanism								
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladi da
61	7	59	3	8	<1	7	<1	5	<1	19	2	8	<1	Planariidae
_										_		1	<1	Nematoda (nematodes)
														Nemertea (proboscis worms) Enopla
														Hoplon-mertea
														Tetrastemmatidae
_				_						_		_		Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
_						1	<1	1	<1			_		Ferrissia
_						1	_1	1	~1	_		_		Lymnaeidae
														Lymnaea
_				_		_				_		_		
													.1	Physidae
_		_		_		_				_		1	<1	Physa
_		_		6	<1	_				_		_		Planorbidae
						1	<1							Gyraulus
_		_	_	_		_				_		_		Helisoma
_		3	<1	_				_				_		Planorbula
														Bivalvia
														Veneroi da
_		_		_		1	<1	_		1	<1	1	<1	Sphaeriidae
_		1	<1	1	<1							_		Pisidium
		6	<1	5	<1	_						_		Sphaerium
														Annelida (segmented worms)
				_		_		_						Oligochaeta
														Lumbriculida
_		_		_		_		1	<1			_		Lumbriculidae
														Tubificida
3	<1	24	1	19	<1	8	<1	6	<1			9	<1	Naididae
_	_	_		_	_			_	_	_		_	_	Branchiobdellida
														Arthropoda (arthropods)
														Acariformes
3	<1	97	5	120	6	79	5	50	7	7	<1	44	4	Hydrachnidia
ŭ		٠,		120	•		J	30	•	•	~.		•	Crustacea
														Cyclopoida
														Cyclopidae
_				_		_		_						
														Amphipoda
														Garrmaridae <i>Gammarus</i>
_		_		_				_		_		_		
														Talitridae
														Hyallela
_		_		_		_		_		_		_		H. azteca
														Isopoda
														Ascilidae
		1	<1			_				_		_		Caecidotea
_		_		_				_				_		Lirceus
		7	<1	2	<1	1	<1	1	<1	_		1	<1	Podocopa

Table 5. Benthic-macroinvertebrate data—Continued
01472109 - Stony Run near Spring City, Pa. (Site 6)—Continued

Date	Oct. 20	0, 1981	Oct. 1	9, 1982	Oct. 2	0, 1983	Oct. 9	, 1984	Oct. 1	1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987
Total count	1 2,	760	1,	265	2,	082	9	98	5	50	6	51	1,4	167
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Pı.:::eni
Insecta	*****	,	·				•			***************************************				
Ephemeroptera														
Baetidae														
Baetis	75	3	45	3	16	<1	47	5	5	<1	34	5		
Pseudocloeon			_				15	2			_		89	6
Caenidae														
Caenis	26	<1	6	<1	95	5	1	<1	1	<1	4	<1	21	1
Ephemerellidae														
Ephemerella	8	<1	5	<1	9	<1	4	<1	1	<1	2	<1	25	2
Ephemeridae														
Ephemera					1	<1							_	
Heptageniidae					-									
Stenacron	_										5	<1		
Stenonema	94	3	120	9	43	2	67	7	5	<1	79	12	57	4
Isonychiidae	37	J	120	3	45		01	•	3	~1	13	12	31	7
Isonychidae Isonychia	7	<1	10	<1	7	<1	6	<1			2	<1	1	<1
	'	<1	10	<1	,	<1	0	<1			2	<1	1	<1
Leptohyphidae														
Tricorythodes	_				1	<1								
Leptophlebiidae									1	<1	9	1		
Paraleptophlebia									_		_			
Odonata														
Calopterygidae														
Hetaerina	1	<1											_	
Coenagrionidae														
Argia													1	<1
Enallagma	_				_		-				1	<1	-	
Plecoptera														
Capniidae														
Allocapnia	_												2	<1
Chloroperlidae					_						_		1	<1
Perlidae														
Agnetina														
Taeniopterygidae														
Taeniopteryx					6	<1								
Hemiptera														
Corixidae					_		3	<1						
Gerridae														
Trepobates	_		_		_						1	<1	_	
Veliidae														
Microvelia									_					
Rhagovelia			2	<1			2	<1		9	1			
Megaloptera										_				
Corydalidae														
Corydalus	_				1	<1	_				_			
Sialidae					•	~1	_							
Sialis	4	<1									1	<1		
Trichoptera	*	~1					_				1	~1	_	
Apataniidae														
													20	2
Apatania Brookysontridae			_										29	2
Brachycentridae													•	
Micrasema											_		3	<1
Glossosomatidae		.•	_	.4					_	. •				
Glossosoma	1	<1	3	<1			_		2	<1				

Nov.	9, 1988	Oct. 1	1, 1989	Oct. 4	l, 1990	Oct. 8	3, 1991	Oct. 8	3, 1992	Oct. 8	3, 1993	Nov. 1	, 1994	Date
1	816	2,	122	2,	129	1,4	489	6	71	9	93	1,0	010	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Ornanism
														Insecta
														Ephemeroptera
														Bactidae
11	1	130	6	36	2	75	5	16	2	2	<1	41	4	Baetis
_		_		_		_		_				3	<1	Pseudocloeon
														Caenidae
11	1	3	<1	3	<1	3	<1	_		1	<1	3	<1	Caenis
			_						_					Ephemerellidae
5	<1	130	6	78	4	70	5	46	7	60	6	37	4	Ephemerella
														Ephemeridae
_				_		_				4	<1	_		Ephemera
_														Hentageniidae
3	<1	_		_		_		_						Stenacron
37	5	180	9	160	8	230	15	55	8	60	6	53	5	Stenonema
														Isonychiidae
_				_		37	2	1	<1	23	2	4	<1	Isonychia
														Leptohyphidae
_				_		_				-		_		Tricorythodes
		3	<1			_		_				_		Ler*ophlebiidae
3	<1			66	3	24	2	51	8	_		27	3	Paraleptophlebia
														Odonat
														Calopterygidae
_						_								Hetaerina
														Coenagrionidae
_				2	<1	_						_		Argia
_				_										Enallagma
														Plecoptera
														Capniidae
3	<1									_		10	1	Allocapnia
_		_		_		_				_				Chloroperlidae
														Perlidae
_		_		1	<1	_		_				_		Agnetina
														Taenlopterygidae
3	<1	2	<1	_		_		1	<1	1	<1			Taeniopteryx
														Hemipt ^e ra
_				_		_		2	<1	_				Corixidae
														Gerridae
_				_		_		_		_		_		Trepobates
														Vel idae
		_		_		_		1	<1					Microvelia
		1	<1	14	<1	1	<1	8	1	4	<1	1	<1	Rhagovelia
														Megaloptera
														Corydalidae
_		_		_				_		_		_		Corydalus
														Sialidae
		_		1	<1	2	<1			_		_		Sialis
														Trichop*era
														Apataniidae
_		_		_		_						_		Apatania
														Brachycentridae
_		4	<1	2	<1							_		Micrasema
														Glossosomatidae
		_				1	<1	_				2	<1	Glossosoma

Table 5. Benthic-macroinvertebrate data—Continued
01472109 - Stony Run near Spring City, Pa. (Site 6)—Continued

Total count 12,760 12,265 2,082 9 8 50 6 14,61 1	Date		0, 1981	Oct. 1	9, 1982	Oct. 2	0, 1983	Oct. 9	9, 1984		1, 1985	Oct. 1	0, 1986	Nov. 1	3, 1987
Thichopters Hydropsychidae Ceratopsyche 130	Total count	1 2	,760	1,	265	2,	082	9	98	5	50	6	51	1,	467
Hydropsychidae Caratagopthe 13 140 11 24 1 120 12 44 8 59 9 19 19 Cheumatopsyche 240 9 190 15 280 13 190 19 12 2 59 9 210 19 19 19 19 19 19 19	Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Pircent
Ceratopsyche 13 < 1 140 11 24 1 120 12 44 8 59 9 19 Cheumant psyche 130 11 88 7 190 9 190 13 85 15 64 10 86 Cheumant psyche 140 10 115 280 13 190 19 12 2 58 9 210 Cheumant psyche 140 9 190 15 280 13 190 19 12 2 58 9 210 Cheumant psyche 140 150 15 280 13 190 19 12 2 58 9 210 Cheumant psyche 140 150 15 280 13 190 19 12 2 58 9 210 Cheumant psyche 140 150 15 280 13 190 19 12 2 58 9 210 Cheumant psyche 140 150 15 280 13 190 19 12 2 58 9 2 110 Cheumant psyche 140 150 150 150 150 150 150 150 150 150 15	_														
Cheumatopsyche 240 9 190 15 280 13 190 19 12 2 59 9 210 Hydroptilidae Hydroptilidae Hydroptilidae Hydroptilidae Hydroptilidae Hydroptilidae Leptoceridae Mystadeds Philopotamidae Chimara 35 1 9 <1 19 <1 19 <1 18 3 110 16 62 Polycentropodidae Nyttiaphylax 4 <1 2 <1 2 <1 4 1 <1 2 <1 4 62 Polycentropodidae Nyttiaphylax 4 <1 2 <1 2 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 4 1 <1 2 <1 - 4 1 <1 2 <1 - 4 1 <1 2 <															
Hydropsyche	Ceratopsyche				11		1			44					1
Hydroptilidae	Cheumatopsyche	310	11	88	7	190	9	130	13	85	15	64	10	86	6
Hydroptilis	Hydropsyche	240	9	190	15	280	13	190	19	12	2	59	9	210	14
Leptocerichia 5 <1 12 <1	Hydroptilidae														
Leptoceridae Mystacides Mystacides Mystacides Mystacides Mystacides Chimarra 35 1 9 1 19 2 4 4 2 18 3 110 16 62	Hydroptila	160	6	62	5	120	6	8	<1	2	<1	1	<1	12	<1
Mystacides	Leucotrichia	5	<1	12	<1	_				_		5	<1	_	
Philopotamidae Chimarra 35 1 9 <1 19 <1 4 <1 18 3 110 16 62 Polyeentropodidae Nyctiophylax 4 <1 2 <1 2 <1 4 4 <1 4	Leptoceridae														
Philopotamidae Chimarra 35 1 9 <1 19 <1 4 <1 18 3 110 16 62 Polyeentropodidae Nyctiophylax 4 <1 2 <1 2 <1 4 4 <1 - 4	Mystacides			_		_				_				_	
Chimarra 35															
Polycentropodidae		35	1	9	<1	19	<1	4	<1	18	3	110	16	62	4
Nyctiophylax			_	•	-		-	-	-		_				_
Polycentropus — 9 <1 12 <1 — 1 <1 2 <1 — Psychomylidae Psychomylidae Psychomylidae Psychomylidae Psychomylidae Psychomylidae Psychomylidae Rhyacophilidae Rhyacophilidae Rhyacophilidae Rhyacophilidae Rhyacophilidae Report		4	-1	2	-1	2	~1	_		_		4	-1		
Psychomylidae		_	~1							1	-1				
Psychomyla				3	~1	12	_1				_1	L	_1		
Rhyacophilidae Rhyacophila Rhyacophila Rhyacophila Rhyacophila Uenoidae Neophylax Neophylax Pyralidae Petrophila Petrophila Petrophila Potrophila Potrophi	· ·	110	4	150	12	50	9	12	1			,	-1	1	_1
Nephylax		110	4	130	12	วช	3	12	1	_		1	<1	1	<1
Uenoidae Neophylax															
Neophylax		_				_		_		_		_		_	
Lepidoptera Pyralidae Petrophila															
Pyralidae Petrophila -				_		_				_		_		_	
Petrophila	= =														
Dryopidae	Pyralidae														
Dryopidae	Petrophila					_		_				_			
Helichus	Coleoptera														
Dytiscidae	Dryopidae														
Elmidae Ancyronyx A. Variegata — — — — — — — — — — — — — — — — — —	Helichus	_				_		_						_	
Elmidae Ancyronyx A. Variegata — — — — — — — — — — — — — — — — — —	Dytiscidae	_		1	<1	_		_		_		_		_	
A. Variegata — — — — — — — — — — — — — — — — — —	•														
A. variegata — — — — — — — — — — — — — — — — — —	Ancyronyx														
Dubiraphia 1	• •							_		_					
Macronychus — <th< td=""><td>•</td><td>1</td><td><1</td><td>1</td><td><1</td><td>1</td><td><1</td><td></td><td></td><td>1</td><td><1</td><td>1</td><td><1</td><td>4</td><td><1</td></th<>	•	1	<1	1	<1	1	<1			1	<1	1	<1	4	<1
Optioservus 17 <1 5 <1 50 2 21 2 7 1 5 <1 5 Stenelmis 40 1 26 2 75 4 25 3 9 2 21 3 15 Hydrophilidae Hydrochara — — — — 1 <1			~*	_						_				_	~*
Stenelmis 40			_1	5	_1	50	2	21	2	7	1		_1	5	<1
Hydrochara — — — — 1 <1 — — — — — — — — — — — — —	•														1
Hydrochara —		40	1	20	4	13	7	23	J	3	2	2,1	3	13	
Psephenidae									-1						
Ectopria — — — — 1 <1		_						1	<1						
E. nervosa 2 <1 1 <1 2 <1															
Psephenus — — 5 <1 2 <1 — 1 <1 — Hymenoptera — — — — 1 <1				_		_				_		1	<1		
Hymenoptera — — — — — — — 1 <1 — — — — Diptera Athericidae Atherix — — 1 <1 — — — — — — — — — — — — — — —		2	<1	_						_			_	_	
Diptera Athericidae Atherix — — 1 <1 — — — — — — — — — — — — — — —	-	_		_		5	<1	2	<1	_		1	<1	_	
Athericidae Atherix — — 1 <1 — — — — — — — — — — — — — — —		_		_				_		1	<1	_		_	
Atherix — — — 1 <1 —<	<u>-</u>														
Ceratopogonidae 1 <1															
Chironomidae 910 33 220 17 770 37 140 14 320 57 120 18 390 Empididae Hemerodromia 6 <1 10 <1 9 <1 6 <1 1 <1 5 <1 7 Muscidae Limnophora — — — — — — — — — — — — — — — — — — —						1	<1	_		_		_		-	
Chironomidae 910 33 220 17 770 37 140 14 320 57 120 18 390 Empididae Hemerodromia 6 <1 10 <1 9 <1 6 <1 1 <1 5 <1 7 Muscidae Limnophora — — — — — — — — — — — — — — — — Simultidae	Ceratopogonidae	1	<1	_				_		_					
Empididae **Hemerodromia** 6 <1 10 <1 9 <1 6 <1 1 <1 5 <1 7 **Muscidae** **Limnophora** — — — — — — — — — — — — — — — — — Simuliidae		910	33	220	17	770	37	140	14	320	57	120	18	390	26
Hemerodromia	Empididae														
Muscidae Limnophora — — — — — — — — — — — — — — — Simuliidae		6	<1	10	<1	9	<1	6	<1	1	<1	5	<1	7	<1
Limnophora — — — — — — — — — — — — — — — — — — —		•				-		-		-		-		•	
Simuliidae						_		_		_		_		_	
	•	_		_		_				_		_		_	
Similisim 540 10 110 9 20 2 79 9 9 2 2 1 140	Simulium	540	19	110	8	39	2	78	8	8	2	6	<1	140	9

80 10 70 3 270 13 120 8 43 6 200 20 190 19 Cheumatopsycle 190 23 470 22 650 31 180 12 150 22 310 31 120 12 Hydroptyche Hydroptilidae Hydroptilidae 21 3 11 <1 7 <1 9 <1 10 1 9 <1 17 2 Hydroptilia — — — — — — — — Leucotrichia Leptoceridae Mystacides Prilopotamidae 51 6 49 2 78 4 120 8 55 8 83 8 20 2 Chimarra		, 1988	Oct. 1	1, 1989	Oct. 4	1, 1990	Oct. 8	3, 1991	Oct. 8	3, 1992	Oct. 8	3, 1993	Nov. 1	, 1994	Date
Trichorters	1 8	316	2,	122	2,	129	1,	489	6	71	9	93	1,0	010	Toʻal count
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
12															
80 10 70 3 270 13 120 8 43 6 200 20 190 19 Cheumatopyce															
190 23 470 22 650 31 180 12 150 22 310 31 120 12 Hydropytiklae	100		_								_				
Hydroptillace		10											190		Cheumatopsyche
21 3 11 <1 7 <1 9 <1 10 1 9 <1 17 2 Hydroptila	190	23	470	22	650	31	180	12	150	22	310	31	120	12	Hydropsyche
															Hydroptilidae
Leptoceridae Mystacides Mystacides Mystacides Mystacides Mystacides Pilopotamidae Chimarra Proliverintopodidae All 10	21	3	11	<1	7	<1			10	1	9	<1	17	2	Hydroptila
	_		_		-		3	<1	-		_		_		Leucotrichia
Prilopotantidae															
51	_		1	<1	1	<1	2	<1	_		_		_		
Pelycentropodida															Pł ilopotamidae
	51	6	49	2	78	4	120	8	55	8	83	8	20	2	Chimarra
															Pclycentropodidae
Psychomylidae	_		7	<1	34	2	2	<1	12	2	18	2	16	2	Nyctiophylax
8			1	<1	1	<1	4	<1	7	1	_		1	<1	Polycentropus
															Psychomylidae
Ri	8	1	110	5	18	<1	20	1	8	1	2	<1	7	<1	
Color Colo															
Urnoidae Neophylax Neoph					_		1	<1	_						
Lepidcrotera Pyralidae Pyralidae Pyralidae Petrophila Coleogrera Diyopidae Telephilae Telephilae Diyopidae Telephilae Telephilae Diyopidae Telephilae Teleph															
Lepidcrotera Pyralidae Pyralidae Pyralidae Petrophila Coleogrera Diyopidae Telephilae Telephilae Diyopidae Telephilae Telephilae Diyopidae Telephilae Teleph	5	<1	2	<1					_		_		29	3	Neophylax
Pyralidae Pyr															Lepidontera
Coleoptera Dryopidae Elmidae Ancyronyx Ancyronyx Ancyronyx Ancyronyx Ancyronyx Ancyronyx Ancyropidae Dryopidae Dry			_		_		_		_		-		2	<1	
Dryopidae															
- 1 <1 1 <1															
Dytiscidae Elmidae Ancyronyx Ancyr			1	<1	1	<1					_		_		
Einidae Ancyronyx					_								_		
Ancyronyx															-
- 23 1 8 <1 1 <1 Dubiraphia 1 1 <1 1 <1 Dubiraphia 33 2 18 <1 41 3 39 6 2 <1 29 3 Optioservus 26 3 46 2 73 3 47 3 8 1 45 5 2 <1 Stenelmis Hydrochara Hydrochara 1 <1 2 <1 Hydrochara 1 <1 2 <1 Hydrochara 1 <1 2 <1 Hydrochara Hydrochara 1 <1 2 <1 Hydrochara Hydrochara Hydrochara Hydrochara Hydrochara Hydrochara Hydrochara Hydrochara			_		_		_				2	<1	1	<1	
1			23	1	8	<1					_				=
— 33 2 18 <1 41 3 39 6 2 <1 29 3 Optioservus 26 3 46 2 73 3 47 3 8 1 45 5 2 <1 Stenelmis — — — — — — — — — — — — — — — — — — —															
26			33	2			41	3	39	6	2	<1	29	3	
Hydrophilidae Hydrochara Psophenidae Ectopria 1 <1 2 <1 Enervosa - 1 <1 1 <1 Hymenoptera Diptera 1 <1 Hymenoptera Diptera 1 <1 Ccratopogonidae 1 <1 Ccratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Ct fronomidae	26	3													
Hydrochara Psiphenidae Psiphenidae Psiphenidae Psiphenidae Psiphenidae Psiphenidae Psiphenidae Psiphenidae Ectopria E. nervosa		•				•		-	•	_		•	_		
Ps:phenidae Ectopria 1 <1 1 <1 2 <1 Hymenoptera - 1 <1 1 <1 Hymenoptera Diptera Athericidae 1 <1 Hymenoptera Diptera Atherix 1 <1 Ccratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Ci tronomidae Empididae 3 <1 42 2 19 <1 18 1 - 4 <1 12 1 Hemerodromia Muscidae Limnophora Simuliidae			_		_		_						_		
1 <1 2 <1 Enervosa - 1 <1 1 <1 3 <1 1 <1 Psephenus Hymenoptera Diptera 1 <1 Atherix Ceratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Ci tronomidae Empididae 3 <1 42 2 19 <1 18 1 - 4 <1 12 1 Hemerodromia M:scidae - 1 <1			_		_				-				_		
- 1 <1 1 <1 - 3 <1 1 <1 Psephenus Hymenoptera Diptera Athericidae 1 <1 Atherix Ceratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Ch ronomidae 170 21 42 2 19 <1 18 1 - 4 <1 12 1 Hemerodromia M iscidae - 1 <1 Limnophora Simuliidae					_		1	<1	2	<1	_		_		E. nervosa
			1	<1	1	~1	_		_	~*	3	<1	1	~1	
Diptera Athericidae Athericidae Athericidae Athericidae Athericidae Athericidae Atherix Ceratopogonidae I70 21 430 20 390 19 330 22 67 10 130 13 250 25 Ch tronomidae Empididae Simuliidae Empididae I I I Hemerodromia Muscidae I Imnophora Simuliidae I Imnophora Simuliidae I I I I I I I I I			_		_	~-			_		_	•	_	~*	
Athericidae Athericidae Atherix Atherix Ceratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Chronomidae Empididae Simuliidae Atherix A															· •
1 <1															
Ceratopogonidae 170 21 430 20 390 19 330 22 67 10 130 13 250 25 Cl †ronomidae Empididae 3 <1 42 2 19 <1 18 1 - 4 <1 12 1 Hemerodromia Muscidae - 1 <1 Limnophora Simuliidae					1	_1									
170 21 430 20 390 19 330 22 67 10 130 13 250 25 Chironomidae Empididae 3 <1 42 2 19 <1 18 1 — 4 <1 12 1 Hemerodromia -						~1					_				
Empididae 3 <1 42 2 19 <1 18 1 — 4 <1 12 1	170	21	430	20	300	10	330	22	67	10	130	12	250	25	
3 <1 42 2 19 <1 18 1 — 4 <1 12 1 Hemerodromia Muscidae — 1 <1 — — — — — — Limnophora Simuliidae	110	21	430	20	J 5 U	19	330	22	01	10	130	13	230	۵J	
	9	_1	42	•	10	.1	10	,			4	. 1	12	1	-
1 <1 Limnophora Simuliidae	3	<1	42	۷	19	<1	19	1	_		4	<1	12	1	
Simuliidae				1											
			1	<1	_		_		_				-		
11 1 110 3 3 <1 2 <1 4 <1 8 <1 Simultum	11		110	_	-		•	. 4	4				0	.1	
	11	1	110	3	3	<1	۷	<1	4	<1	_		8	<1	Simulum

Table 5. Benthic-macroinvertebrate data—Continued

01472109 - Stony Run near Spring City, Pa. (Site 6)—Continued

Date	Oct. 2	Oct. 20, 1981		Oct. 19, 1982 1,265		0, 1983	Oct. 9	, 1984	Oct. 1	1, 1985	Oct. 10, 1986		Nov. 13, 1987	
Total count	12					2,082		998		550		651		4 €7
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Diptera														
Tabanidae														
Tabanus	1	<1	_				_		_		_		_	
Tipulidae														
Antocha	20	<1	28	2	47	2	71	7	1	<1	6	<1	49	3
Hexatoma			_				_				_		_	
Tipula	1	<1	_		2	<1	_				5	<1	_	

¹ Extrapolated from a 3/8 subsample.

Nov. 9	Nov. 9, 1988		1, 1989	Oct. 4	, 1990	Oct. 8	3, 1991	Oct. 8	3, 1992	Oct. 8	3, 1993	Nov.	I, 1994	Date
1 8	316	2,	122	2,	129	1,4	489	6	671		93	1,0	010	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Onanism
						-								Diptera
														Tat anidae
						_		_		_				Tabanus
														Tip didae
5	<1	63	3	28	1	32	2	5	<1	3	<1	31	3	Antocha
3	<1			_		_		_		_		_		Hexatoma
_		_		_		1	<1	_		_				Tipula

Table 5. Benthic-macroinvertebrate data—Continued

01472110 - Stony Run at Spring City, Pa. (Site 7)

Date	Oct. 2	0, 1981	Oct. 19, 1982			
Total count		507		787		
Organism		Percent				
Platyhelminthes (flatworms)		1 0.00				
Turbellaria						
Tricladida						
Planarlidae	110	7	120	7		
Mollusca (molluscs)						
Gastropoda						
Basommatophora						
Ancylidae						
Ferrissia	1	<1	_			
Planorbidae						
Helisoma	1	<1				
Bivalvia						
Veneroida						
Sphaeriidae	_		2	<1		
Annelida (segmented worms)						
Oligochaeta	8	<1	30	2		
Arthropoda (arthropods)						
Acariformes						
Hydrachnidia	_		1	<1		
Crustacea						
Isopoda						
Asellidae	1	<1				
Caecidotea	25	2	14	<1		
Insecta						
Ephemeroptera						
Baetidae						
Baetis	52	3	130	7		
Caenidae						
Caenis	7	<1	1	<1		
Ephemerellidae						
Ephemerella	8	<1	2	<1		
Heptageniidae						
Stenonema	180	12	58	3		
Isonychiidae						
Isonychia	61	4	1	<1		
Odonata						
Coenagrionidae						
Argia	12	<1	_			
Hemiptera						
Veliidae						
Rhagovelia			1	<1		
Megaloptera						
Sialidae						
Sialis	2	<1	_			

Table 5. Benthic-macroinvertebrate data—Continued

01472110 - Stony Run at Spring City, Pa. (Site 7)—Continued

Date	Oct. 2	0, 1981	Oct. 19, 1982			
Total count	1,5	507	1,7	787		
Organism	Count	Percent	Count	Percent		
Trichoptera						
Glossosomatidae						
Glossosoma	4	<1	1	<1		
Hydropsychidae						
Ceratopsyche	4	<1	4	<1		
Cheumatopsyche	200	13	110	6		
Hydropsyche	230	15	150	8		
Hydroptilidae						
Hydroptila	14	<1	22	1		
Leucotrichia			19	1		
Philopotamidae						
Chimarra	200	13	51	3		
Polycentropodidae						
Nyctiophylax	2	<1	_			
Polycentropus	6	<1				
Coleoptera						
Elmidae						
Dubiraphia			1	<1		
Optioservus	45	3	5	<1		
Stenelmis	36	2	29	2		
Psephenidae						
Ectopria	1	<1				
Psephenus	13	<1	3	<1		
Diptera						
Athericidae						
Atherix	3	<1				
Chironomidae	250	17	320	18		
Empididae						
Hemerodromia	4	<1	17	<1		
Simuliidae						
Simulium	18	1	680	38		
Tabanidae						
Tabanus	1	<1				
Tipulidae						
Antocha	4	<1	14	<1		
Tipula	4	<1	1	<1		

Table 5. Benthic-macroinvertebrate data—Continued

01472126 - French Creek at Trythall, Pa. (Site 41)

Date	Oct. 2	6, 1982
Total count		15
Organism	Count	Percent
Nemertea (proboscis worms)		
Enopla		
Hoplonemertea		
Tetrastemmatidae		
Prostoma	5	3
Mollusca (molluscs)	•	•
Gastropoda		
Basommatophora		
Ancylidae		
Ferrissia	1	<1
Annelida (segmented worms)		
Oligochaeta		
Tubificida		
Naididae	2	1
Arthropoda (arthropods)		
Acariformes		
Hydrachnidia	2	1
Insecta		
Ephemeroptera		
Ephemerellidae		
Ephemerella	10	5
Heptageniidae		
Stenonema	10	5
Plecoptera		
Taeniopterygidae		
Taeniopteryx	32	15
Megaloptera		
Corydalidae		
Nigronia	1	<1
Trichoptera		
Brachycentridae		
Brachycentrus	3	2
Glossosomatidae		
Glossosoma	3	2
Goeridae		
Goera	3	2
Hydropsychidae		
Ceratopsyche	2	1
Cheumatopsyche	72	33
Hydropsyche	11	5
Leptoceridae		_
Oecetis	13	6
Polycentropodidae	_	_
Nyctiophylax	1	<1
Polycentropus	1	<1

Table 5. Benthic-macroinvertebrate data—Continued

01472126 - French Creek at Trythall, Pa. (Site 41)—Continued

Date	Oct. 2	6, 1982
Total count	2	15
Organism	Count	Percent
Coleoptera		
Elmidae		
Optioservus	1	<1
Promoresia	1	<1
Stenelmis	1	<1
Diptera		
Chironomidae	33	15
Empididae		
Hemerodromia	5	3
Ephydridae		
Simuliidae		
Simulium	1	<1
Tipulidae		
- Tipula	1	<1

Table 5. Benthic-macroinvertebrate data—Continued

01472129 - French Creek near Knauertown, Pa. (Site 11)

Date	Oct. 2	2, 1981	Oct. 2	6, 1982
Total count	1,0	078	2,	186
Organism	Count	Percent	Count	Percent
Platyhelminthes (flatworms)				
Turbellaria				
Tricladida				
Planariidae	7	<1	29	1
Nematoda (nematodes)	1	<1		
Nemertea (proboscis worms)				
Enopla				
Hoplonemertea				
Tetrastemmatidae				
Prostoma	_		3	<1
Mollusca (molluscs)				
Gastropoda				
Mesogastropoda				
Hydrobildae				
Amnicola	_		1	<1
Annelida (segmented worms)				
Oligochaeta				
Tubificida				
Naididae	5	<1	_	
Arthropoda (arthropods)				
Acariformes				
Hydrachnidia	41	4	36	2
Crustacea				
Amphipoda				
Talitridae				
Hyallela				
H. azteca	1	<1	4	<1
Insecta				
Ephemeroptera				
Baetidae				
Baetis	38	3	27	1
Pseudocloeon	6	<1	6	<1
Ephemerellidae				
Ephemerella	55	5	55	3
Heptageniidae				
Stenonema	42	4	60	3
Isonychiidae				
Isonychia	15	1	10	<1
Leptohyphidae				
Tricorythodes	2	<1	_	
Leptophlebiidae				
Paraleptophlebia	1	<1	10	<1
Plecoptera				
Capniidae				
Allocapnia	_		11	<1
Chloroperlidae	_		5	<1
Perlidae				
Acroneuria			2	<1
Paragnetina			1	<1
Taeniopterygidae				
Strophopteryx	23	2	_	
Taeniopteryx	18	2	53	2

Table 5. Benthic-macroinvertebrate data—Continued

01472129 - French Creek near Knauertown, Pa. (Site 11)—Continued

Date	Oct. 2	2, 1981	Oct. 26, 1982			
Total count	1,0	078	2,	186		
Organism	Count	Percent	Count	Percent		
Megaloptera						
Corydalidae						
Nigronia	2	<1	1	<1		
Trichoptera						
Aptaniidae						
Apatania	_		2	<1		
Brachycentridae						
Brachycentrus	1	<1	_			
Micrasema	_		2	<1		
Glossosomatidae						
Glossosoma	91	8	35	2		
Hydropsychidae						
Ceratopsyche	26	2	290	13		
Cheumatopsyche	54	5	260	12		
Hydropsyche	230	21	76	3		
Hydroptilidae						
Hydroptila	71	6	120	5		
Leucotrichia	6	<1	_			
Leptoceridae						
Mystacides	_		5	<1		
Oecetis	1	<1	_			
Triaenodes	1	<1	_			
Philopotamidae	-	•				
Chimarra	71	6	120	5		
Polycentropodidae	• •	·	120			
Nyctiophylax			1	<1		
Polycentropus	1	<1	1	<1		
Psychomyiidae	•		•	~1		
Psychomyia	3	<1	_			
Rhyacophilidae	•					
Rhyacophila			2	<1		
Coleoptera			-	~.		
Dryopidae						
Helichus			1	<1		
Elmidae				~1		
Ancyronyx						
A.variegata	_		1	<1		
Optioservus	35	3	57	3		
Oulimnius	1	<1	8	<1		
Promoresia	6	<1	4	<1		
Stenelmis	9	<1	11	<1		
Psephenidae	3	<1	11	<1		
Ectopria						
E. nervosa	1	<1				
	1	<1				
Diptera Chiranamidae	170	15	560	25		
Chironomidae	170	15	560	23		
Empididae	c	_1	2	.1		
Hemerodromia	6	<1	2	<1		
Ephydridae	_		1	<1		
Simuliidae	10		270	10		
Simulium	12	1	270	12		
Tipulidae	0.5	^	40	•		
Antocha	25	2	43	2		

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01472138 - French Creek near Coventryville, Pa. (Site 13)

Date	Oct. 21, 1981		Nov.	1, 1982	Oct. 1	8, 1983	Oct. 1	0, 1984	Oct. 1	0,1985	Oct. 22, 1986		Oct. 16, 1987	
Total count	1,	542	1 2	,380	11	,615	11	,295	5	35	1,	395	1,338	
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	1	<1	5	<1	3	<1			12	2	7	<1		
Nematoda (nematodes)	_		_		_				_					
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		5	<1			1	<1	_			
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	8	<1	3	<1	11	<1	64	5	8	2	21	2	10	<1
Physidae														
Physa					_				_					
Planorbidae														
Gyraulus	_				_				_				_	
Bivalvia														
Veneroida														
Sphaerlidae									1	<1			_	
Pisidium			3	<1	_		_						_	
Annelida (segmented worms)														
Oligochaeta					_				_		_			
Lumbriculida														
Lumbriculidae	15	<1	3	<1	_		3	<1	1	<1			4	<1
Tubificida		_	_	_			_	-	-				_	-
Naididae	4	<1	3	<1			_		_					
Arthropoda (arthropods)	•													
Acariformes														
Hydrachnidia	18	1			_		_				13	<1	21	2
Crustacea	10	•									10	~*		_
Cladocera	_				_									
Cyclopoida														
Amphipoda			_						_		_		_	
Gammaridae														
Gammarus														
	_										_		_	
Podocopa	_				_								_	
Insecta														
Ephemeroptera														
Baetidae	4	.4	n	.4	_		11		,	.4				
Baetis	4	<1	8	<1	5	<1	11	<1	4	<1	3	.4	-	. 1
Pseudocloeon	3	<1			13	<1	13	1	9	2	3	<1	10	<1
Caenidae	•													
Caenis	2	<1							_		_			
Ephemerellidae		_		_		_	40			_	••	_		_
Ephemerella	55	3	51	2	40	3	48	4	13	2	32	2	16	1
Heptageniidae														
Epeorus	7	<1	21	<1	16	1	19	1	_		_		1	<1
Stenonema	170	11	96	4	88	6	85	7	18	3	49	3	23	2
Isonychiidae														
Isonychia	91	6	43	2	43	3	56	4	6	1	65	5	13	1

Oct.	20, 1988	Oct. 2	3, 1989	Nov. 1	6, 1990	Oct.	9, 1991	Oct. 1	5, 1992	Oct. 1	4, 1993	Oct. 2	7, 1994	Date
1	,846	1,6	643	1,	507	5	97	5	73	7	32	1,	029	Total count
Coun	t Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
_		3 4	<1 <1	13 3	<1 <1	1 1	<1 <1	_	-	19	3	2 2	<1 <1	Platyhelminthes (flatv°orms) Turbellaria Tricladida Planariidae Nematoda (nematodea)
						-	•					-	•	Nemertea (proboscis vorms) Enopla Hoplonemerta Tetrastemmatidae
		10	<1	1	<1	_		_				_		Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylida:
3	<1	10	<1	6	<1	21	3	10	2	15	2	45	5	Ferri via
_		1	<1	1	<l< td=""><td>_</td><td></td><td>-</td><td></td><td>-</td><td></td><td>-</td><td></td><td>Physidae <i>Physi</i> Planorbidae</td></l<>	_		-		-		-		Physidae <i>Physi</i> Planorbidae
_		1	<1	_		_		_		_		_		Gyra ı lus
														Bivalvia
		_				_				_				Veneroida Sphaeriic'ae
_		2	<1	2	<1	_		_		_				Pisid'um
_				_		_		9	2	3	<1	2	<1	Annelida (segmented worms) Oligochaeta
								·	-	·	~1	-	~1	Lumbriculida
		24	1	12	<1	3	<1	_						Lumbriculidae Tubificida
_		5	<1	_		2	<1			4	<1	1	<1	Naididae
														Arthropoda (arthropods) Acariformes
_		200	12	45	3	4	<1	14	2	54	7	46	5	Hydrachnidia Crustacea
		2	<1			_						_		Cladocera
		3	<1	1	<1	_		_		1	<1	1	<1	Cyclopoida
														Amphipoda
		1	<1	_		_								Gammaridae <i>Gammarus</i>
_		1	<1	_		_		_		_		_		Podocopa
														Insecta
														Ephemeropte ⁻ a Baetidae
_		1	.1	_ 4	.1	1	<1			1	<1			Baeti: Pseudocloeon
11	<1	1	<1	4	<1	36	6			2	<1	_		<i>Pseutocioeon</i> Caenidae
_				_		_		_		_		_		Caen's
														Ephemenellidae
24	1	73	4	70	5	5	<1	7	1	8	1	11	1	Ephemerella
2	<1	9	<1	9	_1					,	.1			Heptageriidae
3 32	<1 2	3 69	<1 4	2 25	<1 2	39	6	98	17	1 42	<1 6	16	2	Epeorus Stenonema
-	-		•	_•	-		•				•		-	Isonychiidae
64	3	110	6	8	<1			27	5	22	3	23	2	Isonychia

Table 5. Benthic-macroinvertebrate data—Continued
01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

Date	Oct. 21, 1981 Nov. 4, 198			1, 1982	Oct. 1	8, 1983	Oct. 10, 1984		Oct. 10,1985		Oct. 22, 1986		Oct. 1€, 1987	
Total count	1,	542	12	,380	1 1,	,615	1 1	,295	5	35	1,395		1,338	
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Odonata														
Coenagrionidae														
Argia			_		_						_		_	
Gomphidae	_				_				_		_		_	
Ophiogomphus														
Plecoptera														
Capniidae														
Allocapnia	3	<1	24	1	5	<1			1	<1	1	<1	11	<1
Chloroperlidae	1	<1	5	<1			3	<1	_		1	<1		
Perlidae														
Acroneuria	10	<1	-		3	<1	3	<1	1	<1	4	<1	1	<1
Agnetina	6	<1	3	<1	_		_		_		-		_	
Paragnetina	-						_		_		1	<1	2	<1
Taeniopterygidae														
Strophopteryx	16	1	150	6	3	<1					_			
Taeniopteryx	32	2	29	1	56	3	16	1	3	<1	14	1	80	6
Hemiptera														
Saldidae	_		_		3	<1			_		_		_	
Megaloptera														
Corydalidae														
Corydalus	1	<1	-		_		-		1	<1	1	<1	_	
Nigronia			_		_				1	<1				
Sialidae														
Sialis			-		_				_		_		_	
Trichoptera														
Apataniidae														
Apatania	19	1	11	<1	5	<1	3	<1	1	<1	_		2	<1
Brachycentridae														
Brachycentrus	_		_		_				1	<1			_	
Micrasema	170	11	72	3	130	8	3	<1	22	4	60	4	21	2
Glossosomatidae														
Glossosoma	14	<1	29	1	24	2	32	2			7	<1	1	<1
Protoptila	1	<1	_		_		_				_		_	
Goeridae														
Goera	5	<1	_		11	<1	_		_		_		_	
Helicopsychidae														
Helicopsyche			_		_		_		_		_		_	
Hydropsychidae														
Ceratopsyche	92	6	260	11	240	15	200	15	39	7	98	7	31	2
Cheumatopsyche	250	16	120	5	150	9	130	10	17	3	36	3	8	<1
Hydropsyche	1	<1	5	<1	5	<1	5	<1	1	<1	5	<1	91	7
Hydroptilidae														
Hydroptila	2	<1	11	<1	8	<1	_		_		_		5	<1
Leucotrichia	48	3	16	<1	310	19	320	25	32	6	240	17	55	4
Lepidostomatidae														
Lepidostoma	_		3	<1	_		_		-				_	
Leptoceridae														
Mystacides	_				_		_		_		_		_	
Oecetis	_		_		3	<1	_							
Philopotamidae														
Chimarra	25	2	51	2	77	5	11	<1	6	1	23	2	5	<1
Dolophilodes	_		_		3	<1	3	<1	_		4	<1	_	
Wormaldia			_		_		_		_				_	

Oct. 2	20, 1988	Oct. 2	3, 1989	Nov. 1	6, 1990	Oct. 9	9, 1991	Oct. 1	5, 1992	Oct. 1	4, 1993	Oct. 2	27, 1994	Date:
1,	,846	1,	643	1,:	507	5	97	5	73	7	32	1,	.029	Total ocunt
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organiam
			-											Odonata
			-											Coenagrionidae
		1	<1					_				_		Argia
		1	<1			_				_		_		Gomphi lae
								1	<1					Oph ogomphus
														Plecoptera
														Capniidae
_		7	<1	1	<1			_		2	<1	_		Allorapnia
				_				_				1	<1	Chloroparlidae
														Perlidae
3	<1	3	<1	1	<1	2	<1	15	3	1	<1	1	<1	Acroneuria
_		_		_		_		_		_				Agn:tina
3	<1	1	<1					_				_		Para onetina
														Taeniopt rygidae
				12	<1	_				-		_		Strophopteryx
91	5	15	<1	5	<1	9	2			13	2	9	<1	Taeniopteryx
														Hemiptera
								_				_		Saldidae
														Megaloptera
														Corydalidae
_		_		1	<1					1	<1	1	<1	Corydalus
		_		_		1	<1	_						Nigmnia
														Sialidae
		_		1	<1			_				_		Sialis
														Trichoptera
														Apatanii dae
13	<1	6	<1	10	<1	21	3	4	<1	10	1			Apatania
														Brachycentridae
		_						_				9	<1	Brachycentrus
48	3	74	4	75	5	23	4	1	<1	28	4	4	<1	Micrasema
														Glossoscmatidae
3	<1	10	<1	7	<1					8	1	8	<1	Glos osoma
												_		Protoptila
														Goeridae
				_								_		Goera
														Helicopsychidae
				1	<1	_						_		Helicopsyche
				-										Hydropsychidae
350	18	76	4	180	12	34	6	74	13	94	13	69	7	Cera+opsyche
32	2	27	2	49	3	25	4	11	2	82	11	91	9	Chermatopsyche
40	2	20	1	45	3	12	2	54	9	24	3	130	13	Hyd rapsyche
10	-		•		•		_	٠.	Ū		·	100	10	Hydroptilidae
		10	<1	6	<1	3	<1	16	3	1	<1	12	1	Hyd roptila
240	13	49	3	99	7	4	<1	18	3	55	7	60	6	Leucotrichia
240	15	45	3	33	•	- 7	\1	10		33	•	w	U	Lepidostomatidae
				1	<1									Lepidost mandae Lepidostoma
				1	~1							_		Leptoceridae
		4	<1	2	<1	2	<1							Mystacides
 5	.1	4 10	<1 <1		<1	3 2	<1 <1					1	_1	Mysracides Oecetis
э	<1	10	<1			2	<1	_				1	<1	
21		20	•	40	2			,	. 1	10	•			Philopot midae
21	1	30	2	46	3			1	<1	18	2	_		Chimarra
						****		****		_				Dolo philodes
_		3	<1					_				_		Wormaldia

Table 5. Benthic-macroinvertebrate data—Continued
01472138 - French Creek near Coventryville, Pa. (Site 13)—Continued

Date		21, 1981		4, 1982		8, 1983		0, 1984	Oct. 1	0,1985		2, 1986		6, 1987
Total count	1	,542	1 2	,380	1 1	,615	1 1	,295	5	35	1,	395	1,	309
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera														
Polycentropodidae														
Neureclipsis					11	<1					4	<1	2	<1
Nyctiophylax	1	<1	3	<1			_				_			
Polycentropus					3	<1								
Psychomylidae														
Psychomyta	59	4	61	3	13	<1	8	<1	37	7	21	2	20	2
Rhyacophilidae														
Rhyacophila	6	<1			5	<1	11	<1	1	<1	5	<1	1	<1
Uenoidae														
Neophylax	7	<1							_				_	
Lepidoptera														
Noctuidae	_						_				_			
Pyralidae														
Petrophila	24	2	11	<1	11	<1			1	<1	11	<1	1	<1
Coleoptera														
Dryopidae														
Helichus			_				_		_		_		_	
Elmidae														
Ancyronyx														
A.variegata							_						_	
Dubiraphia					_		_		1	<1				
Macronychus	_						_		_				_	
Optioservus	47	3	45	2	21	1	11	<1	13	2	1	<1	13	1
Oulimnius	1	<1	3	<1			_		1	<l< td=""><td>_</td><td></td><td>1</td><td><1</td></l<>	_		1	<1
Stenelmis	7	<l< td=""><td>5</td><td><1</td><td>16</td><td>1</td><td>11</td><td><1</td><td>2</td><td><1</td><td>_</td><td></td><td>1</td><td><1</td></l<>	5	<1	16	1	11	<1	2	<1	_		1	<1
Psephenidae	•		_			_			_	-			_	
Psephenus	2	<1	_		3	<1	_		2	<1	1	<1	_	
Hymenoptera	_		_		_	~-	_		2	<1	_		_	
Diptera									-	~1				
Athericidae														
Atherix	1	<1					_						_	
Chironomidae	280		1,000	42	210	13	170	13	230	42	590	42	800	62
Empididae	200	10	1,000	72	210	10	170	13	230	72	330	72	500	UL.
Chelifera														
Hemerodromia	6	<1	11	<1	3	<1	_		1	<1	3	<1	_	
Ephydridae	υ	<1		<1	J	<1	_		1	<1	- -	<1	_	
Epnydridae Simuliidae			_		_		_		_		_		_	
Simulidae Simulium			16	<1	8	<1	32	2	34	6	12	_1	55	4
			10	<1	ō	<1	32	Z	34	O	12	<1	33	4
Tipulidae <i>Antocha</i>	27	2	200		E 1	9	24	2	11	2	en		33	9
	27	2	200	8	51	3	24	2	11	2	62	4	33	3
Tipula									_					

¹ Extrapolated from a 3/8 subsample.

	0, 1988		3, 1989		6, 1990		9, 1991		5, 1992 		4, 1993		7, 1994	Date
1,8	846	1,6	643	1,	507	5	97	5	73	7	32	1,	029	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organis ^m
														Trichoptera
														Polycentmoodidae
3	<1					5	<1	1	<1	-				Neur∽lipsis
_								_		_		_		Nyct'ophylax
3	<1	_		1	<1	1	<1	_		_		1	<1	Polycentropus
														Psychomylidae
27	1	7	<1	54	4	19	3	1	<1	14	2	54	5	Psychomyia
														Rhyacophilidae
3	<1	11	<1	7	<1	3	<1	9	2	2	<1	_		Rhya:ophila
														Uenoidae
		3	<1	1	<1	_		5	<1	_		_		Neophylax
														Lepidoptera
3	<1	_				_		_		_		_		Noctuida a
														Pyralidae
8	<1	2	<1	1	<1	1	<1	1	<1	2	<1	_		Petro~hila
														Coleoptera
														Dryopidae
_				_		_		1	<1	_		_		Helichus
														Elmidae
														Ancyronyx
		3	<1	_		_		_		1	<1	_		A.variegata
		3	<1	2	<1			1	<1	1	<1	_		Dubi ¬aphia
_				1	<1	1	<1			_		_		Macranychus .
16	<1	47	3	21	1	1	<1	14	2	2	<1	2	<1	Opticservus -
_		4	<1	_						2	<1			Oulimnius
8	<1	11	<1	6	<1	3	<1	_		2	<1	6	<1	Stene¹mis
														Psepheni lae
8	<1			_		1	<1	_		1	<1	2	<1	Psephenus
_						_	-	_		_	-	_		Hymenoptera
														Diptera
														Athericidae
_						_		2	<1	_		_		Atherix
680	36	390	23	520	35	250	41	140	24	120	16	360	36	Chironomidae
		555										555	-	Empididae
_				2	<1			_				_		Chelifera
11	<1	140	8	12	<1	10	2	_		17	2	10	1	Hemerodromia
	~.	1	<1		~1		-	_			-		•	Ephydridae
_		•	~.	_		_		_		_		_		Simuliidae
37	2	11	<1	4	<1	1	<1	19	3	13	2	1	<1	Simu ⁿ um
31	_	11	~1	7	~1	1	~1	19	3	13	L	1	~1	Tipulidae
53	3	140	8	140	9	49	8	18	3	46	6	48	5	Antocha
JJ	J	140	o	140	J	73	o	10	ა <1	40	υ	40	J	Antosia Tipula

[<, less than; —, not found]

Table 5. Benthic-macroinvertebrate data—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)

Date		1, 1981	Nov. 4	l, 1982	Oct. 1	8, 1983	Oct. 1	0, 1984	Oct. 1	0, 1985	Oct. 2	2, 1986	Oct. 1	6. 1987
Total count	11	,197	12	,649	11	,697	1 1	,563	7	85	1,	312	2,	D14
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	_				5	<1	3	<1	8	1	1	<1	2	<1
Nematoda (nematodes)	_				_						_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae													1	.1
Prostoma	_		-						_		_		1	<1
Mollusca (molluscs)														
Gastropoda Basommatophora														
Ancylidae <i>Ferrissia</i>	11	<1											4	<1
	11	<1			_		_						4	<1
Lymnaeidae														
<i>Lymnaea</i> Physidae	_		_		_		_		_		_		_	
Physia Physa														
Planorbidae			_		_				_		_		_	
Gyraulus	_													
Bivalvia					_		_		_		_			
Veneroida														
Sphaerlidae	_		_								_			
Pisidium	_						_				_		_	
Annelida (segmented worms)														
Oligochaeta	_				_						_		_	
Lumbriculida														
Lumbriculidae			_				_							
Tubificida														
Naididae	_				_								1	<1
Tubificidae	_								_		_		1	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia									_		19	1	1	<1
Crustacea														
Cyclopoida			_		_		_		_					
Podocopa	_				_						_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	16	1	5	<1	3	<1	32	2	16	2	4	<1	27	1
Pseudocloeon	8	<1	_		3	<1	8	<1					13	<1
Caenidae														
Caenis	_		_		_				_		_		1	<1
Ephemerellidae														
Ephemerella	80	7	280	10	160	9	130	8	57	7	170	13	92	5
Heptageniidae														
Epeorus			13	<1	40	2	8	<1			60	5	29	1
Stenonema	150	13	100	4	180	11	77	5	65	8	110	8	52	3
Isonychiidae														
Isonychia	32	3	27	1	53	3	11	<1	13	2	26	2	20	1

	0, 1988		3, 1989		6, 1990	Oct. 9			5, 1992		4, 1993		27, 1994	€ Cate
	70		147		43		737		336		432		565	Tota¹ count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Platyhelminthes (f atworms)
														Turbellaria
_														Tricladida
4	<1	14	<1	1	<1	1	<1	12	<1	13	<1	_		Planariidae
		2	<1			_		_		_		_		Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonernertea
														Tetrastemmatidae
		3	<1			_		_		6	<1	_		Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
1	<1	3	<1	4	<1	12	<1	22	2	11	<1	10	2	Ferrissia
														Lymraeidae
_		_		_		_		1	<1	_		_		L.ymnaea
														Physidae
-		2	<1	_		_		_				1	<1	F*vsa
														Planc rbidae
_						_		5	<1			_		Gyraulus
														Bivalvia
														Veneroida
_		-		_		_		2	<1	_		_		Sphaeriidae
_		1	<1	_		_		_		_				F'sidium
														Annelida (segmented worms)
_		_		_				1	<1	_		_		Oligochaeta
														Lumbriculida
_				_		_		_		1	<1	_		Lumt riculidae
														Tubificida
6	<1	19	<1	1	<1	2	<1	_		20	1	_		Naididae
_		_		_		_				_		_		Tubif cidae
														Arthropoda (arthropods)
														Acariformes
19	<1	26	1	2	<1	12	<1	28	2	34	2	7	1	Hydrachridia
														Crustacea
				_		_		_		1	<1			Cyclopoida
		_		_		1	<1	_		1	<1			Podocopa
														Insecta
														Ephemercotera
														Baetidae
27	<1	5	<1	_		15	<1	2	<1	1	<1			F~otis
4	<1	4	<1	2	<1	6	<1	2	<1	2	<1	5	<1	Freudocloeon
														Caen†dae
-				_		_				_				Caenis
														Ephemerellidae
80	6	430	17	63	10	110	6	71	5	54	4	11	2	Ephemerella
-	-						-		-		-		_	Heptageniidae
70	5	200	8	60	9	72	4	30	2	23	2	5	<1	Epeorus
80	6	67	3	16	2	97	6	29	2	44	3	10	2	Stenonema
	•	٠.	3		-	٠.	•	23	_	••	•		-	Isonychiidae
														2501170111000

Table 5. Benthic-macroinvertebrate data—Continued
01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

Date	Oct. 2	1, 1981	Nov. 4	1, 1982	Oct. 1	8, 1983	Oct. 1	0, 1984	Oct. 1	0, 1985	Oct. 2	2, 1986	Oct. 1	€, 1987
Total count	11	,197	12	,649	11	,697	1 1	,563	7	85	1,3	312	2,	014
Organism	Count	Percent	Count	Percent										
Ephemeroptera														
Leptophlebiidae	_		_		_		_		_		2	<1	_	
Paraleptophlebia	_				_		_		2	<1	_			
Odonata														
Coenagrionidae														
Argia					_								_	
Gomphidae														
Gomphus	5	<1			_		_		_		_			
Plecoptera														
Capniidae														
Allocapnia	5	<1	8	<1	5	<1	_				1	<1	5	<1
Chloroperlidae	3	<1	59	2	11	<1	13	<1	9	1	11	<1	_	
Perlidae														
Acroneuria	_		_						5	<1	2	<1	1	<1
Agnetina	11	<1								-		-		
Paragnetina		•							1	<1	1	<1	9	<1
Perlodidae									•	~-	•	~*	•	7.
Isoperla														
Taeniopterygidae														
Strophopteryx			13	<1										
Taeniopteryx	32	3	16	<1	24	1	5	<1	7	<1	5	<1	 28	1
	32	3	10	<1	24	1	J	<1	'	<1	J	<1	20	1
Megaloptera														
Corydalidae	•	.1	•		•	.1					2	.1		
Corydalus	3	<1	3	<1	3	<1			1		2	<1	1	<1
Nigronia	3	<1	_						1	<1				
Trichoptera									_					
Apataniidae	_		_						2	<1	_		_	_
Apatania	_		-		_				_		7	<1	2	<1
Brachycentridae														
Micrasema	19	2	75	3	45	3	3	<1	21	3	68	5	44	2
Glossosomatidae														
Culoptila			_		_		_		_		_			
Glossosoma	8	<1	5	<1	8	<1	21	1	4	<1	31	2	20	1
Protoptila -	5	<1	_		_		5	<1					_	
Goeridae														
Goera	_		_		8	<1			13	2	1	<1		
Helicopsychidae														
Helicopsyche	_						_				_			
Hydropsychidae														
Ceratopsyche	120	10	270	10	430	25	310	19	130	16	140	11	490	25
Cheumatopsyche	360	30	380	14	440	26	300	19	140	18	82	6	90	5
Hydropsyche	3	<1	21	<1	24	1	32	2	10	1	170	13	180	9
Macrostemum	3	<1	21	<1	3	<1	3	<1			3	<1	5	<1
Hydroptilidae														
Hydroptila	3	<1	21	<1	3	<1			_				2	<1
Leucotrichia	3	<1	53	2	37	2	160	10	23	3	150	12	41	2
Lepidostomatidae														
Lepidostoma											_		2	<1
Leptoceridae													_	_
Mystacides	_				_								_	
Oecetis	5	<1	_		_		_		1	<1	_			
Philopotamidae	J	~1			_		_		1	~1			_	
Chimarra	13	1	45	2	8	<1	8	<1	18	2	17	1	23	1
Dolophilodes	13	1	- T-J	L		~1	0	~1	10	<1	11	1	Z 3	1
Wormaldia					_				1	~1			1	<1
MADITUMICIN									_		_		1	< 1

Oct. 2	0, 1988	Oct. 23	3, 1989	Nov. 1	6, 1990	Oct. 9	, 1991	Oct. 1	5, 1992	Oct. 14	4, 1993	Oct. 2	7, 1994	Date
3,0	070	2,4	147	6	43	1,7	737	1,	336	1,4	432	5	65	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Orçanism
		,	-											Ephemeroptera
_		_		_		_		-				_		Leptophlebiidae
_		_		_		_						_		Paraleptophlebia
														Odonata
														Coeragrionidae
_		_		_		1	<1					_		Argia
														Gomnhidae
_		_		_		_		_						Gomphus
														Plecoptera
														Caprildae
19	<1	4	<1	1	<1			1	<1					Allocapnia
_		8	<1	5	<1	7	<1	10	<1	4	<1	4	<1	Chlomperlidae
														Perli-lae
7	<1	1	<1	6	<1	1	<1	3	<1	3	<1			Acroneuria
_		_				_				1	<1	_		Agnetina
5	<1	_		_				_				_		Paragnetina
														Perlo didae
7	<1	_		_				_		_		_		Isoperla
														Taen'opterygidae
_		_		_		_				_		_		Strophopteryx
48	2	4	<1	1	<1	6	<1	5	<1	3	<1	9	2	Taeniopteryx
														Megaloptera
														Corydalidae
_		2	<1	_		2	<1	1	<1	4	<1	_		Corydalus
_				_		_		_		_		_		Nigronia
														Trichoptera
_		_		_				_				_		Apat~niidae
1	<1	_		7	1	16	<1	43	3	7	<1	4	<1	Apatania
														Bracl recentridae
30	<1	16	<1	22	3	150	9	160	12	100	7	5	<1	Micrasema
														Glossosomatidae
_	_	25	1	_	_	_		_		_		_		Culoptila
2	<1	20	<1	24	4	5	<1	5	<1	7	<1	7	1	Glossosoma
3	<1	_		5	<1	35	2	51	4	26	2			Protoptila
				_										Goer'dae
		_		5	<1	1	<1	3	<1	4	<1	_		Goera
								_		_				Helicopsychidae
_		_				_		3	<1	2	<1	_		Helicopsyche
														Hydmosychidae
360	12	400	16	100	15	340	20	320	25	190	14	180	32	Ceratopsyche
230	7	280	11	32	5	180	11	42	3	150	11	44	8	Cheumatopsyche
510	16	82	3	7	1	30	2	31	2	9	<1	13	2	Hydropsyche
5	<1	8	<1	1	<1	2	<1	_		_		_		Macrostemum
					_	_		_				_	_	Hydrootilidae
_	_	_		1	<1	2	<1	9	<1	_	_	3	<1	Hydroptila
210	7	140	6	9	1	240	14	57	4	130	9	21	4	Leucotrichia
_					_	_		_						Lepidostomatidae
2	<1	_		13	2	4	<1	2	<1	_				Lepidostoma
														Leptoceridae
_	4	_				_		1	<1	_		_	.1	Mystacides
6	<1					6	<1	1	<1			1	<1	Oecetis
110		00		c	1		•	o	.1	co	,	_	.1	Philopotamidae
110	4	99	4	6	<1	55	3	8 2	<1	60	4	4	<1	Chimarra
_		2	<1	_		_		2	<1	_		_		Dolophilodes Wormaldia
_		۲.	~1	_		_						_		vvoi niaidia

 Table 5.
 Benthic-macroinvertebrate data—Continued

01472140 - South Branch French Creek at Coventryville, Pa. (Site 12)—Continued

				4, 1982		8, 1983		0, 1984	Oct. 1	-,		2, 1986		6, 1987
Total count	11	,197	1 2	,649	1 1	,697	1 1	,563	7	85	1,	312	2,	014
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera										***********			-	,
Polycentropodidae														
Neureclipsis	11	<1	_		5	<1					1	<1	1	<1
Nyctiophylax			8	<1	8	<1	5	<1	14	2	7	<1	10	<1
Polycentropus			_		_				_		1	<1		
Psychomylidae														
Psychomyia			11	<1	8	<1	21	1	5	<1	6	<1	6	<1
Rhyacophilidae														
Rhyacophila	_		5	<1			5	<1	2	<1	1	<1		
Uenoidae														
Neophylax			8	<1					_		_			
Lepidoptera														
Pyralidae														
Petrophila							_		_		2	<1	_	
Coleoptera														
Elmidae														
Dubiraphia			3	<1	3	<1					_			
Optioservus	85	7	54	2	35	2	40	3	56	7	24	2	22	1
Oulimnius			3	<1			_		1	<1	1	<1		
Promoresia	_		3	<1							1	<1	2	<1
Stenelmis	16	1	29	1	5	<1	5	<1	14	2	1	<1	10	<1
Psephenidae														
Ectopria											_			
E. nervosa			3	<1	_				_		_		_	
Psephenus	_		_		3	<1			3	<1	2	<1	3	<1
Hymenoptera	_				_				1	<l< td=""><td>_</td><td></td><td>_</td><td></td></l<>	_		_	
Diptera									-					
Athericidae														
Atherix	5	<1									1	<1	_	
Chironomidae	160		1,000	37	110	6	320	20	110	14	120	9	660	33
Empididae		10		0.		•		20		••		•		00
Chelifera														
Hemerodromia	3	<1		<1	_		_		2	<1			_	
Simuliidae		~1	J	~1	_					~1			_	
Simulium	5	<1	11	<1	16	<1	19	1	22	3	16	1	100	5
Tipulidae	J	~1	11	~1	10	~1	13	1	LL	J	10	•	100	J
Antocha	11	<1	88	3	11	<1	19	1	8	1	45	3	12	<1

¹ Extrapolated from a 3/8 subsample.

Oct. 2	0, 1988	Oct. 2	3, 1989	Nov. 1	6, 1990	Oct. 9	9, 1991	Oct. 1	5, 1992	Oct. 1	4, 1993	Oct. 2	7, 1 994	L'ate
3,	070	2,	447	6	43	1,	737	1,	336	1,	432	5	65	Total count
Count	Percent	Org:anism												
														Trichoptera
														Polycentropodidae
21	<1	_		_		1	<1	2	<1	_		1	<1	Neureclipsis
9	<1	13	<1	9	1	12	<1	9	<1	5	<1	_		I lyctiophylax
		_		_		2	<1	1	<1			_		Polycentropus
														Psychomylidae
2	<1	32	1	8	1	24	1	10	<1	31	2	11	2	Psychomyia
														Rhyacophilidae
_		2	<1	7	1	_		3	<1	2	<1	_		Rhyacophila
														Uencidae
2	<1	19	<1	10	2	_		_		_		3	<1	I ^r eophylax
														Lepidoptera
														Pyralidae
		_		_		1	<1	2	<1	15	1	8	1	P•trophila
														Coleoptera
														Elmidae
_				_		_								Dubiraphia
30	<1	38	2	38	6	36	2	40	3	58	4	7	1	Optioservus
_		1	<1			1	<1	1	<1	3	<1	_		Oulimnius
-		1	<1			_		_		_		_		Promoresia
4	<1	3	<1	4	<1	11	<1	30	2	18	1	_		Stenelmis
														Psephenidae
1	<1					_		_				_		Fctopria
		_		_						_				E. nervosa
4	<1					2	<1			1	<1			P∾ephenus
						_						_		Hymenoptera
														Diptera
														Athericidae
		_		_		_		1	<1			_		Atherix
80	19	300	12	120	18	160	9	170	13	260	19	120	21	Chircnomidae
1	<1	_		_				_				_		Empididae
				1	<1	_		_		_		_		Chelifera
5	<1	16	<1	_		4	<1	6	<1	4	<1	1	<1	I ^r emerodromia
														Simu ¹⁴ idae
98	3	56	2	9	1	7	<1	14	1	19	1	28	5	Simulium
														Tipul'dae
27	<1	16	<1	42	6	40	2	76	6	56	4	19	3	Antocha

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; ---, not found]

01472154 - French Creek near Pughtown, Pa. (Site 14)

Date		1, 1981		2, 1982		0, 1983		0, 1984	Oct. 1	1, 1985		1, 1986		4. 1987
Total count	1,	760	1,	543	1,	432	1,	716	4	21	1,	416	1,	331
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	2	<1	_		13	<1			_		4	<1	1	<1
Nematoda (nematodes)	_		_		_		_		_		1	<1	_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_				6	<1	_		_		_		5	<1
Mollusca (molluscs)					_									
Gastropoda														
Mesogastropoda														
Pleuroceridae														
Goniobasis			_		1	<1								
Basommatophora	_				1	~1			_		_		_	
Ancylidae	21		22		120	•						<1	5	.1
Ferrissia	21	1	22	1	120	9	_				8	<1	3	<1
Physidae		_			_									
Physa	1	<1	_		2	<1			_				_	
Planorbidae														
Helisoma			_		2	<1	_		-		-		_	
Gyraulus	_		_		_				_		_		_	
Bivalvia														
Veneroida														
Sphaeriidae	_		_		_		_						_	
Annelida (segmented worms)														
Oligochaeta	_		_		_		3	<1	-		_			
Lumbriculida														
Lumbriculidae	_		_		1	<1	1	<1			_		1	<1
Tubificida														
Naididae	_		_				_				_		18	1
Tubificidae	_						_				_		_	_
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	1	<1	3	<1	3	<1			1	<1	27	2		
Crustacea	1	~1	3	~1	3	~1			1	~1	21	2	_	
Cyclopoida														
	_		_		_						_		_	
Isopoda														
Asellidae														
Caecidotea	_		_						_		_		_	
Podocopa	_		_		_						_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	21	1	1	<1	24	2	19	1	_		_		7	<1
Pseudocloeon	_		_		2	<1	23	1	3	<1	_		12	<1
Caenidae														
Caenis	_		_		_		_		4	1	_		_	
Ephemerellidae														
Ephemerella	120	7	40	3	80	6	53	3	34	8	51	4	5	<1

	1, 1988	Oct. 2	4, 1989	Nov. 1	5, 1990	Oct. 1	5, 1991	Oct. 1	4, 1992	Oct. 1	3, 1993	Oct. 2	7, 1994	Da* 9
1 2	,589	1,	489	7	47	1,	545	1,0	025	7	65	1,2	212	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Platyhelminthes (flatworms) Turbellaria Tricladida
11	<1	14	<1	6	<1	2	<1	5	<1	2	<1	8	<1	Planar'idae
_						_		1	<1	1	<1	1	<1	Nematoda (nematodes) Nemertea (probosci worms) Enopla
								1	<1					Hoplonemertea Tetrastemmatidae Prestoma
						_		•	~1	_				Mollusca (molluscs) Gastropoda Mesogastropoda Pleuro zeridae
_		_		_				_				_		<i>Geniobasis</i> Basommatophora
3	<1	2	<1	3	<1	100	6	24	2	10	1	5	<1	Ancyli ¹ae <i>Fe⊤issia</i> Physidae
		_												Physa Planorhidae
_				_		1	<1	4	<1	1	<1	_		Helisoma Gyraulus Bivalvia
														Veneroida
		-		1	<1	_		_		_		1	<1	Sphaeriidae Annelida (segmented worms)
_		_		_		_				2	<1	_		Oligochaeta Lumbriculi da
_		29	2	20	3	2	<1					2	<1	Lumbriculidae Tubificida
_		9	<1	_		_		8	<1	_		6 —	<1	Naididae Tubificidae
		10	<1	6	<1	2	<1	31	3	15	2	23	2	Arthropoda (arthropods) Acariformes Hydrachnidia
_		1	<1 <1	_	~1	_	ν,		3				č	Crustacea Cyclopoida
														Isopoda Asellidae
_		1	<1	2	<1	_								Caecidotea Podocopa
														Insecta Ephemeroptera Baetid e
88 1 4 0	3 5	2 —	<1	_		11 4	<1 <1	8 2	<1 <1	5 1	<1 <1	_		Baetis Pseudocloeon
		3	<1	5	<1	_		1	<1	_		2	<1	Caenidae <i>Caenis</i> Ephemerellidae
180	7	130	9	43	6	130	8	70	7	23	3	97	8	Ephemerella

Table 5. Benthic-macroinvertebrate data—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

Date	Oct. 2	1, 1981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 10	0, 1984	Oct. 1	1, 1985	Oct. 3	1, 1986	Oct. 1	4, 1987
Total count	1,	760	1,	543	1,4	432	1,7	716	4	21	1,4	416	1,	331
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera								·						
Heptageniidae														
Epeorus	_										37	3		
Heptagenia	-													
Stenacron	_													
Stenonema	110	6	78	5	140	10	79	5	47	11	35	3	16	1
Isonychiidae														
Isonychia	260	14	67	4	190	14	130	8	25	6	44	3	28	2
Leptohyphidae														
Tricorythodes			2	<1										
Odonata														
Coenagrionidae														
Argia	6	<1	2	<1	5	<1	_						1	<1
Plecoptera														
Capniidae														
Allocapnia	-		2	<1			8	<1	2	<1	_		12	<1
Chloroperlidae											16	1		
Peltoperlidae														
Peltoperla	_						_							
Perlidae														
Acroneuria	2	<1			4	<1	4	<1	2	<1				
Agnetina									_				5	<1
Paragnetina	2	<1	4	<1	2	<1	6	<1						
Taeniopterygidae														
Strophopteryx											20	1		
Taeniopteryx	12	<1	8	<1	16	1	3	<1	12	3	6	<1	43	3
Hemiptera														
Corixidae	_				1	<1	_							
Veliidae														
Rhagovelia							2	<1	_					
Megaloptera														
Corydalidae														
Corydalus	3	<1	3	<1	2	<1	3	<1	1	<1			1	<1
Nigronia	1	<1			1	<1	_		_					
Neuroptera														
Sisyridae														
Climacia														
C. areolaris	1	<1							_					
Trichoptera														
Apataniidae														
Apatania	9	<1	5	<1	2	<1	4	<1			9	<1	1	<1
Brachycentridae														
Micrasema	31	2	4	<1	22	2	4	<1	1	<1	100	7	17	1
Glossosomatidae														
Culoptila			_						_		1	<1		
Glossosoma	7	<1	10	<1	7	<1	16	<1	5	1	13	<1		
Protoptila													_	
Helicopsychidae														
Helicopsyche									_					
Hydropsychidae														
Ceratopsyche	260	14	88	6	140	10	330	19	71	17	70	5	14	1
Cheumatopsyche	300	17	260	16	180	13	180	11	31	7	17	1	13	1
							10	<1	7	2	110	8	59	5
Hydronsyche														-
Hydropsyche Macrostemum	4	<1	1	<1	3	<1	1	<1	1	<1				

Oct. 2	1, 1988	Oct. 2	4, 1989	Nov. 1:	5, 1990	Oct. 1	5, 1991	Oct. 1	4, 1992	Oct. 1	3, 1993	Oct. 2	27, 1994	Da [*]
1 2	,589	1,	489	7-	47	1,	545	1,	025	7	65	1,	212	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
														Heptageniidae
8	<1	38	3	5	<1	34	2	14	1			14	1	Epwrus
3	<1	_												Hentagenia
3	<1	_						_				_		Stenacron
80	7	46	3	25	3	74	5	25	3	15	2	45	4	Stenonema
														Isonycł 'idae
80	7	51	3	12	2	58	4	9	<1	9	1	21	2	Isonychia
														Leptohyphidae
_								_						Tricorythodes
														Odonata
														Coenagrionidae
_								_		_				Antia
														Plecoptera
														Capniidae
8	<1	37	2	_		1	<1	4	<1	2	<1	3	<1	Allocapnia
13	<1	28	2	_		3	<1	3	<1			4	<1	Chloroperlidae
			-			-		-				•	- -	Peltoperlidae
3	<1			_		_		_		_		_		Peltoperla
	~1													Perlida?
3	<1	9	<1	10	1	_		5	<1	1	<1	5	<1	Acroneuria
J	~1	1	<1	10	1	3	<1	2	<1		<1	J	<1	Agnetina
5	<1	1	<1	4	<1	3	<1	2	<1	1	<1	1	<1	
J	<1			4	<1	_		_		1	<1	1	<1	Paragnetina
									.4			10	2	Taeniopterygidae
		 26	•	3	.1	6	.1	1	<1 <1	_	.1	18	2	Stranhopteryx
00	4	20	2	3	<1	0	<1	4	<1	5	<1	7	<1	Taeniopteryx
														Hemiptera
										_				Corixidae
														Veliidae
										_				Rha qovelia
														Megaloptera
			_			_				_	_		_	Corydalidae
_		1	<1			1	<1			1	<1	1	<1	Corydalus
		_		_						_				Nigronia
														Neuroptera
														Sisyridae
														Cli nacia
		_		_								_		C. areolaris
														Trichoptera
														Apatan ¹¹ dae
16	<1			17	2	2	<1	37	4	7	<1	10	<1	Apatania
														Brachycentridae
19	<1	15	1	88	12	58	4	150	15	220	28	40	3	Micrasema
														Glossosomatidae
		_												Cu.¹optila
		55	4	16	2							5	<1	Glcssosoma
_				1	<1	2	<1	1	<1			_		Protoptila
														Helicor«ychidae
_				_		_		1	<1	_		_		Helicopsyche
														Hydropsychidae
80	15	280	19	110	14	110	7	83	8	19	2	290	24	Ceratopsyche
74	3	130	9	70	9	60	4	29	3	10	1	160	13	Chrumatopsych
80	3	26	2	15	2	58	4	19	2	120	15	43	4	Hydropsyche
3	<1	5	<1	5	<1	1	- <1		-	2	<1	3	<1	Marrostemum
-		•		•		-	-			_	-	_		Potamyia

Table 5. Benthic-macroinvertebrate data—Continued

01472154 - French Creek near Pughtown, Pa. (Site 14)—Continued

Date	Oct. 2	1, 1981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 1	0, 1984	Oct. 1	1, 1985	Oct. 3	1, 1986	Oct. 1	4, 1987
Total count	1,	760	1,	543	1,	432	1,	716	4	21	1,	416	1,	331
Organism	Count	Percent												
Trichoptera														
Hydroptilidae														
Hydroptila	3	<1	1	<1	6	<1	_				2	<1	_	
Leucotrichia	120	7	430	27	300	21	390	23	83	19	310	22	57	4
Lepidostomatidae														
Lepidostoma	_		_				_				_			
Leptoceridae														
Mystacides	_				_						_			
Oecetis					2	<1	_							
Philopotamidae														
Chimarra	32	2	21	1	31	2	57	3	10	2	20	1	11	<1
Dolophilodes	_		_		_		_				_		_	
Polycentropodidae														
Neureclipsis	6	<1	3	<1	18	1	1	<1	1	<1	2	<1	_	
Polycentropus			_				_		_		1	<1		
Psychomylidae														
Psychomyia	18	1	17	1	33	2	14	<1	2	<1	24	2	6	<1
Rhyacophilidae														
Rhyacophila					_		_				1	<1		
R. fuscula	1	<1							_				_	
Uenoidae														
Neophylax	7	<1	2	<1	_		_		_				_	
Lepidoptera														
Pyralidae														
Petrophila	12	<1	_		1	<1	_				2	<1	2	<1
Coleoptera														
Elmidae														
Ancyronyx														
A.variegata	_						_				_			
Optioservus	16	<1	1	<1	2	<1	6	<1	5	1	5	<1	22	2
Oulimnius	1	<1					_				_			
Stenelmis					6	<1			_		1	<1	1	<1
Hydrophilidae														
Helophorus	_				_		1	<1	_					
Psephenidae														
Psephenus	_				1	<1			_				_	
Diptera														
Chironomidae	340	19	430	27	46	3	330	19	63	15	440	31	940	72
Empididae														
Hemerodromia	3	<1	8	<1	2	<1	2	<1	_		1	<1	1	<1
Ephydridae	_				_		_				_		_	
Simuliidae														
Simulium	18	1	2	<1	2	<1	22	1	6	2	6	<1	12	<1
Tipulidae														
Antocha	9	<1	28	2	13	<1	13	<1	4	1	32	2	9	<1
Tipula	_				_		1	<1						

¹ Extrapolated from a 3/8 subsample.

Oct. 2	1, 1988	Oct. 2	4, 1989	Nov. 1	5, 1990	Oct. 1	5, 1991	Oct. 1	4, 1992	Oct. 1	3, 1993	Oct. 2	7, 1994	Date
1 2	,589	1,4	489	7-	47	1,	545	1,0	025	7	65	1,	212	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Trichoptera
														Hydrop ⁺ llidae
_		1	<1	1	<1	1	<1	1	<1	5	<1	7	<1	Hydroptila
100	4	120	8	73	10	230	14	190	19	130	17	120	10	Leucotrichia
														Lepidos omatidae
16	<1			3	<1	4	<1	3	<1			4	<1	Lepidostoma
														Leptoceridae
								1	<1			_		Mystacides
				_				_		2	<1			Oeartis
														Philopotamidae
61	2	120	8	37	5	65	4	10	1	10	1	83	7	Chimarra
		3	<1							_				Dolophilodes
		-												Polycentropodidae
5	<1					2	<1							Neursclipsis
		_		_		_						_		Polycentropus
														Psychomytidae
11	<1	6	<1	1	<1	33	2	1	<1	6	<1	24	2	Psychomyia
••		·	~1	-	~-	55	-	-	~1	v	~1	21	-	Rhyacophilidae
								1	<1					Rhyacophila
		_		_				1	~ 1			_		R. fuscula
								_				_		<i>R. Iuscuia</i> Uenoida∘
		-	_		_							_		
		33	2	1	<1					_		6	<1	Neophylax
														Lepidoptera
														Pyralida
3	<1	1	<1	1	<1	3	<1	_		3	<1	2	<1	Petraohila
														Coleoptera
														Elmidae
														Anc _{\(\tau\)} ronyx
				_				_				2	<1	A.variegata
21	<1	7	<1	19	3	14	<1	21	2	4	<1	3	<1	Opt'oservus
														Oul mnius
3	<1			1	<1	1	<1			2	<1	_		Stenelmis
														Hydrophilidae
										_				Helcphorus
														Psephenidae
				1	<1			4	<1			1	<1	Pserhenus
				-	-4			•				•		Diptera
530	20	190	13	100	13	430	27	230	23	100	13	130	11	Chironomidae
		200	-3	100	10			200	23	200		100	**	Empidicae
		8	<1			9	<1	5	<1	_		1	<1	Empleic ∢e Herr∙rodromia
_		1	<1 <1	_		3	~1	J	~1	_		1	~1	Ephydri †ae
_		1	<1			_		_						Epnydri ⊤ae Simuliidae
200	10	10	.4		.•	,		^	. 4	10	•			
320	12	10	<1	3	<1	4	<1	2	<1	16	2	1	<1	Simulium
			-		-		_				_			Tipulida
19	<1	40	3	39	5	26	2	14	1	14	2	13	1	Antocha
						_				1	<1	_		Tipula

Table 5. Benthic-macroinvertebrate data—Continued

01472157 - French Creek near Phoenixville, Pa. (Site 15)

Date		1, 1981		2, 1982		0, 1983		0, 1984	Oct. 1	1, 1985	Dec.	5, 1986	Oct. 1	4, 1987
Total count	1 3	,427	1	548	¹ 1	,141	1	821	2	26	7	12	6	00
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)													,,,	
Turbellaria														
Tricladida														
Planarlidae	69	2	_		5	<1	5	<1	1	<1	5	<1	2	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		3	<1			_		_		_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amnicola	_								2	1	30	4	9	2
Pleuroceridae														
Goniobasis	_				3	<1	_		4	2	1	<1	3	<1
Basommatophora														
Ancylidae														
Ferrissia	11	<1	5	1	8	<1	8	1			19	3	3	<1
Lymnaeidae														
Lymnaea	3	<1			_				_		_			
Physidae														
Physa	5	<1							1	<1	1	<1	_	
Planorbidae														
Helisoma	67	2			_				2	1	5	<1		
Gyraulus														
Bivalvia														
Veneroida														
Sphaerlidae											_			
Musculium					_								2	<1
Pisidium	3	<1			_				_		_		1	<1
Annelida (segmented worms)		~*											•	•
Oligochaeta											_		_	
Lumbriculida														
Lumbriculidae									1	<1	4	<1	_	
Tubificida									•		•			
Naididae	_				_		_		_		_		22	4
Tubificidae											2	<1		*
Hirudinea	_		_		_		_		_		_	~1	1	-1
Arthropoda (arthropods)					_								•	<1
Acariformes														
Hydrachnidia											11	2		
Crustacea	_				_		_		_		11	2		
Crustacea Cladocera														
Cyclopoida	_		_		_		_							
Amphipoda Gammaridae														
					•									
Gammarus			_		3	<1			_		_			

	9, 1988		3, 1989		5, 1990		l, 1991		4, 1992		5, 1993		28, 1994	Da⁴•
12	,496	2	03	2	71	1,2	254	8	25	5	87	1	,045	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
						'''				····				Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
11	<1	16	7	5	2	1	<1			6	1	3	<1	Planaritdae
														Nemertea (proboscia worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
_								2	<1			_		Prostoma .
														Mollusca (molluscs)
														Gastropoda
														Mesogastronoda
														Hydrobiidae
		5	3	6	2	2	<1	14	2			_		Amnicola
		-	_	•	_	_	-		_	•				Pleuroceridae
3	<1			1	<1	1	<1	3	<1	3	<1	1	<1	Goniobasis
•				-		-		•		Ū		•	**	Basommatcohora
														Ancylidae
21	<1	7	3	42	15	26	2	14	2	29	5	49	4	Ferrissia
••	-1	•		XL.	13	20	_	**		20	J	40	7	Lymnaridae
8	<1	_										10	<1	Lymnaea
•												10	~•	Physidae
_				4	2			3	<1	1	<1			Physa
_				7	L	_		J	~1	1	~1	_		Planorbidae
														He¹lsoma
3	<1	1	<1	1	<1	2	<1	6	<1	2	<1	2	<1	Gyraulus
3	~1	1	_1	•	-1	L	~1	J	-1	L	-1		~1	Bivalvia
														Veneroida
								16	2	1	<1			Sphaer'idae
								10	L	1	~1			Musculium
3	<1	1	<1			2	<1	_		_				Pisidium
3	<1	1	<1			2	<1					_		Annelida (segmented worms)
								2	<1					Oligochaeta
		_				_		2	<1	_		_		Lumbriculida
5	<1	2	,	1	<1									Lumbriculidae
3	<1	2	1	1	<1									
5	<1	10	E					2	. 1					Tubificida Naidid ™
J	<1	10	5	_		_		2	<1	_		_		Naidid 'e Tubific'dae
								_						
_						_		_		_		_		Hirudinea
														Arthropoda (arthropods)
2	_1	o		E	2	10	,	25	2		_1	50		Acariformes
3	<1	8	4	5	2	13	1	25	3	4	<1	50	5	Hydrachnidia
														Crustacea
_		9	4			_				-		_		Cladocera
		29	13	_				_		_				Cyclopoida
														Amphipoda
														Gammaridae
_		_		-								_		Gammarus

Table 5. Benthic-macroinvertebrate data—Continued
01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

Date		1, 1981		2, 1982		0, 1983	Oct. 1	0, 1984	Oct. 1	1, 1985	Dec.	5, 1986	Oct. 1	4, 1987
Total count	1 3	,427	1 ;	548	11	,141	1 ;	B21	2	26	7	'12		00
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Coun*	Percent
nsecta														
Ephemeroptera														
Baetidae							_		_	_				_
Baetis	16	<1	_		_		3	<1	5	2			14	2
Pseudocloean	24	<1	_				5	<1			_			
Caenidae														
<i>Cae</i> nis									11	5	_		1	<1
Ephemerellidae														
Ephemerella	43	1	11	2	11	1	8	1	6	3	140	19	7	1
Heptageniidae														
Epeorus	37	1	21	4	29	3	3	<1	_		77	11	1	<1
Stenonema	80	2	35	6	64	6	91	11	13	5	22	3	16	3
Isonychiidae														
Isonychia	37	1	8	2	8	<1	8	1	4	2	3	<1	13	2
Leptohyphidae	•	-	•	-				-	-	_	•			_
Tricorythodes														
Odonata											_			
Coenagrionidae											_			
Argia	29	<1									3	<1		
Plecoptera														
Capniidae														
Allocapnia					3	<1	13	2						
Chloroperlidae	24	<1	5	1	5	<1	11	1			9	1		
Perlidae														
Acroneuria	3	<1					3	<1	1	<1	5	<1	2	<1
Agnetina	3	<1											2	<1
Paragnetina		· -									3	<1		· -
Taeniopterygidae											•			
Strophopteryx							3	<1			3	<1		
	11	<1	13	2	11	1	8	1	4	2	3	~1	2	<1
Taeniopteryx	11	<1	13	Z	11	1	0	1	4	2			Z	<1
Megaloptera														
Corydalidae														
Corydalus														
Nigronia														
Trichoptera														
Apataniidae														
Apatania	13	<1	13	2	11	1			2	1	60	8	14	2
Brachycentridae							_		_		49	7	20	3
Micrasema	220	6	8	2	85	8	11	1	18	8				
Glossosomatidae		•	Ū	-	-	•		•		•				
Glossosoma			19	3			64	8	31	13	3	<1	23	4
Protoptila	2,200	65	5	1	590	54	35	4		15	3	~1	25	7
	2,200	03	3	1	390	34	33	4						
Helicopsychidae												_		
Helicopsyche			_						-		21	3		
Hydropsychidae														
Ceratopsyche	29	<1	37	7	59	5	53	6	21	9	21	3	8	1
Cheumatopsyche	56	2	21	4	45	4	37	4	9	4	10	1	6	1
Hydropsyche	3	<1	3	<1	3	<1	_				13	2	14	2
Macrostemum							_						-	
Potamyia													2	<1
Hydroptilidae													-	
Hydroptila	5	<1												
Leucotrichia	24	<1	160	29	24	2	59	7	27	11	12	2	16	3
123431113114	4 4	~1	100	43	44	4	J	1	41	11	14	4	10	J

Oct. 1	9, 1988	Oct. 2	3, 1989	Nov. 1	5, 1990	Oct. 4	, 1991	Oct. 1	4, 1992	Oct. 1	5, 1993	Oct. 2	28, 1994	[^ate
12	,496	2	03	2	71	1,2	254	ε	325	5	587	1	,045	Total count
Count	Percent	Organism												
														Insecta
														Ephemeroptera
														Baeti lae
40	2	_		_		42	3	7	<1	4	<1	2	<1	Raetis
5	<1	_		2	<1	18	1	10	1	2	<1	_		Pseudocloeon
														Caen'dae
_		_								_		1	<1	Caenis
														Ephemerellidae
13	<1	8	4	9	3	48	4	38	5	2	<1	20	2	Γnhemerella
														Hept [¬] geniidae
35	1	1	<1	2	<1	11	<1	28	3	23	4	7	<1	Греогия
64	3	6	3	20	7	67	5	12	1	12	2	43	4	Stenonema
0.	Ū	Ū	Ū	20	•	٠,	J	10	•	12	-	70	T	Isonychiidae
45	2			5	2	5	<1	16	2	9	2	7	<1	I onychia
43	2	_		3	2	3	<1	10	2	9	2	′	<1	
														Leptohyphidae
_		_		_				1	<1	_		1	<1	Tricorythodes
														Odonata
						_		_						Coenagrionidae
5	<1	_				2	<1	3	<1	_		1	<1	Argia
														Plecoptera
														Capniidae
_		4	2	1	<1	_		1	<1	_		_		Allocapnia
_		_				2	<1	6	<1	_		7	<1	Chloroperlidae
														Perlidae
8	<1	2	1					_		1	<1	1	<1	Acroneuria
_		2	1	_				_		1	<1			Agnetina
				_						_				Paragnetina
														Taeninpterygidae
		_		_								5	<1	Strophopteryx
5	<1	4	2	_		1	<1	8	1	1	<1	_	•	Taeniopteryx
·	~-	*	-			•	~-	ŭ	•	-	~-			Megaloptra
														Corydalidae
3	<1												.1	
3	<1							1		_		1	<1	Corydalus
				_				1	<1					1 Tigronia
														Trichoptera
	_	_	_			_	_		_		_		_	Apatantidae
77	3	6	3			5	<1	24	3	28	5	71	6	Anatania
_		_				_		-		_		_		Brachycentridae
69	3	3	2	10	4	53	4	15	2	44	7	69	6	Micrasema
														Glossosomatidae
11	<1			2	<1	7	<1	7	<1	3	<1	2	<1	Glossosoma
790	32	15	7			6	<1	81	10	210	35	110	10	Protoptila
														Helicapsychidae
5	<1	6	3	_		10	<1	19	2	21	3	44	4	Fi-licopsyche
														Hydropsychidae
140	6	1	<1			140	11	42	5	8	1	150	14	Ceratopsyche
11	<1	3	2	1	<1	21	2	3	<1	14	2	48	4	Cheumatopsyche
69	3	_	-	8	3	38	3	4	<1	_	-	5	<1	F ³ ydropsyche
3	<1	_		_	,		•		~1			1	<1	Macrostemum
_	~1	_		_		_						_ 1	~1	Frianyia
_										_				_
													. •	Hydroptilidae
	0=	_			^	_	40				4.	1	<1	Fydroptila
680	27	1	<1	9	3	560	43	80	10	65	11	82	7	Leucotrichia

Table 5. Benthic-macroinvertebrate data—Continued
01472157 - French Creek near Phoenixville, Pa. (Site 15)—Continued

Date	Oct. 2	1, 1981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 1	0, 1984	Oct. 1	1, 1985	Dec.	5, 1986	Oct. 1	4, 1987
Total count	1 3	,427	1 (548	1 1,	,141	1 (B21	2	26	7	12	6	00
Organism	Count	Percent	Count	Percent	Coun*	Percent								
Trichoptera														
Lepidostomatidae														
Lepidostoma														
Leptoceridae														
Ceraclea	-		_								_			
Mystacides					_		_		_		1	<1		
Oecetis					3	<1	_		_		_		_	
Philopotamidae														
Chimarra	110	3	5	1	32	3	27	3	5	2	16	2	9	2
Polycentropodidae														
Neureclipsis	_		3	<1	_						_			
Nyctiophylax	_						5	<1	1	<1			1	<1
Polycentropus													_	
Psychomylidae														
Psychomyia					13	1	27	3	6	3			1	<1
Uenoidae														
Neophylax	160	5					3	<1					_	
Lepidoptera														
Pyralidae														
Petrophila	3	<1	_		8	<1	5	<1	2	1	2	<1	1	<1
Coleoptera														
Elmidae														
Microcylloepus	3	<1											_	
Optioservus	13	<1	3	<1	11	1	5	<1	6	3	7	1	24	4
Oulimnius														
Promoresia														
Stenelmis					3	<1	5	<1	4	2				
Gyrinidae														
Dineutus			5	1										
Psephenidae														
Ectopria														
E. nervosa														
Psephenus					3	<1			5	2	1	<1	14	2
Diptera														
Athericidae														
Atherix									_					
Ceratopogonidae														
Chironomidae	120	4	160	29	85	8	310	37	24	10	130	18	340	56
Empididae														
Hemerodromia									2	1	2	<1	1	<1
Simuliidae									-	_	_	_	_	=
Prosimulium											1	<1		
Simulium	3	<1	3	<1			3	<1	5	2	_		1	
Tipulidae	-	-	-	-			-	-	-	-			-	
Antocha			5	1	13	1	3	<1	3	1	18	3	4	<1
Tipula			-	-		-	-	-	-	-	2	<1	-	-

¹ Extrapolated from a 3/8 subsample.

	9, 1988	Oct. 2	3, 1989	Nov. 1	5, 1990	Oct. 4	1, 1991	Oct. 1	4, 1992	Oct. 1	5, 1993	Oct. 2	8, 1994	Date
12	,496	2	03	2	71	1,	254	8	25	5	87	1,0	045	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Trichoptera
														Lepido~tomatidae
		3	2	_		7	<1	8	1	2	<1	1	<1	Leridostoma
														Leptoceridae
_		3	2	_		2	<1	_				1	<1	Ceraclea
						_		_		1	<1	5	<1	My∗tacides
5	<1					1	<1	1	<1	2	<1			Oe::etis
														Philopetamidae
29	1	4	2			6	<1	13	2	13	2	14	1	Ch'marra
														Polycertropodidae
3	<1	_		_		7	<1	5	<1			15	1	Neureclipsis
_		_		_				_				3	<1	Nyctiophylax
_				_		3	<1	_		2	<1	4	<1	Polycentropus
														Psychomylidae
5	<1					11	<1	2	<1	3	<1	22	2	Psychomyia
														Uenoid∘e
		7	3	5	2	_		_		_		25	2	Nerohylax
														Lepidoptera
														Pyralid **
				9	3	17	1	18	2	3	<1	5	<1	Pet~ophila
				_	_		_		_	•				Coleoptera
														Elmida?
						_								Mi ~ocylloepus
27	1	7	3	1	<1	2	<1	1	<1			3	<1	Optioservus
_	•		J	2	<1		~1	_	~1				~1	Oulimnius
		1	<1	_	~1			1	<1			_		Premoresia
8	<1		~1	1	<1	_		2	<1	_		1	<1	Stenelmis
0	\1			1	\1			L	<1	_		1	<1	Gyrinidae
														Dineutus
		_		_		_		_						
•														Psephenidae
3	<1			_		_		_				_		Ectroria
_		_		2	<1			_	_		_	_	_	E. nervosa
5	<1	_		_		1	<1	8	1	4	<1	4	<1	Pscohenus
														Diptera
														Athericidae
_		_		_		_		_				1	<1	Atl∾rix
_	_	1	<1			_	_	_			_	_		Ceratopogonidae
30	9	23	10	71	25	98	8	250	30	56	9	97	9	Chironomidae
														Empididae
3	<1	1	<1	_		_		5	<1			2	<1	Hemerodromia
														Simulii dae
-		_		_		_		_		_		_		Prc <imulium< td=""></imulium<>
11	<1	2	1			7	<1	2	<1	_		1	<1	Simulium
														Tipulid - e
27	1	1	<1	45	16	9	<1	16	2	7	1	47	4	An+ocha
_				1	<1	_		_				_		Tipula

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)

Date	Oct. 2	3, 1981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 1	0, 1984	Oct. 9	, 1985	Oct. 3	1, 1986	Oct. 1	3, 1987
Total count	2	40	6	19	3	43	2,	247	;	72	e	05	4	89
Organism	Count	Percent												
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	1	<1			45	13	17	<1	1	2	8	1	12	2
Nematoda (nematodes)	_		_		_				_		2	<1	_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		9	2	6	2	16	<1	_		_		_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amn icola			_		_		_		_		_		3	<1
Pleuroceridae														
Goniobasis					_		_		_					
Basommatophora														
Ancylidae														
Ferrissia	_		18	3	9	3	10	<1	_		1	<1	1	<1
Lymnaeidae														
Lymnaea					9	3			_				_	
Physidae					•	_								
Physa	10	4			81	4	14	<1			1	<1	1	<1
Planorbidae	10	•			01	•	••	•			_			~*
Gyraulus													_	
Helisoma					23	7	1	<1	_					
Bivalvia					20	•	•	~1						
Veneroida														
Sphaeriidae														
Spriaer nuae Pisidium			_		_				_				_	
					_		_		_					
Annelida (segmented worms)														
Polychaeta														
Sabellida														
Sabellidae					_									
Manayunkia speciosa	_				3	<1	_		_	_				
Oligochaeta			_						1	2			_	
Lumbriculida													_	
Lumbriculidae	1	<1	_		_				_				3	<l< td=""></l<>
Tubificida														
Naididae	5	2	480	76	120	35	280	12			6	1	6	1
Tubificidae			9	2	8	2	49	2	_		_			
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			3	<1	2	<1	1	<1	2	3	3	<1	12	2
Crustacea														
Cladocera							1	<1	_				_	
Cyclopoida			_		_				_		_		_	
Amphipoda														
Crangonyctidae														
Crangonyx							_				_		_	
Gammaridae														
Gammarus	1	<1												

Oct. 19	9, 1988	Oct. 24	1, 1989	Nov. 1	5, 1990	Oct. 2	1, 1991	Oct. 1	3, 1992	Oct. 18	8, 1993	Oct. 2	8, 1994	Dat:
¹ 1,	,340	2	70	1	13	7:	27	1	15	9	85	6	56	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organ ⁱ sm
											-			Platyhelminthes (flatworms) Turbellaria Tricladida
_		7	3	8	7	1	<1	5	5	44	4	11	2	Planariidae
_				_				_		_		_		Nematoda (nematod :s) Nemertea (proboscis worms) Enopla Hoploneme-tea Tetraste~matidae
3	<1	8	3	8	7	3	<1	_		1	<1	5	<1	Pro**oma Mollusca (molluscs) Gastropoda
														Mesogastropoda Hydrob ¹¹ dae
_		13	5	1	1			4	4	1	<1			<i>Amnicola</i> Pleuroc?ridae
_		3	1	1	1	_		16	13	1	<1			<i>Goriobasis</i> Basommatophora Ancylidae
		12	4	8	7	1	<1	_				1	<1	Ferrissia
3	<1	2	<1	1	1	_				_		_		Lymnaeidae <i>Lymnaea</i>
_		53	19	40	33			26	22	1	<1	_		Physida - <i>Ph</i> ysa
				2	2							_		Planorb'dae
		10	4	_		_						_		Gyr vulus
		_		_				2	2	_		_		<i>Helisoma</i> Bivalvia Veneroida
_										2	<1	_		Sphaeri dae
_		2	<1	_						_		_		<i>Pisi-lium</i> Annelida (segmented worms) Polychaeta Sabellida Sabellida•e
		1	<1	_				_				_		Manayunkia speciosa
		-		_		-		2	2	_		_		Oligochaeta Lumbriculida
3	<1	3	1	3	3	1	<1							Lumbriculidae Tubificida
35	3	30	11	3	3	15	2					19	3	Naididae
_		_		7	6					5	<1	_		Tubificidae Arthropoda (arthropods) Acariformes
		42	15	8	7	19	3	1	1	21	2	8	1	Hydrachnid'a Crustacea
_		7	3	5	5	_		_		_		_		Cladocera Cyclopoida Amphipoda
3	<1							_		_		_		Crangonyx Crangonyx
_				_		1	<1	2	2	5	<1	1	<1	Gammaridae <i>Gammarus</i>

Table 5. Benthic-macroinvertebrate data—Continued
014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

Date	Oct. 23, 19	981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 10), 1984	Oct. 9	, 1985	Oct. 3	1, 1986	Oct. 1	3, 1987
Total count	240		6	19	3	43	2,2	247	7	72	6	05	4	89
Organism	Count Per	rcent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Court	Percent
Isopoda														
Asellidae														
Lirceus	_		-		_		5	<1	4	5	_		_	
Decapoda														
Astacidae	-		-		_		_				-		_	
Podocopa	_		-		_		_		_		_		-	
Insecta														
Ephemeroptera														
Baetidae								_	_					_
Baetis	-		_	_	_		13	<1	8	10	-		6	1
Pseudocloeon			1	<1	_				_		-			
Caenidae									_	_				
Caenis			_		_				1	2			_	
Ephemerellidae									•				•	
Ephemerella			-		_		_		3	4	2	<1	2	<1
Heptageniidae														
Epeorus	_		_		-				_				_	•
Stenonema	_		_		_				8	10	1	<1	7	2
Isonychiidae				_	_	_				_				
Isonychia			1	<1	2	<1			2	3	_		_	
Odonata														
Coenagrionidae			•		-	•							•	
Argia	_		3	<1	7	2	_				3	<1	2	<1
Plecoptera														
Capniidae														
Allocapnia			_		_		_		_				1	<1
Perlidae										•				
Acroneuria			_		_				1	2	_		_	
Taeniopterygidae							_							•
Taeniopteryx			_		1	<1	1	<1			1	<1	13	3
Hemiptera														
Corixidae	_		_		_				1	2				
Veliidae <i>Rhagovelia</i>			1	<1										
Megaloptera			1	<1										
Corydalidae			1	-1										
<i>Corydalus</i> Sialidae			1	<1			_		_		_		_	
Sialidae Sialis														
Neuroptera			_		-		_				_		_	
Sisyridae														
Sisyridae Climacia			,	<1										
Trichoptera	_		1	<1										
Apataniidae														
-			_		_		_		_		1	<1	_	
Apatania Brachycentridae	_				_						1	<1		
Micrasema											2	<1		
Glossosomatidae	_		_		_				_		2	<1		
Giossosomandae Culoptila											_			
					1	<1	-		_		_		-	
Glossosoma	_		_		1	<1			_				-	
Protoptila Hudropovehidee	-		_		_				_		_		_	
Hydropsychidae	,	<1	2	<1	e	2			6	o	2	<1	2	<1
Ceratopshche Cheumatopsyche	1 <	-1	7	<1 1	6 2	2 <1			3	8 4	29	<1 5	3 66	13
	_		7 39	6	2	<1	3	_1	3 1	2	29 230	38	11	2
Hydropsyche			29	0	_		3	<1	1	2	230	36	11	2

Date	94	28, 1994	Oct. 2	3, 1993	Oct. 18	3, 1992	Oct. 1	1, 1991	Oct. 2	5, 1990	Nov. 1	4, 1989	Oct. 2	9, 1988	
Total count		656	6	35	9	15	1	27	7:	13	1	70	2	340	¹ 1
Orçanism	cent	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Isopoda											-				
Asellidae															
Lirceus			_		_		_		_						_
Decapoda															
Astacidae			_		_		_		_		-	<1	1		_
Podocopa			_							1	1		_		
Insecta															
Ephemeroptera Baetidae															
Baetis			_	<1	3		_	<1	2		_		_	<1	3
Pseudocloeon				~1	_			~1		1	1			~1	_
Caenidae										•	•				
Caenis		<1	1										_		
Ephemerellidae			-												
Ephemerella		<1	5	3	32			<1	2	1	1	3	8		
Heptageniidae			•	-					_	_	-	-	-		
Epeorus		<1	1		_							<1	1		_
Stenonema		<1	2	<1	2	2	2	<1	1	1	1	<1	2	<1	3
Isonychiidae															
Isonychia				<1	1		_		_		_	<1	1		
Odonata															
Coeragrionidae															
Argia			_	<1	2	2	2	<1	3	2	2	<1	2	<1	5
Plecoptera															
Capriidae															
Allocapnia			_		_		_		_			<1	1		_
Perlidae															
Acroneuria			_	<1	1				_		_			<1	3
Taen'opterygidae															
Taeniopteryx			_	<1	2		_	<1	1			2	5	<1	3
Hemiptera															
Corbridae					_		_		_		_		_		_
Veliidae															
Rhagovelia															
Megaloptera Corydalidae															
Corydalus Corydalus															
Sialidae			_		_		_		_				_		_
Sialis												<1	1		
Neuroptera									_			~1	•		_
Sisyridae															
Climacia															
Trichoptera															
Apataniidae					_		_			1	1		_		
Apatania			_	<1	1					-	_		_		_
Brachycentridae															
Micrasema				<1	5		_		_			<1	1		_
Glos∾osomatidae															
Culoptila				<1	1								_		_
Glossosoma					_		_				_		_		
Protoptila	2	2	10		_								_		_
Hydropsychidae															
Ceratopsyche	6	6	38	13	130		_	3	21	2	2		_	7	85
Cheumatopsy		5	32	13	130		_	6	44		_	1	3	11	140
Hydropsyche	l	14	94	10	100			9	67			3	9	54	700

Table 5. Benthic-macroinvertebrate data—Continued
014721612 - French Creek at Railroad Bridge at Phoenixville, Pa. (Site 16)—Continued

Date	Oct. 2	3, 1981	Nov. 2	2, 1982	Oct. 2	0, 1983	Oct. 1	0, 1984	Oct. 9	, 1985	Oct. 3	1, 1986	Oct. 1	3 1987
Total count	2	40	6	19	3	43	2,2	247	7	72	6	05	4	د8
Organism	Count	Percent												
Trichoptera	·							_	**					
Hydroptilidae														
Hydroptila			_						1	2	-		_	
Leucotrichia					_				2	3			1	<1
Leptoceridae														
Mystacides	_						-				_			
Philopotamidae														
Chimarra			1	<1	2	<1			_				1	<1
Dolophilodes									_					
Polycentropodidae														
Polycentropus					1	<1					-			
Psychomyiidae														
Psychomyia									_		_		_	
Uenoidae														
Neophylax									_		_		_	
Lepidoptera														
Noctuidae	_		_		1	<1					_		_	
Pyralidae														
Petrophila	1	<1	3	<1	1	<1	17	<1	1	2	89	15	21	4
Synclita					1	<1	_		_		_		_	
Coleoptera														
Curculionidae									1	2	_			
Dytiscidae			_				_		_		_		1	<1
Elmidae														
Dubiraphia									_				5	1
Microcylloepus									_		_			
Optioservus			1	<1	2	<1			3	4	15	2	49	10
Promoresia											_			
Stenelmis											_		6	1
Hydrophilidae														
Berosus													_	
Psephenidae														
Psephenus									_		_		_	
Hymenoptera	_						_		1	2	_			
Diptera														
Chironomidae	220	92	21	3	9	3	1,800	78	21	26	200	33	230	46
Empididae														
Hemerodromia	_		17	3			16	<1	_		7	1	_	
Psychodidae														
Telmatoscopus							2	<1	_		_		_	
Simuliidae														
Simulium	_				_						1	<1	26	5
Tipulidae													-	
Antocha			1	<1							1	<1	_	
Tipula			_	-	1	<1	1	<1			_	-		

¹ Extrapolated from a 3/8 subsample.

Oct. 1	9, 1988	Oct. 2	4, 1989	Nov. 1	5, 1990	Oct. 2	1, 1991	Oct. 1	3, 1992	Oct. 1	8, 1993	Oct. 2	8, 1994	Date
¹ 1	,340	2	70	1	13	7	27	1	15	9	85	6	56	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Ornanism
										***				Trichoptera
														Hyd optilidae
_								_		_				Hydroptila
3	<1	_				2	<1	_		1	<1	_		Leucotrichia
														Lept~eridae
_		1	<1	_		_				_		_		Mystacides
														Philopotamidae
_		_		_		_				_		_		Сһітата
_		1	<1	_		_		_		_				Dolophilodes
														Polynentropodidae
—		_		_				_				_		Polycentropus
														Psychomylidae
_				_		_		_		1	<1	2	<1	Psychomyia
														Uenoldae
_		1	<1							_		_		Neophylax
														Lepidopt°ra
_		_		_		_		_		_		_		Noctudae
														Pyra ¹¹ dae
8	<1	8	3	_		130	18	6	5	130	13	29	4	Petrophila
_		_		_				_		_		_		Synclita
														Coleoptera
_		_		_		_				_		_		Curculionidae
		_						_		_		_		Dyti∞idae
														Elmidae
_		_		_		_								Dubiraphia
_						_				1	<1			Microcylloepus
11	<1	7	3	_		5	<1			21	2	10	2	Optioservus
_		_				3	<1	_		10	1	_		Promoresia
3	<1	1	<1			3	<1	2	2	2	<1	2	<1	Stenelmis
-	_	_	_			_		_	_	_		_		Hydrophilidae
3	<1			_				_				_		Berosus
-														Psephenidae
3	<1	1	<1			1	<1					3	<1	Psephenus
_	-	_		_		_				_		_		Hymenoptera
														Diptera
320	25	6	2	8	7	390	53	45	38	320	32	370	56	Chironomidae
		-	-	-	•									Emp'didae
_		14	5	_		7	1			2	<1	2	<1	Hemerodromia
			•			-	-			-		-	· -	Psychodidae
_		2	<1	_						_		_		Telmatoscopus
		-												Simuliidae
_				_		_				2	<1	_		Simulium
										-				Tipu ¹ †dae
_		_		1	1	4	<1			4	<1	10	2	Antocha
				_	•	_	~*				~*		_	Tipula

Table 5. Benthic-macroinvertebrate data—Continued

01472170 - Pickering Creek near Eagle, Pa. (Site 1)

Date	Oct. 1	6, 1981	Oct. 1	8, 1982	Oct. 1	7, 1983	Oct. 5	5, 1984	Oct. 8	3, 1985	Oct.	7, 1986	Oct. 9	9, 1987
Total count	1 1	,301	1 2	,643	2,	715	11	,537	7	65	1,	102	1,	4ዮ1
Organism	Count	Percent	Count	Percent	Count	Percent								
Platyhelminthes (flatworms)				***										
Turbellaria														
Tricladida														
Planarlidae	_		5	<1	6	<1	5	<1	15	2	19	2	15	1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_						2	<1	3	<1	12	<1
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia			_		1	<1	_		3	<1	_		_	
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae	_		_		_				_		_		_	
Tubificida														
Naididae	3	<1	80	3	14	<1	3	<1	4	<1	8	<1	1	<1
Tublficidae	_				_				_		_			
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	_		_		7	<1	_		6	<1	1	<1	19	1
Crustacea					•				•		-			-
Cyclopoida														
Cyclopidae			_				_		1	<1			_	
Isopoda									•	~-				
Asellidae														
Caecidotea	_		_		_		_		1	<1	_		_	
Podocopa							_		1	<1				
Insecta	_						_		•	~1				
Ephemeroptera														
Baetidae														
Baetis	3	<1	16	<1	19	<1	21		21	3	16	1	36	2
	3	<1	10	<1				1	21	3		-1 <1	30 2	3
Pseudocloeon			_		6	<1	19	1			1	<1	2	<1
Ephemerellidae	04		10		40	•		•	-				20	
Ephemerella	24	2	19	<1	49	2	51	3	7	<1	8	<1	29	2
Heptageniidae														
Epeorus	_				_		_						_	
Heptagenia		_		_		_	_	_	_	_			_	
Stenonema	24	2	27	1	18	<1	53	4	14	2	47	4	24	2
Isonychiidae														
Isonychia	_		_		1	<1	13	<1	_		3	<1	5	<1
Leptohyphidae														
Tricorythodes	_		_				_		_		1	<1	-	
Odonata														
Coenagrionidae														
Argia	-		_						-		_		_	
Ischnura	_				_				_				_	

Oct. 13	3, 1988	Oct. 5	5, 1989	Oct. 3	3, 1990	Oct. 3	, 1991	Oct. 7	', 19 9 2		5, 1993	Oct. 2	25, 1994	Cate
2,7	728	1,0	088	1,0	000	7:	25	3	28	8	72	5	560	Tota' count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Org~nism
											•			Platyhelminthes (f atworms)
														Turbellaria
														Tricladida
52	2			_		1	<1	5	2	26	3	12	2	Plana⁺iidae
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
1	<1	2	<1	_		_		_		_		_		Frestoma
														Mollusca (mollusca)
														Gastropoda
														Basomma ophora
														Ancy ¹ idae
1	<1	1	<1	_		_		_				_		Ferrissia
														Annelida (segmented worms)
														Oligochaeta
														Lumbricu ¹¹ da
_		2	<1											Lumi riculidae
														Tubificida
2	<1	16	1			2	<1	_		26	3	53	9	Naididae
				_		_		_		_		22	4	Tubificidae
														Arthropoda (arthropods)
														Acariformes
9	<1	66	6	2	<1	3	<1	3	1	51	6	23	4	Hydrachridia
														Crustacea
														Cyclopoida
-		_		-								_		Cyclopidae
														Isopoda
														Asellidae
_		_		_		_		_		_		_		Caecidotea
-		1	<1	_		_		_		_		_		Podocopa
														Insecta
														Ephemercotera
														Baetidae
0	<1	11	1	25	3	4	<1	2	<1	2	<1	3	<1	<i>E</i> ~etis
8	<1	22	2	12	1	4	<1	1	<1	11	1	1	<1	F~aidocloeon
														Ephemerellidae
2	1	22	2	2	<1	10	1	4	1	11	1	15	3	Ephemerella
														Heptageniidae
2	<1	14	1	2	<1	2	<1	_		_		_		Epeorus
1	<1	_		_		-				_				F ^r eptagenia
2	2	35	3	24	2	37	5	30	9	2	<1	6	1	Stenonema
														Isonychiidae
25	<1	6	<1	7	<1	1	<1	1	<1	_		_		Ironychia
														Leptchyphidae
_		_		_		_				_				Ticorythodes
														Odonata
														Coenagrionidae
1	<1	_				_				_				Argia
	-			1	<1									I:∞hnura

Table 5. Benthic-macroinvertebrate data—Continued
01472170 - Pickering Creek near Eagle, Pa. (Site 1)—Continued

Date	Oct. 1	6, 1981	Oct. 1	8, 1982	Oct. 1	7, 1983	Oct. 5	5, 1984	Oct. 8	3, 1985	Oct. 7	', 1986	Oct. 9	1987
Total count	1 1	,301	1 2	,643	2,	715	1 1	,537	7	65	1,	102	1,4	431
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Odonata														
Aeshnidae														
Aeshna	_										_		_	
Boyeria	_										1	<1	_	
Plecoptera														
Capniidae														
Allocapnia	3	<1	11	<1	1	<1			_				_	
Taeniopterygidae														
Taeniopteryx	16	1	3	<1	9	<1			1	<1	3	<1	28	2
Hemiptera														
Gerridae														
Gerris							3	<1	_				_	
Mesoveliidae														
Mesovelia	_						3	<1	_				_	
Veliidae														
Rhagovelia							_						_	
Megaloptera														
Corydalidae														
Corydalus													_	
Nigronia	3	<1	_		1	<1			1	<1	4	<1	_	
Trichoptera														
Apataniidae														
Apatania											2	<1		
Brachycentridae														
Micrasema	_				3	<1							_	
Glossosomatidae														
Glossosoma	3	<1	_				5	<1	3	<1	3	<1	_	
Goeridae														
Goera									_		_		_	
Hydropsychidae														
Ceratopsyche	40	3	160	6	100	4	230	15	130	17	230	21	77	6
Cheumatopsyche	88	7	110	4	70	3	27	2	60	8	84	8	5	<1
Hydropsyche	100	8	100	4	790	29	96	6	35	5	80	7	240	17
Hydroptilidae														
Hydroptila	3	<1	5	<1	11	<1	3	<1			8	<1	4	<1
Leucotrichia	110	8	160	6	590	22	660	44	180	23	230	21	550	39
Leptoceridae														
Oecetis									1	<1			_	
Philopotamidae									_	_				
Chimarra	100	8	8	<1	31	1	3	<1	5	<1	36	3	29	2
Dolophilodes													_	
Wormaldia											_		_	
Polycentropodidae														
Polycentropus	3	<1	3	<1	1	<1					1	<1	1	<1
Psychomylidae	-	-	-	=	-	=					-	-	-	=
Psychomyla			3	<1	1	<1	5	<1	2	<1	4	<1	1	<1
Rhyacophilidae			•		•		•		-		•		•	
Rhyacophila									_				_	
Uenoidae			_		_		-							
- CIICICAC														

Oct. 1	3, 1988	Oct. 5	5, 1989	Oct. 3	3, 1990	Oct. 3	3, 1991	Oct. 7	7, 1992	Oct. 5	5, 1993	Oct. 2	25, 1994	Date
	728	1,0	088	1,0	000	7	25	3	28	8	72		560	Total count
Count	Percent	Orpanism												
														Odonata
														Aesh nidae
_				_		1	<1			_		_		Aeshna
								_				_		Boyeria
														Plecoptera
														Capnlidae
_		_		_		_		_		_		1	<1	Allocapnia
														Taen opterygidae
160	6	18	2	2	<1	2	<1	_		2	<1	6	1	Taenlopteryx
														Hemiptera
														Gerr'dae
_		_		_				_		_		_		Gerris
														Mesoveliidae
_				_						_		-		Mesovelia
														Velii dae
-				_		2	<1	_		_		_		Rhagovelia
														Megalop [*] era
														Corydalidae
_		_						2	<1	_		_		Corydalus
1	<1	1	<1			1	<1					_		Nigronia
														Trichoptera
														Apatantidae
_				_		_		_						Apatania
														Brachycentridae
_		_				_						_		Micrasema
														Glos⇒osomatidae
2	<1	2	<1	1	<1	2	<1	_				_		Glossosoma
														Goeridae
		_		_				2	<1	_		_		Goera
														Hydropsychidae
290	11	150	14	120	12	88	12	11	3	41	5	34	6	Ceratopsyche
230	9	34	3	44	4	52	7	5	2	97	11	11	2	Cheumatopsyche
690	26	63	6	82	8	80	11	130	39	110	13	9	2	Hydropsyche
														Hydroptilidae
28	1	61	6	40	4	26	4	14	4	8	<1	33	6	Hydroptila
73	3	120	11	220	22	170	23	12	4	170	19	35	6	Leucotrichia
														Leptoceridae
_				_						_		_		Oecetis
														Philopotamidae
32	1	3	<1	14	1	35	5	41	12	4	<1	12	2	Chimarra
_				_		_				5	<1			Dolophilodes
		_		2	<1	_		_						Wormaldia
														Polycentropodidae
_		1	<1	_		1	<1					1	<1	Polycentropus
														Psychomylidae
1	<1	6	<1	5	<1	8	1					3	<1	Psychomyia
														Rhyscophilidae
		_				_		2	<1			_		Rhyacophila
														Uenoidae
		2	<1			_		_		_		2	<1	Neophylax
			·									_		F - J

Table 5. Benthic-macroinvertebrate data—Continued

01472170 - Pickering	Creek near Eagle,	Pa. (Site	1)—Continued
----------------------	-------------------	-----------	--------------

Date	Oct. 1	6, 1981	Oct. 1	8, 1982	Oct. 1	7, 1983	Oct. 5	5, 1984	Oct. 8	3, 1985	Oct. 7	7, 1986	Oct. 9	, 1987
Total count	11	,301	12	,643	2,	715	11	,537	7	65	1,	102	1,4	4°1
Organism	Count	Percent												
Lepidoptera				•										,
Noctuidae														
Archanara	_		_		_		_						_	
Coleoptera														
Elmidae														
Dubiraphia	3	<1	_		1	<1	_		1	<1	1	<1	_	
Optioservus	37	3	_		120	4	29	2	58	8	56	5	38	3
Oulimnius	_		_		2	<1	_		_		1	<1	1	<1
Stenelmis	10	<1	11	<1	21	<1	3	<1	14	2	7	<1	10	<1
Psephenidae														
Ectopria														
E. nervosa	_		_		_		_						_	
Psephenus	8	<1			1	<1			1	<1	6	<1	_	
Diptera														
Athericidae														
Atherix	_		_		4	<1							_	
Chironomidae	630	48	970	37	730	27	230	15	140	18	160	15	260	19
Empididae														
Hemerodromia	13	1	43	2	25	<1	8	<1	13	2	15	1	8	<1
Ephydridae	_						_							
Simuliidae														
Simulium	13	1	820	32	26	<1	27	2	26	3	10	<1	10	<1
Stratiomyldae														
Stratiomys			3	<1	_								_	
Tipulidae			-											
Antocha	64	5	83	3	56	2	40	3	16	2	53	5	26	2
Hexatoma		-		-	_	-		-	2	<1		-	_	_
Tipula			3	<1					_	-=			_	

¹Extrapolated from a 3/8 subsample.

Oct. 1	3, 1988	Oct. 5	5, 1989	Oct. 3	3, 1990	Oct. 3	3, 1991	Oct. 7	7, 1992	Oct. 5	5, 1993	Oct. 2	5, 1994	Date
2,	728	1,0	088	1,0	000	7	25	3	28	8	72	5	60	Total count
Count	Percent	Ornanism												
														Lepidoptara
														Noctuidae
_										1	<1			Archanara
														Coleopte a
														Elmidae
_		_		_		_						_		Dubiraphia
80	3	29	3	15	2	6	<1	15	5	35	4	20	4	Optioservus
_		3	<1					_		3	<1	_		Oulimnius
10	<1	7	<1			1	<1			1	<1	2	<1	Stenelmis
														Psephenidae
														Ectopria
		_						_		1	<1			E. nervosa
_		1	<1			5	<1	5	2	12	1	16	3	Psephenus
														Diptera
														Athericidae
		_						_		1	<1	_		Atherix
760	28	210	19	220	22	110	15	12	4	210	24	110	19	Chironomidae
														Emp ⁴ didae
6	<1	23	2	2	<1	5	<1			10	1	3	<1	Hemerodromia
_				_		_				_		1	<1	Ephy-dridae
														Simuliidae
92	3	6	<1	38	4	14	2	12	4	9	1	6	1	Simulium
														Strat'omyldae
		_		_				_				_		Stratiomys
														Tipu¹¹dae
87	3	150	14	120	1	52	7	19	6	23	3	120	21	Antocha
						_		_				_		Hexatoma
														Tipula

 Table 5.
 Benthic-macroinvertebrate data—Continued

01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)

Date		6, 1981		8, 1982	Oct. 1	8, 1983		5, 1984	Oct. 8	, 1985 ———	Oct.	7, 1986	Oct. 9	9, 1987
Total count	1	747	11	,084	5	526	1 1	,350	5	95	4	88	1	77
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida					_									
Planarlidae	5	<1	_		5	1	_		31	5	18	4	1	<1
Nematoda (nematodes)			_		-		_				_			
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_				_		_		1	<1	_		_	
Mollusca (molluscs)														
Gastropoda Basommatophora														
Ancylidae <i>Ferrissia</i>														
	_		_				_		_					
Physidae <i>Phy</i> sa			3	<1	3	<1			1	<1			1	<1
Planorbidae	_		3	<1	3	<1			1	<1	_		1	<1
Gyraulus														
Bivalvia	_		_		_						_		_	
Veneroida														
Sphaeriidae														
Annelida (segmented worms)	_		_										_	
Oligochaeta					_		_		_		_			
Lumbriculida											_			
Lumbriculidae	_				_		_		1	<1	_			
Tubificida									•	~*				
Naididae	8	1	19	2			3	<1	_		1	<1	_	
Arthropoda (arthropods)	ŭ	•		-			·	~~			•	••		
Acariformes														
Hydrachnidia									2	<1	3	<1		
Crustacea									_	••	_			
Cyclopoida			_											
Insecta														
Ephemeroptera														
Baetidae														
Baetis	3	<1	3	<1	5	1	32	2	11	2	5	1	_	
Pseudocloeon							11	<1			2	<1	_	
Caenidae														
Caenis	_				_				_		_		_	
Ephemerellidae														
Ephemerella .	75	10	260	24	80	15	360	26	42	7	27	5	9	5
Heptageniidae														
Epeorus			_		_								-	
Stenonema	13	2	99	9	48	9	61	4	17	3	27	5	11	6
Isonychiidae														
Isonychia			_		_		3	<1	_		1	<1		
Leptohyphidae														
Tricorythodes	_		3	<1	_		_		-		_		1	<1
Leptophlebiidae	_		_		_								_	

	3, 1988		5, 1989		3, 1990		1, 1991		3, 1992		7, 1993		25, 1994	Date
	,340		076		02		66		95		19		371	Tota' count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Platyhelminthes (f atworms)
														Turbellaria
														Tricladida
_		6	<1	2	<1	14	2	9	3	1	<1			Plana-tidae
		1	<1									1	<1	Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
_		18	2	2	<1	_		4	1	_		_		F:~stoma
														Mollusca (mollusca)
														Gastropoda
														Basomma ophora
														Ancy!idae
11	<1	11	1	8	2	5	<1	5	2	1	<1	7	<1	Farrissia
														Physi dae
3	<1	_		_		1	<1			_		1	<1	Fhysa
														Plano-bidae
_										_		1	<1	G·raulus
														Bivalvia
														Venerolda
_						3	<1	1	<1			_		Sphacriidae
						-								Annelida (segmented worms)
				_				2	<1			1	<1	Oligochaeta
								-				_	-	Lumbricu ¹ 1da
3	<1	1	<1	1	<1									Lumtriculidae
•	~*	•	~*	•	~*									Tubificida
		3	<1			11	1					15	2	Naididae
		·	**				•					10	-	Arthropoda (arthropods)
														Acariformes
		88	8	1	<1	31	4	26	8	2	1	86	10	Hydrachnidia
		00	J	•	~1	01	-	20	Ū	-	•	00	10	Crustacea
								2	<1			_		Cyclopoic'a
		_						-	~1					Insecta
														Ephemerc ptera
														Baetidae
		1	<1	3	<1	2	<1	2	<1			3	-1	Baeutae Boetis
		1 3	<1 <1	ა 4	<1 <1	1	<1 <1	4	1			3 4	<1 <1	n∾eus P∴eudocloeon
		ა	<1	4	<1	1	~1	4	1			4	<1	
						2	<1							Caenidae <i>Caenis</i>
						۵	<1							Ephemerellidae
43	9	74	7	7	1	31	4	13	4	2	1	35	4	Ephernerella
*3	3	14	1	7	1	31	4	13	4	2	1	აშ	4	Epnemerena Heptageniidae
_	.1	2				•	.1					•	-1	
5 40	<1	2	<1 •	 27	-	2	<1 e	_	•	11	F	2 20	<1	Epeorus
48	4	83	8	41	5	46	6	6	2	11	5	20	2	Stenonema
40	•	00		00	••	50	_	_	_		•	_		Isonychiidae
43	3	66	6	60	12	53	7	3	1	4	2	6	<1	Isonychia
														Leptohyphidae
_														T-icorythodes
_				_		1	<1							Leptonhlebiidae

Table 5. Benthic-macroinvertebrate data—Continued
01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

Date		6, 1981	Oct. 1	8, 1982	Oct. 1	8, 1983		5, 1984	Oct. 8	3, 1985	Oct.	7, 1986	Oct. 9	1987
Total count	1 -	747	1 1	,084	5	26	1 1	,350	5	95	4	88	1	70
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Odonata														
Calopterygidae														
Calopteryx							_		_				_	
Hetaerina			_		_		-							
Coenagrionidae														
Argia					_				_		_			
Aeshnidae														
Boyeria	_		_		_		_		2	<1	_		-	
Gomphidae			-		_		_				_		-	
Gomphus					_						_		-	
Plecoptera														
Capniidae														
Allocapnia	8	1	3	<1	40	8	5	<1	6	1	5	1		
Chloroperlidae									1	<1				
Haploperla			_		5	1	_							
Perlidae														
Acroneuria			_				_				4	<1	_	
Agnetina							3	<1			_			
Paragnetina														
Taeniopterygidae														
Strophopteryx											_			
Taeniopteryx	40	5	5	<1	24	5	37	3	36	6	97	19	83	46
Hemiptera		•	•			•		•		•	••			
Corixidae			3	<1	_				_					
Veliidae			·	~-										
Rhagovelia			_								_			
Megaloptera														
Corydalidae														
Nigronia									1	<1	_			
Sialidae	_								1	~1	_			
Sialis														
Trichoptera	_						_				_			
													1	<1
Apataniidae							_		_		_		1	<1
Apatania														
Brachycentridae					-		•	.4						
Micrasema					5	1	3	<1	_				_	
Glossosomatidae	_		-		_		0.7	•	10	•		•	_	
Glossosoma	3	<1	5	<1	3	<1	27	2	12	2	11	2	2	1
Protoptila					3	<1	_		_		_		_	
Goeridae	_													
Goera	3	<1			_		_		_		_		-	
Hydropsychidae	_				_							_		
Ceratopsyche	5	<1	11	1	51	10	210	15	88	15	45	9	25	14
Cheumatopsyche	29	4	48	4	48	9	200	14	230	38	30	6	13	7
Diplectrona	_						_		_		1	<1		
Hydropsyche			5	<1	16	3	99	7	20	3	4	<1	3	2
Potamyia							_		_				2	1
Hydroptilidae														
Hydroptila	8	1	11	1	_				_		1	<1	_	
Leucotrichia			_		35	7			_		1	<1	2	1
Lepidostomatidae														
Lepidostoma			_				_							

	, 1988		5, 1989		3, 1990		3, 1991		8, 1992		, 1993		25, 1994	Da* 9
1 1,3			D76		02		66 Bassant		295		19		371	Total count
unt	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Odonata
														Calopterygidae
-				1	<1									Ca ¹ opteryx
-		_						1	<1	_				He+aerina
														Coenagrionidae
-		1	<1			1	<1	_				_		Arzia
														Aeshnidae
-				_								_		Boreria
-				_		_						1	<1	Gompl *dae
-		1	<1	_										Gomphus
														Plecoptera
														Capniidae
3	<1	_		_		1	<1	2	<1	1	<1	11	1	Aliocapnia
-						2	<1	_		_		1	<1	Chloro~erlidae
-										_				Hanloperla
														Perlida ~
				1	<1			2	<1					Acroneuria
		2	<1	1	<1	_								Agretina
		_	_		_	1	<1	_						Paragnetina
						-								Taeniopterygidae
				_				_		_		17	2	Strohopteryx
)	18	55	5	11	2	49	6	26	8	18	8	33	4	Taeniopteryx
,	10	33	J	11	L	43	U	20	0	10	0	33	7	
														Hemiptera Corixidae
-										_				
														Veliida:
-				1	<1	_		1	<1	_				Rhaeovelia
														Megaloptera
														Corydalidae
5	<1	2	<1	_		-		2	<1	_				Nipronia
														Sialidae
-		_		_		_				1	<1	1	<1	Sialis
														Trichoptera
-						_		_		_		_		Apataniidae
-		2	<1	-				_		1	<1	2	<1	Apatania
														Brachycentridae
3	<1	1	<1			_		_		_		1	<1	Micrasema
														Glossoromatidae
ı	4	3	<1	10	2	1	<1			_		8	<1	Glossosoma
		•			_									Pretoptila
														Goeridae
_		_								_				Gorra
								-						Hydropsychidae
)	19	190	17	120	24	90	12	52	17	14	6	94	11	Ceratopsyche
)	23	210	19	43	24 8	90 63	8	32 29	9	14 49	21	94 88	10	Ceratopsyche Ch~imatopsyche
	23		19		ð		ð		9		21		10	
	10		•		,	100	24	16	_		20		•	Diplectrona
)	10	21	2	22	4	190	24	16	5	47	20	25	3	Hydropsyche
-		-		_						_		_		Potamyia
														Hydroptilidae
-		_		1	<1	2	<1	2	<1			6	<1	Hydroptila
3	1	12	1	5	1	5	<1	1	<1	5	2	8	<1	Levcotrichia
														Lepido v tomatidae
-												1	<1	Leridostoma

Table 5. Benthic-macroinvertebrate data—Continued 01472174 - Pickering Creek near Chester Springs, Pa. (Site 2)—Continued

Date	Oct. 1	6, 1981	Oct. 1	8, 1982	Oct. 1	8, 1983		5, 1984	Oct. 8	1985	Oct. 7	', 1986	Oct. 9	9, 1987
Total count	1 7	747	11	,084	5	26	11,	,350	5	95	4	88	1	70
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Coun'	Percent
Trichoptera														
Leptoceridae														
Mystacides	3	<1							_		1	<1	_	
Oecetis			3	<1			3	<1						
Philopotamidae														
Chimarra					27	5	80	6	25	4	18	4		
Dolophilodes	_				_				_					
Wormaldia	_		_								_		_	
Polycentropodidae														
Nyctiophylax					_		_				_		1	<1
Polycentropus			8	<1	5	1	5	<1			1	<1	_	
Psychomylidae														
Psychomyla	53	7	180	16	8	2	_		_		1	<1	1	<1
Coleoptera														
Curculionidae					_				_				_	
Dryopidae														
Helichus	_				_				2	<1	1	<1	_	
Elmidae														
Dubiraphia	3	<1	5	<1										
Optioservus	19	3	32	3	40	8	35	3	19	3	6	1	1	<1
Oulimnius			3	<1	5	1			1	<1	1	<1		
Promoresia			_				_		1	<1				
Stenelmis			8	<1			8	<1	6	1	5	1		
Psephenidae														
Psephenus	3	<1	3	<1	_									
Diptera														
Athericidae														
Atherix									1	<1			_	
Blephariceridae											_			
Chironomidae	420	56	260	24	48	9	160	11	13	2	120	24	12	7
Dixidae														
Dixa					_									
Empididae														
Hemerodromia			8	<1	3	<1	5	<1	4	<1	1	<1		
Simuliidae			-		•		•							
Simulium			3	<1	_				17	3	30	6		
Tipulidae			•							•		-		
Antocha	43	6	93	8	16	3	_		4	<1	20	4	1	<1
Hexatoma	3	<1	_	•	3	<1	_		_			-	_	
Tipula	_	~*			_	~*					_			

¹ Extrapolated from a 3/8 subsample.

Oct. 1	3, 1988	Oct. 5	, 1989	Oct. 3	, 1990	Oct. 3	, 1991	Oct. 8	3, 1992	Oct. 7	', 1 99 3	Oct. 2	5, 1994	Dhte
1 1	,340	1,0	076	5	02	7	66	2	95	2	19	8	71	Total count
Count	Percent	Count	Percent	Organism										
									-					Trichoptera
														Lepto~eridae
														Mystacides
		1	<1			4	<1					1	<1	Oecetis
														Philopotamidae
27	2	17	2	14	3	31	4	31	10	2	1	5	<1	C' marra
				2	<1	2	<1	2	<1					Γ olophilodes
3	<1	_				_								Wormaldia
														Polycentropodidae
				1	<1					_		1	<1	N-ctiophylax
3	<1					1	<1							F^lycentropus
														Psychomylidae
		6	<1	12	2	12	2	1	<1	4	2	54	6	F. ychomyia
														Coleoptera
										1	<1			Curculionidae
														Dryopidae
														F ^r elichus
														Elmidae
						10	1					2	<1	<i>L</i> \ibiraphia
13	1	20	2	1	<1	10	1	14	5			40	5	Optioservus
3	<1	3	<1			5	<1	3	1					Oulimnius
•		•						1	<1					Fr~moresia
3	<1	2	<1	4	<1	1	<1	3	1	1	<1			S+enelmis
•	~*			-		-		•	-	-				Psephenidae
														Frenhenus
														Diptera
														Athericidae
														Atherix
		_		_		2	<1							Blephariceridae
72	6	85	8	100	20	44	6	15	5	44	19	180	20	Chironomidae
12	U	03	0	100	20	77	U	13	J	77	13	100	20	Dixid **
				1	<1									Dixid ** L'ixa
		_		1	<1			_						Empididae
		28	,	2	<1	e	1		1			11	1	•
		40	3	۷	<1	5	<1	1	<1			11	1	Flemerodromia
		•	. 1		.1	,	. 9	_	•	•		10		Simuliidae
_		3	<1	1	<1	4	<1	5	2	2	1	10	1	S [‡] mulium
70	•	- 4	_		•		_	_	•	_				Tipulidae
72	6	54	5	33	6	27	3	6	2	8	4	87	10	A ntocha
		_							_				_	F ^t exatoma
								2	<1			1	<1	Tipula

 Table 5.
 Benthic-macroinvertebrate data—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)

Date	Oct. 1	5, 1981	Oct. 1	8, 1982	Oct. 1	7, 1983	Oct. 5	5, 1984	Oct. 7	7, 1985	Oct. 8	B, 1986	Oct.	1987
Total count	1 1	,757	2,	123	1,	935	1 2	,005	9	12	1,	049	1,	E 96
Organism	Count	Percent	Count	Percent										
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	_		_		8	<1			5	<1	4	<1		
Nematoda (nematodes)	_				_				_		3	<1		
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma					_				1	<1				
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	_				_		16	1	10	1	2	<1	79	6
Lymnaeldae							10	•	10	•	-	~-		•
Lymnaea					_				1	<1				
Annelida (segmented worms)			_						1	~1				
Oligochaeta														
Lumbriculida														
	•	<1								.1				
Lumbriculidae	3	<1			_				1	<1				
Tubificida			_	_				_	_	_		_		
Naididae			3	<1	_		29	2	8	<1	11	1	250	18
Arthropoda (arthropods) Acariformes														
Hydrachnidia	_				_		_		4	<1	10	<1		
Crustacea														
Cyclopoida					_								_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	8	<1	8	<1			21	2	3	<1	4	<1	4	<1
Pseudocloeon	_				_		8	<1						
Caenidae							_	_						
Caenis					_		_				_			
Ephemerellidae														
Ephemerella	72	4	110	5	80	9	64	5	34	4	81	7	23	2
Heptageniidae	"	•	110	J	50		01	J	34	•	01	•	20	-
Stenacron									1	<1				
	88	5	99	_	32	•	59	4	82	9	31	•	41	2
<i>Stenonema</i> Isonychiidae	00	3	99	5	32	3	39	4	02	9	31	3	41	3
			0.5	•			10		00	•	•		10	
Isonychia	11	<1	35	2			13	<1	22	2	8	<1	19	1
Leptohyphidae			_				_						_	
Tricorythodes	_		5	<1	3	<1	5	<1			3	<1	2	<1
Odonata														
Coenagrionidae														
Argia	_		_		_		_		_		_		2	<1
Gomphidae			_				_		1	<1	1	<1	1	<1
Gomphus	_								_					

	4, 1988		1, 1989		3, 1990		2, 1991		7, 1992		, 1993		5, 1994	Date:
	,047		015		30		56 Danasat		522		39 Danier		B0	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organ'sm
														Platyhelminthes (flat vorms)
														Turbellaria
														Tricladida
-		5	<1	_		_		24	2	1	<l< td=""><td>1</td><td><1</td><td>Planarii lae</td></l<>	1	<1	Planarii lae
-		2	<1	1	<1	_		_				1	<1	Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetraste mmatidae
-		3	<1	1	<1	_		2	<1	2	<l< td=""><td></td><td></td><td>Proctoma</td></l<>			Proctoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylid 10
8	4	18	2	7	2	20	2	29	2	10	1	13	2	Ferrissia
	-		_	•	-		_		_		-		_	Lymnae'dae
_						_		3	<1					Lymnaea
								Ū	~1					Annelida (segmentec' worms)
												2	<1	Oligochaeta
-		_				_				_		2	<1	Lumbriculida
			.1			2	. 1							
-		4	<1			2	<1			_				Lumbriculidae
									•		•			Tubificida
-		9	<1	3	<1	30	3	23	2	88	9			Naidida ?
														Arthropoda (arthropods)
														Acariformes
-		100	10	4	1	24	3	210	14	82	9	31	4	Hydrachnid a
														Crustacea
-		1	<1			_		1	<1	_		_		Cyclopoida
														Insecta
														Ephemeroptera
														Baetidae
3	<1	2	<1			13	1			_				Baetis
_		2	<1	5	1	4	<1	_				_		Pseudocloeon
														Caenida ∘
_		3	<1			_				1	<1	2	<1	Caenis
														Ephemerellidae
•	5	130	13	11	3	15	2	200	13	32	3	5	<1	Eph~nerella
-	•	100			•	10	-	200		V.	•	,	~*	Heptageniidae
_				1	~1	-				_		_		
- 1	6	25	3	27	<1 6	24	3	63	4	27	3	16	2	Steracron Steronema
1	υ	40	3	41	o	44	3	us	4	61	3	10	4	
	•	24	•	20	c	24	•	10	,		-1		-1	Isonych'idae
9	2	24	2	26	6	24	3	16	1	4	<1	4	<1	Isonychia
_								•	_					Leptohyphidae
5	<1	1	<l< td=""><td></td><td></td><td>3</td><td><1</td><td>2</td><td><l< td=""><td>3</td><td><1</td><td>2</td><td><1</td><td>Tricarythodes</td></l<></td></l<>			3	<1	2	<l< td=""><td>3</td><td><1</td><td>2</td><td><1</td><td>Tricarythodes</td></l<>	3	<1	2	<1	Tricarythodes
														Odonata
														Coenagrionidae
-		2	<1			_		_				_		Arg'a
-				_		_						_		Gomphidae
_		_				_		1	<1					Gomphus

Table 5. Benthic-macroinvertebrate data—Continued
014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

Date		5, 1981	Oct. 1	8, 1982		7, 1983		5, 1984	Oct.	7, 1985	Oct. 8	3, 1986	Oct 8	3, 1987
Total count	1 1	,757	2,	123	1,	935	1 2	,005	9	112	1,	049	1,	396
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Plecoptera										···			ì	
Capniidae														
Allocapnia	3	<1			3	<1					_		_	
Chloroperlidae	-				_								_	
Perlidae .														
Acroneuria			5	<1	_		_		1	<1	2	<1	1	<1
Agnetina	_				_				_					
Paragnetina							_		_				1	<1
Taeniopterygidae														
Taeniopteryx	69	4	43	2	29	3	13	<1	14	2	38	3	38	3
Hemiptera														
Corixidae														
Sigara					_				_		1	<1	_	
Gerridae											-	~2		
Metrobates														
Veliidae	_				_		_		_		_		_	
											1	<1		
Rhagovelia	_		_		_				_		1	<1		
Megaloptera														
Corydalidae														
Corydalus	_	_	-		_						_		_	
Nigronia	3	<1	_		5	<1	-		_		1	<1	3	<1
Sialidae														
Sialis	5	<1	-		_				_				_	
Irichoptera														
Apataniidae														
Apatania	_		_		_		_		_		17	2	5	<1
Brachycentridae														
Brachycentrus														
Micrasema	27	2	8	<1	69	7	16	1	13	1	2	<1	7	<1
Glossosomatidae														
Glossosoma	3	<1	59	3	3	<1	16	1	2	<1	_		3	<1
Protoptila							11	<1	_		_		-	
Goeridae														
Goera			_				3	<1	69	8				
Hydropsychidae														
Ceratopsyche	350	19	300	14	130	14	120	9	79	9	24	2	210	15
Cheumatopsyche	110	6	93	4	77	8	120	9	300	33	18	2	43	3
Hydropsyche	43	2	43	2	27	3	13	<1	6	<1	2	<1	27	2
Macrostemum	_	-		_	3	<1	_		_		_		2	<1
Hydroptilidae					•								-	~-
Hydroptila	21	1	56	3	29	3			17	2	10	<1	22	2
Leucotrichia	13	<1	480	23	140	15	370	26	36	4	85	8	46	3
Leptoceridae	13	~1	100	LJ	1.40	13	310	20	30	4	OJ	o	70	J
Mystacides	11	<1	11	<1					7	<1	4	<1	4	<1
Oecetis	11	<1		~ 1	 8	<1	3	<1	2	<1 <1	2	<1 <1	2	<1 <1
Philopotamidae	_				0	<1	J	<1	2	<1	2	<1	۷	<1
-			E	.1					1	.1	•	.1		
Chimarra			5	<1	_		_		1	<1	2	<1	_	
Dolophilodes			_		_				_		_		_	
Polycentropodidae		_			_				_	_			_	
Neureclipsis	13	<1	_	_	8	<1	_	_	9	1	_	_	6	<1
Nyctiophylax	5	<1	8	<1	16	2	13	<1	16	2	1	<1	2	<1
Polycentropus	_		5	<1	61	6	_		_		1	<1	1	<1
Psychomylidae														
Psychomyia	5	<1	3	<1			8	<1	7	<1	_		15	1

Oct. 1	4, 1988	Oct. 4	l, 1989	Oct.	3, 1990	Oct. 2	2, 1991	Oct.	7, 1992	Oct.	6, 1993	Oct. 2	25, 1994	Date
1 1,	,047	1,0	015	4	130	9	56	1,	522	9	39	7	780	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Plecoptera
														Capniidae
_		_		_		_		1	<1	_		_		Allocapnia
_				_		1	<1	_		_		_		Chlorcperlidae
														Perlidee
_		1	<1	_		_		_		_		1	<1	Acroneuria
								1	<1			_		Agnetina
_						_		_				_		Paragnetina
														Taenionterygidae
83	8	38	4	4	1	12	1	44	3	20	2	3	<1	Tamiopteryx
														Hemiptera
														Corixidae
_		_		_		_		_		_		_		Sipara
														Gerrid 10
										1	<1	_		M*robates
														Veliida •
		_		2	<1			7	<1	_		1	<1	Rl. «govelia
								•	-				-	Megaloptera
														Corydalidae
_		_						1	<1	_		_		Corydalus
3	<1	2	<1	_		_		_		_		_		Ni ronia
J	~-	-	~-											Sialida
_		_		_		1	<1	_		_		_		Sialis
						•								Trichoptera
														Apatariidae
		6	<1	3	<1	13	1	40	3	30	3	13	2	Apatai Mae Apatania
_		U	~1	3	_1	13		40	3	30	3	13	L	Brachycentridae
														Brachycentrus
		27	3	12	3	10	1	45	3	140	15	26	3	M rasema
_		21	3	12	3	10	1	40	3	140	13	20	3	Glosso somatidae
		2	<1					1	<1					Glosso vintaddae Gl vsosoma
_		2	<1			_		1	<1	_		_		
_				_		_		_				_		<i>Pr∩toptila</i> Goerid⊐e
		9	-1					2	-1					Goerid≃e Go•ra
_		3	<1	_		_		2	<1			_		
140	10	45	-	20	•	50	•	50		01	10	01	10	Hydropsychidae
140	13	45	5	28	6	58	6	56	4	91	10	81	10	Ce-atopsyche
27	2	72	7	6	1	45	5	62	4	63	7	44	6	Ch ~matopsyche
3	<1	5	<1			8	<1	7	<1	2	<1	34	4	Hydropsyche
3	<1					_						_		Macrostemum
	•				_		_	70	_	-00			_	Hydroptilidae
37	3	14	1	24	5	22	2	72	5	39	4	40	5	Hydroptila
35	3	25	3	10	2	_		63	4	_		1	<1	Leucotrichia
		_							_					Leptoc ridae
_		3	<1	_		3	<1	6	<1	_		_		Mystacides
_		4	<1	1	<1	3	<1	4	<1	2	<1	_		O∈retis
		_	_				_		_					Philopotamidae
_		4	<1	_	_	1	<1	4	<1	_				Chimarra
_		_		1	<1							_		Delophilodes
													_	Polycentropodidae
3	<1				_							1	<1	Neureclipsis
11	1	1	<1	8	2	1	<1	4	<1	_		_		Nyctiophylax
21	2	2	<1	6	1	3	<1	13	<1	6	<1	4	<1	Po'vcentropus
		_												Psychomylidae
_		8	<1	21	5	5	<1	11	<1	14	1	10	1	Ps _i chomyia

Table 5. Benthic-macroinvertebrate data—Continued

014721854 - Pickering Creek at Merlin, Pa. (Site 3)—Continued

Date	Oct. 1	5, 1981	Oct. 1	8, 1982	Oct. 1	7, 1983	Oct. 5	5, 1984	Oct. 7	7, 1 98 5	Oct. 8	3, 1986	Oct. 8	3, 1987
Total count	11	,757	2,	123	1 ,	935	1 2	,005	9	12	1,0	049	1,	396
Organism	Count	Percent	Count	Percent	Count	Percent								
Lepidoptera														
Pyralidae														
Petrophila					_		_		2	<1			3	<1
Coleoptera														
Curculionidae														
Elmidae														
Ancyronyx			_						_					
A.varlegata							_							
Dubiraphia	18	1	3	<1	24	3			23	3	9	<1	3	<1
Macronychus														
M. glabratus							_						1	<1
Optioservus	8	<1	16	<1	3	<1	3	<1	17	2	19	2	9	<1
Oulimnius	3	<1	5	<1					1	<1	1	<1		
Promoresia	_				3	<1	3	<1	10	1				
Stenelmis			5	<1	8	<1			6	<1			14	1
Psephenidae			•						•					
Psephenus			3	<1	_		_						1	<1
Hymenoptera			_						1	<1	_		_	
Diptera									_					
Athericidae														
Atherix			3	<1					_					
Chironomidae	820	46	640	30	150	16	430	31	48	5	560	51	410	29
Empididae										-				
Hemerodromia	5	<1	3	<1			_				1	<1	2	<1
Simuliidae	•		•								-		_	-
Simulium	24	1	21	1					_		1	<1	1	<1
Syrphidae		•		•			_				1	<1	_	~*
Tipulidae											•	~*		
Antocha	16	<1	45	2	16	2	48	3	51	6	88	8	93	7
Tipula	10	~1	73	Ĺ	10	Ĺ	70	3	1	<1	00	U		•

¹ Extrapolated from a 3/8 subsample.

Oct. 1	4, 1988	Oct. 4	, 19 8 9	Oct. 3	, 1990	Oct. 2	2, 1991	Oct. 7	7, 1992	Oct. 6	5, 1993	Oct. 2	5, 1994	Date
11,	,047	1,0	015	4	30	9	56	1,	522	9	39	7	80	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	mainernO
	•													Lepidopt ra
														Pyra ¹⁴ dae
11	1	12	1	9	2	2	<1	10	<1	15	2	7	<1	Petrophila
														Coleopte ~a
				_						1	<1	_		Curculionidae
														Elmidae
3	<1	_		_		_		_				_		Ancyronyx
_		_		_		_		_		_		3	<1	A.variegata
_		3	<1	_		18	2	25	2	16	2	_		Dubiraphia
														Macronychus
_				_						_		_		M. glabratus
6	<1	26	3	9	2	9	<1	32	2	7	<1	3	<1	Optioservus
_		2	<1	_				2	<1			_		Oulimnius
_		_		_		8	<1	3	<1	9	1	2	<1	Promoresia
8	<1	6	<1	3	<1	5	<1	13	<1	6	<1	4	<1	Stenelmis
														Psephenidae
_		1	<1	_				1	<1	_				Psephenus
_		_				_						_		Hymenoptera
														Diptera
														Athericidae
		_		1	<1	_		_						Atherix
310	28	280	28	96	22	500	52	290	19	190	20	340	43	Chimonomidae
														Emp'didae
3	<1	47	5					6	<1	5	<1	3	<1	Hemerodromia
•			Ū					•		•	~~	•	**	Simuliidae
_		7	<1	_		42	4	1	<1					Simulium
_		<u>.</u>	~*				•	_	~-					Syrp ^h idae
						_								Tipu'idae
140	13	37	4	100	23	27	3	120	8	32	3	82	10	Antocha
	10	1	<1	_	20		Ü	1	<1		•		20	Tipula

[<, less than; —, not found]
014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)

Table 5. Benthic-macroinvertebrate data—Continued

Date	Oct. 1	5, 1981	Oct. 1	9, 1982		7, 1983	Oct. 9	9, 1984	Oct. 7	', 1985 	Oct. (5, 1986	Oct.	3, 1987
Total count	3,0	611	1,	887	¹ 1,	,316	1,	943	5	57	2,	593	2,	312
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planarlidae	16	<1	3	<1	16	1	3	<1	15	3	13	<1	86	4
Nematoda (nematodes)					_		_		_		-			
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		_		_		_		3	<1	_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amnicola			_				_				1	<1	4	<1
Basommatophora														
Ancylidae														
Ferrissia	8	<1							_		10	<1	17	<1
Planorbidae														
Gyraulus	_				_						_		_	
Helisoma									2	<1	1	<1		
Bivalvia														
Veneroida														
Sphaeriidae			_								_		_	
Annelida (segmented worms)														
Oligochaeta			_		_		_		1	<1	_		_	
Lumbriculida														
Lumbriculidae					_				_		_			
Tubificida														
Naididae	2	<1					3	<1			_		_	
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia					3	<1	3	<1	2	<1	9	<1		
Crustacea														
Cyclopoida					_						_		_	
Amphipoda														
Crangonyctidae														
Crangonyx											_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	130	4	13	<1	13	1	53	3	4	<1	43	2	76	3
Pseudocloeon	6	<1	_	~.		•	21	1	2	<1	14	<1	84	4
Caenidae	U	~1					21	•		~1		~.	01	•
Caenis											_		10	<1
Ephemerellidae	_												10	~.
Ephemerella	83	2	24	1	59	5	110	6	29	5	180	7	390	17
Heptageniidae	0.0	L	-4	1	JJ	3	110	U	23	J	100	,	550	11
Epeorus	_						3	<1			_			
Epeorus Stenonema	32	_1	64	3	100	8	5 51	3	27	5	— 45	2	20	1
	32	<1	04	J	100	0	31	3	41	J	43	2	20	<1
Isonychiidae	64	2	21	1	16	1			22	c	25	_1	42	2
Isonychia	64	2	21	1	16	1			32	6	25	<1	43	2
Leptohyphidae Tricorythodes			3	<1									2	<1

	2, 1988	Oct. 4	, 1989	Oct. 2	2, 1990	Oct. 2	., 1991	Oct. (6, 1992	Oct. c	i, 19 9 3	OGI. 2	26, 1994	Date
14	,090	1,	147	1,0	684	1,5	514	2,	247	2,	535	1,	,325	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
		· · · · · · · · · · · · · · · · · · ·												Platyhelminthes (flatworms) Turbellaria
														Tricladida
59	1	87	7	50	3	11	<1	45	2	32	1	2	<1	Planariidae
_	•	_	•	_	3		~1			2	<1 <1		~1	Nematoda (nematodes)
		_				_		_		-	~1			Nemertea (proboscis worms)
														Enopla
														Hoplonem rtea
														Tetrastemmatidae
3	<1	10	<1	_				1	<1	6	<1	_		Prostoma
_	-							_		•				Mollusca (molluscs)
														Gastropoda
														Mesogastropoda
														Hydrohiidae
19	<1	5	<1	11	<1	7	<1	69	3	19	<1			Armicola
-	-	-	-		-	-	-		-		-			Basommatophora
														Ancylidae
5	<1	4	<1	1	<1	37	2	71	3	65	3	4	<1	Ferrissia
-		_		_			_		_		-		_	Planorbidae
3	<1					_		43	2	4	<1	8	<1	Gyraulus
_	_			_					_		-		_	Helisoma
														Bivalvia
														Veneroida
								2	<1	2	<1			Sphaeriidae
														Annelida (segmented worms)
								1	<1			1	<1	Oligochaeta
														Lumbricul da
				1	<1			_						Lumbriculidae
														Tubificida
3	<1	2	<1	2	<1	_		11	<1	39	2	_		Naididae
														Arthropoda (arthropods)
														Acariformes
		38	3	3	<1	3	<1	72	3	120	5	18	1	Hydrachnidia
														Crustacea
_		1	<1	_		_						_		Cyclopoida
														Amphipoda
														Crangonyctidae
3	<1			_						_		_		Crangonyx -
														Insecta
														Ephemeroptera
														Baetid ae
80	4	18	2	59	3	25	2	11	<1	12	<1	3	<1	Baetis
_		35	3	51	3	5	<1	58	3	13	<1	1	<1	Ps •udocloeon
														Caenidae
				_		1	<1	8	<1	15	<1	_		Ccenis
														Ephemerellidae
60	6	73	6	20	1	28	2	170	7	120	5	31	2	Ephemerella
														Heptageniidae
		2	<1							_				E _F -orus
29	<1	5	<1	6	<1	26	2	61	3	49	2	4	<1	Stenonema
														Isonychildae
20	3	11	<1	14	<1	33	2	43	2	26	1	7	<1	Isonychia
														Leptol~phidae
								3	<1	2	<1	_		Tricorythodes

Table 5. Benthic-macroinvertebrate data—Continued
014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

Date Total count Organism	Oct. 1	5, 1981	Oct. 1	9, 1982	Oct. 17, 1983		Oct. 9, 1984		Oct. 7, 1985		Oct. 6, 1986		Oct. 8, 1987	
	3,611		1,887		¹ 1,316		1,943		557		2,593		2.312	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Odonata														
Coenagrionidae														
Argia	2	<1									2	<1	9	<1
Plecoptera														
Capniidae														
Allocapnia	1	<1	5	<1	_				1	<1			3	<1
Chloroperlidae	_		3	<1	_		_		_				_	
Perlidae			_				_		_					
Acroneuria	_		3	<1	-		_				1	<1		
Agnetina	4	<1	_				_		_		_			
Paragnetina			3	<1	3	<1	_		_		11	<1	7	<1
Taeniopterygidae														
Taeniopteryx	59	2	16	<1	3	<1	16	<1	9	2	7	<1	32	1
Megaloptera														
Corydalidae														
Corydalus	1	<1	_		_		3	<1			2	<1		
Sialidae	_	-					_	-			_	_		
Sialis	_						_		_		_			
Trichoptera														
Apataniidae														
Apatania	1	<1	_				_		_		30	1	8	<1
Brachycentridae	•										00	•	Ū	••
Brachycentrus							_							
Micrasema	2	<1			5	<1	_		2	<1	3	<1	4	<1
Glossosomatidae	L	~1			3	~1	_		L	~1	J	~1	4	~,
Glossosoma	8	<1	37	2	3	<1	53	3	3	<1	14	<1	2	<1
Protoptila	0	<1	31	Z	3	<1	19	1	3	~1	14	~1	2	\1
-	_		_		_	_	19	1	_		_			
Goeridae			•	-4					2	<1				
Goera	_		3	<1			_		3	<1			_	
Helicopsychidae														
Helicopsyche	_		_		_		_						_	
Hydropsychidae	750		400		100		-00		100	40	-10			00
Ceratopsyche	750	21	480	25	130	10	580	31	100	18	510	20	520	23
Cheumatopsyche	230	6	170	9	160	12	300	16	190	34	110	4	71	3
Hydropsyche	490	14	80	4	27	2	67	4	6	1	130	5	520	23
Macrostemum			5	<1	3	<1	_		_		2	<1	1	<1
Hydroptilidae														
Hydroptila	7	<1	11	<1	24	2	3	<1			1	<1	21	<1
Leucotrichia	83	2	430	23	290	22	280	15	29	5	310	12	220	10
Leptoceridae														
Mystacides	1	<1	5	<1	13	1	_						_	
Oecetis	_		_		_		_		_		_		1	<1
Philopotamidae														
Chimarra	3	<1	45	2	5	<1	11	<1	13	2	14	<1	35	2
Polycentropodidae														
Neureclipsis	_		5	<1	_		_		1	<1	2	<1	3	<1
Nyctiophylax	7	<1	5	<1	24	2	3	<1	3	<1	3	<1	2	<1
Polycentropus	2	<1	_		13	1	_		_		1	<1		
Psychomyiidae														
Psychomyia	6	<1	40	2	19	1	8	<1	12	2	13	<1	26	1
Rhyacophilidae														
Rhyacophila	_				_		_		_		_			
Uenoidae														

Oct. 12	2, 1 98 8	Oct. 4	l, 1989	Oct. 2	2, 1990	Oct. 2	2, 1991	Oct. 6	5, 1992	Oct. 6	, 1993	Oct. 2	6, 1994	Date
¹ 4,	090	1,	147	1,0	684	1,	514	2,	247	2,5	535	1,	325	Tot [⊲] count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Orpanism
,														Odonata
														Coenagrionidae
8	<1			_		1	<1			1	<1	1	<1	Argia
														Plecopte-a
														Capniidae
_		_								2	<1	1	<1	Allocapnia
_										2	<1	4	<1	Chlcroperlidae
_		_		_		_		2	<1					Perlidae
_		_				_								Acroneuria
_		3	<1	4	<1	_								Agnetina
5	<1									3	<1			Paragnetina
														Taeniopterygidae
59	1	4	<1	2	<1	3	<1			2	<1	3	<1	Taeniopteryx
		•									-		·- <u>-</u>	Megaloptera
														Cory dalidae
		2	<1			_						1	<1	Corydalus
		-	~*									•	~1	Siali dae
												1	<1	Siali sae Sialis
		_										1	~1	
														Trichoptera Apataniidae
		2	.1		.1	5	.1	27	,	40	2	10	,	
		2	<1	1	<1	э	<1	27	1	49	2	13	1	Apatania
												•		Brac'ycentridae
_		_										8	<1	Brachycentrus
8	<1	6	<1	4	<1	3	<1	21	<1	26	1	20	2	Micrasema
			_		_									Glossomatidae
11	<1	18	2	10	<1					_		_		Glossosoma
5	<1	_		12	<1	4	<1	5	<1	19	<1	_		Protoptila
														Goeridae
_		_				_		_		2	<1	10	<1	Goera
														Helicopsychidae
_		_				_		53	2	93	4	110	8	Helicopsyche
														Hyd psychidae
1,000	24	250	21	420	25	390	26	150	7	410	16	280	22	Ceratopsyche
120	3	16	1	87	5	130	9	91	4	420	17	190	15	Cheumatopsyche
570	14	54	5	52	3	42	3	280	12	23	<1	96	7	Hydropsyche
3	<1	2	<1	_				_				2	<1	Macrostemum
														Hyd ptilidae
3	<1	2	<1	-		2	<1	19	<1	14	<1	3	<1	Hydroptila
110	3	94	8	350	21	270	18	260	11	170	7	180	14	Leucotrichia
														Lept~eridae
3	<1	1	<1			_		4	<1	3	<1			Mystacides
_		_								2	<1			Oecetis
														Philopotamidae
3	<1	17	1	5	<1	1	<1	25	1	16	<1	1	<1	Chimarra
														Polycentropodidae
_		_				_		_		2	<1	2	<1	Neureclipsis
3	<1	9	<1	4	<1	11	<1	4	<1	8	<1			Nyctiophylax
8	<1	2	<1	1	<1	2	<1	7	<1	12	<1	3	<1	Polycentropus
-	-	-	-	-	-	-	-		-	•	-	-	_	Psychomyiidae
3	<1	15	1	29	2	110	7	9	<1	160	6	65	5	Psychomyia
5			-		-		•	-		- 3-	•		-	Rhyrcophilidae
3	<1													Rhyacophila
,	~*	_				-								Uenotdae
				1	<1	_		1	<1	_				Neophylax
_				•	~1	-		•	~1	-				меоризыл

Table 5. Benthic-macroinvertebrate data—Continued

014721884 - Pickering Creek at Charlestown Road Bridge at Charlestown, Pa. (Site 4)—Continued

Date	Oct. 1	5, 1981	Oct. 1	9, 1982	Oct. 1	7, 1983	Oct. 9	9, 1984	Oct. 7	, 1985	Oct. 6	5, 1986	Oct. 8	3, 1987
Total count	3,	611	1,	887	1 1	,316	1,	943	5	57	2,	593	2,	312
Organism	Count	Percent												
Lepidoptera													•	
Pyralidae														
Petrophila	_		_		_		_		_		_		_	
Coleoptera														
Dryopidae														
Helichus	_						_				_		1	<1
Elmidae														
Ancyronyx														
A.variegata	_				_		_		_		_		_	
Dubiraphia	_		_		_		_		_		1	<1	_	
Optioservus	_		3	<1	16	1	11	<1	5	<1	12	<1	8	<1
Oulimnius	2	<1	3	<1	_		_		_				_	
Promoresia	_				_		_		_		1	<1	1	<1
Stenelmis	2	<1	3	<1	_		_		_		3	<1	10	<1
Psephenidae														
Ectopria														
E. nervosa	_				_		_		_		_		_	
Psephenus	-		_		5	<1	3	<1	_		_		1	<1
Diptera														
Chironomidae	1,500	42	300	16	280	22	280	15	31	6	1,000	38	_	
Empididae														
Hemerodromia	5	<1	5	<1	3	<1	3	<1	2	<1	7	<1	2	<1
Simuliidae														
Simulium	63	2	27	1	8	<1	24	1	15	3	4	<1	13	<1
Tipulidae														
Antocha	41	1	72	4	75	6	32	2	18	3	55	2	59	3

¹ Extrapolated from a 3/8 subsample.

Oct. 12	2, 1988	Oct. 4	i, 1989	Oct. 2	2, 1990	Oct. 2	2, 1991	Oct. 6	5, 1992	Oct. 6	6, 1993	Oct. 2	26, 1994	Date
1 4,	090	1,	147	1,0	684	1,	514	2,	247	2,	535	1,	325	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Orçanism
														Lepidoptra
														Pyralidae
		1	<1	1	<1	1	<1	1	<1	8	<1	7	<1	Petrophila
														Coleoptera
														Dryonidae
_						_		1	<1	_				Helichus
														Elmidae
														Ancyronyx
_				_		_		1	<1	_		_		A.variegata
_		_		1	<1	1	<1	2	<1	3	<1	_		Dubiraphia
11	<1	26	2	10	<1	3	<1	3	<1	21	<1	4	<1	Optioservus
		3	<1	2	<1			1	<1			_		Oulimnius
3	<1	_		1	<1	4	<1	8	<1	2	<1	1	<1	Promoresia
5	<1	10	<1	13	<1	8	<1	16	<1	13	<1	8	<1	Stenelmis
														Psephenidae
														Ectopria
_						_		3	<1	_				E. nervosa
_		2	<1	1	<1	1	<1	1	<1	2	<1	5	<1	Psephenus
														Diptera
1,300	32	180	15	400	24	300	20	510	22	400	16	190	15	Chircnomidae
														Empididae
8	<1	20	2	3	<1	4	<1	17	<1	31	1	3	<1	I'=merodromia
														Simu ¹¹ idae
130	3	88	7	43	3	1	<1	31	1	5	<1	2	<1	Simulium
														Tipulidae
24	<1	29	2	9	<1	41	3	25	1	85	3	32	2	Antocha

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)

Date	Oct. 1	5, 1981	Nov. 2	2, 1982	Oct. 1	8, 1983	Oct. 22	2, 1984	Oct. 8	1, 1985	Oct. 6	, 1986	Oct. 1	3, 1987
Total count	2,	081	3,	232	2,	183	1,5	513	4	38	1,1	150	2,	029
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)						-					***************************************		`	
Turbellaria														
Tricladida														
Planariidae			_				_		1	<1	11	<1	-	
Nematoda (nematodes)	_		2	<1	1	<1	_		_		1	<1	_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_		3	<1	_						1	<1
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobildae														
Amnicola			_				_		_					
Basommatophora														
Ancylidae														
Ferrissia	20	<1	7	<1	6	<1			9	2	17	1	150	8
Lymnaeidae	20	~1	•	_1	U	~1	_		3	L	11	•	150	Ū
•			1	<1										
Lymnaea			1	<1	_				_		_			
Planorbidae														
Gyraulus	-		_						_					
Helisoma			_						_		1	<1		
Bivalvia														
Veneroida														
Sphaeriidae			_						_					
Annelida (segmented worms)														
Oligochaeta			_											
Lumbriculida														
Lumbriculidae	1	<1	1	<1	3	<1	_				1	<1		
Tubificida														
Naididae	_		17	<1	25	1			_		2	<1		
Tubificidae			_								1	<1		
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			_						1	<1	12	1	3	<1
Crustacea														
Cyclopoida	_		_						_				1	<1
Amphipoda	1	<1							_					
Isopoda														
Asellidae														
Caecidotea			1	<1			_		_					
Decapoda			-											
Cambaridae														
Cambarus	_				_		_				1	<1		
Insecta											•			
Ephemeroptera														
Ephemeroptera Baetidae														
	-	-1		.1			7	_ 1			10		10	_1
Baetis	5	<1	1	<1			7	<1	_		13	1	19	<1
Pseudocloeon	7	<1	6	<1	8	<1	2	<1	1	<1	10	<1	18	<1
Caenidae	_						_	_			_	_	_	
Caenis	3	<1	_				1	<1	_		2	<1	5	<1

	2, 1988 	_	6, 1989		2, 1990		', 1991 —		, 1992		, 1993		6, 1994	Date
	,651		173		48		066		775		259		177	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	mainegnO
														Platyhelminthes (Tatworms)
														Turbellaria
														Tricladida
3	<1	3	<1	2	<1	58	2	89	5	3	<1	16	1	Planariidae
_								3	<1					Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatida
		1	<1	_										Prostoma
		•	~.											Mollusca (molluscs)
														Gastropoda
														Mesogastropoda
		_												Hydrobiidae
		1	<1	_		_		_		_		_		Amnicola
														Basommatophora
														Ancylidae
	1	6	2	2	<1	31	1	12	<1	1	<1			Ferrissia
														Lymnaeidae
								1	<1					Lymnaea
														Planorbidae
		_		-		1	<1	2	<1					Gyraulus
														Helisoma
														Bivalvia
														Veneroida
								1	<1	_				Spha∘riidae
									_					Annelida (segmented worms)
								5	<1			1	<1	Oligochaeta
								•				•	٠.	Lumbricu ¹ ida
3	<1	1	<1	_		1	<1							Lumbriculidae
•	~1	•	~.			•	~1							Tubificida
		4	1			3	<1	42	2			1	<1	Naid ¹ dae
•		7	1			3	<1	42	Z			1	<1	Tubificidae
-						_						_		
														Arthropoda (arthropods)
						00	_		_	_				Acariformes
-		15	4	_		36	1	56	3	4	<1	11	<1	Hydrachnidia
														Crustacea
-														Cyclopoida
-														Amphipeda
														Isopoda
														Asell'dae
-						_		2	<1	_		_		Caecidotea
														Decapoda
														Cambaridae
-		_				_				_		_		Cambarus
														Insecta
														Ephemeroptera
														Baeti dae
3	2	2	<1	4	<1	31	1	2	<1	6	<1	2	<1	Baetis
,	<1	7	2	3	<1	23	<1	26	1	17	1	2	<1	Pseudocloeon
•	~1	'	L	3	~1	23	~1	20	1	11	1	ے	~,	Caen dae
		1	1											
-		1	<1											Caenis

ı

Table 5. Benthic-macroinvertebrate data—Continued
01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

Date	Oct. 1	5, 1981	Nov. 2	2, 1982	Oct. 1	8, 1983	Oct. 22	2, 1984	Oct. 8	, 1985	Oct. 6	, 1986	Oct. 1	3, 1987
Total count	2,0	081	3,2	232	2,	183	1,5	513	4	38	1,1	50	2,0	029
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera	·													
Ephemerellidae														
Ephemerella	120	6	220	7	200	9	200	13	45	10	64	5	63	3
Heptageniidae														
Epeorus			3	<1			6	<1	_		_		_	
Stenonema	69	3	58	2	60	3	76	5	19	4	17	1	59	3
Isonychiidae														
Isonychia	14	<1	3	<1	11	<1	5	<1	4	1	14	1	58	3
Leptohyphidae														
Tricorythodes	_		_		_		_				_		_	
Odonata														
Coenagrionidae														
Argia	4	<1	_		1	<1	1	<1	_		_		1	<1
Plecoptera														
Capniidae														
Allocapnia	3	<1	10	<1	11	<1	25	2	1	<1	_		4	<1
Chloroperlidae	_		_		2	<1	6	<1	1	<1	_			
Nemouridae					_		_				_		_	
Perlidae														
Acroneuria	1	<1							2	<1	4	<1	2	<1
Agnetina	_	~-	_		_		_		_	~.		~-	_	~*
Paragnetina Paragnetina			1	<1			_				1	<1	4	<1
Taeniopterygidae	_		•	~1					_		•	~1	7	~1
Taeniopteryx	29	1	32	1	7	<1	1	<1	9	2	14	1	48	2
	29	1	32	1	•	<1	1	<1	9	2	14	1	40	Z
Hemiptera Veliidae														
					•	<1								-1
Rhagovelia	_				3	<1	_		_		_		1	<1
Megaloptera														
Corydalidae			•		•									
Corydalus	_		2	<1	2	<1	1	<1	1	<1	_		1	<1
Trichoptera														
Apataniidae	_										_	_		
Apatania	1	<1							_		5	<1	_	
Brachycentridae					_						_			
Micrasema	8	<1	29	<1	190	9	4	<1	3	<1	42	3	12	<1
Glossosomatidae														
Glossosoma	3	<1	52	2	8	<1	100	7	1	<1	8	<1	12	<1
Protoptila	4	<1	6	<1	48	2	37	2	_		_		_	
Goeridae														
Goera	_		2	<1	3	<1			_		_		_	
Helicopsychidae														
Helicopsyche	_				_				1	<1	1	<1	_	
Hydropsychidae														
Ceratopsyche	140	7	460	14	380	17	290	19	120	27	160	13	310	16
Cheumatopsyche	130	6	87	3	160	7	93	6	53	12	14	1	40	2
Hydropsyche	200	10	74	2	46	2	47	3	_		11	<1	31	2
Macrostemum	5	<1	1	<1	4	<1	3	<1			_		5	<1
Hydroptilidae														
Hydroptila	8	<1	13	<1	6	<1	1	<1	1	<1	_		21	1
Leucotrichia	210	10	950	30	520	24	260	17	72	16	84	7	430	22
Lepidostomatidae												•		
Lepidostoma	_				_				_		_		_	
Leptoceridae														
Mystacides			_		6	<1			_		_		1	<1
Oecetis					_	~1					1	<1	1	<1
Occess	_				_				_		1	~1	1	~1

Oct. 1	2, 1988	Oct. 6	, 1989	Oct. 1	2, 1990	Oct. 7	, 1 9 91	Oct. 6	5, 1992	Oct. 7	, 1993	Oct. 20	6, 1994	E`≈te
1 2	,651	3	73	9	48	3,0	066	1,	775	1,2	259	1,1	177	Tota¹ count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Org anism
														Ephemerootera
														Ephemerellidae
59	2	30	8	26	3	150	5	160	9	11	<1	27	2	F.phemerella
														Heptageniidae
-		2	<1			1	<1	_						Epeorus
43	2	4	1	11	1	13	<1	34	2	24	2	4	<1	Stenonema
														Isonychiidae
19	<1	1	<1	9	<1	94	3	32	2	35	3	6	<1	Iranychia
														Leptchyphidae
_						_		1	<1					Tricorythodes
														Odonata
														Coenagrionidae
_				_		_				1	<1	_		Argia
										-				Plecoptera
														Capn ⁴ dae
						5	<1					_		Allocapnia
_		_				12	<1	10	<1	_		_		Chloroperlidae
_		_		1	<1	12	~1	10	~1	_		_		Nemouridae
_		_		1	<1			_						Perlidae
				2	.1	•	.1	•	.1	7		2	.1	
_		_		3	<1	2	<1	2	<1	7	<1	2	<1	Acroneuria
_				1	<1	14	<1	6	<1	1	<1	_		Agnetina
				_		3	<1	_				2	<1	Paragnetina
		_	_	_				_		_	_			Taeninpterygidae
40	1	6	2	3	<1	23	<1	9	<1	3	<1			Taeniopteryx
														Hemiptera
														Veliic'ae
5	<1			_		_		_		_		_		Phagovelia
														Megaloptara
														Corydalidae
_				1	<1	2	<1			4	<1	_		Corydalus
														Trichoptera
														Apataniidae
_				_		3	<1	7	<1	_		8	<1	A natania
														Brach ycentridae
32	1	12	3	6	<1	32	1	78	4	16	1	1	<1	Micrasema
														Glossosomatidae
8	<1	1	<1	7	<1	1	<1	2	<1	6	<1	_		Glossosoma
														Protoptila
														Goeridae
						_								Goera
														Helicapsychidae
_		2	<1					3	<1			2	<1	Fielicopsyche
_		L	~1	_		_		J	~1			L	\1	Hydropsychidae
40	20	E 1	12	170	10	500	10	120	7	50		70	c	Ceratopsyche
40 69	20 3	51 5	13	170 12	18	590 160	19 5	120 25	7	50 41	4	70 35	6	Ceratopsyche Cheumatopsyche
			1		1				1		3		3 25	
13	<1	1	<1	6	<1	97	3	12	<1	190	15	300	25	I tydropsyche
11	<1	_		2	<1	_		2	<1	6	<1	4	<1	Macrostemum
_						_	_							Hydroptilidae
5	<1	2	<1			5	<1	22	1	1	<1			I ¹ ydroptila
30	34	86	22	480	50	97	3	390	22	560	43	400	33	Leucotrichia
														Lepicostomatidae
		_		_		_		1	<1	-		_		Lepidostoma
														Leptceridae
		_						-						Mystacides
						_				_				Oecetis

Table 5. Benthic-macroinvertebrate data—Continued
01472190 - Pickering Creek near Phoenixville, Pa. (Site 5)—Continued

Date	Oct. 1	5, 1981	Nov. 2	2, 1982	Oct. 1	8, 1983	Oct. 2	2, 1984	Oct. 8	3, 1985	Oct. 6	, 1986	Oct. 1:	3, 1987
Total count	2,	081	3,	232	2,	183	1,	513	4	38	1,	150	2,0	029
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera											-			
Philopotamidae														
Chimarra	4	<1	22	<1	9	<1	27	2	1	<1	1	<1	7	<1
Wormaldia					_						_			
Polycentropodidae														
Neureclipsis			_		_		1	<1					10	<1
Nyctiophylax	19	<1	24	<1	29	1	7	<1	3	<1	1	<1	4	<1
Polycentropus			2	<1	5	<1							_	
Psychomylidae														
Psychomyla	29	1	30	<1	8	<1	3	<1	29	6	64	5	160	8
Uenoidae														
Neophylax			17	<1							_			
Lepidoptera														
Pyralidae														
Petrophila Petrophila	2	<1	3	<1	1	<1			3	<1	_		31	2
Coleoptera														
Elmidae														
Ancyronyx														
A.variegata			_		_								_	
Dubiraphia			_						_					
Macronychus			_								_		_	
M. glabratus	_		_								_			
Optioservus	2	<1	5	<1	14	<1	3	<1	11	2	29	2	3	<1
Oulimnius			5	<1	6	<1					3	<1	3	<1
Promoresia			_								1	<1		
Stenelmis			_		15	<1	1	<1	2	<1	5	<1	1	<1
Psephenidae						-	-	· -	_		_	-	_	
Ectopria														
E. nervosa			_		_						_		_	
Psephenus	5	<1	9	<1	9	<1	2	<1	6	1	21	2	7	<1
Diptera	Ū	٠.	•		•		_	••	·	•		-	•	
Athericidae														
Atherix			_						_		_			
Chironomidae	1,000	48	870	27	230	10	240	16	11	2	370	31	380	19
Empididae	1,000	10	0.0	21	200	10	240	10	**	-	0,0	01	000	10
Hemerodromia	2	<1	4	<1	3	<1	2	<1	3	<1	11	<1	2	<1
Simuliidae	L	~1	7	~1	J	~1	۵	~1	J	~1	**	~1		~1
Simulium			2	<1			3	<1	1	<1	1	<1	_	
Tipulidae			4	~1			J	~1	1	~1	1	~1		
Antocha	32	2	200	6	140	6	58	4	23	5	130	11	120	6
Antocia Tipula	3Z —	L	200 —	U	140	Ü	- Jo	4	23 	J	130	<1 <1		U

¹ Extrapolated from a 3/8 subsample.

Date	6, 1994	Oct. 26	', 1993	Oct. 7	, 1992	Oct. 6	', 1991	Oct. 7	2, 1990	Oct. 12	, 1989	Oct. 6	2, 1988	
Total count	77	1,1	259	1,2	775	1,7	066	3,0	48	9	73	3	651	1 2
MainegnO	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Trichoptera														
Philopotamida														
Chimarra	<1	10	<1	11	1	20	1	34	2	16				-
Wormaldia					<1	2						_		_
Polycentropodi														
Neureclipsi		_			<1	2	<1	1		-				
Nyctiophyla		_	<1	2			<1	1		_	2	6	<1	16
Polycentrop			<1	3	<1	1						_	<1	3
Psychomylidae														
Psychomyia	<1	5	1	13	<1	5	3	79	3	27	2	6	<1	16
Uencidae														
Neophylax				_	<1	1			<1	3	6	25		_
Lepidoptara														
Pyra'idae														
Petrophila		_	<1	4	<1	2		_	<1	1			<1	8
Coleoptera					_									
Elmi-lae														
Ancyronyx														
A.varie		_	<1	8								_		
Dubiraphia		_	·-	_	<1	2	<1	5						_
Macronych						_		•				_		_
M. glai		_					<1	4				_		
Optioservus	<1	6	<1	8	1	22	1	37	<1	2	2	8	<1	16
Oulimnius	<1	2	<1	1	-		•	_		_	<1	1	٠.	_
Promoresia	~,	_		_	3	62	3	96	<1	1	~-			
Stenelmis	<1	7	1	17	<1	4	<1	5	~1		<1	1	<1	6
Psephenidae	~1	•	•	11	~1	-	~1	•		_	~,	•	~,	U
Ectopria														
Ectopia E. nerv							<1	1						
	<1	2	<1	4	<1	2	<1 <1	4	<1	3	1	4	1	27
Psephenus	<1	L	<1	4	<1	2	<1	4	<1	3	1	4	1	21
Diptera Athe~icidae														
Atherix			-1	1										
	10	210	<1 12	1 1 60	21	200	20	1 200		10	12	52	22	
Chironomidae	18	210	12	100	21	380	39	1,200	1	10	13	52	22	600
Emp'didae				_				1.	•	00	•	_		11
Hemerodron	<1	3	<1	7	<1	9	<1	14	9	90	2	6	<1	11
Simuliidae		_			_		_			_	_	_		
Simulium	<1	3	1	13	3	62	1	42	<1	2	<1	2		_
Tipu'idae			_				_				_		-	
Antocha	3	35	2	20	2	42	2	55	5	44	5	18	3	72
Tipula														

Table 5. Benthic-macroinvertebrate data—Continued

01473167 - Little Valley Creek at Howellville, Pa. (Site 49)

Date	Oct. 1	6, 1981	Oct. 1	5, 1982	Oct. 2	1, 1983	Oct. 9	, 1984	Oct. 9	, 1985	Nov.	6, 1986	Nov. 1	6, 1987
Total count	2,8	871	2,	454	1,	231	1,	218	5	51	1,	102	1,	3.57
Organism	Count	Percent	Count	Percent	Count	Percent								
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	9	<1	7	<1	24	2	31	3	5	<1	14	1	19	1
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia					1	<1			1	<1			_	
Annelida (segmented worms)														
Oligochaeta	29	1	3	<1	3	<1			_		_		_	
Lumbriculida														
Lumbriculidae			_						_		_		5	<1
Tubificida														
Naididae							_		_				_	
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			3	<1	3	<1	6	<1	2	<1	1	<1		
Crustacea			•		•		•	~1	-	~-	•	~1		
Amphipoda														
Gammaridae														
Gammarus	43	1	160	7	99	8	8	<1	24	4	130	12	190	14
Isopoda	70	1	100	,	33	0	0	~1	24	7	130	12	150	1.3
Asellidae									1	<1				
Lirceus	2	<1	9	<1	2	<1		<1	5	<1 <1	 70	6	12	<1
	2	<1	9	<1	2	<1	0	<1	3	<1	70	O	12	<1
Decapoda														
Cambaridae														
Cambarus			1	<1	_									
Insecta														
Ephemeroptera														
Baetidae			050					_				••		•
Baetis	310	11	350	14	140	11	83	7	31	6	220	20	30	2
Pseudocloeon									64	11	_		73	5
Ephemerellidae														
Ephemerella	300	10	190	8	490	40	480	40	150	27	230	21	430	31
Heptageniidae														
Stenonema			_						_		1	<1	_	
Plecoptera														
Capniidae														
Allocapnia					_				_				_	
Taenlopterygidae														
Taeniopteryx	_		1	<1	_				_					
Hemiptera														
Corixidae														
Trichocorixa	2	<1	_						_				_	
Veliidae														
Rhagovelia	1	<1	_				1	<1	_				_	
Trichoptera														
Brachycentridae														
Micrasema	_		_				_				_		_	
Glossosomatidae														
0.000000														

O+ 2	5, 1988	Nov	6, 1989	No: 1	4, 1990	0~ 0	8, 1991	O~4 !	5, 1992	No. 1	8, 1993	No. 3	7, 1994	Date
	375		6, 1969 346		18		81		13		04		7, 1994 D68	- Total count
					Percent									
Journ	reiceill	Count		Count	reicent	Count	reicent	COURT	reiteil	Count	reicent	Count	reicein	Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
8	<1	13	4	7	1			18	2	9	1	13	1	Planar'idae
														Mollusca (molluscs)
														Gastropoda
														Basommatoohora
														Ancyli⁻ae
3	<1			_				1	<1	_				Ferissia
														Annelida (segmented worms)
_		_						_						Oligochaeta
														Lumbriculida
_		1	<1	_						_				Lumbriculidae
		8	2									1	_1	Tubificida
_		5	2	_		_		_		_		1	<1	Naididae Arthropoda (arthropods)
														Acariformes
								5	<1	2	<1			Hydrachnidia
		_						J	~1	L	\1			Crustacea
														Amphipod
														Gamm ³ ridae
10	8	7	2	42	8	14	3	42	5	43	5	11	1	Gammarus
-	_	-	_		_		-		-		_		_	Isopoda
_		_		_						_				Asellidae
11	<1	1	<1	_				1	<1					Lirceus
														Decapoda
														Cambaridae
				-				_						Cambarus
														Insecta
														Ephemeroptera
														Baetidae
77	6	20	6	11	2	17	4	46	5	9	1	47	4	Bartis
16	1	2	<1	30	6	2	<1	6	<1	28	3	120	11	Psydocloeon
							_							Ephemerellidae
30	24	57	16	100	19	40	8	180	20	110	14	140	13	Ephemerella
														Heptageniidae
_		_		_				_		_		_		Strnonema
														Plecoptera
				3	<1	2	-1							Capnii†ae <i>Al</i> '~a <i>pnia</i>
				J	<1	L	<1			_		_		Taeniopterygidae
3	<1					_				_				Taeniojnerygidae Taeniopteryx
•	7.	_		-						_		-		Hemiptera
														Corixidae
_														Tri~hocorixa
														Veliida ⁹
						_				_				Rhapovelia
														Trichoptera
														Brachycentridae
3	<1	_		_		_				_		_		M:rrasema
														Glossonmatidae
120	9	53	15	51	10	6	1	9	1	4	<1	71	6	Glossosoma

Table 5. Benthic-macroinvertebrate data—Continued
01473167 - Little Valley Creek at Howellville, Pa. (Site 49)—Continued

Date	Oct. 1	6, 1981	Oct. 1	5, 1982	Oct. 2	1, 1983	Oct. 9	, 1984	Oct. 9	, 1985	Nov. (5, 1986	Nov. 1	6, 1987
Total count	2,	871	2,	454	1,2	231	1,2	218	5	51	1,	102	1,5	357
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera		.												
Hydropsychidae														
Ceratopsyche	390	13	690	28	190	15	200	17	170	30	200	18	160	11
Cheumatopsyche	88	3	16	<1			4	<1	14	3	2	<1	11	<1
Hydropsyche	530	18	120	5	140	11	48	4	11	2	47	4	120	9
Hydroptilidae														
Hydroptila	_		_		1	<1	_		_		_		_	
Leucotrichia	1	<1	_		_		_		_		_			
Leptoceridae														
Oecetis	_										_		_	
Philopotamidae														
Dolophilodes	_		1	<1	_		_		_		_		_	
Psychomyiidae														
Psychomyia	1	<1	1	<1	4	<1	_				_		_	
Lepidoptera	_		_		_		1	<1	_		_		_	
Coleoptera														
Chrysomelidae	_		1	<1										
Donacia					1	<1			_					
Curculionidae					_		_		_		_		_	
Dryopidae														
Helichus			_				_		1	<1	_		_	
Elmidae														
Dubiraphia														
Optioservus	14	<1	7	<1	8	<1	27	2	7	1	58	5	84	6
Oulimnius		-	_			-	_		2	<1	1	<1	_	
Stenelmis	2	<1	_				4	<1	_				8	<1
Hymenoptera		-					-	-						
Ichneumonidae			1	<1			_		_				_	
Diptera			•											
Chironomidae	1,000	34	660	27	73	6	200	17	41	7	33	3	53	4
Empididae	1,000	01	000			•	200			•	-	Ū	•	•
Chelifera	_										_			
Hemerodromia	8	<1	8	<1	_		_		_		_			
Simuliidae		-4	•											
Simulium	3	<1			3	<1	3	<1	15	3	36	3	_	
Tipulidae	3	~.			·	~*	٠	~*	10	Ū	-	Ū		
Antocha	110	4	85	3	30	3	16	1	4	<1	26	2	32	2
Tipula			_	•	_	•	_	•	1	<1	_	-	_	-

 $^{^{1}}$ Extrapolated from a 3/8 subsample.

Oct. 2	6, 1988	Nov. 6	3, 1989	Nov. 1	4, 1990	Oct. 2	8, 1991	Oct, 5	, 1992	Nov. 1	8, 1993	Nov. 7	7, 1994	Date
1 1	375	3	46	5	18	4	B1	9	13	8	04	1,0	068	Total count
Count	Percent	Organism												
														Trichoptera
														Hydropsychidae
310	22	84	24	21	4	78	16	180	20	46	6	140	13	Ceratopsyche
16	1			3	<1	9	2	17	2	2	<1	15	1	Cheumatopsyche
91	7	20	6	39	8	35	7	140	15	130	16	150	14	Hydrosyche
														Hydroptilidae
				1	<1	_						_		Hydrotila
_				_				_				_		Leuc vrichia
														Leptoceri dae
5	<1	_		_		_		_						Oecetis
														Philopotamidae
_				_		_		_		_				Dolophilodes
														Psychomyiidae
		1	<1	5	1									Psychomyla
_										_		_		Lepidoptera
														Coleoptera
				_				_		_		_		Chrysom lidae
				_		_		_				_		Donaria
—				_		_		1	<1	_				Curculionidae
														Dryopidae
				_				_		_		_		Helichus
														Elmidae
3	<1			_		_		_						Dubi~aphia
86	6	14	4	24	5	41	9	90	10	70	9	33	3	Opticservus
		5	2					2	<1	_				Oulimnius
8	<1			_		_		1	<1	2	<1			Stenelmis
_	_							_	_	_	_			Hymenoptera
_						_								Ichneumonidae
														Diptera
130	9	46	13	61	12	140	29	61	7	290	36	150	14	Chironomidae
	•	••				- ••		•-	•	_00		-00		Empididae
						_		_		1	<1	_		Chelifera
_		_									~2	1	<1	Hemerodromia
												•	~~	Simuliida
8	<1	3	1			73	15	98	11	20	2	130	12	Simulium
•	~1	J	•	_		10	13	30	11	20	L	100	16	Tipulidae
37	3	11	3	120	23	22	5	15	2	38	5	46	4	Antocha
31	3		3	120	20	2	-1	13	L	JO	J	70	7	Tipula

 Table 5. Benthic-macroinvertebrate data—Continued

 [<, less than; —, not found]</td>

01473168 - Valley Creek near Valley Forge, Pa. (Site 50)

Date	Oct. 1	6, 1981	Oct. 1	5, 1982	Oct. 2	1, 1983	Oct. 9	9, 1984	Oct. 9	, 1985	Nov. 7	7, 1986	Nov. 1	6, 1987
Total count	2,	183	3,	144	1,	745	2,	073	1,	354	1,	B20	1,	625
Organism	Count	Percent												
Platyhelminthes (flatworms)						***.*		····						
Turbellaria														
Tricladida														
Planariidae	24	1	80	3	31	2	120	6	47	3	75	4	87	5
Nematoda (nematodes)	_		_		_		_				_		3	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_				_		_		-		_		_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
<i>Ferrissia</i>	17	<1	3	<1	7	<1	5	<1	10	<1	1	<1	1	<1
Lymnaeidae														
Lymnaea	_				_								1	<1
Planorbidae					1	<1					_			
Gyraulus							_		_				_	
Annelida (segmented worms)														
Oligochaeta			38	1			1	<1			_		_	
Lumbriculida														
Lumbriculidae			_				_				_			
Tubificida														
Naididae	34	2	_		_		_		3	<1	1	<1	19	1
Tubificidae	_		_		_		_		1	<1	_		5	<1
Hirudinea														
Pharyngobdellida														
Erpobdellidae			1	<1	_		_				_			
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	_		8	<1	_		_		_				1	<1
Crustacea														
Amphipoda														
Gammaridae														
Gammarus	42	2	7	<1	17	1	2	<1	34	2	16	<1	15	<1
Isopoda														
Asellidae														
Lirceus	110	5	740	24	410	24	480	123	320	23	470	26	220	14
Decapoda														
Cambaridae	_				_				_				_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	110	5	69	2	41	2	150	7	62	4	16	<1	42	3
Pseudocloeon	_				_		_		_				_	
Ephemerellidae														
Ephemerella	_		1	<1	2	<1	4	<1	1	<1	2	<1	7	<1
Heptageniidae														
Stenonema					_		_		_		_		_	
Leptophlebiidae														

Oct. 2	6, 1988	Nov.	6, 1989	Nov. 1	4, 1990	Oct. 2	8, 1991	Oct.	5, 1992	Nov. 1	8, 1993	Nov. 7	7, 1994	Date
1 2	,278	1,	046	1,	557	1,	020	1,	848	1,	307	1,	561	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	t Orga≏ism
								-					·	Platyhelminthes (flatworms) Turbellaria Tricladida
140	6	58	6	75	5	58	6	130	7	63	5	130	8	Planar ¹¹ dae
		6	<1	-		1	<1	_		_		1	<1	Nematoda (nematodes) Nemertea (proboscis worms) Enopla
		1	<1			1	<1	3	<1					Hoplonem⇒rtea Tetrast∘mmatidae <i>Prostoma</i>
														Mollusca (molluscs) Gastropoda Basommatophora
														Ancylidae
										1	<1	-		Ferrissia
														Lymnaeidae
-														Lymnaea
_		_										_		Planorbidae
3	<1	_		-						-				Gyraulus
														Annelida (segmented worms)
						_		_						Oligochaeta
		_												Lumbricul`da
		7	<1	_				_		-				Lumbriculidae
			_	_	_	_	_	_	_					Tubificida
		73	7	2	<1	6	<1	9	<1	11	<1	70	4	Naididae
		_						_						Tubificidae
														Hirudinea
														Pharyngot dellida
		_												Erpob dellidae
														Arthropoda (arthropods)
		_				_								Acariformes
_		4	<1	1	<1	4	<1	39	2	18	1	21	1	Hydrachnidia
														Crustacea
														Amphipoc'a
05			•		•					0.5	•	-		Gammaridae
35	2	28	3	28	2	38	4	34	2	35	3	5	<1	Gammarus
														Isopoda
E10	22	50	_	170	11	44		110	6	3	.1	2		Asellidae
510	22	53	3	170	11	44	4	110	O	3	<1	2	<1	Lirceus
					<1									Decapoda Cambaridae
				1	<1	-				_				Insecta
														Ephemeroptera
														Baetidae
19	<1	37	4	17	1	4	<1	12	<1	2	<1	30	2	Baetis
	~1		7		1	1	<1		~1	2	<1	4	<1	Pseudocloeon
_						1	~1			4	~1	7	~1	Ephemerellidae
3	<1	22	2	24	2	9	<1	16	<1	17	1	17	1	Ephemerella
,	~1		_	#4	-	3	~1	40	~1	41	•	41		Hepta zeniidae
				1	<1									Stenonema
					74	_		1	<1					Leptophlebiidae
				_				•	~*					20ptoj montano

Table 5. Benthic-macroinvertebrate data—Continued
01473168 - Valley Creek near Valley Forge, Pa. (Site 50)—Continued

Date Total count	Oct. 1	6, 1981	Oct. 1	5, 1982	Oct. 2	1, 1983	Oct. 9	9, 1984	Oct. 9	9, 1985	Nov.	7, 1986	Nov. 1	6, 1987
Total count	2,	183	3,	144	1,	745	2,	073	1,	354	1,	820	1,	625
Organism	Count	Percent	Count	Percent	Count	Percen								
Hemiptera					• •									
Corixidae	_				_		_				_		_	
Sigara	1	<1							_					
Trichoptera														
Glossosomatidae														
Glossosoma	1	<1	4	<1	_		9	<1	_		3	<1	2	<1
Hydropsychidae														
Ceratopsyche	340	15	860	28	370	22	200	10	160	11	590	33	210	13
Cheumatopsyche	120	5	44	1	48	3	6	<1	20	1	8	<1	13	<1
Hydropsyc he	120	5	410	13	500	29	220	10	62	4	150	8	270	17
Hydroptilidae														
Hydroptila	4	<1							_		_		_	
Leucotrichia			1	<1			1	<1			1	<1	_	
Philopotamidae														
Chimarra	_				4	<1	1	<1	7	<1	27	2	2	<1
Psychomylidae														
Psychomyia	_								_		_		1	<1
Coleoptera	1	<1			_		1	<1	3	<1	_		_	
Dryopidae														
Helichus	_		_		_		_							
Elmidae														
Ancyronyx	_				_								_	
Optioservus	17	<1	20	<1	15	<1	22	1	44	3	47	3	67	4
Oulimnius					_								_	
Promoresia	_						_		_				_	
Stenelmis	9	<1	13	<1	8	<1	7	<1	10	<1	1	<1	38	2
Psephenidae														
Ectopria	_								_					
Psephenus .														
Hymenoptera	1	<1					1	<1						
Diptera														
Chironomidae	1,100	50	640	21	160	9	720	34	490	35	120	7	350	22
Empididae	-,					-		-		-		-		
Hemerodromia	6	<1	3	<1	1	<1	1	<1	2	<1	2	<1	_	
Simuliidae	·	-	-	-	-	-	-	-	-	-	-	-		
Simulium	6	<1	2	<1			22	1	5	<1	110	6	21	1
Tipulidae	Ū		-					•	•			•		-
Antocha	120	5	200	6	130	8	100	5	73	5	180	10	250	16

¹ Extrapolated from a 3/8 subsample.

Oct. 2	6, 1988	Nov. 6	5, 1989	Nov. 1	4, 1990	Oct. 2	8, 1991	Oct. 5	, 1992	Nov. 1	8, 1993	Nov. 7	⁷ , 1994	Date
1 2	,278	1,0	046	1,	557	1,0	020	1,8	348	1,	307	1,	561	Total ocunt
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Hemiptera
_		1	<1	_		_		_		_		_		Corixidae
		_												Sigara
														Trichoptera
														Glossosomatidae
		10	1	2	<1			1	<1			9	<1	Glossosoma
														Hydropsychidae
290	13	110	11	300	19	92	9	140	7	120	9	170	11	Ceratopsyche
27	1	2	<1	8	<1	17	2	20	1	10	<1	17	1	Chermatopsyche
510	22	82	8	260	16	120	12	280	15	120	9	110	7	Hyd~psyche
														Hydrop⁺ilidae
_				_		1	<1							Hydroptila
		_				_		2	<1	1	<1	1	<1	Leucotrichia
														Philopotamidae
3	<1	2	<1			11	1	19	1	52	4	37	2	Chimarra
														Psychomyiidae
_										_				Psychomyia
						_				_				Coleoptera
														Dryopidae
_								1	<1					Heli::hus
														Elmidae
		_				2	<1							Ancyronyx
67	3	54	5	51	3	100	10	370	19	81	6	160	10	Optioservus -
_								_		5	<1	1	<1	Oulimnius
										1	<1			Promoresia
35	2	21	2	10	<1			57	3	5	<1	9	<1	Sten : lmis
														Psephenidae
_				1	<1									Ectopria
								1	<1			1	<1	Pse _l henus
								_				_		Hymenoptera
														Diptera
550	24	300	30	440	27	340	34	470	25	620	48	530	33	Chironomidae
							••							Empididae
_		2	<1	_		1	<1	6	<1	6	<1	6	<1	Hen rodromia
			~1				~1	U	-1	J	~.	Ū	*1	Simuliidae
27	1	33	3	26	2	30	3	91	5	14	1	120	8	Simulium
۵,	•	00	3	20	-	55	J	J1	3	1.1	•	140	U	Tipulidae
59	3	140	14	140	9	140	14	36	2	120	9	110	7	Antecha

Table 5. Benthic-macroinvertebrate data—Continued

01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)

Date	Oct. 19	9, 1981	Oct. 1	3, 1982	Oct. 2	7, 1983	Oct. 1	5, 1984	Oct. 3	1, 1985	Nov. 1	4, 1986	Oct. 1	5, 1987
Total count	5	24	2	15	4	-03	1,2	208	9	68	7	06	1,	115
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Court	Percent
Platyhelminthes (flatworms)										· · · · · · · · · · · · · · · · · · ·				
Turbellaria														
Tricladida														
Planariidae	3	<1	3	2	4	1	6	<1	3	<1	28	4	5	<1
Nematoda (nematodes)	_		_		_		_				_		_	
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		1	<1	_		_		2	<1		
Mollusca (molluscs)														
Gastropoda	_										_			
Basommatophora														
Ancylidae														
Ferrissia											1	<1	_	
Lymnaeidae												-		
Lymnaea	_				_									
Planorbidae														
Gyraulus	_		_				_		_		_		_	
Helisoma	_								_		1	<1	_	
Bivalvia											•	~1		
Veneroida														
Sphaeriidae														
Annelida (segmented worms)			_				_		_					
							1	<1						
Oligochaeta	_				_		1	<1						
Lumbriculida										.1				.1
Lumbriculidae							_		1	<1			4	<1
Tubificida					•								20	•
Naididae	1	<1	_		2	<1			_		_		29	3
Tubificidae	_		_		_		_		_		_		1	<1
Arthropoda (arthropods) Acariformes														
Hydrachnidia	_		1	<1	1	<1	3	<1	1	<1	_		17	2
Crustacea														
Cladocera	_		_		_		_		_		_			
Cyclopoida	_		_		_		_		_				_	
Cyclopidae	_		_				_		_				1	<1
Amphipoda		•												
Gammaridae														
Gammarus	3	<1	1	<1	_		2	<1	1	<1	5	<1	_	
Isopoda														
Asellidae														
Caecidotea	_		_								_		_	
Decapoda														
Cambaridae	_		_		_		_		_		_		_	
Podocopa	_						_		_		_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	5	1	_		1	<1	19	2	4	<1	1	<1		
Pseudocloeon	_	=	_		_	-	_	_	_	-	_	-	8	<1
Ephemerellidae													-	_
Ephemerella	6	1	3	2	8	2	24	2	12	1	12	2	27	2

Oct. 1	18, 1988	Oct. 2	5, 1989	Nov. 2	2, 1990	Oct. 2	9, 1991	Oct. 2	1, 1992	Oct. 1	8, 1993	Oct. 4	, 1994	Date
1 2	2,008	1,	165	4	50	1,	352	9	18	3	69	8	83	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	t Organism
														Platyhelminthes (flatworms) Turbellaria Tricladida
5	<1	8	<1	2	<1	6	<1	22	2	19	5	2	<1	Planariidae
_		1	<1	_		_		_		_		1	<1	Nematoda (nematories) Nemertea (proboscis worms) Enopla Hoplonemartea Tetrastemmatidae
_		2	<1	_		2	<1	4	<1	_		_		Prostoma Mollusca (molluscs)
_		_						_		_		1	<1	Gastropoda
												•	•	Basommatophora Ancylidae
_		_		_		1	<1	10	1	6	2	3	<1	<i>Ferrissia</i> Lymneddae
_		1	<1	_		_		_		_				Lymnaea
														Planorbidae
_		_		_		_		2	<1			_		Gyraulus
_		_		_		_		_				_		Helisoma
														Bivalvia
														Veneroida
		_		_		_		2	<1			_		Sphaeriidae
_						_				_				Annelida (segmented worms) Oligochaeta
														Lumbricul da
_				_						_		_		Lumbriculidae
														Tubificida
8	<1	15	1			6	<1	15	2			6	<1	Naididae
_				_				_		_		_		Tubificidae
														Arthropoda (arthropods) Acariformes
_		58	5	_		8	<1	27	3	3	<1	9	1	Hydrachni dia
														Crustacea
_		_		_		_		_		_		2	<1	Cladocera
_		3	<1	1	<1			14	2	_		150	17	Cyclopoida
_		_		_		_		_		_		_		Cyclor dae Amphipoda Gammaridae
3	<1	_		_		_		_				_		Gammarus
_														Isopoda
														Asellidae
_		1	<1	_				_		_		_		Caecidotea
														Decapoda
_		_		_		_		1	<1	_		_		Camberidae
_		2	<1	_		_		_				_		Podocopa
														Insecta
														Ephemeroptera
														Baetidae
56	3	3	<1	_		_				_		20	2	Ba•tis
_		_		2	<1	_				_		1	<1	Pseudocloeon
			_	-			_	-	-	_		<u></u>	_	Ephemerellidae
11	<1	110	9	6	1	49	3	83	9	1	<1	11	1	Ephemerella

Table 5. Benthic-macroinvertebrate data—Continued
01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

Date	Oct. 19	, 1981	Oct. 13	3, 1982	Oct. 27	7, 1983	Oct. 1	5, 1984	Oct. 3	1, 1985	Nov. 1	4, 1986	Oct. 1	5, 1987
Total count	52	4	2	15	40	03	1,2	208	9	68	7	06	1,	115
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera														
Heptageniidae														
Stenacron			_		_		_		_		_		_	
Stenonema	30	6	15	7	55	13	46	4	32	3	51	7	70	6
Isonychiidae														
Isonychia	_		_		2	<1	21	2	6	<1	12	2	39	4
Leptohyphidae														
Tricorythodes													_	
Leptophlebiidae														
Paraleptophlebia	_												_	
Odonata														
Coenagrionidae														
Argia					1	<1								
Aeshnidae														
Boyeria	1	<1			_						_			
Gomphidae	_													
Gomphus														
Plecoptera														
Capniidae														
Allocapnia	9	2					15	1	2	<1				
Chloroperlidae	9	2	_		_		15	1	2	<1	_			
Taeniopterygidae					_				_					
Taeniopteryx			_								_			
Hemiptera														
Gerridae														
Gerris														
Veliidae					_	_								
Rhagovelia			_		6	2	_		_		_			
Megaloptera														
Corydalidae							_						_	
Corydalus			_		_		2	<1			1	<1	2	<1
Nigronia	1	<1			1	<1	1	<1			2	<1	_	
Sialidae														
Sialis					_				_		_		1	<1
Trichoptera														
Glossosomatidae														
Glossosoma	9	2	4	2	13	3	49	4	23	2	31	4	30	3
Hydropsychidae														
Ceratopsyche	24	5	17	8	77	19	140	12	69	7	87	12	240	22
Cheumatopsyche	41	8	19	9	100	24	140	12	92	9	59	8	70	6
Diplectrona														
Hydropsyche	39	7	10	5	4	1	52	4	19	2	59	8	130	12
Hydroptilidae														
Agraylea							1	<1						
Hydroptila	38	7	5	3	15	4	20	2	2	<1	14	2	5	<1
Leucotrichia			3	2	1	<1	200	17	260	27	14	2	17	2
Leptoceridae			_	_	_	-						_		
Oecetis			_		_									
Triaenodes					_		_		_		_		_	
Philopotamidae					_						_		_	
	27	7	10	0	20	7	70		ço	7	160	22	n	_1
Chimarra	37	7	18	8	30	7	70	6	68	,	160	23	9	<1
Dolophilodes			_		_				_					
Wormaldia			_		_		_				_		_	
Psychomylidae														
Psychomyla			_											

Oct. 1	8, 1988	Oct. 2	5, 1989	Nov. 2	2, 1990	Oct. 2	9, 1991	Oct. 2	1, 1992	Oct. 1	8, 1993	Oct. 4	, 1994	Date
12	,008	1,	165	4	50	1,	352	9	18	3	69	8	83	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
														Heptageniidae
				1	<1	-						_		Stracron
53	3	91	8	29	6	26	2	40	4	5	1	34	4	Stronema
														Isonychiidae
43	2	10	<1	1	<1	5	<1	21	2	1	<1	1	<1	Iscnychia
														Leptol ~phidae
_		2	<1					_				_		Tr'corythodes
														Leptophlebiidae
_		_				2	<1	_		_		_		Paraleptophlebia
														Odonata
														Coena prionidae
		_						_						Argia
														Aeshn'dae
_		_						1	<1					Boveria
														Gomphidae
		_		_				2	<1			_		Gomphus
														Plecoptera
														Capniidae
3	<1	3	<1											Allocapnia
_		_						1	<1			1	<1	Chloreperlidae
								-	~2			-	~1	Taenionterygldae
3	<1	10	<1	1	<1			1	<1					Ta:niopteryx
3	``	10	~,	•	~1	_		•	~,					Hemiptera
														Gerrid **
										1	<1			Gerris
_		_				_				1	_1			Veliidae
3	<1													Rhagovelia
3	~1			_				_				_		
														Megaloptera Corydalidae
														Corydalus
_		1	<1	_		_		1	<1			_		Ni gronia
_		1	~1			_		1	\1	_				Sialida•
									-1					Sianda ^u Sialis
		_						1	<1			_		
														Trichopter
11	-1	10		15					.1			•		Glossosomatidae
11	<1	13	1	13	3			4	<1			6	<1	Glossosoma
200	15	220	10	110	24	96	•	ca	-			02	10	Hydronsychidae
300	15 5	230 24	19	110	24	86	6	62	7	1	<1	93 170	10	Ceratopsyche
99	b		2	6	1	55 2	4 <1	14	2	11	3		19	Cheumatopsyche Diolectrona
220	11	 1 00	8	27	c	1 80	13	130	14	280	74	130	15	
220	11	100	0	21	6	100	13	130	14	280	74	130	19	Hydropsyche
														Hydrontilidae
_				_										Agraylea
11	<1	5	<1	_		1	<1	6	<1	1	<1	4	<1	Hydroptila
5	<1	2	<1	_		_		_				_		Lencotrichia
														Leptoceridae
_		1	<1	_								1	<1	Orretis
_		_		_		_		_				1	<1	Tr'aenodes
														Philopotamidae
37	2	52	4	48	10	87	6	2	<1	1	<1	9	1	Chimarra
_		1	<1	_		_				_		_		Dolophilodes
		_		_		_		1	<1			_		Wormaldia
														Psychomyiidae
_		1	<1	-		_		_				-		Psychomyia

Table 5. Benthic-macroinvertebrate data—Continued
01475300 - Darby Creek at Waterloo Mills near Devon, Pa. (Site 17)—Continued

Date	Oct. 1	9, 1981	Oct. 1	3, 1982	Oct. 2	7, 1983	Oct. 1	5, 1984	Oct. 3	1, 1985	Nov. 1	4, 1986	Oct. 1	5, 1987
Total count	5	24	2	15	4	03	1,2	208	9	68	7	06	1,	115
Organism	Count	Percent	Count	Percen										
Trichoptera														
Rhyacophilidae														
Rhyacophila	_		_		_				1	<1	1	<1	_	
Uenoidae														
Neophylax	_				_				_		_			
Coleoptera														
Elmidae														
Ancyronyx			_		1	<1	3	<1	_		_		_	
Macronychus														
M. glabratus			_		1	<1	_		_		_		_	
Microcylloepus	_		_		_		_		_		_			
Optioservus	27	5	19	9	6	2	25	2	38	4	14	2	36	3
Oulimnius	2	<1	9	4	4	1	17	1	16	2	1	<1	22	2
Stenelmis	36	7	18	8	17	4	39	3	35	4	1	<1	23	2
Psephenidae														
Ectopria														
E. nervosa	_		_		2	<1			1	<1	_		_	
Psephenus	17	3	12	5	4	1	19	2	53	5	15	2	110	10
Diptera														
Chironomidae	170	32	51	23	41	10	240	20	170	18	77	11	150	14
Empididae														
Chelifera	_		_		_						_		_	
Hemerodromia	5	1	1	<1	_		6	<1	6	<1			7	<1
Simuliidae														
Simulium	19	4	3	2	1	<1	22	2	20	2	25	4	13	1
Tipulidae														
Antocha	1	<1	3	2	4	1	25	2	33	3	32	5	49	4
Tipula	_				_						_		_	

¹ Extrapolated from a 3/8 subsample.

Oct. 1	8, 1988	Oct. 2	5, 1989	Nov. 2	2, 1990	Oct. 2	9, 1991	Oct. 2	1, 1992	Oct. 1	8, 1993	Oct. 4	l, 1994	Da* 9
1 2	,008	1,	165	4	50	1,3	352	9	18	3	69	8	83	Total count
Count	Percent	Organism												
			*				***							Trichoptera
														Rhyacophilidae
_		_		1	<1	_		_		_		_		Rhyacophila
														Uenoidae
_		1	<1	_		_		_		_		_		Ne∩phylax
														Coleoptera
														Elmidae
		5	<1			_		4	<1					Arcyronyx
														Macronychus
		_				_		_				_		M. glabratus
		_		_				_		1	<1			Mirrocylloepus
21	1	22	2	7	2	19	1	43	5	4	1	3	<1	Ortioservus
_		7	<1	_		1	<1	3	<1	_				Ov!imnius
22	1	85	7	10	2	21	2	15	2	4	1	4	<1	Stenelmis
														Psephenidae
														Ectopria
_		2	<1			3	<1							E. nervosa
11	<1	32	3	15	3	10	<1	17	2	3	<1	3	<1	Psenhenus
														Diptera
1.000	50	170	14	140	30	730	52	320	34	21	6	170	19	Chironamidae
														Empid dae
_		1	<1			_				_				Ch:lifera
8	<1	15	1	_		7	<1	7	<1	3	<1	11	1	Hemerodromia
,	-		-			•	-=	•	=		•		=	Simuliidae
27	1	3	<1	_		3	<1	21	2	_		4	<1	Simulium
	-	•	-				_		-			_	-	Tipulidae
48	2	72	6	28	6	42	3	20	2	3	<1	32	4	Antocha
		_	-		,		,	1	<1				=	Tirula

Table 5. Benthic-macroinvertebrate data—Continued

01475830 - Crum Creek near Paoli, Pa. (Site 18)

Total count Organism Co Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Mollusca (molluscs) Gastropoda Basommatophora		Percent		Percent
Platyhelminthes (flatworms) Turbellaria Tricladida Planarlidae Mollusca (molluscs) Gastropoda				Percent
Turbellaria Tricladida Planariidae Mollusca (molluscs) Gastropoda	6	<1	9	
Tricladida Planariidae Mollusca (molluscs) Gastropoda	6	<1	9	
Planariidae Mollusca (molluscs) Gastropoda	6	<1	9	
Mollusca (molluscs) Gastropoda	6	<1	9	
Gastropoda				2
•				
Basommatophora				
Ancylidae				
Ferrissia -	4	<1	3	<1
Lymnaeldae				
Lymnaea	2	<1	_	
Annelida (segmented worms)				
Oligochaeta				
Tubificida				
Naididae -			6	1
Arthropoda (arthropods)			U	•
Acariformes				
		2	20	-
	25	2	39	7
Crustacea				
Decapoda				
Cambaridae				
Procambarus -	_		1	<1
Insecta				
Ephemeroptera				
Baetidae				
Baetis	4	<1	_	
Pseudocloeon	2	<1	_	
Ephemerellidae				
Ephemerella 8	37	8	26	4
Heptageniidae				
Stenonema 16	50	15	75	13
Isonychiidae				
	32	7	8	1
Odonata				
Coenagrionidae				
Argia	1	<1	1	<1
Plecoptera	-		_	-
Perlidae				
Paragnetina	2	<1	1	<1
Taeniopterygidae	-	~1	•	\1
Taeniopteryx	5	<1		
	J	\1	_	
Megaloptera				
Corydalidae				
Corydalus	1	<1	1	<1
Trichoptera				
Glossosomatidae				
Glossosoma	2	<1	1	<1
Hydropsychidae				
• •	00	9	28	5
Cheumatopsyche	73	7	32	5
Hydropsyche 10	00	9	40	7

Table 5. Benthic-macroinvertebrate data—Continued

01475830 - Crum Creek near Paoli, Pa. (Site 18)—Continued

Date	Oct. 2	6, 1981	Oct. 1	3, 1982
Total count	1,	133	5	81
Organism	Count	Percent	Count	Percent
Trichoptera		-		
Hydroptilidae				
Hydroptila	23	2	30	5
Leucotrichia	11	1	63	11
Philopotamidae				
Chimarra	12	1	2	<1
Lepidoptera				
Noctuidae	_		1	<1
Pyralidae				
Petrophila	53	5	52	9
Coleoptera				
Elmidae				
Optioservus	2	<1	4	<1
Stenelmis	4	<1	6	1
Psephenidae				
Ectopria				
E. nervosa	1	<1		
Psephenus Psephenus	3	<1	1	<1
Diptera				
Chironomidae	280	25	120	20
Empididae				
Hemerodromia	25	2	13	2
Simuliidae				
Simulium	30	3	1	<1
Tipulidae				
Antocha	33	3	17	3

Table 5. Benthic-macroinvertebrate data—Continued

01475840 - Crum Creek at Whitehorse, Pa. (Site 19)

Date	Oct. 2	6, 1981	Oct. 1	3, 1982	Oct. 2	7, 1983	Oct. 2	25, 1984	Oct. 1	5, 1985	Oct. 9	, 1986	Nov 2	2, 1987
Total count	9	92	1,	636	5	25	1,	,222	5	68	9	07	1,:	285
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)												-		
Turbellaria														
Tricladida														
Planariidae	6	<1	50	3	12	2	6	<1	1	<1	1	<1	8	<1
Nematoda (nematodes)	-		2	<1	2	<1	_		-		_			
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		7	<1					_				_	
Mollusca (molluscs)				_										
Gastropoda														
Basommatophora														
Ancylidae														
	9	<1	11	<1	2	<1	7	<1	6	1	36	4	19	1
Ferrissia	9	<1	11	<1	2	<1	,	<1	0	1	30	4	19	1
Lymnaeidae													•	
Lymnaea	1	<1	_		_				_				2	<1
Physidae														
Physa	-				1	<1	_		_		_			
Planorbidae														
Helisoma	-		-				_				-		2	<1
Bivalvia														
Venerolda														
Sphaeriidae													_	
Pisidium	_		_		_		_				_		_	
Sphaerium	3	<1												
	3	<1	_		_				_					
Annelida (segmented worms)														
Oligochaeta	_										_			
Lumbriculida														
Lumbriculidae	5	<1	_		-		1	<1	_					
Tubificida														
Naididae	22	2	98	6	3	<1	7	<1	2	<1	1	<1	150	12
Tubificidae	_		_										3	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	1	<1	4	<1					3	<1	1	<1	87	7
Crustacea	•		-						•		-		•	•
Cyclopoida	_													
Isopoda														
Asellidae														
Caecidotea	_				1	<1	_		_		_			
Decapoda														
Cambaridae			1	<1	_				_		_		_	
Cambarus	1	<1	_		_		-		-		-		_	
Podocopa	_		_						_		_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	4	<1	5	<1			2	<1	2	<1	12	1	10	<1
Pseudocloeon	5	<1	_		1	<1	_		3	<1		•		
Caenidae	J	<1			1	<1	_		J	<1			_	
					_	. •							4	. •
Caenis	1	<1	_		2	<1			_		_		4	<1
Ephemerellidae							_	_				_		_
Ephemerella	29	3	67	4	19	4	34	3	20	3	21	2	40	3

Oct. 1	8, 1988	Oct. 1	8, 1989	Nov. 2	2, 1990	Oct. 2	9, 1991	Oct. 2	1, 1992	Oct. 2	8, 1993	Oct. 3	, 1994	Date
1 2	,028	1,0	644	1,	117	1,7	789	1,8	381	5	38	1,2	240	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
		8	<1	19	2	20	1	5	<1	22	4	12	1	Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae
		5	<1 <1	3	<1	20 16	1	3	<1		4	12	-1 <1	Nematoda (nematodes)
		J	~1	J	~1	10	1	_		_		1	\1	Nemertea (probosc's worms) Enopla Hoplonemortea Tetrastemmatidae
3	<1	2	<1	2	<1	11	<1	5	<1			3	<1	Prvstoma Mollusca (molluscs\ Gastropoda Basommat phora Ancylidae
_		_		1	<1	1	<1	4	<1	1	<1	6	<1	<i>Ferrissia</i> Lymnaeidae
				_		_				_				<i>Lymnaea</i> Physidae
_		1	<1	1	<1									<i>Physa</i> Planorbidae
_		_		_						_		_		Helisoma Bivalvia
														Veneroida
				_		1	<1							Sphaeriidae
		2	<1	_		_		_		_		_		Pi∘idium
_				_		_		_		_				Sphaerium
_		_		_				_		2	<1	_		Annelida (segmented worms) Oligochaeta
														Lumbricul da
				_		_				_				Lumbriculidae Tubificida
21 —	1	98 —	6	10	<1	95 	5	250 —	13	_		45 —	4	Naididae Tubificidae Arthropoda (arthropods) Acariformes
_		87	5	40	4	51	3	36	2	3	<1	16	1	Hydrachnidia Crustacea
_		_		_		2	<1	_		_		_		Cyclopoida Isopoda Asellidae
-						_		_						Caecidotea Decapoda
		_				_		_		_		_		Cambaridae
				_		_		_		_		_		Cambarus
				1	<1	_				_		_		Podocopa
														Insecta Ephemeroptera Baetid ••
	_	1	<1	_		1	<1	1	<1	_	_	52	4	Baetis
27	1	1	<1	1	<1	2	<1	6	<1	1	<1	7	<1	Pseudocloeon
5	<1			_		_				_		2	<1	Caenidae Caenis
_		29	2	15	1	75	4	53	3	13	2	17	1	Ephemerellidae <i>Ephemerella</i>

Table 5. Benthic-macroinvertebrate data—Continued
01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

Date	Oct. 2	6, 1981	Oct. 1:	3, 1982	Oct. 2	7, 1983	Oct. 2	5, 1984	Oct. 1	5, 1985	Oct. 9	, 1986	Nov. 2	1, 1987
Total count	9	92	1,0	636	5	25	1,2	222	5	68	9	07	1,2	?45
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera														
Heptageniidae														
Epeorus	1	<1	_		5	1	_		_		_		35	3
Stenonema	55	6	51	3	24	4	39	3	25	4	33	4	39	3
Isonychiidae														
Isonychia	17	2	14	<1	19	4	27	2	8	1	19	2	21	2
Leptohyphidae														
Tricorythodes			2	<1	1	<1	_		_		_		_	
Leptophlebiidae														
Paraleptophlebia	_		_		_		_				_		_	
Odonata														
Coenagrionidae														
Argia	_		1	<1	-		_		_		_		1	<1
Aeshnidae														
Aeshna	1	<1	1	<1	_		_				_		_	
Gomphidae	1	<1	_		-		_				_		_	
Plecoptera														
Capniidae														
Allocapnia	_				_		_		3	<1	_		18	1
Chloroperlidae			_				_		_		_		12	<1
Perlidae														
Acroneuria			_		_		_		_		2	<1	_	
Agnetina			2	<1					_		_		_	
Neoperla	_								_		_			
Paragnetina	2	<1							_		_		_	
Taeniopterygidae														
Taeniopteryx	1	<1	1	<1	2	<1	1	<1	_		2	<1	55	4
Hemiptera														
Veliidae														
Rhagovelia	1	<1	3	<1					_		_			
Megaloptera	_	· -	_	_										
Corydalidae														
Corydalus	1	<1					6	<1	1	<1	_			
Nigronia	1	<1	_		1	<1	_		_		_			
Sialidae	•	~•			•									
Sialis											_		_	
Trichoptera							_				-		-	
Apataniidae														
Apatanidae Apatania			_				_		_				1	<1
Brachycentridae													1	~1
Micrasema													1	<1
Glossosomatidae	_		_				_		_				1	<1
Glossosomatidae Glossosoma	,	<1	,	<1			5	<1	•	<1	1	<1	3	_1
	1	<1	1	<1	_		э	<1	3	<1	1	<1	3	<1
Hydropsychidae	100	10	270	17	40	•	210	10	20	•	40	-	200	15
Ceratopsyche	160	16	270	17	43	8	210	18	36	6	48	5	200	15
Cheumatopsyche	68	7	55	3	8	2	130	11	35	6	7	<1	9	<1
Hydropsyche	32	3	67	4	1	<1	10	<1	1	<1	24	3	40	3
Hydroptilidae		_	_	_		-		_	_	_	_	_		_
Hydroptila	65	7	3	<1	14	3	19	2	2	<1	7	<1	14	1
Leucotrichia	63	6	290	18	35	6	420	35	100	17	420	46	170	13
Leptoceridae														
Mystacides	_		_		_		_		_		_		_	
Philopotamidae														
Chimarra	49	5	35	2	3	<1	12	1	3	<1	11	1	14	1

Oct. 1	8, 1988	Oct. 1	8, 1989	Nov. 2	2, 1990	Oct. 2	9, 1991	Oct. 2	1, 1992	Oct. 2	8, 1993	Oct. 3	3, 1994	Date
1 2	,028	1,	644	1,	117	1,	789	1,	381	5	38	1,2	240	Total count
Count	Percent	Organism												
										**				Ephemeroptera
														Heptageniidae
		11	<1	11	<1	12	<1	10	<1	_				Epeorus
11	<1	41	2	36	3	26	1	19	1	7	1	11	<1	Stenorema
														Isonychiidae
27	1	4	<1	13	1	21	1	27	1	5	1	13	1	Isony chia
								_	_					Leptohyphidae
		_				_		1	<1			_		Tricorythodes
_	_					_	_							Leptophlebiidae
3	<1	_		_		2	<1					_		Paralentophlebia
														Odonata
														Coenagrionidae
_				-				_						Argia
														Aeshnida:
		_		_								_		Aeshra
		_										_		Gomphid **
														Plecoptera
_	_		_		_	_	_	_	_					Capniidae
5	<1	1	<1	1	<1	7	<1	6	<1	1	<1			Allocapnia
				4	<1	19	1	3	<1	_				Chloroperlidae
								_						Perlidae
_		2	<1	_				3	<1			_		Acror ouria
_		_		_		_				_				Agnetina
_		1	<1	_		_						_		Neoperla
_		_		_		-								Paragnetina
														Taeniopte~ygidae
80	4	46	3	9	<1	19	1	13	<1			5	<1	Taenienteryx
														Hemiptera
														Veliidae
_								_		_				Rhagevelia
														Megaloptera
														Corydalidae
_				_		1	<1	_				_		Corycalus -
_		1	<1			_						_		Nigronia
														Sialidae
_										_		1	<1	Sialis
														Trichoptera
														Apataniicae
_		_						_				_		Apatania
						_	_	_		_		_		Brachycentridae
_		_		1	<1	7	<1	6	<1	2	<1	3	<1	Micrasema
_	_	_		_	_			_				_		Glossosomatidae
3	<1	6	<1	2	<1			2	<1			3	<1	Glossosoma
67	•	00		100	10	100	-	110	•	1.	•	010	10	Hydropsychidae
67	3	60	4	130	12	120	7	110	6	14	3	210	18	Ceratopsyche
11	<1	9	<1	14	1	58	3	42	2	20	4	44	4	Cheurratopsyche
8	<1	1	<1	3	<1	11	<1	1	<1	57	10	11	<1	Hydronsyche
•	-1	100	c	20	2	20		110	c			22	2	Hydroptilidae
3	<1	160	9	20	2 25	20	1	110	6	5	1	22	2	Hydrontila
330	17	410	24	280	23	130	7	270	14	95	17	170	14	Leucotrichia
														Leptoceridae
-				1	<1	_		_		_				<i>Mystacides</i> Philopotamidae
		4	<1	14	1	8	<1	3	<1	4	<1	3	<1	Chimarra

Table 5. Benthic-macroinvertebrate data—Continued
01475840 - Crum Creek at Whitehorse, Pa. (Site 19)—Continued

Date	Oct. 2	6, 1981	Oct. 1	3, 1982	Oct. 2	7, 1983	Oct. 2	5, 1984	Oct. 1	5, 1985	Oct. 9	, 1986	Nov. 2	2, 1987
Total count	9	92	1,0	636	5	25	1,	222	5	68	9	07	1,	285
Organism	Count	Percent	Coun	Percent										
Trichoptera	-m-												···········	
Polycentropodidae														
Neureclipsis									_		1	<1		
Polycentropus			2	<1	2	<1			_		1	<1		
Psychomyiidae														
Psychomyia					-		_		1	<1				
Rhyacophilidae														
Rhyacophila			2	<1	1	<1			_					
Uenoidae														
Neophylax					_				_				_	
Lepidoptera														
Pyralidae														
Petrophila	24	2	31	2	62	11	24	2	5	<1	39	4	24	2
Coleoptera														
Elmidae														
Dubiraphia					_		_		_					
Optioservus	15	2	17	1	7	1	15	1	16	3	4	<1	14	1
Oulimnius							7	<1	1	<1	_			
Stenelmis	6	<1	7	<1	1	<1	7	<1	2	<1	5	<1	5	<1
Psephenidae														
Ectopria	2	<1	2	<1	_				_					
Psephenus	2	<1	4	<1	_		7	<1	6	1	3	<1	_	
Hymenoptera									_		4	<1		
Diptera														
Athericidae														
Atherix					_		_							
Chironomidae	270	27	450	28	200	37	160	13	250	43	140	15	150	12
Empididae														
Hemerodromia	15	2	15	<1	2	<1	4	<1	3	<1	4	<1	6	<1
Simuliidae														
Simulium	5	<1	46	3	2	<1	2	<1	12	2	11	1	28	2
Tipulidae														
Antocha	47	5	19	1	49	9	60	5	18	3	49	5	100	8

¹ Extrapolated from a 3/8 subsample.

Date	i, 1994	Oct. 3	, 1993	Oct. 28	, 1992	Oct. 21	9, 1991	Oct. 29	, 1990	Nov. 2	3, 1989	Oct. 18	3, 1988	OCI. I
Total count	240	1,2	8	53	81	1,8	'89	1,7	17	1,1	344	1,6	028	1 2
Organism	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Trichoptera								*********						
Polycentropodidae														
Neureclipsis		_								_				_
Polycentropus		_				_	<1	1	<1	1	<1	2		_
Psychomyiidae														
Psychomyia	<1	1	1	5		_				_	<1	1		_
Rhyacophilidae														
Rhyacophila		_		_		_								_
Uenoidae														
Neophylax				_				_			<1	1		_
Lepidoptera														
Pyralidae														
Petrophila	4	45	6	33	3	49	2	35	3	37	4	67	2	37
Coleoptera														
Elmidae														
Dubiraphia		_		_		_		_		_	<1	1		
Optioservus	3	31	1	5	2	34	4	67	<1	6	<1	16	<1	8
Oulimnius	<1	4					<1	2	<1	6	<1	1		_
Stenelmis	2	21	3	17	<1	9	2	34	<1	6	<1	6	<1	3
Psephenidae														
Ectopria		_							<1	2	<1	2	<1	3
Psephenus	<1	8	<1	2	<1	5	<1	3	<1	5			<1	3
Hymenoptera		_		_						_				
Diptera														
Athericidae														
Atherix		_		_					<1	1				_
Chironomidae	28	340	33	180	36	690	44	800	25	280	25	420	65	1,300
Empididae														
Hemerodromia	2	28	1	5	<1	11	<1	9	1	16	2	41	<1	3
Simuliidae														
Simulium	3	34	<1	1	<1	13	<1	2	<1	5	<1	10	1	27
Tipulidae														
Antocha	6	71	7	38	4	84	6	100	11	120	5	85	2	40

 Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01476430 - Ridley Creek at Goshenville, Pa. (Site 20)

Date	Nov. 5	5, 1981		4, 1982		7, 1983		5, 1984	Oct. 1	5, 1985	Oct. 9	9, 1986	Oct. 2	ন, 1987
Total count	2	41	1 1	,345	1 8	355	11	,688	7	22	9	80	1,	881
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)			-											
Turbellaria														
Tricladida														
Planariidae	1	<1	8	<1	5	<1	_		41	6	36	4	35	2
Nematoda (nematodes)							_				_		7	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	2	1	3	<1			3	<1			3	<1		
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia			3	<1									20	1
Lymnaeidae			•											-
Lymnaea	1	<1			_									
Physidae	•	~1												
Physa	6	3			3	<1							4	<1
Planorbidae	U	3			3	~1			_				*	~1
Gyraulus	1	<1											_	
Helisoma							-				_		1	<1
Bivalvia														
Venerolda														
Sphaeriidae	_						_				_		6	<1
Pisidium			5	<1	5	<1	5	<1	_		_			
Sphaerium			_		-				_					
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae					5	<1	8	<1			_		_	
Tubificida														
Naididae					_						_		94	5
Tubificidae	3	1											6	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			3	<1	_				8	1	26	3	58	3
Crustacea														
Cyclopoida			_											
Cyclopidae			_						_				3	<1
Amphipoda													_	_
Crangonyctidae														
Crangonyx	_													
Gammaridae														
Gammarus														
	_				_		_				_		_	
Talitridae														
Hyallela														_
H. azteca					_		_		_				11	<1
Isopoda														
Asellidae					_									
Caecidotea	1	<1			3	<1	_		_					
Podocopa					_				_				_	

Oct. 2	5, 1988	Nov. 1	4, 1989	Oct. 3	0, 1990	Nov. 6	5, 1991	Oct. 2	0, 1992	Oct. 2	5, 1993	Oct. 7	, 1994	Dat:
1 1	,660	7	67	7	57	5	47	1,	297	5	11	5	72	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	t Organ ⁱ ∾m
	<u></u>													Platyhelminthes (flatworms) Turbellaria Tricladida
35	2	18	2	31	4	6	1	58	4	65	13	14	2	Planarlidae
_				_		1	<1	1	<1	_		_		Nematoda (nematod :s) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
_		2	<1	_		1	<1	3	<1			10	2	Prortoma Mollusca (molluscs) Gastropoda Basommatophora
_		2	<1	3	<1	1	<1	1	<1	1	<1	25	4	Ancylidae <i>Ferrissia</i>
			~1	J	~1	•	~1	•	-,1		-,	23	*	Lymnaeidae
_		_				_		_		1	<1			Lynnaea
														Physida •
_		1	<1	1	<1	_		_				_		Physa
														Planorb'dae
_		_		1	<1			3	<1	_		_		Gyraulus
_		_				_		-		-		_		Hel`~oma
														Bivalvia
							.1	10			.1			Veneroida
8	<1	3	<1	1	<1	1	<1	13	1	2	<1			Sphaeri'dae <i>Pisi-</i> lium
3	<1	_	~1		<1	_		_		_		_		r isi nam Sph≈ eri um
·	••													Annelida (segmented worms) Oligochaeta Lumbriculida
_		2	<1	1	<1	1	<1	5	<1	3	<1	3	<1	Lumbriculidae Tubificida
3	<1	17	2	40	5	4	<1	25	2	4	<1	3	<1	Naidida e
		_		_		_		_		_		_		Tubificidae Arthropoda (arthropods) Acariformes
		74	10	15	2	19	3	72	6	55	11	30	5	Hydrachnid'a Crustacea
_		_		6	<1	_		_		_		_		Cyclopoida
_		_		_		_		_		_				Cyclopi lae
														Amphipoda
														Crangonyctidae
_				_		_				3	<1			<i>Crangonyx</i> Gammanidae
		7	<1	3	<1	_		21	2					Garimarus
		•	71	3	~1	-		<i>L</i> 1	L			_ -		Talitrida:
														Hyrllela
				_		-		_		_		_		H. azteca
														Isopoda
														Asellidae
_		-		_		_		1	<1					Caecidotea
-		_		_				17	1	_				Podocopa

Table 5. Benthic-macroinvertebrate data—Continued
01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

Date	Nov. 5	5, 1981		4, 1982		7, 1983		5, 1984	Oct. 1	5, 1985	Oct. 9	9, 1986	Oct. 2	€, 1987
Total count	2	41	¹ 1,	345	1 (355	¹ 1,	688	7:	22	9	80	1,8	ER1
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
nsecta														
Ephemeroptera														
Baetidae									_					
Baetis	_		3	<1	_		3	<1	5	<1	38	4	4	<1
Pseudocloeon	_		3	<1	_		_				_			
Ephemerellidae		•	20	•	100	1	100	•	10	•		•	100	•
Ephemerella	14	6	32	2	130	15	130	8	17	2	57	6	120	6
Heptageniidae														
Stenacron	 17	7	48	•			19		16	2	— 73	7	— 79	4
Stenonema	17	7	48	3	35	4	19	1	10	2	13	7	19	4
Isonychiidae					-		•						•	
Isonychia	_		_		5	<1	3	<1	_		_		3	<1
Leptohyphidae														
Tricorythodes	_		_		_		3	<1	_		_			
Odonata														
Coenagrionidae														
Argia	1	<1			_				_		2	<1	2	<1
Enallagma			_				_		_		_		_	
Aeshnidae														
Aeshna	_								_		_		_	
Boyeria	_								1	<1			_	
Plecoptera														
Taenlopterygidae														
Taeniopteryx	1	<1	3	<1			_		1	<1	1	<1	20	1
Hemiptera														
Veliidae														
Rhagovelia	_		_		_		_		_		1	<1	_	
Megaloptera														
Corydalidae														
Nigronia	1	<1	3	<1	3	<1	_		_		1	<1	_	
Sialidae														
Sialis	2	1	_				_		_		_		_	
Trichoptera														
Brachycentridae														
Micrasema			_				3	<1	_		_		_	
Glossosomatidae														
Glossosoma	1	<1	5	<1	3	<1	21	1	1	<1	2	<1	1	<1
Hydropsychidae														
Ceratopsyche	12	5	220	16	150	17	290	17	90	12	99	10	220	12
Cheumatopsyche	23	9	290	21	40	5	400	24	83	11	18	2	58	3
Hydropsyche	14	6	45	3	35	4	100	6	31	4	220	22	310	16
Hydroptilidae														
Hydroptila	2	1	48	3	13	2	11	<1	4	<1	25	3	100	5
Leucotrichia	_		130	9			3	<1	12	2	73	7	56	3
Leptoceridae														
Mystacides	_						_		_		_		_	
Oecetis	_		5	<1					_				_	
Philopotamidae														
Chimarra	_		53	4	37	4	29	2	7	1	49	5	2	<1
Wormaldia	_		_	-		-	_		_	-		-	_	_
Polycentropodidae														

	5, 1988		4, 1989		0, 1990		5, 1991		0, 1992		5, 1993		', 1994 	Dat
11	,660	7	67	7	57	5	47	1,2	297	5	11	5	72	Total count
Count	Percent	Organ ⁱ em												
														Insecta
														Ephemeroptera
														Baetida:
3	<1	_				1	<1	_		_		1	<1	Baetis
				_						_				Pse adocloeon
														Ephemerellidae
37	2	36	5	4	<1	1	<1	8	<1	27	5	17	3	Ept ~merella
	_	-	•	-	-	_		_			•		_	Heptageniidae
_				2	<1	_				_				Stenacron
10	6	7	<1	10	1			14	1			5	<1	Stenonema
10	U	•	_1	10				13	1			3	~1	
_														Isonychidae
3	<1	1	<1	1	<1									Isorvchia
														Leptohynhidae
_				1	<1			1	<1	_		_		Tricorythodes
														Odonata
														Coenag ionidae
3	<1							_		_		2	<1	Argia
3	<1			_						_		_		Ena llagma
														Aeshnidae
								1	<1	_				Aeshna
				_				_	~-	_				Boyeria
														Plecoptera
	_													Taeniopterygidae
19	1					_		_		_		_		Taeniopteryx
														Hemiptera
														Veliida€
						_						2	<1	Rhaeovelia
														Megalopter?
														Corydalidae
_		1	<1							_				Nigronia
														Sialidae
								_						Sialis
														Trichoptera
														Brachycentridae
														_
_				_				_						Micrasema
		_	_	_										Glossos~matidae
_		2	<1	1	<1			_		_				Glo∾osoma
														Hydropsychidae
50	9	84	11	56	7	23	4	36	3	22	4	18	3	Ceratopsyche
96	6	28	4	10	1	100	18	11	<1	9	2	81	14	Cheumatopsych
20	7	14	2	24	3	95	17	140	11	28	5	53	9	Hydropsyche
														Hydroptlidae
250	15	67	9	17	2	_		11	<1	3	<1	16	3	Hyc ^{t-} roptila
44	3			4	<1			_				_		Leucotrichia
				-	-									Leptoceridae
										2	<1			Mystacides
										3	<1			Oecetis
				_						J	<1			
•								_				_		Philopotamidae
3	<1	_		_				5	<1			6	1	Chimarra
_				_				2	<1	_				Wormaldia
														Polycen tropodidae
														Pol _i centropus

Table 5. Benthic-macroinvertebrate data—Continued
01476430 - Ridley Creek at Goshenville, Pa. (Site 20)—Continued

Date	Nov.	5, 1981	Oct. 1	4, 1982	Oct. 2	7, 1983	Oct. 2	5, 1984	Oct. 1	5, 1985	Oct. 9	9, 1986	Oct. 2	€, 1987
Total count	2	41	11	,345	1	855	¹ 1	,688	7	22	9	80	1,	8°1
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Trichoptera		,.												
Psychomylidae														
Psychomyia	2	1	110	8			_						-	
Rhyacophilidae														
Rhyacophila	_													
Uenoidae														
Neophylax					_				_		_		_	
Lepidoptera														
Noctuidae														
Archanara	-		_		_				~					
Coleoptera														
Curculionidae	_								_					
Elmidae														
Ancyronyx	-										_		_	
A. variegata	_				-									
Dubiraphia	2	1									_		_	
Optioservus	1	<1	56	4	13	2	8	<1	1	<1	4	<1	16	<1
Oulimnius	-		3	<1	-		_							
Promoresia			3	<1							-		_	
Stenelmis	1	<1	5	<1	3	<1	_							
Psephenidae														
Ectopria														
E. nervosa														
Psephenus													_	
Hymenoptera							_				2	<1		
Diptera														
Chironomidae	39	16	140	10	180	21	260	15	280	38	82	8	250	13
Empididae														
Chelifera			_						_		_		_	
Hemerodromia	4	2	11	<1	11	1	3	<1	4	<1	10	1	13	<1
Ephydridae	_				19	2			_		_		2	<1
Psychodidae														
Telmatoscopus			_		-						1	<1	_	
Simuliidae														
Simulium	80	32	27	2	130	15	290	17	47	6	58	6	240	13
Tipulidae														
Antocha	7	3	69	5	27	3	96	6	73	10	96	10	140	7
Tipula			_		_						1	<1	_	

¹ Extrapolated from a 3/8 subsample.

Oct. 2	5, 1988	Nov. 1	4, 1989	Oct. 3	0, 1990	Nov. 6	5, 1991	Oct. 2	0, 1992	Oct. 2	5, 1993	Oct. 7	, 19 9 4	Date
1 1,	,660	7	67	7	57	5	47	1,	297	5	11	5	72	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organ'em
														Trichoptera
														Psychomylidae
		_		_						_		1	<1	<i>Psychomyla</i>
														Rhyacophilidae
3	<1	_		_						_				Rhy¬cophila
														Uenoldae
3	<1	1	<1			_		_				_		Necohylax
														Lepidoptera
														Noctuidae
										_		1	<1	Archanara .
														Coleoptera
_								1	<1	_				Curculionidae
														Elmida€
8	<1	_		_						4	<1			Ancyronyx
_		_		2	<1			_		_				A. variegata
		_		_						3	<1			Dubiraphia
22	1	10	1	8	1	31	6	39	3	87	17	45	8	Optioservus -
												1	<1	Oulimnius
_														Pro:noresia .
8	<1	4	<1	2	<1	4	<1	5	<1	30	6	10	2	Sterelmis
-		_		_	_		-	_	-		_			Psepher†dae
														Ectoria
														E. nervosa
_		1	<1	1	<1	1	<1	2	<1	21	4	17	3	Psephenus
		_				_		_	~*		•	_	Ū	Hymenoptera
														Diptera
20	25	260	34	330	43	190	35	510	39	110	21	130	22	Chironomidae
	20	200	0.1	000	10	100	-	010		110	D 1	100		Empididae
		_		1	<1	_						_		Chelifera
8	<1	6	<1	14	2	2	<1	13	1	6	1	7	1	Hemerodromia
	~1		~.		L		~1				•		1	Ephydridae
_														Psychod dae
_								_						Telmatoscopus
		_				_		_		_				Simuliidae
10	12	100	13	37	5	64	12	210	16	1	<1	30	5	Simulium
.10	12	100	13	31	ð	04	12	210	10	1	<1	30	่อ	Simulum Tipulidee
00	5	19	2	130	17	1	<1	cc	E	21	4	4.4	8	npundre Ant~ha
88	J	19	۷	130	17	1	1>	66 2	5 <1	Z1 —	4	44	ō	Ant~na Tipula

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)

Date	Nov. 5	, 1981		4, 1982		7, 1983		5, 1984	Oct. 1	5, 1985	Oct. 9	, 1986	Oct. 1	E, 1987
Total count	1,4	07	1 1	,578	1 1	,697	1 3	,842	1,0	617	1,0	629	1,	198
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida		_						_		_		_		_
Planariidae	31	2			61	4	27	<1	37	2	50	3	10	<1
Nematoda (nematodes)					_				_				-	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae	_	_	_	_					_		_			
Prostoma	2	<1	3	<1					5	<1	2	<1		
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	2	<1			_		21	<1	5	<1	13	<1	47	4
Lymnaeidae														
Lymnaea			_						_		1	<1		
Physidae														
Physa			_		_								_	
Planorbidae														
Gyraulus			_		_				_					
Bivalvia														
Veneroida														
Sphaeriidae			_		_				10	<1	8	<1	_	
Pisidium	3	<1			5	<1	_		_		_		_	
Sphaerium	_		_		_						-		_	
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae	_		3	<1	_		3	<1	_				1	<1
Tubificida														
Naididae	1	<1	_		_				_				2	<1
Tubificidae			3	<1	_								_	
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			3	<1	3	<1			3	<1	140	9	16	1
Crustacea														
Cyclopoida									_		_			
Cyclopidae	_				_				_				1	<1
Amphipoda														
Crangonyctidae														
Crangonyx			_		_		_							
Isopoda														
Asellidae														
Caecidotea	_		_		5	<1			_					
Insecta					_									
Ephemeroptera														
Baetidae														
Baetis			35	2	5	<1	64	2	4	<1	18	1	10	<1
Pseudocloeon			33 19	1	35	2	80	2	*	~1	10	1	42	3
Caenidae			19	1	33	2	ου	2					42	3
Caenidae Caenis														
Ephemerellidae									_		_			
	***	•			200		200	-	100	_	70	-	07	•
Ephemerella	110	8	64	4	260	15	200	5	100	6	72	5	27	2

Oct. 2	5, 1988	Nov. 1	4, 1989	Oct. 3	0, 1990	Nov. 6	5, 1991	Oct. 2	0, 1992	Oct. 2	5, 1993	Oct. 7	7, 1994	Date
1 2	446	1,	347	2,	813	1,	509	1,	391	1,	467	1,	322	Total count
Count	Percent	Count	Percent	Count	Percent	d Organism								
														Platyhelminthes (flatv'orms) Turbellaria Tricladida
3	<1	7	<1	27	<1	3	<1	21	2	25	2	14	1	Planariic'ae
		3	<1	_		_		_		1	<1	_		Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
		1	<1	4	<1	_		1	<1	_		_		Prostoma Mollusca (molluscs) Gastropoda
19	<1	2	<1	32	1			120	9	11	<1	4	<1	Basommatop bora Ancylida e Ferrissia
10	~2	-	ν.	05	•			150	Ū	••	-1	•	~~	Lymnaeldae
-		_		-		-								<i>Lymпaea</i> Physidae
								1	<1	_				Physa
_		_		1	<1	_								Planorbidae <i>Gyravlus</i>
				•	~1									Bivalvia
														Veneroida
_						_				_				Sphaerlidae
		1	<1	_		_		_		_				Pisidium
_				1	<1					_		_		Spha⊶ium Annelida (segmented worms) Oligochaeta Lumbriculida
_		_		1	<1	_				-		_		Lumbriculidae Tubificida
		21	2					4	<1	4	<1	2	<1	Naididae
_		_	_	_		-		_		_	_	_	_	Tubificid ** Arthropoda (arthropods)
														Acariformes
		19	1	15	<1	13	<1	21	2	11	<1	10	<1	Hydrachnidia Crustacea
		4	<1	2	<1					1	<1			Cyclopoida
		_		_		_		_		_		_		Cyclopidae Amphipoda
														Crangon ctidae
_		_		_		_		_		1	<1	_		Cran ronyx Isopoda
														Asellida€
_		_		_		_		-		_				Caecidotea Insecta
														Ephemeroptera Baetidae
21	<1					_		1	<1	7	<1	52	4	baeudae <i>Baeti</i> ∘
	~1	_		2	<1				~1	2	<1	2	<1	Pseudocloeon
				_	_					2	<1	_	-	Caenidae Caenis
		_						_		2	<1			Ephemerellidae
61	2	77	6	150	5	28	2	36	3	37	2	10	<1	Ephemerella

Table 5. Benthic-macroinvertebrate data—Continued

01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

Date	Nov. 5	5, 1981		4, 1982	Oct. 2	7, 1983		5, 1984	Oct. 1	5, 1985	Oct. 9	9, 1986	Oct. 1	5, 1987
Total count	1,4	407	11	,578	11	,697	1 3	,842	1,0	617	1,	629	1,	198
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera														
Heptageniidae														
Epeorus	2	<1	5	<1	5	<1	3	<1			_		_	
Stenonema	44	3	91	6	170	10	91	2	38	2	78	5	51	4
Isonychiidae														
Isonychia	3	<1			21	1	72	2	41	3	99	6	37	3
Leptohyphidae														
Tricorythodes			_		3	<1			_				1	<1
Leptophlebiidae			_						_					
Odonata														
Coenagrionidae														
Argia			3	<1	3	<1								
Aeshnidae			•		•									
Boyeria			_		_				_				_	
Macromiidae													_	
Macromia					1	<1	_		_		_			
Plecoptera					1	<1	_		_				_	
•														
Capniidae														
Allocapnia	_		_		_								_	
Chloroperlidae	_	_	_				_		_				_	
Nemouridae	1	<1	_		_				_		_		_	
Perlidae														
Acroneuria	3	<1					3	<1			_			
Agnetina	_		5	<1									_	
Paragnetina	1	<1	_		3	<1	_		-				_	
Taeniopterygidae														
Taeniopteryx	7	<1	3	<1	8	<1	13	<1	17	1	2	<1	95	8
·lemiptera														
Veliidae														
Microvelia	_		_				_		_					
Megaloptera														
Corydalidae														
Corydalus	2	<1	_		5	<1					3	<1		
Nigronia		-			3	<1					_			
Trichoptera					·									
Brachycentridae														
Micrasema	1	<1					3	<1	4	<1	19	1	1	<1
Glossosomatidae	1	~1					3	<1	7	<1	19		1	~ 1
Glossosoma	1	-1	2	-1	•	-1	16	-1						
	1	<1	3	<1	3	<1	16	<1	_		_		_	
Hydropsychidae	100	10	430	20	210	10	1000	20	440	07	200	10	240	20
Ceratopsyche	180	13	420	26	310	18	1000	26	440	27	260	16	240	20
Cheumatopsyche	240	17	59	4	270	16	660	17	260	16	27	2	18	2
Hydropsyche	10	<1	11	<1	24	1	91	2	36	2	100	6	78	7
Hydroptilidae														
Hydroptila	4	<1	3	<1	3	<1			5	<1	4	<1	1	<1
Leucotrichia	210	15	130	8	11	<1	140	4	4	<1	120	8	8	<1
Philopotamidae														
Chimarra	79	6	72	5	61	4	80	2	24	2	2	<1	3	<1
Dolophilodes			_						-					
Polycentropodidae														
Neureclipsis	3	<1	_		_		_				_			
Polycentropus -	4	<1	3	<1	_		3	<1	1	<1	1	<1		
									**	**				
Psychomylidae														

Oct. 2	5, 1988	Nov. 1	4, 1989	Oct. 3	0, 1990	Nov. 6	5, 1991	Oct. 2	0, 1992	Oct. 2	5, 1993	Oct. 7	7, 1994	Date
1 2	,446	1,	347	2,	813	1,5	509	1,	391	1,	467	1,	322	Total cornt
Count	Percent	Organism												
														Ephemeroptera
														Heptageniidae
		_		6	<1	_		_		_		_		Epecrus
110	4	24	2	160	6	15	1	90	6	76	5	51	4	Stennema -
														Isonychi' lae
51	2	42	3	79	3	34	2	60	4	23	2	36	3	Ison; rchia
														Leptohyphidae
8	<1	2	<1	1	<1	3	<1	2	<1	_		_		Tricrrythodes
_		1	<1	_		_		_		_		_		Leptoph ebildae
														Odonata
														Coenagr'onidae
_				1	<1	_		2	<1	_		_		Argi?
														Aeshnid · ·
		_		1	<1							_		Воустіа
														Macrom'idae
_				_		_						_		Mac~mia
														Plecoptera
														Capniidae
8	<1	8	<1	3	<1	8	<1	4	<1	30	2	_		Allocapnia
_				_				1	<1	1	<1	_		Chloroperlidae
3	<1									_		_		Nemour'dae
														Perlidae
		-		_		_		_		_		_		Acreneuria
_		-				_		_				_		Agnatina
_		-				_		-		_		_		Para enetina
														Taeniopterygidae
200	8	62	4	24	<1	23	2	23	2	18	1	_		Taeniopteryx
														Hemiptera
														Veliidae
		-		_						_		1	<1	Microvelia .
														Megaloptera
														Corydal dae
_		3	<1	2	<1	1	<1	1	<1	1	<1	1	<1	Corydalus
		_		_		_		_		_		_		Nigronia
														Trichoptera
				_								_		Brachycentridae
3	<1	_		2	<1	_		2	<1	6	<1	8	<1	Micrasema
		_	_	_	_			_	_	_	_	_		Glossosomatidae
		3	<1	2	<1	_		1	<1	1	<1	1	<1	Glossosoma
														Hydropsychidae
640	26	240	17	870	31	320	21	310	22	250	17	260	20	Cerrtopsyche
160	6	21	2	110	4	110	7	54	4	280	19	110	8	Cheumatopsyche
500	20	18	1	190	7	63	4	150	11	49	3	180	14	Hydropsyche
					_					-00	_			Hydrop ilidae
19	<1	-	_	2	<1	20	1	15	1	23	2	17	1	Hydroptila
8	<1	1	<1	13	<1	_		_		2	<1	1	<1	Leucotrichia
•					_					~			-	Philopotamidae
3	<1	_		36	1	_		1	<1	7	<1	66	5	Chimarra
_		_		_		_				_		1	<1	Dolophilodes
														Polycen ropodidae
_	_	_		-	_	_		_		_		-		Neureclipsis
3	<1	_		1	<1	_		_				_		Polycentropus
														Psychornylidae
		_		_		_		1	<1	_		_		Psychomyia

Table 5. Benthic-macroinvertebrate data—Continued
01476435 - Ridley Creek at Dutton Mill near West Chester, Pa. (Site 21)—Continued

Date	Nov.	5, 1981	Oct. 1	4, 1982	Oct. 2	7, 1983	Oct. 1	5, 1984	Oct. 1	5, 1985	Oct. 9	, 1986	Oct. 1	5, 1987
Total count	1,	407	1 1	,578	1 1	,697	1 3	,842	1,0	617	1,0	529	1,	198
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera					***************************************							-		
Uenoidae														
Neophylax	1	<1							_				_	
Lepidoptera														
Pyralidae														
Petrophila	37	3			3	<1	3	<1	1	<1	2	<1	1	<1
Coleoptera														
Elmidae														
Ancyronyx					_				_		_			
A.variegata									_		_			
Dubiraphia			_		3	<1					_			
Optioservus	8	<1	16	1	6	<1	21	<1	10	<1	6	<1	5	<1
Oulimnius	_										2	<1		
Stenelmis	6	<1	3	<1	13	<1	30	<1	4	<1	8	<1	2	<1
Psephenidae														
Psephenus					_		_							
Hymenoptera			_				_		2	<1	1	<1		
Diptera														
Chironomidae	160	11	430	27	290	17	680	18	400	25	410	26	310	26
Empididae														
Chelifera					_				_					
Hemerodromia	7	<1			_		3	<1	6	<1	14	<1	3	<1
Ephydridae			3	<1	3	<1			_		5	<1		
Simuliidae														
Simulium	170	12	180	11	96	6	530	14	120	8	63	4	110	9
Tipulidae														
Antocha	45	3	5	<1	5	<1	5	<1	39	2	99	6	78	7
Tipula											_			

¹ Extrapolated from a 3/8 subsample.

Oct. 2	5, 1988	Nov. 1	4, 1989	Oct. 3	0, 1990	Nov. 6	5, 1991	Oct. 2	0, 1992	Oct. 2	5, 1993	Oct. 7	', 19 9 4	Date
1 2	,446	1,	347	2,8	313	1,	509	1,	391	1,4	167	1,	322	Total count
Count	Percent	Organism												
														Trichoptera
														Uenoidae
						_		_				_		Neop tylax
														Lepidoptera
														Pyralidae
3	<1	_		1	<1	2	<1	1	<1			2	<1	Petro, hila
														Coleoptera
														Elmidae
-		_		_		_		2	<1	3	<1	_		Ancyronyx
		3	<1	3	<1			_						A.variegata
_		1	<1							1	<1			Dubi aphia
6	<1	4	<1	11	<1	54	4	11	<1	88	6	11	<1	<i>Opticservus</i>
										2	<1			Oulimnius
11	<1	1	<1	12	<1	6	<1	2	<1	50	3	5	<1	Stenelmis
														Psephenidae
		_		4	<1	3	<1	_		3	<1	5	<1	Psept∘nus
_				_		_				_				Hymenoptera
														Diptera
460	18	610	44	880	31	750	50	390	28	350	23	340	26	Chironomidae
														Empididee
		_		1	<1			_						Cheli ~ra
3	<1	21	2	23	<1	8	<1	3	<1	5	<1	18	1	Hemerodromia
		_		_		_		_				_		Ephydridae
														Simuliidae
43	2	110	8	29	1	44	3	17	1	26	2	65	5	Simu¹ium
														Tipulidae
100	4	37	3	110	4	1	<1	43	3	69	5	49	4	Antocha
				1	<1			_		1	<1	_		Tipul>

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)

Date	Nov. 2	7, 1981	Oct. 1	5, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	9, 1987
Total count	3	23	4	64	3	19	5	19	2	47	3	38	1,	304
Organism	Count	Percent												
Platyhelminthes (flatworms)		-												
Turbellaria														
Tricladida														
Planariidae			_		_		1	<1			_		16	1
Nematoda (nematodes)			_		-		_				—		<1	1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_						_		_		_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Lymnaeidae														
Lymnaea	_		_		_		-		_		_		_	
Physidae														
Physa	1	<1	-		5	2	_		_		4	1	2	<1
Bivalvia														
Veneroida														
Sphaeriidae	1	<1	_		_		_		_		_		2	<1
Pisidium			_		_						_		_	
Annelida (segmented worms) Oligochaeta														
Lumbriculida														
Lumbriculidae	1	<1	_		_		_						_	
Tubificida														
Naididae	3	1	_		-		_		_		1	<1	390	30
Tubificidae			_		_		_						1	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	_		1	<1	3	1	1	<1	_		1	<1	35	3
Crustacea														
Cyclopoida	_		_		_				_		_			
Cyclopidae														
Amphipoda														
Gammaridae														
Gammarus			_		1	<1								
Isopoda														
Asellidae														
Caecidotea	9	3	4	<1	6	2	4	<1	_		4	1	3	<1
Lirceus	_		4	<1	_		_		_				_	
Podocopa			_				_		_				_	
Insecta														
Ephemeroptera Baetidae														
Baetis	15	5	51	11	1	<1	32	6	7	3	18	5	91	7
Pseudocloeon			_		_		_				_		96	7
Ephemerellidae														
Ephemerella	28	8	75	16	4	1	21	4	19	8	2	<1	130	10

	2, 1988	Oct. 2	6, 1989	Oct.	5, 1990	Oct. 2	1, 1991	Oct. 2	2, 1992	Oct. 2	28, 1993	Oct. 1	7, 1994	Date
1 1,	,014	2	31	4	25	5	05	4	51	1	106	2	94	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	<u> </u>
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
_		14	6	1	<1	-				_		7	3	Planariid · e
		_		1	<1	1	<1			_		2	<1	Nematoda (nematodes)
														Nemertea (proboscis v/orms)
														Enopla
														Hoplonemert
														Tetrastemmatidae
_		2	1	_		_				-		_		Prostama
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Lymnaeidae
		_		_		6	1	_		—		_		Lymnrea
														Physidae
_		2	1	2	<1	4	<1	8	2	_		1	<1	Physa
														Bivalvia
														Veneroida
_						_		_		-		_		Sphaeriidae
_		4	2			1	<1			_		_		Pisid'um
														Annelida (segmented worms)
														Oligochaeta
														Lumbriculida
_		2	1	1	<1	_		_		_		_		Lumbriculidae
														Tubificida
_		170	71	39	9	180	35	_		_		4	2	Naididae
_		4	2	_		_				_		_		Tubificidae
														Arthropoda (arthropods)
														Acariformes
_		3	1	_		3	<1	_				4	2	Hydrachnidia
														Crustacea
_		1	<1			_				_		_		Cyclopoida
														Cyclopid 10
														Amphipoda
														Gammaridae
_	d	_		_				_		1	1			Gammarus
														Isopoda
														Asellidae
3	<1	1	<1	_		_		4	<1			2	<1	Caecidotea
		_				_		6	1			_		Lirceus
_		_		_		1	<1	1	<1	_		1	<1	Podocopa
														Insecta
														Ephemeropte ⁻ a
														Baetidae
3	<1			_		_		17	4	8	8	13	4	Baeti [~]
_		_		_		_		6	1	-		2	<1	Pseudocloeon
														Ephemerellidae
130	13	_				_				4	4	4	2	Ephenerella

Table 5. Benthic-macroinvertebrate data—Continued
01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

Date	Nov. 2	7, 1981	Oct. 1	5, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	9, 1987
Total count	3	123	4	64	3	19	5	19	2	47	3	338	1,	304
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Ephemeroptera		***************************************												
Heptageniidae														
Stenonema	47	14	82	17	54	16	36	7	36	14	51	15	28	2
Isonychiidae														
Isonychia							1	<1	_		_			
Leptohyphidae														
Tricorythodes							_				_			
Leptophlebiidae														
Paraleptophlebia	_		_								_		_	
Odonata														
Calopterygidae														
Calopteryx	_		_		1	<1	_		_				_	
Plecoptera														
Capniidae														
Allocapnia			1	<1	33	10	36	7	16	6	100	29	100	8
Chloroperlidae	_		_				-						3	<1
Perlodidae														
Isoperla					_		_							
Hemiptera														
Veliidae														
Rhagovelia	2	<1	4	<1			5	1			_		1	<1
Megaloptera	-	~~	•	~1			,	•					•	~-
Sialidae														
Sialis			_						_		_		1	<1
Trichoptera													-	7-
Apataniidae														
Apatania	3	1	_		_						_		14	1
Glossosomatidae	J	•												-
Glossosoma	57	17	39	8	64	19	160	31	39	16	23	7	86	7
Hydropsychidae	٠,	• • •	57	Ū	01	17	100	51	27	10		•	00	,
Ceratopsyche	53	16	55	12	63	19	75	14	24	10	30	9	24	2
Cheumatopsyche	7	2	35	7	17	5	20	4	23	9	16	5	5	<1
Diplectrona	_	-		,		,		•		,		3	_	~1
Hydropsyche	19	6	23	5	17	5	44	8	22	9	11	3	84	6
Potamyia		U		3		,	_	Ü		,		3	_	Ū
Hydroptilidae														
Hydroptila	_													
Leucotrichia			_				_				_		_	
					_						_			
Leptoceridae <i>Mystacides</i>													1	<1
Philopotamidae									_		_		1	<1
Chimarra														
Dolophilodes		<1		<1	6	2	4	<1	1	<1	1	.1		<1
	2	<1	2	<1	0	2	4	<1	1	<1	1	<1	2	<1
Polycentropodidae														
Polycentropus			_		_		_		_		_		_	
Rhyacophilidae	^	.1	^								4			.1
Rhyacophila	2	<1	2	<1	_		_				1	<1	1	<1
Uenoidae	_	_											_	
Neophylax	6	2	_		1	<1			_				7	<1

Nov. 2	2, 1988	Oct. 2	6, 1989	Oct. 5	, 1990	Oct. 2	1, 1991	Oct. 2	2, 1992	Oct. 2	28, 1993	Oct. 1	7, 1994	Date
1 1,	,014	2	31	4:	25	5	05	4	51	1	06	2	94	Total co 'nt
Count	Percent	Count	Percent	Organism										
-											-			Ephemeroptera
														Heptage~iidae
100	10	_		_		1	<1	1	<1	3	3	_		Stenonema
														Isonychi`dae
														Isonychia
														Leptohyphidae
_		_		_		_		1	<1	_				Tricerythodes
														Leptoph ¹ ebiidae
_				_		_				_		1	<1	Para¹entophlebia
														Odonata
														Caloptery gidae
_				_		_				_		_		Calonteryx
														Plecoptera
														Capniidae
5	<1	_		_		2	<1	_				_		Allocapnia
_		_		_				_		_		_		Chloroperlidae
														Perlodid 10
5	<1			_		_		_				_		Isoperla
														Hemiptera
														Veliidae
		_						_						Rhagovelia
														Megaloptera
														Sialidae
				_								_		Siali. ·
														Trichoptera
														Apatanii ⁴ae
_														Apat ınia
														Glossosomatidae
59	6	1	<1	_		1	<1	2	<1	1	1	4	2	Glos: osoma
														Hydropsychidae
170	17					1	<1			1	1	6	2	Ceratopsyche
				1	<1			1	<1	1	1	1	<1	Chevmatopsyche
53	5	1	<1	_		10	2			6	6	26	9	Diplectrona
88	9	6	3			15	3	200	43	28	25	42	14	Hydr:psyche
_								41	9					Potarryia
														Hydropt'idae
_				1	<1	1	<1	_				_		Hydr:ptila
3	<1	_		_						_		_		Leucotrichia
														Leptoceridae
_										_		_		Myst?cides
														Philopotamidae
_				_				20	4	2	2			Chimarra
_						21	4	2	<1	_		14	5	Dolophilodes
														Polycent ropodidae
_		_		1	<1	_		_		3	3			Polycentropus
														Rhyacophilidae
11	1	_		_				2	<1			_		Rhyacophila
														Uenoida?
3	<1	4	2	_		_		_		_		_		Neophylax
														* *

Table 5. Benthic-macroinvertebrate data—Continued
01476790 - East Branch Chester Creek at Green Hill, Pa. (Site 22)—Continued

Date	Nov. 2	7, 1981	Oct. 1	5, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	, 1987
Total count	3	23	4	64	3	19	5	19	2	47	3	38	1,5	304
Organism	Count	Percent												
Coleoptera		-												
Curculionidae	_						1	<1	_		_			
Elmidae														
Ancyronyx	_		_						_		_			
A.varlegata			_		_				—				_	
Dubiraphia	1	<1	—								_		—	
Optioservus	29	9	37	8	9	3	17	3	37	15	14	4	42	3
Oulimnius	1	<1	2	<1	3	1	2	<1	2	1	3	1	9	<1
Promoresia	1	<1			1	<1	_				—		_	
Stenelmis			_		_								—	
Hydrophilidae														
Helophorus	_		_		_		_				_		_	
Psephenidae														
Psephenus	_				_		_		_		_		_	
Hymenoptera	_		1	<1	_						3	1	_	
Diptera														
Chironomidae	24	7	35	7	23	7	39	8	12	5	17	5	110	8
Empididae														
Chelifera	_				_				_				_	
Clinocera	_		_						_		_			
Hemerodromia			_										3	<1
Simuliidae														
Simulium	3	1	2	<1	1	<1	17	3	_		1	<1	2	<1
Tipulidae	-				_		1	<1	_		_		_	
Antocha	5	2	10	2	5	2	_		9	4	35	10	12	<1
Hexatoma	_		_		_						_		_	
Tipula	3	1			1	<1	2	<1	_		2	<1	2	<1

¹ Extrapolated from a 3/8 subsample.

Nov. 2	2, 1988	Oct. 2	6, 1989	Oct. 5	, 1990	Oct. 2	1, 1991	Oct. 2	2, 1992	Oct. 2	8, 1993	Oct. 1	7, 1994	Date
1 1	,014	2	31	4	25	5	05	4	51	1	06	2	94	Total count
Count	Percent	Count	Percent	Organism										
						**						 		Coleoptera
_		_						_						Curculionidae
														Elmidae
				_		-		_				1	<1	Ancyronyx
		1	<1									_		A.variegata
_		_								1	1			Dubi~aphia
75	8	6	3	1	<1	2	<1	_				1	<1	Optioservus
_		_		_						_				Oulirmius
		_								_				Promoresia
		1	<1	3	<1					3	3	2	<1	Stenelmis
														Hydrophilidae
_		_		1	<1									Helophorus
														Psephenidae
		1	<1			_		_		_		_		Psephenus
		_				_		_				_		Hymenoptera
														Diptera
280	28	3	1	320	74	170	33	120	26	35	32	110	37	Chironomidae
														Empididae
_		_		1	<1	10	2	_						Chelifera
_		_				2	<1	_		_		_		Clinccera
5	<1	1	<1	_		5	1	_				_		Hemerodromia
														Simuliidae
5	<1	2	1	49	11	63	12	16	3	9	9	42	14	Simu'ium
_		_		_		_		_				_		Tipulidae
13	1	_		1	<1	2	<1	2	<1			_		Antocha
3	<1	_		_				_		_		_		Hexa*oma
_		1	<1	2	<1	3	<1	1	<1			4	2	Tipul₹

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 26	5, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	9, 1987
Total count	1,3	371	1,3	700	1,2	247	1,0	085	9	91	5	18	2.	252
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)	-									· · · · · ·				
Turbellaria														
Tricladida														
Planariidae	6	<1	7	<1	4	<1	5	<1	15	2			7	<1
Nematoda (nematodes)	_		_		_								1	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma					_									
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	31	2	19	1	16	1	15	1	24	2	56	11	110	5
	31	2	19	1	10	1	13	1	24	L	30	11	110	,
Lymnaeidae														
Lymnaea					_		_		-					
Physidae						_		_					•	
Physa	1	<1	_		1	<1	1	<1	_		1	<1	3	<1
Planorbidae														
Helisoma	1	<1	_				_		_					
Bivalvia														
Veneroida														
Sphaeriidae					_		_		_		_		_	
Annelida (segmented worms)														
Oligochaeta	_		13	<1	10	<1	3	<1	2	<1	_		_	
Lumbriculida														
Lumbriculidae	1	<1	_											
Tubificida														
Naididae	25	2											160	7
Tubificidae	_				_						_		1	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			1	<1	1	<1			4	<1			27	1
Crustacea			-		-									
Amphipoda														
Gammaridae														
Gammarus	_		_		_						_		_	
Isopoda														
Asellidae														
Caecidotea	1	<1			,	<1							2	<1
	1	<1			1				_				2	<1
Lirceus					1	<1	_						_	
Podocopa	_		1	<1			_							
Insecta														
Ephemeroptera														
Baetidae			-							_				
Baetis	_		9	<1	4	<1	100	9	26	3	-		11	<1
Pseudocloeon	1	<1	_		_				_		-		-	
Ephemerellidae														
Ephemerella	3	<1	1	<1	_		1	<1	2	<1	_		17	<1
Ephemeridae														
Ephemera	_				_		_		1	<1				

Nov. 2	, 1988	Oct. 2	6, 1989	Oct. 5	5, 1990	Oct. 2	1, 1991	Oct. 2	3, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
1 2	477	4,	174	2,	625	1,	731	2,	926	6	93	2,6	543	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	<u> </u>
														Platyhelminthes (flatv'orms) Turbellaria
														Tricladida
16	<1	110	3	45	2	9	<1	36	1			18	<1	Planariicae
_		5	<1	2	<1			2	<1	_		2	<1	Nematoda (nematodes) Nemertea (proboscis vvorms) Enopla Hoplonemertea
														Tetrastemmatidae
		8	<1	2	<1			9	<1			11	<1	Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
										_				Ferri~sia
														Lymnaeidae
_		1	<1					_				_		<i>Lymпаеа</i>
_		_				_		1	<1			-		Physidae <i>Ph</i> ysa Planorbidae
_										_				rianoroidae Helisoma
														Bivalvia Veneroida
				_				1	<1	-		_		Sphaeriidae Annelida (segmented worms)
_		_		_		-		_		_				Oligochaeta Lumbriculida
		2	<1	_										Lumbriculidae Tubificida
		480	11	10	<1	1	<1	75	3	_		64	2	Naididae
				_		_				_				Tubificid 16
														Arthropoda (arthropods) Acariformes
		190	5	58	2	8	<1	140	5	17	2	56	2	Hydrachnidia Crustacea Amphipoda
		_				_		1	<1			_		Gammar'dae Gammarus
														Isopoda Asellida∈
_		1	<1	_		_						_		Caec'dotea
			7.	_		_								Lircers
		_		10	<1									Podocopa
					-									Insecta
														Ephemeroptera Baetidae
3	<1	12	<1	55	2	6	<1	2	<1	2	<1	4	<1	Baeti∘
_				_		3	<1	3	<1	1	<1			Pseudocloeon
						_			-	-				Ephemerellidae
16	<1	42	1	13	<1	6	<1	85	3	5	<1	21	<1	<i>Ephemerella</i> Ephemeridae
_		_		1	<1			_		_		_		Ephemera

Table 5. Benthic-macroinvertebrate data—Continued
01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	9, 1987
Total count	1,	371	1,	700	1,	247	1,0	085	9	91	5	18	2,	252
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera									•					
Heptageniidae														
Stenacron	_		_								20	4	_	
Stenonema	69	5	110	6	63	5	76	7	58	6	12	2	130	6
Leptohyphidae														
Tricorythodes			5	<1	1	<1	_				1	<1	3	<1
Leptophlebiidae	-						1	<1	_		-		-	
Paraleptophlebia									_					
Odonata														
Coenagrionidae														
Argia	_		1	<1	1	<1			_					
Gomphidae	-								_		_			
Plecoptera														
Capniidae														
Allocapnia	_				_				_		_		2	<1
Taeniopterygidae													-	-
Taeniopteryx													2	<1
Hemiptera													_	-4
Corixidae														
Trichocorixa			1	<1	11	<1	3	<1						
Veliidae			•	~1	11	-1	3	-1						
Rhagovelia					2	<1								
Megaloptera	_				L	\1							_	
Corydalidae														
Corydalus					1	<1								
Nigronia	_		_		1	<1								
_					1	<1			_					
Trichoptera														
Glossosomatidae							•						•	
Glossosoma							1	<1			_		2	<1
Hydropsychidae	200	20	000	10	150	10	1.40	10	150	1.5			000	10
Ceratopsyche	360	26	300	18	150	12	140	13	150	15	44	8	220	10
Cheumatopsyche	100	7	64	4	28	2	22	2	31	3	1	<1	19	<1
Diplectrona	_	_		_	-	_		_			_	_		_
Hydropsyche	16	1	84	5	38	3	35	3	10	1	2	<1	52	2
Hydroptilidae	0.0-		200					_	9.5	_	_	_		_
Hydroptila	200	14	290	17	220	17	70	6	20	2	2	<1	46	2
Leucotrichia	10	<1	100	6	57	4	250	23	80	8	2	<1	370	16
Leptoceridae														
Mystacides			_				-				-			
Oecetis	_		_				1	<1	1	<1			_	
Triaenodes									_		_			
Philopotamidae														
Chimarra	3	<1	13	<1	1	<1	11	1	23	2			6	<1
Polycentropodidae														
Polycentropus	1	<1			1	<1	1	<1			1	<1	_	
Psychomylidae														
Psychomyia	1	<1	14	<1	95	7	61	6	120	12	190	37	660	29
Lepidoptera														

Nov. 2	2, 1988	Oct. 2	6, 1989	Oct. 5	5, 1990	Oct. 2	1, 1991	Oct. 2	3, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
	,477		174		625		731		926		93		643	Total count
										Count	Percent			Organism
						-								Ephemeropte-a
														Heptageniidae
13	<1	7	<1							_				Stenacron
50	6	100	2	77	3	46	3	110	4	12	2	58	2	Stenenema
														Leptohyphidae
13	<1	14	<1	26	1	12	<1	77	3			25	<1	Trico ythodes
_		_		3	<1	_				_				Leptophl hiidae
3	<1			_				_		_				Paraleptophlebia
														Odonata
														Coenagrionidae
		2	<1	3	<1			6	<1			3	<1	Argia
						_		2	<1					Gomphic ¹ 3e
														Plecoptera
														Capniida >
				_				1	<1	1	<1	1	<1	Allocapnia
								-		-		_		Taeniopterygidae
_		1	<1					1	<1					Taeniopteryx
		-						-	٠.					Hemiptera
														Corixidae
										_				Trichmorixa
														Veliidae
														Rhagavelia
_				_		_				_				Megaloptera
														Corydalidae
										2	<1			Cory talus
				_						2	<1			Nigronia
														Trichoptera
														Glossosomatidae
														Glossosoma
_				_		_						_		
20	_	120	2	200		220	14	60	2	22	2	C4	2	Hydropsychidae
30	5	120	3	200	8	230	14	60	2	23	3	64	2	Ceratopsyche
7	3	15	<1	56	2	17	1	14	<1	4	<1	13	<1	Cheumatopsyche
-		100			-	1	<1						•	Diple~trona
70	11	180	4	180	7	45	3	81	3	41	6	54	2	Hydransyche
	_	400		040		050		200						Hydropti ¹¹ dae
48	2	480	11	310	12	270	16	390	13	26	4	390	15	Hydrotila
10	8	1	<1	6	<1	_						_		Leucrtrichia
								00						Leptoceri dae
				_		1	<1	26	<1	_		-		Mystarides
		8	<1	30	1	2	<1	10	<1	3	<1	24	<1	Oecetis This can be a
_		_		1	<1	_								Triaenodes
	_		_	_	-	_	-					_	_	Philopotemidae
75	3	36	<1	3	<1	4	<1					8	<1	Chimarra
_														Polycentropodidae
3	<1			6	<1	2	<1	5	<1	1	<1	1	<1	Polycentropus
_														Psychom didae
77	3	1	<1	1	<1	_						4	<1	Psychomyia
														Lepidoptera
_														Noctuida?

Table 5. Benthic-macroinvertebrate data—Continued
01476830 - East Branch Chester Creek at Milltown, Pa. (Site 23)—Continued

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	5, 1986	Nov. 9	, 1987
Total count	1,	371	1,	700	1,2	247	1,0	085	9	91	5	18	2,	252
Organism	Count	Percent												
Coleoptera			***							-				
Curculionidae			1	<1			_						_	
Elmidae														
Ancyronyx													_	
A.variegata	_		_				_				_		1	<1
Dubiraphia	1	<1	1	<1	2	<1	1	<1	1	<1	2	<1	_	
Macronychus														
M. glabratus							1	<1	_					
Optioservus	4	<1	11	<1	13	1	6	<1	11	1	1	<1	26	1
Oulimnius	2	<1	1	<1			2	<1			_		2	<1
Stenelmis	12	<1	23	1	63	5	12	1	21	2	17	3	31	1
Hydrophilidae														
Berosus	_				1	<1					1	<1		
Psephenidae														
Psephenus									1	<1			11	<1
Hymenoptera	1	<1	_						1	<1	_			
Diptera														
Chironomidae	420	30	570	34	400	31	190	17	170	17	120	23	230	10
Dixidae														
Dixa					_		1	<1						
Empididae														
Hemerodromia	15	1	15	<1	5	<1	8	<1	6	<1	_		21	<1
Simuliidae														
Simulium	21	2	9	<1	6	<1	61	6	63	6	34	7	49	2
Tipulidae														
Antocha	64	5	36	2	49	4	6	<1	150	15	11	2	30	1
Dicranota					_		_		_					
Tipula					_		_				_		_	

¹ Extrapolated from a 3/8 subsample.

Nov. 2	2, 1988	Oct. 2	6, 1989	Oct. 5	, 1990	Oct. 2	1, 1991	Oct. 2	3, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
1 2	,477	4,	174	2,0	625	1,3	731	2,9	926	6	93	2,	643	Total count
Count	Percent	Organism												
				-							-			Coleoptera
-		_				_		_		_				Curculionidae
														Elmidae
3	<1	_				2	<1	3	<1	_		_		Ancyronyx
		7	<1	2	<1							_		A.variegata
		8	<1	1	<1	_		42	1	_		5	<1	Dul iraphia
														Macronychus
_		_				_		3	<1	_		_		M. glabratus
35	1	51	1	38	1	28	2	110	4	14	2	62	2	Opt'oservus
		7	<1	1	<1	6	<1	8	<1	3	<1	10	<1	Oul mnius
29	1	32	<1	78	3	22	1	290	10	2	<1	93	4	Ster •lmis
														Hydrophilidae
_		_		_		_		4	<1			1	<1	Berc«us
														Psephenidae
19	<1	44	1	62	2	29	2	57	2	10	1	31	1	Pserhenus
		_		_		_								Hymenoptera
														Diptera
960	38	1,700	40	1,300	50	880	52	1,200	41	480	69	1,500	58	Chironomidae
		-						-						Dixidae
_		_		_				_		_				Dixa
														Empididae
3	<1	130	3	26	1	13	<1	23	<1	10	1	73	3	Hen∾rodromia
														Simuliidae
310	12	350	8	3	<1	20	1	30	1	_		27	1	Sim:tlium
														Tipulidae
11	<1	29	<1	16	<1	68	4	16	<1	36	5	19	<1	Antroha
3	<1	_				_		1	<1	_	_			Dicranota
		_		_		_		1	<1			1	<1	Tipula

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	6, 1986	Nov 8	5, 1987
Total count	1,3	783	3,	535	2,	250	2,	424	1,	365	1,0	026	2,	592
Organism	Count	Percent	Court	Percent										
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	16	<1	33	<1	65	3	43	2	13	<1	8	<1	77	3
Nematoda (nematodes)	_								_				3	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma							1	<1	_					
Mollusca (molluscs)							-							
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	32	2	1	<1			13	<1	1	<1			4	<1
	32	2	1	<1			13	<1	1	<1			4	<1
Physidae	_	_												
Physa	2	<1												
Planorbidae														
Gyraulus	_													
Helisoma	4	<1	_						_		_		_	
Bivalvia														
Veneroida														
Sphaerlidae					_				1	<1				
Pisidium	···		_								_		_	
Annelida (segmented worms)														
Oligochaeta	7	<1	2	<1	_		1	<1						
Lumbriculida														
Lumbriculidae			_											
Tubificida														
Naididae	_												78	3
Hirudinea														•
Pharyngobdellida														
Erpobdellidae											1	<1		
Arthropoda (arthropods)							_				•	~1		
Acariformes														
	2	<1	1	<1	2	<1	1	<1	1	<1			31	
Hydrachnidia	Z	<1	1	<1	Z	<1	1	<1	1	<1			31	1
Crustacea														
Cyclopoida	_													
Amphipoda														
Gammaridae														
Gammarus	_		_		1	<1			_		_			
Talitridae														
Hyallela														
H. azteca	_						-		-		_		4	<1
Isopoda														
Asellidae			_		1	<1			_					
Podocopa					_				_				_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	26	1	40	1	15	<1	26	1	4	<1	22	2	_	
Pseudocloeon	9	<1		-	10	<1	90	4	_	-		-	16	<1
Ephemerellidae	•							•					-0	
Ephemerella	2	<1	2	<1	10	<1	5	<1	3	<1	2	<1	45	2
ърнене: спа	L	~1	L	~1	10	~1	J	~1	J	~1	L	~1	73	L

Nov. 3	3, 1988	Oct. 2	6, 1989	Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
1 1,	,677	1,:	518	3,0	087	1,8	808	2,	471	6	43	7	67	Total count
Count	Percent	Count	Percen	t Organism										
														Platyhelminthes (flatworms) Turbellaria Tricladida
56	3	86	6	110	4	22	1	88	4	28	4	1	<1	Planariidae
_		3	<1	_				_		_				Nematoda (nematodes)
														Nemertea (proboscis v ⁷ orms)
														Enopla
														Hoplonemert:a
				•				•						Tetrasterrmatidae
_		1	<1	3	<1	_		2	<1	_				Prostoma
														Mollusca (molluscs)
														Gastropoda Basommatophora
														Ancylida:
_		6	<1	1	<1	13	<1	4	<1	5	<1			Ferri~ia
_		U	~1	1	~1	10	-1	7	~1	J	~1	_		Physidae
_		_		_		_		_		_				Physa
														Planorbidae
				2	<1	1	<1	_		_		_		Gyravlus
_		_		_		_				_				Helisama
														Bivalvia
														Veneroida
_				2	<1			_						Sphaertidae
		1	<1	_		_				_		_		Pisid*um
														Annelida (segmented worms)
_		_		_				_						Oligochaeta
														Lumbriculida
3	<1			_		_		_		_				Lumbriculidae
														Tubificida
		460	31	360	12	2	<1	29	1	9	1	_		Naididae
														Hirudinea
														Pharyngobde ^{tt} ida Erpobdellidae
_		_						_		_				Arthropoda (arthropods)
														Acariformes
		89	6	62	2	7	<1	3	<1	50	8	1	<1	Hydrachnidia
		0)	•	02	-	•	~1	,	~1	50	Ū	•	~1	Crustacea
		1	<1	17	<1	_		_		_				Cyclopoida
														Amphipoda
														Gammar'dae
_		1	<1	2	<1					_				Gammarus
														Talitridae
														Hyal`•la
_		_		_		_				_				H. azteca
														Isopoda
_		_				_		_		_		-		Asellida€
_		_		3	<1	_		1	<1	1	<1	_		Podocopa
														Insecta
														Ephemeropte a
_	_			_	_	• -	_		_				_	Baetidae
3	<1	_		4	<1	11	<1	11	<1	_		13	2	Baetis
_		_		_		3	<1			_		3	<1	Pseudocloeon
67	4	15	1	5	<1	12	<1	2	<1	7	1	1	<1	Ephemerellidae <i>Ephemerella</i>
U/	*	13	1	3	~1	12	~1	2	<1	,	1	1	<1	Ерне негена

Table 5. Benthic-macroinvertebrate data—Continued
01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	6, 1986	Nov. 5	5, 1987
Total count	1,	783	3,	535	2,	250	2,4	124	1,	365	1,	026	2,	592
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera											•			
Heptageniidae														
Stenonema	73	4	79	2	120	5	110	5	12	<1	51	5	60	2
Leptohyphidae														
Tricorythodes	13	<1	22	<1	24	1	1	<1	_		1	<1	4	<1
Leptophlebiidae			_		1	<1			_		_		_	
Paraleptophlebia	-				-				_					
Odonata														
Coenagrionidae														
Argia	1	<1	_				1	<1					_	
lecoptera														
Capniidae														
Allocapnia	2	<1	-		2	<1			3	<1			_	
legaloptera														
Corydalidae														
Corydalus					1	<1	1	<1						
Nigronia	3	<1				~1		~1						
Trichoptera	3	~1			_		_		_		_		_	
Apataniidae														
-														
Apatania							_		_					
Glossosomatidae														
Glossosoma	1	<1			_		1	<1						
Hydropsychidae		_								_				_
Ceratopsyche	150	8	380	11	600	26	440	18	41	3	260	26	180	7
Cheumatopsyche	120	7	240	7	370	16	160	7	71	5	86	9	41	2
Hydropsyche	72	4	180	5	96	4	180	7	20	1	200	20	220	8
Hydroptilidae														
Hydroptila	180	10	69	2	120	5	4	<1	4	<1	3	<1	79	3
Leucotrichia	85	5	120	3	56	2	540	22	27	2	14	1	62	2
Leptoceridae														
Oecetis	-				1	<1	2	<1	_				1	<1
Philopotamidae														
Chimarra	4	<1	16	<1	4	<1	17	<1	2	<1	88	9	180	7
Wormaldia	_				_		_		_					
Polycentropodidae														
Polycentropus					1	<1								
Psychomylidae														
Psychomyia							1	<1	2	<1			6	<1
epidoptera.														
Pyralidae														
Petrophila	2	<1	3	<1	9	<1	29	1	5	<1	2	<1	4	<1
Coleoptera	-	•	•		·			•	•		_		-	
Elmidae														
Ancyronyx														
Ancylonyx A.variegata	_		_								_		2	<1
Dubiraphia	_		_						1	.1			2	<1
	_		_	.1	_		_		_	<1	_		2	<1
Macronychus	_		1	<1			1	<1	1	<1	_			
Optioservus	2	<1	3	<1	13		9	<1	11	<1	16	2	34	1
Oulimnius	_		_		1	<1			_		_		3	<1
Promoresia	_		_				_		_					
Stenelmis	15	<1	31	<1	27	1	46	2	36	3	49	5	38	1
Hydrophilidae														
Berosus	_				-				-		_		_	
Psephenidae														
Psephenus					1	<1			1	<1			3	<1

	3, 1988	Oct. 20	6, 1989	Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
¹ 1,	,677	1,5	518	3,0	087	1,	808	2,	471	6	43	7	67	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
														Heptageniidae
43	3	4	<1	44	1	46	3	13	<1	13	2	13	2	Stenonema
														Leptohyphidae
11	<1			5	<1	2	<1	_				_		Trico~ythodes
_				2	<1	_						_		Leptophlebiidae
_		_		_								1	<1	Paraleptophlebia
														Odonata
														Coenagrinnidae
—		1	<1			_		_		_		1	<1	Argia
														Plecoptera
														Capniida•
				_				1	<1					Allocapnia
														Megaloptera
														Corydalidae
						_				_		_		Corydalus
_						_						_		Nigmnia
														Trichoptera
														Apatanlidae
3	<1													Apatanidae Apatania
3	<1			_				_		_		_		Glossosomatidae
				•	.1									
_		_		2	<1	_		_						Gloscosoma
	•		•			4.50	_		_				_	Hydropsychidae
00	6	23	2	110	4	150	8	78	3	87	13	61	8	Ceratopsyche
59	3	22	1	550	18	130	7	43	2	53	8	53	7	Cheumatopsych
50	21	160	11	350	11	340	19	410	16	92	14	97	13	Hydrosyche
														Hydroptilidae
3	<1	10	<1	79	3	16	<1	30	1	5	<1	1	<1	Hydrotila
11	<1	2	<1	_		14	<1	1	<1	5	<1	10	1	Leucrtrichia
														Leptocer/dae
_		_				1	<1	_		1	<1			Oecetis
														Philopotamidae
29	2	1	<1	10	<1	21	1	4	<1	3	<1	9	1	Chimarra
												1	<1	Wormaldia
														Polycentropodidae
												_		Polycentropus
														Psychomyiidae
						58	3	4	<1	_		1	<1	Psychomyta
						-	J	•	~-			•		Lepidoptera
														Pyralidae
3	<1													Petrophila
3	~1					_				_		_		Coleoptera
														-
						7	1			9	.1	9	-1	Elmidae
-			.1		1	7	<1	_		2	<1	2	<1	Ancyronyx
-		4	<1	5	<1	_		_				_		A.variegata
-		_		3	<1							_		Dubi aphia
-			_		_	_		_	_	-	_			Macronychus
5	4	37	2	51	2	25	1	78	3	40	6	33	4	Optioservus
-		2	<1	3	<1	4	<1	1	<1	9	1	-		Oulimnius
5	<1	-		-		_		_		_		-		Promoresia
2	2	25	2	61	2	44	2	36	1	38	6	6	<1	Stenclmis
														Hydrophilidae
-		_		1	<1	_		-		1	<1	_		Berosus
														Psepheni dae
				8	<1		<1							

 Table 5. Benthic-macroinvertebrate data—Continued

01476835 - East Branch Chester Creek at Westtown, Pa. (Site 24)—Continued

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 1	6, 1985	Oct. 1	6, 1986	Nov.	5, 1987
Total count	1,	783	3,	535	2,	250	2,	424	1,	365	1,0	026	2,	592
Organism	Count	Percent	Count	Percent										
Hymenoptera					2	<1	1	<1	2	<1				
Diptera														
Ceratopogonidae	_		_		_									
Chironomidae	450	25	700	20	330	14	400	17	260	19	56	6	230	9
Empididae														
Hemerodromia	55	3	2	<1	6	<1	19	<1			1	<1	8	<1
Simuliidae														
Simulium	440	24	1,600	46	310	13	230	9	780	56	150	15	1,100	42
Tipulidae														
Antocha	15	<1	10	<1	51	2	51	2	63	5	16	2	77	3

 $^{^{1}}$ Extrapolated from a 3/8 subsample.

Nov. 3	3, 1988	Oct. 2	6, 1989	Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 2	1, 1994	Date
1 1	,677	1,5	518	3,	087	1,8	808	2,	471	6	43	7	67	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
				_		_								Hymenoptera
														Diptera
_		_		3	<1			_		_		_		Ceratopngonidae
510	30	250	17	1,000	32	680	38	950	38	80	12	220	29	Chironomidae
														Empididae
5	<1	17	1	33	1	7	<1	8	<1	16	2	2	<1	Hemerodromia
														Simuliidae
280	1 6	230	15	100	3	93	5	580	23	5	<1	210	27	Sim~lium
														Tipulide∘
16	<1	53	4	96	3	90	5	94	4	75	12	25	3	Ant∾ha

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01476840 - Goose Creek tributary to East Branch Chester Creek near West Chester, Pa. (Site 25)

Total count Organism Platyhelminthes (flatworms)		56	1 9	,644	2 5	87	0.4	~~1		
Platyhelminthes (flatworms)				,0-1-		ю,	3,0	091	1,	111
-	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Turbellaria										
Tricladida										
Planariidae	_		_		11	2	91	3	73	7
Nematoda	_									
Nemertea (proboscis worms)										
Enopla										
Hoplonemertea										
Tetrastemmatidae										
Prostoma			_				_			
Mollusca (molluscs)										
Gastropoda										
Basommatophora										
Ancylidae										
Ferrissia	_						7	<1	3	<1
Physidae										
Physa	71	20	88	<1			_			
Bivalvia										
Veneroida										
Sphaeriidae	_		_						2	<1
Annelida (segmented worms)									-	~-
Oligochaeta			440	5						
Lumbriculida			0	,						
Lumbriculidae									7	<1
Tubificida			_				_		,	\1
					_	<1	450	15	,	<1
Naididae	9	3	_		5	<1	450 74	2	1	<1
Tubificidae	9	3					/4	2		
Arthropoda (arthropods)										
Acariformes							_		40	
Hydrachnidia							7	<1	42	4
Crustacea							_		_	_
Cyclopoida			_		_		1	<1	2	<1
Isopoda										
Asellidae										
Caecidotea	2	<1	_		3	<1	21	<1	27	2
Podocopa	_								110	10
Insecta										
Ephemeroptera										
Baetidae										
Baetis	2	<1	4	<1			_			_
Pseudocloeon	_				3	<1			_	
Ephemerellidae										
Ephemerella									_	
Heptageniidae										
Epeorus	_		_		-		_		_	
Stenonema	_		4	<1			_		_	
Leptohyphidae										
Tricorythodes	_				_		_		1	<1
Odonata									•	
Gomphidae			_				_		_	
Hemiptera	_				_		-		_	
Corixidae	_				_		_			

Date	, 1994	Oct. 21	9, 1993	Nov. 1	3, 1992	Oct. 23	, 1991	Nov. 4
Total count		67	56)95		108	
		Count	Percent	Count	Percent	Count	Percent	Count
Platyhelminthes (flatworms)								
Turbellaria								
Tricladida								
Planariidae	<1	1	2	17	3	32	<1	5
Nematoda	<1	2	<1	6	<1	2	<1	1
Nemertea (proboscis worms) Enopla								
Hoplonemertea								
Tetrastemmatidae								
Prostoma							<1	1
Mollusca (molluscs)								-
Gastropoda								
Basommatophora								
Ancylidae								
			-1	1			1	
Ferrissia		_	<1	1			<1	1
Physidae								
Physa								
Bivalvia								
Veneroida								
Sphaeriidae								-
Annelida (segmented worms)								
Oligochaeta		—			2	26		
Lumbriculida								
Lumbriculidae								
Tubificida								
Naididae			10	74			<1	2
Tubificidae								
Arthropoda (arthropods)								
Acariformes								
Hydrachnidia			1	9	5	55	<1	12
Crustacea			•	,	-	55	~1	12
Cyclopoida								
· ·		_						
Isopoda								
Asellidae								
Caecidotea					_		_	
Podocopa		_		_	<1	4	<1	19
Insecta								
Ephemeroptera								
Baetidae								
Baetis	<1	1		-		2	20	
Pseudocloeon								
Ephemerellidae								
Ephemerella							<1	1
Heptageniidae								
Epeorus					<1	2		_
Stenonema								_
Leptohyphidae								
Tricorythodes								
Odonata								_
Gomphidae			<1	1				_
•			<1	1		_		_
Hemiptera Corixidae						•		
CONTINA					<1	2		_

Table 5. Benthic-macroinvertebrate data—Continued

01476840 - Goose Creek tributary to East Branch Chester Creek near West Chester, Pa. (Site 25)—Continued

Date	Oct. 2	7, 1981	Oct. 2	2, 1982	Nov.	4, 1988	Oct. 2	5, 1989	Oct. 2	5, 1990
Total count	3	56	1 9	,644	2 ,	587	3,0	091	1,	111
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera										
Hydropsychidae										
Ceratopsyche	4	1	4	<1	11	2			3	<1
Cheumatopsyche	_		_		3	<1	_		1	<1
Diplectrona	_						1	<1	_	
Hydropsyche					150	25	3	<1	15	1
Hydroptilidae										
Agraylea	_								1	<1
Hydroptila	2	<1			5	<1	1	<1	16	1
Leucotrichia	_						1	<1	_	
Lepidoptera										
Noctuidae										
Archanara	_						1	<1		
Coleoptera										
Elmidae										
Optioservus									_	
Stenelmis			4	<1	3	<1	2	<1	7	<1
Psephenidae										
Psephenus	_				_		_			
Diptera										
Chironomidae	230	64	2,300	24	160	27	490	16	190	17
Empididae										
Hemerodromia	_				3	<1	140	5	9	<1
Psychodidae										
Telmatoscopus	1	<1								
Simuliidae										
Simulium	35	10	6,800	71	230	39	1,800	58	600	55
Tipulidae			•				•			
Antocha	_				_		_		_	
Tipula							1	<1	1	<1

¹ Extrapolated from a 3/8 subsample.

² Extrapolated from a 1/4 subsample.

Nov. 4	l, 1991	Oct. 2	3, 1992	Nov. 1	9, 1993	Oct. 2	1, 1994	Date
2,	108	1,0	095	7	56	6	71	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
								Trichoptera
								Hydropsychidae
21	1	23	2	29	4	8	1	Ceratopsyche
2	<1	7	<1	69	9	110	16	Cheumatopsyche
_		_		_				Diplectrona
24	1	190	17	150	20	60	9	Hydropsyche
								Hydroptilidae
_		_		_		_		Agraylea
1	<1	2	<1	_				Hydroptila
1	<1							Leucotrichia
								Lepidoptera
								Noctuidae
_				_		_		Archanara
								Coleoptera
								Elmidae
_		1	<1	1	<1	_		Optioservus
2	<1	10	<1	_				Stenelmis
								Psephenidae
		3	<1	_		_		Psephenus
								Diptera
1,200	57	570	52	360	47	94	14	Chironomidae
								Empididae
5	<1	10	<1	4	<1	3	<1	Hemerodromia
								Psychodidae
_				1	<1			Telmatoscopus
								Simuliidae
810	39	130	12	17	2	390	58	Simulium
								Tipulidae
		2	<1	16	2	1	<1	Antocha
		4	<1	1	<1	1	<1	Tipula

[<, less than; —, not found]

Table 5. Benthic-macroinvertebrate data—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)

Date	Oct. 26	1983	Oct. 1	1, 1984	Oct. 2	8, 1985	Oct. 1	6, 1986	Nov. 1	5, 1987		3, 1988	Oct. 2	5 1989
Total count	2,8	69	2,	374	4,2	236	1,8	514	12,	174	¹ 3	,963	9	?6
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)								<u>.</u>						
Turbellaria														
Tricladida														
Planariidae	195	7	351	12	32	<1	17	1	69	<1	16	<1		
Nematoda (nematodes)	2	<1	4	<1	-				_					
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1	1	<1	8	<1	_				8	<1	1	<1
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	_		_		32	<1	1	<1	20	<1	_		9	1
Lymnaeidae														
Lymnaea			_		_				_				1	<1
Physidae														
Physa	18	<1	_		_		_				_		2	<1
Planorbidae														
Gyraulus			_		_		_		_		_		1	<1
Helisoma			_		8	<1	3	<1	1	<1	_		_	
Bivalvia														
Veneroida														
Sphaeriidae	_		_		16	<1	53	4	30	<1			_	
Pisidium	_				_		_				5	<1	_	
Annelida (segmented worms)														
Oligochaeta	_				_		_				_		_	
Lumbriculida														
Lumbriculidae	_		_		_		_		_				3	<1
Tubificida														
Naididae	110	4	190	7					7,200	60	960	24	300	32
Tubificidae	380	13	190	7	1,400	33	7	<1	120	1	27	<1	_	
Hirudinea														
Pharyngobdellida														
Erpobdellidae			_		8	<1	1	<1	1	<1	_		_	
Rhynchobdellida														
Glossiphoniidae	1	<1	_								_		_	
Arthropoda (arthropods)														
Acariformes		_		_	_					_				_
Hydrachnidia	1	<1	4	<1	8	<1	1	<1	4	<1	_		78	8
Crustacea														
Cyclopoida			_		_		_		_		_		1	<1
Amphipoda														
Gammaridae	_				_	_								
Gammarus	2	<1	_		8	<1	_		_		_		_	
Isopoda														
Asellidae				_		_	~~	_		_				_
Caecidotea	1,000	34	18	<1	180	4	93	6	51	<1	_		1	<1
Decapoda														
Cambaridae	_	_	1	<1	_	_	_		_	_	_			
Podocopa	79	3	_		16	<1	4	<1	20	<1	_			

Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 1	7, 1994	Date
3,	033	3,9	951	3,0	046	1,	169	2,	093	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
										Platyhelminthes (flatworms) Turbellaria Tricladida
		4	<1	8	<1	17	1	6	<1	Planariidae
3	<1	9	<1			1	<1	1	<1	Nematoda (nematodes)
										Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
16	<1	17	<1	2	<1	3	<1	2	<1	Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
61	2	16	<1	7	<1	21	2	21	1	Ferrissia
										Lymnaeidae _
_		_		_		_				Lymnaea
										Physidae
_						_				Physa
•	.1					•				Planorbidae
2	<1					1	<1			Gyraulus
		_		_		_				Helisoma
										Bivalvia
•	.4									Venerolda
3	<1	_		_		_				Sphaeriidae
_		_		_		_				Pisidium
						_				Annelida (segmented worms)
_						2	<1	_		Oligochaeta
5	-1									Lumbriculida
3	<1									Lumbriculidae Tubificida
60	•	420	11			220	10	£2	•	
68	2	430	11			230	19	53	3	Naididae
_						_		_		Tubificidae Hirudinea
								1	<1	Pharyngobdellida Erpobdellidae
		_		_				1	<1	Rhynchobdellida
										Glossiphoniidae
		_				_				Arthropoda (arthropods)
										Acariformes
110	4	19	<1	3	<1	28	2	13	<1	Hydrachnidia
110	*	19	\1	3	\1	20	2	13	\1	Crustacea
1	<1									Cyclopoida
1	\1	_		_		_				Amphipoda
										Gammaridae
1	<1			1	<1	_				Gammarus
-	~1			•	~1					Isopoda
										Asellidae
_				1	<1	_		_		Caecidotea
_ _				1	~1					Decapoda Decapoda
_						_		_		Cambaridae
12	<1	2	<1	5	<1	_		_		Podocopa
14	~1	2	~1	3	\1	_		_		1 одосора

Table 5. Benthic-macroinvertebrate data—Continued 01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

Date	Oct. 26,	1983	Oct. 11	1, 1984	Oct. 2	8, 1985	Oct. 10	6, 1986	Nov. 1	5, 1987		3, 1988	Oct. 2	1989
Total count	2,86	59	2,8	374	4,2	236	1,5	514	12,	174	1 3	,963	9	?6
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
nsecta														
Ephemeroptera														
Baetidae														
Baetis	_		3	<1	_		1	<1	_		_			
Pseudocloeon			_				_		_		_		_	
Ephemerellidae														
Ephemerella	_						_		_		3	<1	2	<1
Heptageniidae														
Stenonema	3	<1	1	<1	_		3	<1	1	<1	21	<1	3	<1
Isonychiidae														
Isonychia	_													
Leptohyphidae														
Tricorythodes	3	<1	_		_		1	<1	_		3	<1	4	<1
Odonata														
Coenagrionidae														
Argia	_						2	<1			_			
Enallagma							_		_		_		1	<1
Plecoptera														
Capniidae														
Allocapnia	_				_									
Megaloptera														
Corydalidae														
Corydalus	_								1	<1				
Sialidae														
Sialis					_		_		_					
Trichoptera														
Glossosomatidae														
Glossosoma							_							
Helicopsychidae														
Helicopsyche														
Hydropsychidae														
Ceratopsyche	11	<1	430	15	8	<1	110	7	60	<1	260	7	58	6
Cheumatopsyche	16	<1	63	2	0	-1	28	2		~1	160	4	9	1
Hydropsyche	40	1	140	5	_		490	33	750	6	1,500	38	220	23
Hydroptilidae	70		140	3	_		470	33	750	U	1,500	30	220	23
Hydroptila					8	<1			17	<1			72	8
Leucotrichia	_		2	<1		\1			17	_1	_		12	0
Leptoceridae			2	<1			_		_				_	
Oecetis														
							_		_		_			
Psychomylidae														
Psychomyia	_						_		_		_		_	
Lepidoptera														
Pyralidae			_	. 4										
Petrophila	_		3	<1	_		_		_		_		_	

Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 1	7, 1994	Date
3,0	033	3,9	951	3,0	046	1,	169	2,0	093	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
			***************************************							Insecta
										Ephemeroptera
										Baetidae
2	<1	4	<1	9	<1	_		6	<1	Baetis
_		_		2	<1	1	<1	1	<1	Pseudocloeon
										Ephemerellidae
_		1	<1	3	<1	1	<1			Ephemerella
										Heptageniidae
10	<1	4	<1	22	<1	3	<1	3	<1	Stenonema
										Isonychiidae
_				1	<1			_		Isonychia
										Leptohyphidae
9	<1	3	<1	14	<1	1	<1	5	<1	Tricorythodes
										Odonata
										Coenagrionidae
1	<1			_				1	<1	Argia
		_		_						Enallagma
										Plecoptera
										Capniidae
				_		1	<1	_		Allocapnia
										Megaloptera
										Corydalidae
_						_		2	<1	Corydalus
								_		Sialidae
_		_				1	<1			Sialis
						•	~~			Trichoptera
										Glossosomatidae
		1	<1	1	<1	_				Glossosoma
		•	~1	•	~1					Helicopsychidae
								7	<1	Helicopsyche
								,	~1	Hydropsychidae
340	11	780	20	250	8	140	12	450	21	Ceratopsyche
54	2	44	1	2.50	0	23	2	98	5	Cheumatopsyche
1,100	37	1,200	30	690	22	47	4	290	14	Hydropsyche
1,100	31	1,200	30	050	22	٠,	7	290	17	Hydroptilidae
55	2	24	<1	10	<1	10	<1	25	1	Hydroptila
2	<1	1	<1	4	<1	2	<1	5	<1 <1	Leucotrichia
2	~1	1	~1		\1	2	\1	3	_1	
2	<1					2	ار			Leptoceridae
2	<1	_				2	<1	_		Oecetis Developmentidae
1	.1	1	-1	4	_1			1	1	Psychomylidae
1	<1	1	<1	4	<1			1	<1	Psychomyla
										Lepidoptera
										Pyralidae
_						_				Petrophila

Table 5. Benthic-macroinvertebrate data—Continued

01476848 - East Branch Chester Creek below Goose Creek near West Chester, Pa. (Site 51)—Continued

Date	Oct. 2	6, 1983	Oct. 1	1, 1984	Oct. 2	B, 1985	Oct. 10	6, 1986	Nov. 1	5, 1987	Nov. 3	3, 1988	Oct. 2	1989
Total count	2,8	369	2,8	374	4,2	236	1,5	514	12,	174	13	,963	9	26
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Coleoptera				-		~								
Curculionidae			1	<1					_					
Dytiscidae	1	<1					_				_		_	
Elmidae														
Ancyronyx	_		_		_		1	<1	_				3	<1
Dubiraphia	_		_		8	<1	_		_				1	<1
Optioservus	1	<1	3	<1	_		2	<1	1	<1	13	<1	4	<1
Oulimnius	_		_				_				_		6	<1
Promoresia					_						_			
Stenelmis	4	<1	30	1	72	2	25	2	44	<1	170	4	22	2
Hydrophilidae														
Berosus	_		_				_		_		_			
Psephenidae														
Psephenus	_		-						_				1	<1
Hymenoptera	_		2	<1	8	<1	1	<1	_		_			
Diptera														
Chironomidae	920	32	950	33	1,100	26	590	39	2,900	24	440	11	55	6
Empididae														
Clinocera	_				_		_		_					
Hemerodromia	1	<1	18	<1	16	<1	2	<1	24	<1	8	<1	28	3
Simuliidae														
Simulium	75	3	470	16	1,300	31	78	5	860	7	340	9	32	3
Tipulidae														
Antocha			_						_		29	<1	8	<1
Hexatoma	_		_										_	
Tipula	_								_					

¹ Extrapolated from a 3/8 subsample.

Oct. 2	5, 1990	Oct. 2	2, 1991	Oct. 2	2, 1992	Oct. 2	6, 1993	Oct. 1	7, 1994	Date
3,0	033	3,9	951	3,	046	1,	169	2,0	093	Total count
Count	Percent	Organism								
										Coleoptera
_				_				_		Curculionidae
		_		_		_		_		Dytiscidae
										Elmidae
		3	<1			_		4	<1	Ancyronyx
				_		1	<1	1	<1	Dubiraphia
7	<1	54	1	18	<1	33	3	19	<1	Optioservus
3	<1	1	<1	1	<1	6	<1	_		Oulimnius
		_						1	<1	Promoresia
30	4	180	5	98	3	110	9	120	6	Stenelmis
										Hydrophilidae
		3	<1	_						Berosus
										Psephenidae
2	<1							1	<1	Psephenus
										Hymenoptera
										Diptera
830	28	1,000	25	1,300	42	370	31	810	39	Chironomidae
										Empididae
								1	<1	Clinocera
18	<1	24	<1	2	<1	4	<1	16	<1	Hemerodromia
										Simuliidae
110	4	58	1	410	13	17	1	83	4	Simulium
										Tipulidae
74	2	68	2	180	6	93	8	45	2	Antocha
				_				1	<1	Hexatoma
1	<1	_								Tipula

Table 5. Benthic-macroinvertebrate data—Continued

'[<, less than; —, not found]

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)

Date	Oct. 3	0, 1981	Oct. 2	0, 1982	Nov.	1, 1983	Oct. 1	9, 1984	Oct. 2	5, 1985	Oct. 3	0, 1986	Nov. 1	7, 1987
Total count	8	36	1,	295	1,	368	9	32	1,	007	1,0	025	4,	223
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)		-									"	· · · · · · · · · · · · · · · · · · ·		-
Turbellaria														
Tricladida														
Planariidae	95	11	46	4	11	<1			27	3	4	<1	25	<1
Nematoda (nematodes)											_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			-		-									
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amnicola									_				_	
Basommatophora														
Ancylidae														
Ferrissia	1	<1	3	<1	1	<1			1	<1			1	<1
Planorbidae														
Gyraulus														
Bivalvia														
Veneroida														
Sphaeriidae														
Pisidium									_					
Annelida (segmented worms)														
Oligochaeta			_						11	1				
Lumbriculida									**	•				
Lumbriculidae														
Tubificida	_		_		_				_		_			
Naididae	29	3	84	6							5	<1	1,300	31
Arthropoda (arthropods)	25	3	04	U							3	<1	1,500	31
Acariformes														
	45	5	65	5	2	<1	2	<1	4	<1	4	<1		
Hydrachnidia Crustacea	43	3	03	3	2	<1	2	<1	*	<1	*	<1	_	
Amphipoda														
Gammaridae														
Gammarus			_						_				1	<1
Isopoda														
Asellidae			_	_	_	_								
Caecidotea	_		2	<1	2	<1							1	<1
Podocopa					_								_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis					1		2	<1	_		1	<1		
Pseudocloeon			_		1	<1	2	<1	8	<1	_		_	
Ephemerellidae														
Ephemerella			_		_		_		_				3	<1
Heptageniidae														
Epeorus	_		_		_				_		_		_	
Stenacron	_				_		_		_					
Stenonema	12	1	10	<1	13	<1	7	<1	2	<1	19	2	11	<1
Isonychiidae												_		
Isonychia	_		_		_		1	<1	5	<1	5	<1	5	<1
y							*	~-		~-	,	~~	-	7.

Nov. 8	3, 1988	Oct. 3	1, 1989	Nov.	1, 1990	Nov. 1	4, 1991	Nov. 1	6, 1992	Nov. 2	4, 1993	Nov. 3	3, 1994	Date
1 2	,624	1,	797	1,	492	2,	007	2,	514	2,	090	1,	779	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	t Organism
								······································						Platyhelminthes (flatv/orms) Turbellaria Tricladida
0	2	52	3	180	12	28	1	190	8	89	4	20	1	Planariic'ae
v	-	2	<1	100	12	20	•	130	Ü	00	7	3	<1	Nematoda (nematodes)
_		2	<1					_		_		3	<1	Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
-		2	<1	_				_		-				Prostoma Mollusca (molluscs) Gastropoda
														Mesogastropoda Hydroblidae
								1	<1					Amnicola
•				_		_		1	<1	_		_		Basommatophora Ancylida
-		_		_		_		_		_		5	<1	Ferri~sia
														Planorbidae
-		_		_		_		1	<1	_		3	<1	Gyravdus
														Bivalvia Veneroida Sphaeriidae
	<1	_		_		_				_		_		Pisidium
		_		_		_		_		_		_		Annelida (segmented worms) Oligochaeta
														Lumbriculida
-		1	<1	_		_		1	<1		_	_	_	Lumbriculidae Tubificida
1	<1	61	3	5	<1	84	4	160	6	140	7	170	9	Naididae Arthropoda (arthropods) Acariformes
i	<1	9	<1	4	<1	4	<1	250	10	37	2	15	<1	Hydrachnidia Crustacea
														Amphipoda
					.1			-	-1		.1			Gammar'dae
-				1	<1	_		5	<1	1	<1	_		<i>Gam∙narus</i> Isopoda Asellida∈
_		1	<1			_		3	<1	_		_		Caec'dotea
-		_	-	_				1	<1	-		_		Podocopa Insecta
														Ephemeroptera Baetidae
—		1	<1	1	<1	_		4	<1	_		_		Baetis
_		11	<1	_		_		_						Pseudocloeon
.,	. 4		_					100	_	20	_	_	_	Ephemer ellidae
16	<1	52 1	3 <1			15	<1	180	7	39	2	2	<1	<i>Ephemerella</i> Heptageniidae <i>Epeo</i> ~is
_			~1	_		_		_		_		1	<1	
11	<1	41	2	2	<1	31	2	44	2	17	<1	48	3	
5	<1	6	<1	_		3	<1			1	<1	5	<1	

Table 5. Benthic-macroinvertebrate data—Continued
01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)—Continued

Date	Oct. 30	, 1981	Oct. 20	0, 1982	Nov. 1	, 1983	Oct. 19	9, 1984	Oct. 2	5, 1985	Oct. 3	0, 1986	Nov. 1	7, 1987
Total count	83	16	1,2	295	1,3	368	93	32	1,0	007	1,0	025	4,2	223
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera														
Leptohyphidae														
Tricorythodes			1	<1									_	
Leptophlebiidae	_				_		_							
Odonata														
Coenagrionidae														
Argia	3	<1	1	<1	_		_				_		_	
Plecoptera														
Capniidae														
Allocapnia			-		_				1	<1	_		1	<1
Nemouridae											_		_	
Taeniopterygidae														
Taeniopteryx	_		1	<1	1	<1	6	<1	10	1	5	<1		
Hemiptera														
Veliidae														
Rhagovelia	_				1	<1	_		_		_		_	
Trichoptera														
Brachycentridae														
Micrasema			_				_				_			
Glossosomatidae														
Glossosoma	_								_					
Hydropsychidae														
Ceratopsyche	51	6	42	3	360	26	140	15	220	22	180	18	37	<1
Cheumatopsyche	10	1	4	<1	44	3	30	3	48	5	7	<1	29	<1
Hydropsyche	36	4	45	3	260	19	34	4	44	4	60	6	270	6
Hydroptilidae														
Hydroptila	_		3	<1			_		7	<1	12	1	_	
Leucotrichia	130	15	330	25	310	22	3	<1	11	1	3	<1	_	
Leptoceridae														
Mystacides			_				_							
Philopotamidae														
Chimarra			_				_						_	
Psychomyiidae														
Psychomyla	_						_						_	
Coleoptera														
Dryopidae														
Helichus	1	<1			_						_			
Elmidae														
Dubiraphia	_		_		_		_				_		_	
Macronychus			1	<1	_		_		_		_			
Microcylloepus			_		_				-		_		1	<1
Optioservus	56	7	28	2	17	1	4	<1	14	1	5	<1	43	1
Oulimnius	_		_		_				_		_			
Stenelmis	10	1	8	<1	_				3	<1	_		2	<1
Hydrophilidae	1	<1					1	<1					_	
Berosus			1	<1			_							
Psephenidae														
Psephenus	_		_				_				_		1	<1
Hymenoptera			_		_		_		1	<1	2	<1		
Diptera														
Chironomidae	280	33	500	38	170	12	530	56	450	45	430	43	1,900	45
Empididae														
Hemerodromia	16	2	32	2	1	<1	_		2	<1	1	<1		
Muscidae														
Limnophora			1	<1	_				_					

Nov. 8,		***************************************	1, 1989	Nov. 1			4, 1991	_	5, 1992	Nov. 2			, 1994	Date
1 2,6		1,7		1,4		2,0		2,5			090		779	Total count
ount I	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeropt ra
														Leptohyphidae
						_		22	<1	1	<1	1	<1	Tricarythodes
		_				_		_				1	<1	Leptoph lebiidae
														Odonata
														Coenagrionidae
_		_		_		_		_						Arg'a
														Plecoptera
														Capnlid **
_		1	<1	_		_				_		_		Allcrapnia
_		1	<1							_		1	<1	Nemouridae
														Taeniop+erygidae
		11	<1			6	<1	1	<1	5	<1	4	<1	Taer lopteryx
														Hemiptera
														Veliidae
_										_		_		Rha novelia
														Trichoptera
														Brachycantridae
_				_						1	<1	_		Micrasema
_								_		•	~1			Glossosomatidae
3	_1					1	_1		<1	2	-1			
3	<1					1	<1	1	<1	Z	<1	_		Glorosoma
050	• •	440	24	220		450	0	450	_	150	•			Hydrop≈ychidae
370	14	440	24	220	15	170	9	150	6	170	8	220	12	Ceratopsyche
140	5	110	6	68	5	35	2	33	1	33	2	42	2	Cheumatopsych
180	7	190	11	150	10	150	8	160	6	160	8	79	4	Hydropsyche
														Hydroptlidae
8	<1	_		6	<1	56	3	170	7	12	<1	21	1	Hydroptila
16	<1	3	<1	7	<1	110	6	12	<1	27	1	_		Leu rotrichia
														Leptoceridae
-		_				_		_				1	<1	Mystacides
														Philopo + amidae
_				1	<1	4	<1	52	2	3	<1	_		Chimarra
														Psychomyiidae
_		3	<1	_		_		1	<1	7	<1	2	<1	Psychomyia
														Coleoptera
														Dryopidae
_		_		_										Helichus
														Elmidae
_		_						1	<1	1	<1			Duhiraphia
		_				_		_	•		-			Marronychus
		_		_				_		_		_		Microcylloepus
40	2	42	2	20	1	14	<1	39	2	59	3	18	1	Optioservus
_	-	1	<1	_	-			_	_	2	<1	2	<1	Ou!imnius
 5	<1	12	<1	2	<1			11	<1	2	<1	3	<1	Stenelmis
	~1		~1		~1	_			~1	۲.	<1		\1	Hydrop hilidae
		_				_		_		_		_		Hydrophilidae <i>Berrsus</i>
		_		_		_		_		_		_		
		•		•						_	_			Psephenidae
		3	<1	2	<1	_				5	<1			Psenhenus
				_		_		_		_		_		Hymenopte ⁻ a
														Diptera
,300	50	410	23	560	37	770	39	650	26	820	39	660	37	Chironomidae
														Empidi ⁴ae
8	<1	22	1	5	<1	12	<1	18	<1	7	<1	19	1	Hemerodromia
														Muscid ™

Table 5. Benthic-macroinvertebrate data—Continued

01478120 - East Branch White Clay Creek at Avondale, Pa. (Site 28)—Continued

Date	Oct. 3	0, 1981	Oct. 2	0, 1982	Nov.	1, 1983	Oct. 1	9, 1984	Oct. 2	5, 1985	Oct. 3	0, 1986	Nov. 1	7, 1987
Total count	8	36	1,	295	1,	368	9	32	1,0	007	1,0	025	4,	223
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Court	Percent
Diptera									*****					
Psychodidae	_								3	<1	_		_	
Telmatoscopus	_		_		_		1	<1			_			
Simuliidae														
Simulium	9	1	13	1	3	<1	19	2	15	2	12	1	52	1
Tipulidae														
Antocha	51	6	74	6	170	12	150	16	120	12	270	27	540	13
Dicranota	_				_		_		_		_			
Tipula	_		_		_				_					

¹ Extrapolated from a 3/8 subsample.

Nov. 8	3, 1988	Oct. 3	1, 1989	Nov.	1, 1990	Nov. 1	4, 1991	Nov. 1	6, 1992	Nov. 2	4, 1993	Nov. 3	3, 1994	Date
1 2	,624	1,	797	1,	492	2,	007	2,	514	2,	090	1,	779	Total connt
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Diptera
_		_								_				Psychod` lae
_		_												Telmatoscopus
														Simuliid
21	<1	38	2	17	1	14	<1	3	<1	9	<1	22	1	Simvlium
														Tipulida:
450	17	270	15	240	16	500	25	350	14	440	21	410	23	Antecha
_				_		_						1	<1	Dicranota
		_		1	<1					_		_		Tipu!a

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01478190 - Middle Branch White Clay Creek near Wickerton, Pa. (Site 29)

Date	Oct. 29	9, 1981	Oct. 2	0, 1982	Nov. 2	2, 1983	Oct. 18	8, 1984	Oct. 2	5, 1985	Dec. 2	2, 1986	Oct. 2	ጉ, 1987
Total count	78	30	1,	697	8	33	1,7	742	1,	265	8	98	1,	314
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)				-								4		
Turbellaria														
Tricladida														
Planariidae	1 60	21	2	<1	10	1	16	<1	24	2	13	1	2	<1
Nematoda (nematodes)	_				_				_				_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			1	<1	1	<1					_		_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia			_		_						1	<1		
Physidae											-			
Physa	_		1	<1	_						_		_	
Planorbidae			•											
Gyraulus					_				_					
Helisoma							_				1	<1		
Mesogastropoda											1	<1		
Hydrobiidae <i>Amnicola</i>														
Aninicoia Bivalvia					_									
Veneroida														
Sphaeriidae					_				_		_			
Pisidium					_									
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae			_		_		_		1	<1				
Tubificida														
Naididae	23	3	-		_		_		5	<1	9	1	11	<1
Tubificidae	_				_		_				_		2	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	9	1	6	<1	2	<1			10	<1			_	
Crustacea														
Cyclopoida	_		_		_				_		_			
Isopoda														
Asellidae														
Caecidotea	4	<1			_				1	<1			3	<1
Insecta														
Ephemeroptera														
Baetidae														
Baetis			1	<1	_		14	<1	6	<1	2	<1	1	<1
Pseudocloeon	_		_		_		2	<1	_					
Ephemerellidae														
Ephemerella					1	<1	2	<1	4	<1	2	<1	6	<1
Heptageniidae														
Epeorus					_								_	
Stenonema	1	<1	6	<1	25	3	32	2	22	2	7	<1		
Isonychiidae	-		-			-		_		-	-			
Isonychia			1	<1	9	1	4	<1	4	<1	3	<1	10	<1
			•		•	-	•		•		•			

	, 1988	Oct. 3	1, 1989	Nov. 9	9, 1990	Nov. 1	3, 1991	Nov. 1	2, 1992	Nov. 2	4, 1993	Nov. 8	3, 1994	Date
¹ 3,	440	1,4	438	2,0	008	2,4	164	1,4	158	8.	29	1,9	912	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count		-
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
3	2	74	5	47	2	39	2	67	4	_		100	5	Planariidae
_		2	<1	1	<1	_								Nematoda (nematodes)
														Nemertea (proboscis vorms)
														Enopla
														Hoplonemertea
														Tetrastem matidae
_		5	<1	3	<1	_						5	<1	Prostoma
												_		Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
_				1	<1	1	<1	1	<1			_		Ferrissia
				•	~*	•	~.	•	~.					Physidae
		_				_		_						Physe
_				_										Planorbic'ae
				1	<1			1	<1					Gyraulus
_					<1			1	<1	_				Helisoma
_				_		_				_				
														Mesogastropcda
										_				Hydrobiidae
-				_						1	<1			Amnicola
														Bivalvia
														Veneroida
-				_		_		1	<1			_		Sphaeriid = e
-				1	<1									Pisidim
														Annelida (segmented worms)
														Oligochaeta
														Lumbriculida
-				1	<1					_		_		Lumbriculidae
														Tubificida
5	<1	150	11	36	2	3	<1	20	1	_		15	<1	Naididae
_				_						_				Tubificidae
														Arthropoda (arthropods)
														Acariformes
_		8	<1	9	<1	9	<1	13	<1	_		19	1	Hydrachnidia
														Crustacea
_		1	<1	_				1	<1					Cyclopoida
														Isopoda
														Asellidae
3	<1	36	3	3	<1			1	<1	1	<1			Caecidotea
														Insecta
														Ephemeroptera
														Baetidae
8	<1	3	<1	11	<1	5	<1	20	1	_				Baetis
_		_		4	<1	_		4	<1					Pseudocloeon
				•	~~			•	~*					Ephemerellidae
16	<1	6	<1	6	<1	4	<1	19	1	3	<1	12	<1	Epherrerella
10	~1	J	~1	U	71	7	_1	19	1	,	_1	12	~1	Heptageniidae
_		1	<1	_								_		Epeorus
21	<1	12	<1	22	1	32	1	25	2	17	2	11	<1	Steno rema
21	\1	12	<1	44	1	34	1	دے	2	17	2	11	\1	Isonychiidae
				-	-1	25		15		_	.4		_1	
_				7	<1	25	1	15	1	5	<1	4	<1	Isonychia

Table 5. Benthic-macroinvertebrate data—Continued
01478190 - Middle Branch White Clay Creek near Wickerton, Pa. (Site 29)—Continued

Date	Oct. 2	9, 1981	Oct. 2	0, 1982	Nov. 2	2, 1983	Oct. 1	8, 1984	Oct. 2	5, 1985	Dec. 2	2, 1986	Oct. 2	9, 1987
Total count	7	80	1,0	697	8	33	1,	742	1,	265	8	98	1,	314
Organism	Count	Percent	Count	Percent	Count	Percen								
Ephemeroptera														
Potamanthidae														
Anthopotamus			_		_		_		_		_			
Plecoptera														
Capniidae														
Allocapnia	_		_						_				1	<1
Megaloptera														
Corydalidae														
Corydalus	_												_	
Nigronia	1	<1	_						1	<1	_		2	<1
Trichoptera														
Apataniidae														
- Apatania	_								_				_	
Glossosomatidae														
Glossosoma							7	<1	2	<1			_	
Hydropsychidae														
Ceratopsyche	21	3	130	8	120	14	460	27	180	14	89	10	35	3
Cheumatopsyche	80	10	440	26	180	21	150	9	64	5	210	23	71	5
Hydropsyche	61	8	600	35	200	24	230	14	110	8	140	15	270	21
Hydroptilidae	-	•	-	-			200			·				
Hydroptila	1	<1	2	<1	3	<1	1	<1	10	<1	5	<1	9	<1
Leucotrichia	_	~,	10	<1	34	4	4	<1	8	<1	18	2	20	2
Leptoceridae			10	~1	34	7	7	~1	0	\1	10	-	20	L
Oecetis Oecetis														
Philopotamidae							_		_		_			
Chimarra								<1	4	.1		-1		
Cilinaria Wormaldia							4	<1	4	<1	5	<1		
									_		_			
Polycentropodidae														
Polycentropus			_						1	<1	_		_	
Psychomyildae														
Psychomyia			_		_		_				_			
Uenoidae														
Neophylax			_		_								_	
Coleoptera														
Dryopidae														
Helichus	_		1	<1	_		_				_		_	
Elmidae														
Ancyronyx	_		_						_		_			
A. varlegata			_		_		_		_		2	<1	_	
Dubiraphia	_		_		_		_				2	<1	_	
Microcylloepus	_		_		_		_		_		_		1	<1
Optioservus	3	<1	18	1	10	1	18	1	34	3	48	5	68	5
Oulimnius	_		_		_				7	<1	2	<1	1	<1
Stenelmis	2	<1	11	<1	_		7	<1	12	<1	22	2	47	4
Psephenidae														
Psephenus					_						1	<1	2	<1
Diptera	_		_		1	<1	_		_		_	-	_	-
Ceratopogonidae			_		_		_						1	<1
Chironomidae	190	24	310	18	110	13	620	36	520	40	140	15	520	40
Empididae	-50					-0								10
Hemerodromia	150	19	15	<1	6	<1	4	<1	34	3	8	<1	1	<1
Simuliidae	130	10	13	~1	v	~1	7	~1	07	•	J	-1	•	~1
Junumae														

	, 1988	Oct. 3	1, 1989	Nov. 9	, 1990	Nov. 1	3, 1991	Nov. 12	2, 1992	Nov. 2	4, 1993	Nov. 8	, 1994	Date
¹ 3,	440	1,4	438	2,0	008	2,	464	1,4	158	8	29	1,9	912	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
														Potaman ⁺ hidae
_		1	<1	_		_		_				_		Anth potamus
														Plecoptera
														Capniida•
		5	<1	_				2	<1			_		Allocapnia
														Megaloptera
														Corydali lae
_		_				_		2	<1	_		_		Corydalus
3	<1							_		_				Nigmaia
•														Trichoptera
														Apataniidae
3	_1													Apatanidae Apatania
3	<1	_				_		_		_				
•														Glossosomatidae
3	<1			_				_		_		_		Glossosoma
														Hydrops/chidae
760	22	210	15	430	22	380	15	220	15	37	4	390	21	Ceratopsyche
450	13	90	6	92	5	140	6	55	4	150	18	170	9	Cheumatopsyche
580	17	260	19	180	9	550	22	280	19	230	28	160	8	Hydropsyche
														Hydroptilidae
210	6	10	<1	120	6	13	<1	34	2	2	<1	54	3	Hydrotila
_		_		4	<1	88	4	84	6	130	16	99	5	Leucytrichia
														Leptoceridae
		_				_		_				1	<1	Oece†!s
														Philopotamidae
_		1	<1	1	<1	28	1	46	3	25	3	88	5	Chim arra
		1	<1	_			-	_			,	_	3	Worraldia
		•	••											Polycentropodidae
				4	<1	2	<1							Polycentropus
		_		•	~1	2	\1			_				Psychomylidae
				5	<1	7	<1	5	<1	1	۔ 1	4	_1	
_		_		3	<1	,	<1	3	<1	1	<1	4	<1	Psychomyla
														Uenoidae
		_		_		_		_				1	<1	Neophylax
														Coleoptera
														Dryopidae
_		_		_				1	<1	_		_		Helichus
														Elmidae
_						-		1	<1	1	<1			Ancyronyx
_		2	<1	_		_						_		A. variegata
								1	<1					Dubi⁻aphia
_		_				_								Microcylloepus
11	<1	7	<1	4	<1	12	<1	17	1	8	1	67	4	Optioservus
_				_		1	<1	_		_		5	<1	Oulimnius
13	<1	1	<1	7	<1	2	<1	3	<1	16	2	23	1	Stenelmis
											-			Psephenidae
5	<1			_		1	<1	2	<1			12	<1	Psephenus
_		_				_				_				Diptera
						_						_		Ceratopogonidae
,000	29	330	24	760	38	890	36	390	26	110	12	390	21	Chironomidae
,000	29	330	24	/00	36	050	30	390	20	110	13	390	21	
•	.1	20	^	_	.4		.4	•	.4	•		•		Empididae
3	<1	28	2	6	<1	8	<1	3	<1	3	<1	9	<1	Hemerodromia
	_		_	_	_		_		_	_	_		_	Simuliidae
110	3	74	5	2	<1	4	<1	14	<1	2	<1	33	2	Simulium

Table 5. Benthic-macroinvertebrate data—Continued

01478190 - Middle Branch White Clay Creek near Wickerton, Pa. (Site 29)—Continued

Date	Oct. 2	9, 1981	Oct. 2	0, 1982	Nov. 2	2, 1983	Oct. 1	8, 1984	Oct. 2	5, 1985	Dec. 2	2, 1986	Oct. 2	ે, 1987
Total count	7	80	1,0	697	8	33	1,	742	1,	265	8	98	1,	314
Organism	Count	Percent												
Diptera														
Tipulidae														
Antocha			110	6	120	14	140	8	200	15	160	18	230	18
Hexatoma														
Tipula	1	<1												

¹ Extrapolated from a 3/8 subsample.

Oct. 3	1, 1988	Oct. 3	1, 1989	Nov. 9	9, 1990	Nov. 1	3, 1991	Nov. 1	2, 1992	Nov. 2	4, 1993	Nov.	3, 1994	Date
1 3	,440	1,4	438	2,0	800	2,	464	1,4	458	8	29	1,	912	Total count
Count	Percent	Count	Percent	Organism										
														Diptera
														Tipulidae
80	5	120	9	240	12	220	9	110	7	87	10	240	13	Anto:ha
3	<1			_		_		_		_		_		Hexatoma
_		_										_		Tipu!a

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01478220 - West Branch White Clay Creek near Chesterville, Pa. (Site 30)

Date	Oct. 2	9, 1981	Oct. 2	0, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 2	5, 1985	Nov. 2	5, 1986	Oct. 2	9, 1987
Total count	1,2	216	2,	270	7	'94	1,	232	8	36	1,	079	1,	665
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Coun	Percent
Cnidaria (cnidarians)										********				
Hydrozoa														
Hydroida														
Hydridae														
Hydra	1	<1			_						_		_	
Platyhelminthes (flatworms) Turbellaria														
Tricladida														
Planartidae	2	<1	2	<1	14	2	1	<1	2	<1	4	<1	1	<1
Nematoda (nematodes)			_											
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_		4	<1	1	<1	5	<1			2	<1
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia			1	<1	_		1	<1	1	<1				
Physidae			•	~,			•	•,	•	~,				
Physa					1	<1								
Planorbidae			_		1	<1								
Helisoma	1	<1												
	1	<1			_				_				_	
Annelida (segmented worms)								.1						
Oligochaeta	_				4	<1	1	<1			_		_	
Lumbriculida									_		_	_		
Lumbriculidae			_						1	<1	1	<1	_	
Tubificida													_	_
Naididae	4	<1			_								8	<1
Arthropoda (arthropods) Acariformes														
Hydrachnidia	14	1	25	1	48	6			6	<1	1	<1	_	
Crustacea														
Isopoda														
Asellidae														
Caecidotea														
Insecta														
Ephemeroptera														
Baetidae														
Baetis	1	<1					19	2			1	<1	5	<1
Pseudocloeon	8	<1	24	1	2	<1	34	3	7	<1			17	1
Caenidae														
Caenis					1	<1	_							
Ephemerellidae					-	-								
Ephemerella	2	<1	2	<1	_		13	1	16	2	27	2	30	2
Heptageniidae	-		-	••				•	- •	-		-	-•	_
Epeorus	_								_					
Stenonema Stenonema	5	<1	19	<1	21	3	29	2	32	4	21	2	65	4
Isonychiidae	•	7.1	1,			•	23		72	*				-
Isonychia	5	<1	7	<1	12	2	14	1	19	2	27	2	110	6
Leptophlebiidae	J	~1	,	~1	16	L	1.4	1	19	L	61	L	110	U
Leptophieondae Habrophlebia									1	1ر				
глаогоршевіа			_				_		1	<1			_	

Oct. 31	1, 1988	Oct. 3	1, 1989	Nov. 9	, 1990	Nov. 1	3, 1991	Nov. 1	6, 1992	Nov. 2	3, 1993	Nov. 3	3, 1994	Date
¹ 2,	,065	1,	114	1,7	794	1,	438	1,	472	1,	270	1,(027	Total count
ount	Percent	Count	Percen											
											-			Cnidaria (cnidarians) Hydrozoa Hydroida Hydridee
						_						_		Hyc'ra Platyhelminthes (flat:worms) Turbellaria Tricladida
8	<1	11	1	18	1			16	1	20	2	5	<1	Planariidae
		2	<1	1	<1			_		5	<1	_		Nematoda (nematodes)
_		2	<1	_				_		5	<1	_		Nemertea (proboscis worms) Enopla Hoplonemertea Tetraste mmatidae
_		6	<1	_		_		2	<1	1	<1	_		Proctoma Mollusca (molluscs) Gastropoda Basommatophora Ancylid 14
-		_		_				1	<1			_		Ferrissia
-		_		1	<1			_		_		-		Physida? <i>Physa</i> Planorb'dae
								_						Heli coma
_		_		_						_		_		Annelida (segmentec' worms) Oligochaeta
		4	<1					4	<1					Lumbriculida Lumbriculidae
_		14	1	8	<1	1	<1	7	<1	6	<1	1	<1	Tubificida Naidida Arthropoda (arthropods)
8	<1	28	3	1	<1	2	<1	24	2	19	1	11	1	Acariformes Hydrachnid a Crustacea
														Isopoda Asellidae
-		1	<1	_		_		_				_		Caeridotea
		_												Insecta Ephemeropt ra Baettdac
3 27	<1	4	<1	_		_	. •	2	<1	3	<1	_		Baetis
1	1	12	1	4	<1	3	<1	1	<1	2	<1	2	<1	Pseudocloeon Caenida
-				_				_		_		_		<i>Caenis</i> Ephemerellidae
5	2	30	3	40	2	15	1	160	11	67	5	6	<1	<i>Eph~merella</i> Heptag∈niidae
		1	<1	3	<1	3	<1			2	<1	2	<1	Eperrus
0	5	77	7	67	4	34	2	87	6	21	2	22	2	Steronema
10	7	16	1	40	2	28	2	37	2	19	1	15	2	Isonychiidae Isonychia Lantovklahiidaa
				_				_		_		_		Leptophlebiidae Hab∽phlebia

Table 5. Benthic-macroinvertebrate data—Continued
01478220 - West Branch White Clay Creek near Chesterville, Pa. (Site 30)

Date	Oct. 2	9, 1981	Oct. 20	0, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 2	5, 1985	Nov. 2	25, 1986	Oct. 2	ទ 1987
Total count	1,	216	2,2	270	7	794	1,	232	8	36	1,	079	1,	የ ዓ5
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Odonata														
Aeshnidae														
Boyeria	_		-		1	<1	_		1	<1	_		_	
Plecoptera														
Capniidae														
Allocapnia	_				_		_		2	<1	2	<1	4	<1
Chloroperlidae	_		_		-		_		_		_			
Nemouridae	_		_		_		_				_		_	
Peltoperlidae														
Peltoperla			1	<1	_				_					
Taeniopterygidae														
Taenlopteryx			1	<1	_		_		1	<1	3	<1	6	<1
Hemiptera														
Corixidae					_		_						_	
Megaloptera														
Corydalidae														
Corydalus			1	<1	-		_		_		_		-	
Nigronia	1	<1	2	<1	1	<1	1	<1					-	
Trichoptera														
Apataniidae														
Apatania	-		_				_		_		_		_	
Brachycentridae														
Micrasema	_				_		_		_				_	
Glossosomatidae														
Glossosoma	_		3	<1	2	<1	6	<1	2	<1	5	<1	1	<1
Hydropsychidae														
Ceratopsyche	340	28	110	5	58	7	130	11	140	17	190	17	210	12
Cheumatopsyche	200	17	140	6	4	<1	100	8	47	6	110	10	130	8
Hydropsyche	72	6	110	5	32	4	110	9	56	7	210	19	250	15
Hydroptilidae														
Hydroptila	2	<1	1	<1	1	<1			6	<1	1	<1	19	1
Leucotrichia	10	<1	1,400	61	110	14	450	38			160	15	220	13
Leptoceridae														
Oecetis	_				_				_				_	
Philopotamidae														
Chimarra	_		1	<1			4	<1	8	1	12	1	9	<1
Dolophilodes	_						_		1	<1	_		_	
Wormaldia	_				_		_		_		-			
Polycentropodidae														
Neureclipsis	_												_	
Polycentropus	_		_				_		1	<1	_			
Psychomyiidae														
Psychomyla			_						_		_			
Uenoidae														
Neophylax	_				_						_			
Coleoptera														
Elmidae														
Ancyronyx	_				1	<1	_				2	<1	_	
Dubiraphia	_					~1			-		_	74	_	
Microcylloepus	_		_				_		_				_	
Optioservus	13	1	17	<1	18	2	27	2	26	3	29	3	9	<1
Oulimnius	13	1	17	~1	10	L	1	<1	26 7	<1	2 9	-3 -<1	_	~1
Stenelmis	1	<1	2	<1	1	<1	5	<1 <1	3	<1 <1	1	<1 <1	4	<1
Psephenidae	1	<1	2	<1	1	<1	J	<1	J	<1	1	<1	4	<1
Psephenus									1	<1			1	<1
rsepnenus	_		_				_		1	<1	_		1	<1

Oct. 3	1, 1988	Oct. 3	1, 1989	Nov. 9	9, 1990	Nov. 1	3, 1991	Nov. 1	6, 1992	Nov. 2	3, 1993	Nov.	3, 1994	Date
1 2	,065	1,	114	1,	794	1,	438	1,	472	1,	270	1,	027	Total count
Count	Percent	Count	Percent	Organism										
														Odonata
														Aeshnidae
-		_		_		_		_		_		_		Boyeri?
														Plecoptera
														Capniidae
3	<1	15	1	6	<1	9	<1	8	<1	2	<1	-		Allocannia
-						2	<1	1	<1	_		1	<1	Chloroperlidae
_		7	<1	-		_		_		_		-		Nemouridae
														Peltoperlidae
_		-		_		_		_		_				Peltoperla
														Taeniopterygidae
3	<1	_		3	<1	12	<1	7	<1	18	1	3	<1	Taeniooteryx
														Hemiptera
_		_						1	<1	_				Corixidae
														Megaloptera
														Corydalid •
-				_		_		_				_		Corydalus
		1	<1	_		2	<1	2	<1			_		Nigronia
														Trichoptera
														Apataniid 🙅
_		5	<1	-		_		_		_		_		Apatania
														Brachycentridae
5	<1	-				_		_		_		_		Micra~ma
														Glossosomatidae
_		7	<1	8	<1	1	<1	8	<1	2	<1	2	<1	Glossc soma
														Hydropsychidae
360	17	210	19	290	16	150	11	160	11	160	12	270	27	Ceratcpsyche
100	5	64	6	140	8	31	2	45	3	15	1	78	8	Cheumatopsyche
270	13	83	8	130	7	270	19	160	11	97	7	92	9	Hydroosyche
														Hydroptil dae
5	<1	1	<1	52	3	4	<1	3	<1	_		5	<1	Hydrootila
580	28	75	7	350	19	280	20	150	10	16	1	6	<1	Leucotrichia
														Leptoceridae
_		_		_		1	<1	-		2	<1	_		Oeceti ^{<}
														Philopotamidae
21	1	23	2	14	<1	6	<1	25	2	50	4	10	1	Chimerra
		_		_		_		_		_		_		Dolop rilodes
_		1	<1	-		_		_		_		_		Worm ⁻ ≀dia
														Polycentropodidae
		_		1	<1	5	<1	2	<1	1	<1	_		Neure:lipsis
		_		-		_		-		_		1	<1	Polycentropus
														Psychomyiidae
		_		_						1	<1	1	<1	Psychomyia
														Uenoldae
		_		2	<1			10	<1	1	<1	_		Neophylax
														Coleoptera
														Elmidae
		_		-		_				-		_		Ancyr~nyx
_		_				_		1	<1	-		_		Dubiraphia
3	<1			-				-		_		_		Micro :ylloepus
13	<1	27	2	10	<1	6	<1	47	3	10	<1	3	<1	Optior ervus
		7	<1	1	<1	1	<1	4	<1	2	<1	_		Oulimnius
3	<1	5	<1	1	<1			3	<1	2	<1	2	<1	Stenelmis
														Psephenicae
		7	<1	2	<1	_		1	<1	2	<1	1	<1	Psephanus
														=

Table 5. Benthic-macroinvertebrate data—Continued
01478220 - West Branch White Clay Creek near Chesterville, Pa. (Site 30)

Date	Oct. 2	9, 1981	Oct. 2	0, 1982	Nov. 2	2, 1983	Oct. 1	8, 1984	Oct. 2	5, 1985	Nov. 2	5, 1986	Oct. 2	9, 1987
Total count	1,	216	2,	270	7	94	1,	232	8	36	1,	079	1,6	665
Organism	Count	Percent	Court	Percent										
Diptera	···													
Athericidae														
Atherix														
Chironomidae	340	28	260	11	240	30	170	14	410	49	94	9	290	17
Empididae														
Clinocera														
Hemerodromia	27	2	11	<1	8	1	3	<1	3	<1	11	1	11	<1
Simuliidae														
Simulium	130	11			_		2	<1	3	<1	8	<1	3	<1
Tipulidae														
Antocha	37	3	130	6	210	26	110	9	28	3	150	14	260	15
Tipula														

¹ Extrapolated from a 3/8 subsample.

Oct. 3	1, 1988	Oct. 3	1, 1989	Nov. 9	9, 1990	Nov. 1	3, 1991	Nov. 1	6, 1992	Nov. 2	3, 1993	Nov.	3, 1994	Dato
1 2	,065	1,	114	1,	794	1,	438	1,	472	1,	270	1,	027	Total count
Count	Percent	Count	Percent	Organ'sm										
														Diptera
														Athericidae
_		_		_						1	<1	_		Athrix
240	11	240	22	450	25	470	34	350	23	580	45	190	1 9	Chironc midae
														Empididae
										3	<1			Clirocera
5	<1	48	4	10	<1	11	<1	17	1	9	<1	8	<1	Hemerodromia
														Simuliidae
3	<1	14	1	1	<1	6	<1	6	<1	33	3			Simulium
														Tipulidae
120	6	67	6	140	8	84	6	120	8	98	8	290	29	Ant~cha
		1	<1	_		1	<1			_				Tipula

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)

Date	Oct. 3	0, 1981	Nov.	1, 1982	Nov.	1, 1983	Oct. 1	9, 1984	Oct. 1	8, 1985	Nov. 1	8, 1986	Oct. 3	0, 1987
Total count	2	11	7	777		84	4	68	3	26	1	07	2	67
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Court	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	16	7	110	14	8	10	_		6	2	8	8	17	6
Nematoda (nematodes)	_		_		_		4	1			_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1	25	3	9	11	1	<1	12	4	3	3	_	
Nematomorpha					_						_			
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	_		1	<1	8	10	37	8	110	33	6	6	35	13
Lymnaeidae														
Lymnaea	_		_		2	3	_		1	<1	_			
Physidae														
Physa	_		_		1	2					_		1	<1
Planorbidae														
Gyraulus	_				_						_			
Helisoma	1	<1	_		_				1	<1	_		3	1
Bivalvia														
Veneroida														
Sphaeriidae														
Pisidium	_				_								_	
Annelida (segmented worms)														
Oligochaeta	-		_		_		130	28			—			
Lumbriculida														
Lumbriculidae	_		_				_						_	
Tubificida														
Naididae	_		_						6	2	3	3	78	29
Tubificidae	_		3	<1	_								—	
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	1	<1	24	3					2	<1	3	3	15	6
Crustacea														
Cladocera	_		_		_		_		_		_			
Cyclopoida	_				_		_				_			
Amphipoda														
Gammaridae														
Gammarus	_				_		—							
Isopoda														
Asellidae														
Caecidotea	_		3	<1			_		_		_			
Podocopa	_		110	14			_				_			
Insecta														
Ephemeroptera														
Baetidae														
Baetis	_						_				_		_	
Pseudocloeon			_		_						_		_	
Ephemerellidae														
Ephemerella					_		_				_		_	
27														

Nov.	8, 1988	Oct. 3	0, 1989	Oct. 3	1, 1990	Nov. 7	7, 1991	Oct. 2	7, 1992	Nov. 2	2, 1993	Nov. 8	3, 1994	Date
5	46	7	58	1,8	843	4	24	4	10	8	34	9:	22	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	•
25	5	11	1	12	<1	_		2	<1	3	<1	_		Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae
_	J	2	<1	1	<1 <1			_	•	2	<1 <1	6	<1	Nematoda (nematode: Nemertea (proboscis vvorms) Enopla Hoplonemert ∘a Tetrastemmatidae
		8	1	12	<1	_		_		11	1	9	1	Prostoma
_		1	<1	_		_		_		_	•	_	•	Nematomorpha Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
32	6	26	3	83	5	18	4	36	9	13	2	24	3	Ferri~la
														Lymnaeidae
11	2	_		3	<1			_		_		_		Lymnaea
0	•													Physidae
8	2	_		_		_		_		_		_		<i>Ph</i> ysa Planorbidae
				13	<1			_				_		Fianoroidae Gyravlus
7	1	_		_	~1	_						_		Helis ma
•	-													Bivalvia
														Veneroida
														Sphaertidae
		_		2	<1	_		_		_		_		Pisid*um
_				_		_		2	<1					Annelida (segmented worms) Oligochaeta
														Lumbriculida
_		2	<1	5	<1			_		-		_		Lumbriculidae Tubificida
46	8	42	5	9	<1	240	56	_		230	27	160	17	Naididae
		_		_		1	<1	_		4	<1	_		Tubificidae Arthropoda (arthropods)
														Acariformes
87	16	68	9	210	12	11	3	4	1	4 7	6	40	4	Hydrachnidia Crustacea
_				_		_		_		_		1	<1	Cladocera
_		_		_		_		_		1	<1	1	<1	Cyclopoida Amphipoda Gammar`dae
_		_		_		_		41	10	3	<1	_		Gam narus Isopoda
_		3	<1	4	<1	1	<1	2	<1					Asellidae <i>Caec'dotea</i>
_		_	~ 1	_	\1		<1	_	<1	_		2	<1	Podocopa
						-						2	ζ1	Insecta Ephemeroptera Baetidae
_		4	<1	_		_		_		5	<1	_		Baetis
_		1	<1	_		_		_		_	71	1	<1	Pseudocloeon Ephemerellidae
2	<1	9	1	4	<1	_		_		3	<1	1	<1	Ephemer andae Ephemerella

Table 5. Benthic-macroinvertebrate data—Continued
01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

Date	Oct. 3	0, 1981	Nov.	1, 1982	Nov. 1	1, 1983	Oct. 1	9, 1984	Oct. 1	8, 1985	Nov. 1	8, 1986	Oct. 3	0, 1987
Total count	2	11	7	77	8	34	4	68	3	26	1	07	2	67
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera													Ì	
Heptageniidae														
Stenonema			_		_		_		1	<1			_	
Isonychiidae														
Isonychia	_		_		_		_		-		1	1	_	
Leptohyphidae														
Tricorythodes	_		_		_		_		_				_	
Odonata														
Coenagrionidae	_				1	2			-				_	
Plecoptera														
Capniidae														
Allocapnia	_		_		_				-		_		_	
Taeniopterygidae														
Taeniopteryx	_		_		—				-		_		_	
Hemiptera														
Veliidae														
Microvelia			_		-		_		2	<1				
Megaloptera														
Corydalidae														
Nigronia	_		_				_				_		_	
Trichoptera														
Brachycentridae														
Brachycentrus			_		_								_	
Glossosomatidae														
Glossosoma									-		_		_	
Hydropsychidae														
Ceratopsyche			2	<1	4	5	_		-				_	
Cheumatopsyche	2	1	_						7	2	_		1	<1
Hydropsyche	_				_		_		_				_	
Hydroptilidae														
Hydroptila					_		_				_			
Leucotrichia					_		_							
Polycentropodidae														
Polycentropus	_										_		_	
Psychomylidae														
Psychomyia	_								_		_		_	
Coleoptera														
Elmidae														
Ancyronyx														
A.variegata	_				_						_			
Dubiraphia			_						_		1	1	1	<1
Macronychus			_				_		_		_	-	1	<1
Optioservus	4	2	3	<1	7	8	8	2	20	6	22	20	8	3
Oulimnius	_	-	_			•	_	-	2	<1			1	<1
Stenelmis	1	<1	2	<1	_		1	<1	3	1	_		_	
Psephenidae	•		_	~1			•	~1	,	•				
Psephenus							_		1	<1	_		_	
Diptera										~1			_	
Chironomidae	130	59	310	40	36	40	240	51	130	39	59	54	78	29
Empididae	130	33	210	70	50	70	270	31	130	39	39	J-4	73	47
Clinocera			_		_						_		_	
Hemerodromia	1	<1	44	6	4	5	5	1	3	1	_		5	2
Muscidae			44	U	4	J	3	1	3	1			J	2
Limnophora	1	<1	_		_		_		_		_		_	

Nov.	8, 1988	Oct. 3	0, 1989	Oct. 31	1, 1990	Nov.	7, 1991	Oct. 2	7, 1992	Nov. 2	2, 1993	Nov.	8, 1994	Date
5	46	7	58	1,8	343	4	24	4	10	8	34	9)22	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
								_		_				Heptageniidae
		11	1	2	<1			2	<1	3	<1			Stenenema
														Isonychii-tae
_		2	<1					_		_		-		Isonychia
														Leptohyphidae
_				2	<1	_		_		_		_		Tricorythodes
														Odonata
_		_		_				_		_				Coenagrinnidae
														Plecoptera
														Capniida•
_		1	<1	_				_				_		Allocapnia
														Taeniopterygidae
_		1	<1	_		_		_				_		Taen:'opteryx
														Hemiptera
														Veliidae
								_						Microvelia
														Megaloptera
														Corydalidae
						_				1	<1			Nignaia
														Trichoptera
														Brachycentridae
		_		_				_				1	<1	Brachycentrus
												•	~-	Glossosomatidae
		2	<1			_		_		_				Glossosoma
		-	~1											Hydropsychidae
3	<1	130	17	28	2	2	<1			18	2	8	<1	Ceratopsyche
1	<1	41	5	11	<1	4	1	_		19	2	4	<1	
1	\1	100	13	17	<1	21	5	170	41	23	3	11	1	Cheumatopsyche
_		100	13	17	<1	21	3	170	41	23	3	11	1	Hydrosyche
		2	<1					2	<1	1	<1		<1	Hydroptilidae
_		2		_		_		2	<1	1	<1	1	<1	Hydrotila Leventelahia
_		1	<1			_		_		_		_		Leucrtrichia
			.4											Polycentropodidae
_		1	<1	_				_		_		_		Polycentropus
		_	_											Psychomyiidae
_		1	<1	_		_				_		_		Psychomyta
														Coleoptera
														Elmidae
												_		Ancyronyx
_		_		_		_		_		1	<1	2	<1	A.variegata
1	<1	1	<1	1	<1	_		_		2	<1	1	<1	Dubiraphia
_		_		_		_		_		_		_		Macronychus
15	3	16	2	10	<1	2	<1	8	2	9	1	10	1	Optioservus
_		7	<1	_						_		1	<1	Oultranius
3	<1	11	1	11	<1	2	<1	2	<1	3	<1	2	<1	Stenelmis
														Psepheni-lae
		4	<1							2	<1	—		Psephenus
														Diptera
67	12	98	13	1,200	67	100	23	56	14	300	36	530	57	Chironomidae
														Empididae
				_		_		_		2	<1	_		Clinocera
8	2	45	6	6	<1	2	<1	_		9	1	15	2	Hemrodromia
														Muscidae
_				_				_		_		_		Limrophora

Table 5. Benthic-macroinvertebrate data—Continued
01479680 - West Branch Red Clay Creek at Kennett Square, Pa. (Site 27)—Continued

Date	Oct. 3	0, 1981	Nov.	1, 1982	Nov.	1, 1983	Oct. 1	9, 1984	Oct. 1	8, 1985	Nov. 1	8, 1986	Oct. 3	0, 1987
Total count	2	11	7	77		34	4	68	3	26	1	07	2	67
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Diptera											-11			
Simuliidae														
Simulium	53	24	140	18	4	5	6	1	18	5	1	1	20	7
Stratiomyldae													_	
Tipulidae	_													
Antocha	_						36	8	1	<1			3	1
Tipula	_													

Nov. 8	3, 1988	Oct. 3	0, 1989	Oct. 3	1, 1990	Nov. 7	7, 1991	Oct. 2	7, 1992	Nov. 2	2, 1993	Nov. 8	3, 1994	Date
5	46	7	58	1,8	343	4	24	4	10	8	34	9	22	Total count
Count	Percent	Organism												
												***		Diptera
														Simuliidae
220	40	6	<1	110	6	6	2	8	2	33	4	10	1	Simuli~m
_		_		_				_		1	<1	_		Stratiomyidae
_		_		1	<1	_						_		Tipulidae
10	2	100	13	85	5	14	3	75	18	85	10	81	9	Antocha
		_		1	<1							_		Tipula

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)

Date	Oct. 3	0, 1981	Nov.	1, 1982	Nov.	1, 1983	Oct. 19	9, 1984	Oct. 1	8, 1985	Nov. 1	8, 1986	Nov. 1	7, 1987
Total count	1,0	055	2	:85	5	77	2,3	375	6	27	;	34	Ę	577
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Court	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	6	<1	3	1	5	<1	_		1	<1				
Nematoda (nematodes)											_			
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	16	1	11	4	8	1	2	<1	9	2				
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	53	5	28	10	2	<1	6	<1	17	3	1	4	5	<1
Physidae	00	•	20	10	-		•	~.	••	Ū	•	•	Ů	••
Physa	59	5	9	3	1	<1	1	<1					1	<1
Planorbidae	33	,	3	3	•	~1		-1					•	~1
Helisoma	2	<1												
	2	<1												
Annelida (segmented worms)							2 000	00						
Oligochaeta							2,000	83						
Tubificida		_		_	_	_				_	_			_
Naididae	30	3	10	3	5	<1			19	3	1	4	38	7
Tubificidae					_								_	
Arthropoda (arthropods)														
Acariformes					_					_				
Hydrachnidia	39	4	11	4	3	<1	7	<1	50	8	1	4	3	<1
Crustacea														
Cyclopoida					-		_		_				_	
Amphipoda														
Crangonyctidae														
Crangonyx			_				_		-		_		_	
Isopoda														
Asellidae														
Caecidotea							_		_				1	<1
Podocopa	1	<1	1	<1	1	<1					_		_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	_				_				_		_		_	
Ephemerellidae														
Ephemerella .													2	<1
Heptageniidae														
Stenonema			1	<1									_	
Odonata			-											
Calopterygidae														
Hetaerina	_													
Coenagrionidae			_		_				_				_	
					1	<1								
Argia					1	<1							_	
Plecoptera														
Taeniopterygidae												4		
Taeniopteryx	_		_		_		_		_		1	4	_	

Nov. 8	3, 1988	Oct. 3	0, 1989	Nov. 1	1, 1990	Nov. 7	7, 1991	Oct. 2	7, 1992	Nov. 2	2, 1993	Nov. 8	, 1994	Date -
	20		45		652		00)54		61		98	Total count
ount	Percent	Count	Percent											
														Platyhelminthes (flat vorms)
														Turbellaria
														Tricladida
		_		_		-		9	<1	4	<1	21	2	Planariidae
-		2	<1	3	<1	_		4	<1	_		_		Nematoda (nematod %)
														Nemertea (proboscis worms)
														Enopla
														Hoploneme tea
														Tetrastemmatidae
_		2	<1	9	<1	4	<1	16	1	11	1	_		Pro etoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylic ¹ ae
3	<1	5	1	32	1	35	5	12	1	14	2	29	3	Ferrissia
														Physidae
1	<1	_		_				_				1	<1	Physa
•	~-											-	7-	Planort 'dae
_								_						He¹isoma
_		_		_		_		_		_		_		Annelida (segmente worms)
_		_		_		_		_		_		_		Oligochaeta
_			_			_			•	400				Tubificida
1	6	27	5	58	2	5	<1	86	8	120	16	3	<1	Naidid 19
1	<1	_		_		-		_		_		_		Tubific'dae
														Arthropoda (arthropods)
														Acariformes
3	4	48	9	130	5	10	1	56	5	63	8	6	<1	Hydrachnidia
														Crustacea
_		1	<1	_				5	<1	1	<1	2	<1	Cyclopoida Cyclopoida
														Amphipod [¬]
														Crangonyctidae
_		_		_				_		5	<1	_		Crangonyx
														Isopoda
														Asellic'ae
_		_		12	<1	_						_		Ca~cidotea
_		_		2	<1	_				_		_		Podocopa
		-		-	74			-						Insecta
														Ephemeroptera
		_		_				1	<1					Baetid₁e <i>B</i> aetis
		_				_		1	<1	_				
		•	.1						.1	•	.1	2	.1	Ephemerellidae
-		2	<1			_		2	<1	3	<1	2	<1	Ephemerella
											_			Heptageniidae
-		_		3	<1	_		1	<1	4	<1	3	<1	Stenonema
														Odonata
														Calopterygidae
-		-		_		_		_		1	<1	_		H + taerina
														Coenagrionidae
_		-		_		_		-		_				Angia
														Plecoptera
														Taenicoterygidae
														Taeniopteryx

Table 5. Benthic-macroinvertebrate data—Continued
01479800 - East Branch Red Clay Creek near Five Point, Pa. (Site 26)—Continued

		0, 1981		1, 1982		1, 1983		9, 1984		8, 1985	1101. 1	8, 1986		7, 1987
Total count	1,	055	2	85	5	77	2,	375	6	27	3	34	5	77
Organism	Count	Percent	Count	Percent	Count	Percen								
Hemiptera													, , , , , ,	
Veliidae														
Rhagovelia			_											
Megaloptera														
Corydalidae														
Nigronia							_		1	<1	1	4	3	<1
Trichoptera														
Glossosomatidae														
Glossosoma														
Hydropsychidae														
Ceratopsyche			31	11	400	68	1	<1					_	
Cheumatopsyche			6	2	25	4							1	<1
Hydropsyche			3	1	_		_		2	<1			14	2
Hydroptilidae														
Hydroptila	_				_		-							
Leucotrichia	_								1	<1				
Philopotamidae														
Chimarra											_		_	
Coleoptera														
Dryopidae														
Helichus	1	<1											_	
Elmidae														
Ancyronyx	-				_									
A.variegata														
Dubiraphia														
Optioservus	3	<1	6	2	12	2	17	<1	23	4	13	34	5	<1
Oulimnius									1	<1			1	<1
Stenelmis							1	<1					1	<1
Hydrophilidae														
Berosus													_	
Psephenidae														
Ectopria														
E. nervosa									1	<1				
Psephenus													2	<1
Hymenoptera									2	<1	1	4		-
Diptera	2	<1							_	-		-	_	
Athericidae	_													
Atherix					2	<1					_			
Chironomidae	280	25	110	38	68	12	250	10	390	62	12	32	210	36
Empididae														
Chelifera	_													
Clinocera	_													
Hemerodromia	63	6	15	5	8	1	1	<1	24	4			2	<1
Simuliidae	00	3	15	3	U	1	•	~1	LT	-7			-	~1
Simulium	500	45	35	12	25	4	6	<1	24	4	1	4	230	40
Tipulidae	550	-10	00	15	20	7	U	~1	-T	-7	•	7	200	-10
Antocha	_		5	2	10	2	83	3	62	10	2	7	58	10
ALILUCI I A			J	L	10	<1	00	J	UL	10	L	,	30	10

Nov.	3, 1988	Oct. 3	0, 1989	Nov. 1	, 1990	Nov. 7	7, 1991	Oct. 2	7, 1992	Nov. 2	2, 1993	Nov. 8	3, 1994	Date
9	20	5	45	2,0	552	7	00	1,0	054	7	61	9	98	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organis ^m
								*****						Hemiptera
														Veliidae
_				_				2	<1	_				Rhagavelia
														Megaloptera
														Corydalidae
_		1	<1			3	<1	3	<1	_		_		Nigrenia
														Trichoptera
														Glossosomatidae
				1	<1	_		_				3	<1	Gloss ~soma
														Hydropsychidae
		2	<1	1	<1	1	<1	2	<1	23	3	24	2	Ceratrosyche
		1	<1	1	<1	_	~*	_	~1	4	<1	9	<1	Cheumatopsyche
		•	~1		~1	2	<1	6	<1	43	6	4	<1	Hydransyche
						L	<1	U	<1	43	O	*	<1	
								1	-1					Hydropti ¹⁴ dae
								1	<1	_				Hydroptila
_				_		_								Leucetrichia
														Philopota midae
_				_				1	<1			_		Chimarra
														Coleoptera
														Dryopida∘
						_						_		Helichus
														Elmidae
_				_								2	<1	Ancyronyx
1	<1					_		_		_				A.varlegata
_		_						2	<1			1	<1	Dubiraphia Dubiraphia Dubiraphia Dubiraphia Dubiraphia
27	3	21	4	22	<1	26	4	73	7	46	6	13	1	Opticservus
_	-	_	-	3	<1		-	2	<1	1	<1		_	Oulimnius
		1	<1	6	<1	1	<1	9	<1	14	2	2	<1	Stene ¹ mis
		•	-1	ŭ	~1	•	\1	3	\1	17		L	~1	Hydroph'lidae
									.4					
				_				1	<1	_		_		Berosus
														Psephenidae
														Ectopria
								_						Γ. nervosa
_				_		1	<1	2	<1	_		2	<1	Pseph enus
				_		_				_		_		Hymenoptera
		_		_				_						Diptera
														Athericid **
						_		_				_		Atherix
90	21	89	16	1,600	59	440	63	530	48	280	36	510	51	Chironomidae
														Empididae
_				8	<1			_		2	<1			Cheli ^ra
_					-			_		2	<1			Clino~ra
8	<1	38	7	130	5	3	<1	46	4	32	4	11	1	Hemerodromia
Ü	~1	50	'	130	J	J	~1	10	-7	32	-1	11	•	Simuliida
60	61	270	49	570	21	70	10	52	5	42	5	200	20	Simulida 4 Simulium
UU	01	210	49	3/0	21	70	10	32	ð	42	ð	200	20	
45	-		•	C 1	•	00		100	10	45	c	150	15	Tipulidae
45	5	34	6	61	2	98	14	130	12	45	6	150	15	Antocha
_		1	<1			1	<1	_		1	<1			Tipula

Table 5. Benthic-macroinvertebrate data—Continued [<, less than; —, not found]

01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)

Date	Nov. 2	2, 1981	Oct. 2	7, 1982	Nov. 4	, 1983	Oct. 3	0, 1984	Oct. 2	1, 1985	Nov. 1	7, 1986	Oct. 2	2, 1987
Total count	5	51	1,	086	1,2	241	1,0	052	1,7	711	6	46	1,	278
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	-		8	<1	_				4	<1	6	<1	3	<1
Nematoda (nematodes)	_		-						_		_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		-		1	<1	-				-	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	8	2	37	3	28	2	4	<1	5	<1	9	1	1	<1
Lymnaeidae														
Lymnaea	_				-				_		1	<1	_	
Physidae														
Physa	-				_				2	<1	2	<1		
Bivalvia														
Veneroida														
Sphaerlidae			_								_		1	<1
Pisidium			_						_				_	
Annelida (segmented worms)														
Oligochaeta														
Tubificida														
Naididae			1	<1					2	<1			3	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	_		_		1	<1	2	<1	4	<1	2	<1	25	2
Crustacea					_		_				_			_
Decapoda														
Cambaridae														
Cambarus	_		_		1	<1								
Podocopa	_		_			~2					_			
Insecta														
Ephemeroptera														
Baetidae														
Baetis			1	<1	1	<1	3	<1	14	<1	1	<1	2	<1
Pseudocloeon			2	<1	_	_1	3	<1	9	<1		-1	11	<1
Caenidae			2	~ 1			J	~1	9	\1			11	\1
Caenis													1	<1
Ephemerellidae	_				_						_		1	< 1
Ephemerella	15	9	20	•	20	2	24	2	51	3	25	4	81	6
	15	3	28	3	28	2	24	2	31	3	23	4	01	0
Heptageniidae	•		14		•		07	•						
Epeorus	3	<1	14	1	9	<1	27	2	_		_	. 1	_	
Stenacron		1.4		10				•			1	<1		7
Stenonema	80	14	110	10	50	4	62	6	63	4	54	8	92	7
Isonychiidae		_		_		_		_		_	٠.			_
Isonychia	44	8	87	8	27	2	26	2	92	5	64	10	86	7
Leptohyphidae														
Tricorythodes	_		_				_		_				4	<1
Leptophlebiidae	_										-			

Oct.	5, 1988	Oct. 1	0, 1989	Oct. 1	6, 1990	Nov. 1	8, 1991	Oct. 3	0, 1992	Nov. 1	5, 1993	Oct. 1	1, 1994	Date
1,	182	1,3	399	1,	020	1,	793	1,	376	6	65	1,4	471	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	Organism
					***									Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
1	<1	1	<1	_		2	<1	3	<1	_		_		Planarlid 10
		3	<1	_		_		2	<1	_		2	<1	Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemert a
		_												Tetraster matidae
_		1	<1	_		_		_				1	<1	Prostama
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
						10				•	_			Ancylida?
1	<1	2	<1	8	<1	10	<1	15	1	8	1	16	1	Ferri via
														Lymnaeidae
_		-		_		1	<1			1	<1	_		Lymraea
														Physidae
_		_		_		_		_		_				Physa
														Bivalvia
														Veneroida
_		_		_										Sphaeriidae
_		3	<1	_						_				Pisid*um
														Annelida (segmented worms)
														Oligochaeta Tubificida
		5	<1					4	<1			17	1	Naididae
_		J	_1	_				7	~1			17	1	Arthropoda (arthropods)
														Acariformes
		6	<1			9	<1	18	1	5	<1	19	1	Hydrachnidia
		Ū	~1			J	~1	10	•	J	~1	15	•	Crustacea
														Decapoda
														Cambaridae
										_		_		Cambarus
_								1	<1					Podocopa
								-						Insecta
														Ephemeroptera
														Baetidae
110	9	57	4	4	<1	_		6	<1			29	2	Baeti [©]
3	<1	3	<1	_		1	<1	3	<1			4	<1	Pseu-locloeon
														Caenidae
_		_		_		_		_						Caenis
														Ephemer~llidae
12	1	54	4	47	5	43	2	110	8	35	5	18	1	Ephemerella
														Heptageniidae
5	<1	50	4	15	2	1	<1	17	1	2	<1	5	<1	Epearus
_				_				_						Stenacron
32	3	80	6	38	4	33	2	68	5	3	<1	54	4	Stenonema
														Isonychiidae
34	3	20	1	19	2	5	<1	6	<1	-		8	<1	Isonychia
														Leptohyphidae
_		_				_				_		_		Tricorythodes
_						_		1	<1	_				Leptophlebiidae

Table 5. Benthic-macroinvertebrate data—Continued
01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

Date	Nov.	2, 1981	Oct. 2	7, 1982	Nov.	4, 1983	Oct. 3	0, 1984	Oct. 2	1, 1985	Nov. 1	7, 1986	Oct. 2	2, 1987
Total count	5	551	1,	086	1,	241	1,	052	1,	711	6	46	1,	278
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Coun	Percent
Odonata														
Coenagrionidae														
Argia					2	<1			_		1	<1		
Plecoptera														
Capniidae														
Allocapnia	2	<1					1	<1	4	<1			7	<1
Chloroperlidae	3	<1	2	<1	1	<l< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>10</td><td><1</td></l<>							10	<1
Nemouridae	2	<1							_					
Perlidae														
Acroneuria			4	<1	2	<l< td=""><td>3</td><td><l< td=""><td>3</td><td><1</td><td></td><td></td><td>3</td><td><1</td></l<></td></l<>	3	<l< td=""><td>3</td><td><1</td><td></td><td></td><td>3</td><td><1</td></l<>	3	<1			3	<1
Agnetina							1	<1						
Paragnetina			3	<1	1	<1			2	<1	1	<1	2	<1
Taeniopterygidae			•		•				_		-		_	•
Strophopteryx	2	<1			2	<1								
	45	8	45	4	10	<1 <1	3	<l< td=""><td>45</td><td>3</td><td>4</td><td><1</td><td>21</td><td>2</td></l<>	45	3	4	<1	21	2
Taeniopteryx	40	6	40	4	10	<1	3	~ 1	40	3	4	<1	41	2
Hemiptera														
Veliidae											_	_		
Microvelia	_				_		_	_			1	<1		
Rhagovelia			_				1	<1			_		_	
Megaloptera														
Corydalidae														
Corydalus	2	<1	2	<1	2	<1	5	<1	1	<1			3	<1
[richoptera														
Apataniidae														
Apatania													2	<1
Brachycentridae														
Micrasema	1	<1	1	<1			1	<1	1	<l< td=""><td>10</td><td>2</td><td></td><td></td></l<>	10	2		
Glossosomatidae														
Glossosoma	1	<1	1	<1	4	<1	3	<1	2	<1	13	2	2	<1
Protoptila		~1		~1	_	~1		~1	_	~-		-		~1
Helicopsychidae													_	
Helicopsyche														
Hydropsychidae				_	100	10	100		050	15	00	1.5	40	
Ceratopsyche	25	4	56	5	120	10	100	9	250	15	99	15	49	4
Cheumatopsyche	100	18	64	6	32	3	90	8	87	5	14	2	12	<1
Hydropsyche	2	<l< td=""><td>7</td><td><l< td=""><td>18</td><td>2</td><td>12</td><td>1</td><td>31</td><td>2</td><td>60</td><td>9</td><td>29</td><td>2</td></l<></td></l<>	7	<l< td=""><td>18</td><td>2</td><td>12</td><td>1</td><td>31</td><td>2</td><td>60</td><td>9</td><td>29</td><td>2</td></l<>	18	2	12	1	31	2	60	9	29	2
Macrostemum			_		_									
Hydroptilidae														
Hydroptila	5	<1	3	<1	1	<l< td=""><td>1</td><td><1</td><td></td><td></td><td>2</td><td><1</td><td>2</td><td><1</td></l<>	1	<1			2	<1	2	<1
Leucotrichia	2	<1	240	22	750	63	420	38	410	24	100	15	240	18
Leptoceridae														
Oecetis									_		_			
Philopotamidae														
Chimarra	19	3	6	<1	18	2	28	3	9	<1	21	3	10	<1
Polycentropodidae		•	-			_		_	_	· -		•		_
Neureclipsis					1	<l< td=""><td>1</td><td><1</td><td></td><td></td><td>1</td><td><1</td><td></td><td></td></l<>	1	<1			1	<1		
Nyctiophylax	1	<1	2	<1	3	<1	1	\1	1	<1	1	<l< td=""><td>_</td><td></td></l<>	_	
	1	<1	1		ა	<1	_		1	<1 <1	1	<1		
Polycentropus	_		1	<1					1	<1				
Psychomylidae				_				_		_			_	
Psychomyla	20	4	4	<1			13	1	14	<1	1	<1	7	<1
Uenoidae														
Neophylax	_						_		-		1	<l< td=""><td></td><td></td></l<>		
Lepidoptera														
Noctuidae			-										1	<1
Archanara	_													

Oct. 5	5, 1988	Oct. 1	0, 1989	Oct. 1	6, 1990	Nov. 1	8, 1991	Oct. 3	0, 1992	Nov. 1	5, 1993	Oct. 1	1, 1994	Date
1,	182	1,	399	1,0	020	1,	793	1,	376	6	65	1,	471	Total count
Count	Percent	Organism												
				-										Odonata
														Coenagrionidae
								-		1	<1			Argi≀
														Plecoptera
														Capniidae
1	<1	1	<1			2	<1			7	1			Allocapnia
		-		2	<1	6	<1	15	1	3	<1	2	<1	Chloroperlidae
						-		_		_				Nemouridae Perlidae
2	<1	5	<1	3	<1			5	<1					Acroneuria
		_		1	<1	4	<1	5	<1	_		2	<1	Agnetina
3	<1					2	<1							Para _l :netina
														Taeniopterygidae
				_				_		18	3			Strophopteryx
27	2	4	<1	3	<1	10	<1	2	<1	1	<1	5	<1	Taeniopteryx
														Hemiptera
														Veliidae
		_								_				Microvelia
3	<1			_						_				Rhagovelia
														Megaloptera
														Corydali lae
2	<1	1	<1	_		_				1	<1			Cory dalus
														Trichoptera
														Apataniidae
		_		5	<1	17	<1	30	2	11	2	3	<1	Apatania
														Brachycentridae
		5	<1	13	1	22	1	26	2	20	3	34	2	Micrasema
														Glossosomatidae
		6	<1	1	<1			9	<1	2	<1	1	<1	Glossosoma
		1	<1			2	<1			1	<1			Protentila
														Helicops chidae
_		-		_		_		2	<1	1	<1	_		Helic∼osyche
														Hydropsychidae
96	8	170	12	120	12	180	10	75	5	66	10	49	3	Ceratopsyche
26	2	36	3	34	3	110	6	51	4	24	4	33	2	Cheumatopsyche
17	1	31	2	4	<1	110	6	70	5	13	2	120	8	Hydr∩osyche
_		1	<1			1	<1	-		_		_		Macr~stemum
														Hydroptilidae
				3	<1	2	<1							Hydrotila
610	51	260	19	410	41	50	3	260	19	130	19	390	26	Leucrtrichia
														Leptoceridae
						1	<1							Oecetis
														Philopotemidae
25	2	30	2	14	1	13	<1	24	2	6	<1	2	<1	Chimarra
														Polycentropodidae
				1	<1	_								Neur≅lipsis
_		_				1	<1	_						Nyct'ophylax
_				1	<1			1	<1					Polycentropus
														Psychomylidae
2	<1	4	<1	11	1	3	<1	4	<1	6	<1	20	1	Psychomyia
														Uenoidas
										_				Neophylax
														Lepidoptera
										_				Noctuida ^o
		2	<1			_				_		-		Archanara

Table 5. Benthic-macroinvertebrate data—Continued
01480434 - West Branch Brandywine Creek at Rock Run, Pa. (Site 37)—Continued

Date	Nov. 2	2, 1981	Oct. 2	7, 1982	Nov.	4, 1983	Oct. 3	0, 1984	Oct. 2	1, 1985	Nov. 1	7, 1986	Oct. 2	2, 1987
Total count	5	51	1,0	086	1,	241	1,	052	1,	711	6	46	1,	278
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Coleoptera	·													
Elmidae														
Microcylloepus	_				_		_		_				_	
Optioservus	6	1	2	<1	21	2	11	1	7	<1	10	2	19	1
Oulimnius									_		_			
Promoresia	1	<1	_						2	<1	7	1	2	<1
Stenelmis	1	<1	4	<1	1	<1			4	<1	11	2	4	<1
Psephenidae														
Psephenus	1	<1	_		11	<1					1	<1	2	<1
Diptera														
Ceratopogonidae	_		_		_				_					
Chironomidae	1 20	21	280	25	82	7	180	16	500	29	96	15	530	41
Empididae														
Chelifera	_		_		_				_				_	
Hemerodromia	1	<1	5	<1	2	<1	2	<1	1	<1	2	<1	2	<1
Simuliidae														
Simulium	4	<1	2	<1	2	<1	9	<1	55	3	8	1	5	<1
Tipulidae														
Antocha	35	6	64	6	10	<1	15	1	35	2	16	2	4	<1

Oct. 5	, 1988	Oct. 1	0, 1989	Oct. 1	6, 1990	Nov. 1	8, 1991	Oct. 3	0, 1992	Nov. 1	5, 1993	Oct. 1	1, 1994	Date
1,	182	1,	399	1,0	020	1,	793	1,3	376	6	65	1,	471	Total count
Count	Percent	Organism												
														Coleoptera
														Elmidae
4	<1					3	<1					1	<1	Microcylloepus
12	1	9	<1	7	<1	8	<1	30	2	12	2	26	2	Optioservus
_		5	<1			1	<1	1	<1	2	<1			Oulimnius
_						25	1	17	1	1	<1	3	<1	Promoresia
5	<1	2	<1	13	1	40	2	8	<1			9	<1	Stenelmis
														Psephenidae
14	1	23	2	3	<1	2	<1	7	<1	16	2	18	1	Psephenus
														Diptera
								1	<1					Ceratopogonidae
110	9	470	34	180	18	1,000	56	390	28	210	31	490	33	Chironomidae
														Empididae
_						1	<1							Chelifera
2	<1	12	<1	1	<1	3	<1	9	<1	4	<1	6	<1	Hemerodromia
														Simuliidae
13	1	11	<1	1	<1	4	<1	16	1	2	<1	5	<1	Simulium
														Tipulidae
10	<1	25	2	58	6	65	4	64	5	53	8	79	5	Antocha

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01480629 - Buck Run at Doe Run, Pa. (Site 46)

Date	NOV. :	5, 1981		8, 1982		8, 1983	Oct. 3	1, 1984	Oct. 2	9, 1985	Oct. 30	0, 1986	Nov. 1	9, 1987
Total count	1,	026	11	,647	11	,846	12	,272	1,0	091	1,7	769	1,	644
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	23	2	11	<1	24	1	13	<1	91	8	8	<1	88	5
Nematoda (nematodes)	_		-		_				_				5	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1					3	<1	8	<1				
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	13	1	53	3	29	2	19	<1	89	8	51	3	5	<1
Lymnaeidae														
Lymnaea									_		_			
Physidae														
Physa			_						_		_			
Planorbidae														
Gyraulus					_									
Helisoma											8	<1	1	<1
Bivalvia							_				Ū	~1	•	~1
Veneroida														
Sphaeriidae											7	<1	2	<1
Spriaei IIdae Pisidium	_		5	<1	3	<1	_				•	\1	L	\1
Sphaerium			3	~1	3	~1	3	<1	_		_			
•	_						3	<1						
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae									_		_			
Tubificida		_				_							_	
Naididae	21	2			16	<1			_				2	<1
Tubificidae	_		_						_				1	<1
Arthropoda (arthropods)														
Acariformes							_		_				_	
Hydrachnidia	_		_				3	<1	2	<1	_		8	<1
Crustacea														
Cyclopoida							_		_		_			
Isopoda														
Asellidae														
Caecidotea	1	<1	8	<1			_		2	<1	-		_	
Podocopa	_				_		_		_		_			
Insecta														
Ephemeroptera														
Baetidae														
Baetis			3	<1	_				_					
Pseudocloeon	2	<1	_				13	<1	44	4	5	<1		
Ephemerellidae														
Ephemerella	7	<1			43	2	37	2	46	4	21	1	39	2
Heptageniidae														
Epeorus			_						_					
Stenonema	180	18	130	8	88	5	59	3	41	4	19	1	32	2

	4, 1988	NOV.	7, 1989	Oct. 1	7, 1990	Oct. 3	1, 1991	Oct. 1	6, 1992	Nov.	8, 1993	Nov. 1	4, 1994	Date -
¹ 2,	,070	1,	353	1,8	804	1,	756	1,	432	1,	403	2,	602	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
77	4	6	<1	30	2	32	2	44	3	51	4	34	1	Planariidae
_				5	<1	_				_				Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
_		1	<1	8	<1			3	<1	6	<1	_		Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
27	1	52	4	130	7	22	1	16	1	4	<1	7	<1	Ferrissia
														Lymnaeidae
_		1	<1											Lymnaea
														Physidae
				6	<1	1	<1							Physa
														Planorbidae
5	<1	1	<1	4	<1			2	<1	_				Gyraulus
						_								Helisoma
														Bivalvia
														Veneroida
_						_				12	<1	4	<1	Sphaeriidae
11	<1	4	<1			2	<1			_				Pisidium
				7	<1			16	1					Sphaerium
														Annelida (segmented worms)
														Oligochaeta
														Lumbriculida
		1	<1					1	<1			_		Lumbriculidae
														Tubificida
_				20	1									Naididae
		_								_				Tubificidae
														Arthropoda (arthropods)
														Acariformes
_		3	<1	38	2	1	<1	26	2	9	<1	5	<1	Hydrachnidia
														Crustacea
		_		1	<1									Cyclopoida
														Isopoda
														Asellidae
_		1	<1					1	<1	_				Caecidotea
_		_		3	<1	_						1	<1	Podocopa
														Insecta
														Ephemeroptera
														Baetidae
13	<1			10	<1	_		4	<1	1	<1			Baetis
_		6	<1	8	<1	1	<1	1	<1	_				Pseudocloeon
														Ephemerellidae
100	5	18	1	38	2	100	6	280	20	90	6	120	5	Ephemerella
														Heptageniidae
_		_								2	<1	4	<1	Epeorus
	3	44	3	81	5	27	2	57	4	15	1	36	1	-r

Table 5. Benthic-macroinvertebrate data—Continued
01480629 - Buck Run at Doe Run, Pa. (Site 46)—Continued

Date	Nov.	5, 1981	Oct. 2	8, 1982	Oct. 2	8, 1983	Oct. 3	1, 1984	Oct. 2	9, 1985	Oct. 3	0, 1986	Nov. 1	9, 1987
Total count	1,4	026	1 1	,647	1 1	,846	12	,272	1,	091	1,	769	1,	644
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Ephemeroptera														
Isonychiidae														
Isonychia	7	<1	80	5	69	4	110	5	68	6	170	9	16	<1
Leptohyphidae														
Tricorythodes	_		_				_							
Odonata														
Coenagrionidae					_	_								
Argia	_				3	<1			_		1	<1	1	<1
Aeshnidae														
Boyeria			_		_		_		1	<1	-		_	
Gomphidae	-		_				_		_		_			
Plecoptera														
Capniidae														
Allocapnia							_		_				1	<1
Chloroperlidae	-		_								1	<1	_	
Perlidae	_		_		_				_			~1		
			_		_				_		_		_	
Taeniopterygidae										_	_	_	_	
Taeniopteryx	-		_						1	<1	4	<1	6	<1
Hemiptera														
Veliidae														
Rhagovelia	1	<1	_		_		_		_		_		_	
Megaloptera														
Corydalidae														
Corydalus			_				_		_					
Trichoptera														
Apataniidae														
-														
Apatania			_		_		_		_				1	<1
Brachycentridae														
Micrasema					_				_				_	
Glossosomatidae														
Glossosoma	_		_		_		11	<1	_		1	<1		
Protoptila					_				_					
Hydropsychidae														
Ceratopsyche	120	12	110	6	110	6	310	13	190	17	220	12	76	4
Cheumatopsyche	21	2	3	<1	5	<1	3	<1	12	1	8	<1	6	<1
Hydropsyche			_	~1	8	<1	8	<1	18	2	91	5	110	6
			_		0	~1	0	~1	10	L	91	J	110	U
Hydroptilidae	_				_						_		_	
Hydroptila	5	<1	_		3	<1	_		_		1	<1	2	<1
Leucotrichia	400	40	900	53	1,300	72	980	43	87	8	870	48	710	42
Leptoceridae														
Mystacides			_		_		_		_		_		-	
Oecetis					_									
Philopotamidae														
Chimarra	_		_		3	<1	13	<1	1	<1	5	<1		
Dolophilodes			_		_	~-			_	••	1	<1	_	
Polycentropodidae									_		1	~1		
Neureclipsis	_		_				_				_		_	
Polycentropus	_		-				_		_		_		_	
Psychomyiidae														
Psychomyia	_		_		_		-		-		_		_	
Uenoidae														
Neophylax			_						_				_	
Lepidoptera														
Noctuidae														
Archanara					_		_				_		_	
Archanara			_		_		_		_					

Nov. 1	4, 1988	Nov.	7, 1989	Oct. 1	7, 1990	Oct. 3	1, 1991	Oct. 1	6, 1992	Nov. 8	3, 1993	Nov. 1	4, 1994	Date
1 2	,070	1,	353	1,	804	1,	756	1,	432	1,4	403	2,0	502	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
	,													Ephemeroptera
00		60		22	2	22	1	24	2	25	2	50	•	Isonychiidae
88	4	60	4	32	2	23	1	34	2	35	3	50	2	Isonychia
				2	<1	1	<1							Leptohyphidae
_		_		2	~ 1	1	<1			_				Tricorythodes Odonata
														Coenagrionidae
3	<1			4	<1	1	<1	2	<1					Argia
J	~1			•	~1	•	~1	-	~.					Aeshnidae
_		_		_										Boyeria
_				_				_		1	<1	_		Gomphidae
										-				Plecoptera
														Capniidae
_		_		_		_								Allocapnia
_		_		_		1	<1							Chloroperlidae
				_		_				_		1	<1	Perlidae
														Taeniopterygidae
11	<1			1	<1	_		1	<1	1	<1	1	<1	Taeniopteryx
														Hemiptera
														Veliidae
						_				_				Rhagovelia
														Megaloptera
														Corydalidae
		1	<1			_				1	<1			Corydalus
														Trichoptera
														Apataniidae
				_		_				_				Apatania
														Brachycentridae
		_		_		1	<1			_				Micrasema
														Glossosomatidae
8	<1	3	<1	11	<1	-		1	<1	3	<1	_		Glossosoma
_		-		1	<1	-		_				_		Protoptila
														Hydropsychidae
140	7	120	9	170	9	78	4	110	8	140	10	70	3	Ceratopsyche
11	<1	6	<1	11	<1	3	<1	1	<1	7	<1	33	1	Cheumatopsyche
200	10	180	13	220	12	190	11	85	6	82	6	890	34	Hydropsyche
_				_				•	_					Hydroptilidae
5	<1 25	4	<1	6	<1 22	1	<1	3	<1		20		0.4	Hydroptila
740	35	670	48	420	23	980	54	480	34	510	36	630	24	Leucotrichia
		1	<1					24	2					Leptoceridae <i>Mystacide</i> s
3	-1		<1	_	<1			2	<1	_	-1		-1	Oecetis
3	<1			1	<1			2	<1	1	<1	1	<1	Philopotamidae
27	1	2	<1	2	<1	53	3	24	2	85	6	72	3	Chimarra
21	1	۷.	<1	2	~1	33	3	_	2		U	12	3	Dolophilodes
_				_		_		_				_		Polycentropodidae
3	<1	_		12	<1			1	<1	1	<1	_		Neureclipsis
3	<1	1	<1	15	<1				~.		~,	_		Polycentropus
•		•	~.									-		Psychomylidae
_		_		1	<1			_		1	<1	1	<1	Psychomyia
				•	••					*		•		Uenoidae
				_						2	<1			Neophylax
										-				Lepidoptera
		1	<1			*****								Noctuidae
_		_	-					1	<1			_		Archanara
								-	-					

Table 5. Benthic-macroinvertebrate data—Continued

01480629 - Buck Run at Doe Run, Pa. (Site 46)—Continued

Date	Nov. 8	5, 1981	Oct. 2	8, 1982	Oct. 2	8, 1983	Oct. 3	1, 1984	Oct. 2	9, 1985	Oct. 3	0, 1986	Nov. 1	9, 1987
Total count	1,	026	11	,647	11	,846	1 2	,272	1,	091	1,	769	1,	644
Organism	Count	Percent												
Coleoptera		-									. "	****		,
Elmidae														
Ancyronyx			_		_								_	
Dubiraphia	_				-		-		_				_	
Optioservus	3	<1	5	<1			8	<1	6	<1	4	<1	1	<1
Oulimnius													_	
Stenelmis	_		3	<1	_		3	<1			_		_	
Psephenidae														
Psephenus									_				_	
Diptera														
Chironomidae	140	14	170	10	88	5	290	13	190	17	55	3	270	16
Empididae														
Hemerodromia	1	<1	5	<1			3	<1	3	<1			1	<1
Ephydridae									_		_		_	
Simuliidae														
Simulium	28	3	51	3	3	<1	290	13	41	4	160	9	190	11
Stratiomyldae	-		_											
Tipulidae														
Antocha	52	5	110	6	51	3	93	4	150	14	58	3	70	4
Tipula					_									

¹ Extrapolated from a 3/8 subsample.

Date	4, 1994	Nov. 1	, 1993	Nov. 8	5, 1992	Oct. 16	, 1991	Oct. 31	7, 1990	Oct. 17	', 1989	Nov. 7	4, 1988	Nov. 1
Total count	502	2,6	103	1,4	32	1,4	'56	1,7	304	1,8	353	1,3	070	1 2
Organism	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Coleoptera				****										
Elmidae														
Ancyronyx	<1	5												_
Dubiraphia			<1	1				_	<1	1	<1	1		
Optioservus	<1	16	2	21	3	48	1	24	<1	14	<1	12	<1	13
Oulimnius					<1	2	<1	2	<1	2		_		
Stenelmis	<1	3	<1	5	<1	11	<1	2				_		
Psephenidae														
Psephenus		_	<1	1				_			<1	1		
Diptera														
Chironomidae	15	390	14	190	7	95	5	84	19	350	4	62	10	210
Empididae														
Hemerodromia			<1	3	<1	3	<1	1	<1	5	1	14		
Ephydridae											<1	1		
Simuliidae														
Simulium	6	150	3	41	1	14	5	85	4	64	3	45	10	220
Stratiomyidae					<1	1								
Tipulidae														
Antocha	3	78	6	81	3	38	2	40	4	68	2	30	4	85
Tipula			-		_				<1	2				

Table 5. Benthic-macroinvertebrate data—Continued [<, less than; —, not found]

01480632 - Doe Run at Springdell, Pa. (Site 45)

Date	Nov.	5, 1981	Oct. 2	8, 1982	Oct. 2	8, 1983	Oct. 3	1, 1984	Oct. 2	9, 1985	Oct. 3	0, 1986	Nov. 1	9, 1987
Total count	¹ 1,	133	¹ 1,	,620	¹ 1,	,405	¹ 1	,608	9	74	7	74	1,	617
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	43	4	16	1	8	<1	16	1	11	1	13	2	27	2
Nematoda (nematodes)					5	<1					-		1	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_				_		1	<1			_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	29	3	11	<1	93	7	_		_		31	4	7	<1
Physidae														
Physa			_		_		_				_		_	
Annelida (segmented worms)														
Oligochaeta	_		_		_		_		1	<1	_			
Lumbriculida														
Lumbriculidae	_		_		3	<1	_				_			
Tubificida														
Naididae	5	<1	11	<1	5	<1	8	<1	_		_		10	<1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			5	<1	3	<1	_		5	<1	_		15	<1
Crustacea														
Cyclopoida	_		_		_									
Podocopa					_								_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	5	<1	3	<1	_		3	<1			1	<1	_	
Pseudocloeon	11	1	16	1	13	<1	8	<1	24	2	7	<1	6	<1
Ephemerellidae														
Ephemerella	37	3	40	3	100	7	56	3	7	<1	7	<1	31	2
Heptageniidae														
Epeorus	_		_				_				_		_	
Stenonema	120	11	59	4	40	3	120	8	21	2	24	3	75	5
Isonychiidae														
Isonychia	72	7	120	8	24	2	40	3	46	5	17	2	42	3
Leptohyphidae														
Tricorythodes					_						_		2	<1
Odonata														
Coenagrionidae														
Argia	3	<1	3	<1					_		_			
Plecoptera	-	_	-	-										
Capniidae														
Allocapnia	_		_				_				_		_	
Taeniopterygidae														
Taeniopteryx					_		3	<1	_		8	1	6	<1
засторы ух					_		•	~1	_		J	•	U	~1

Nov. 1	4, 1988	Nov.	7, 1989	Oct. 1	7, 1990	Oct. 3	1, 1991	Oct. 1	6, 1992	Nov. 8	3, 1993	Nov. 9	9, 1994	Date
1 1	,818	1,	430	1,	752	1,	392	1,	195	1,	229	1,0	300	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
19	1	22 1	2 <1	55	3	11	<l< td=""><td>4</td><td><l< td=""><td>3</td><td><l< td=""><td>5</td><td><l< td=""><td>Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Nematoda (nematodes) Nemertea (proboscis worms) Enopla</td></l<></td></l<></td></l<></td></l<>	4	<l< td=""><td>3</td><td><l< td=""><td>5</td><td><l< td=""><td>Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Nematoda (nematodes) Nemertea (proboscis worms) Enopla</td></l<></td></l<></td></l<>	3	<l< td=""><td>5</td><td><l< td=""><td>Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Nematoda (nematodes) Nemertea (proboscis worms) Enopla</td></l<></td></l<>	5	<l< td=""><td>Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Nematoda (nematodes) Nemertea (proboscis worms) Enopla</td></l<>	Platyhelminthes (flatworms) Turbellaria Tricladida Planariidae Nematoda (nematodes) Nemertea (proboscis worms) Enopla
_		1	<1	_		2	<1	_		4	<l< td=""><td>-</td><td></td><td>Hoplonemertea Tetrastemmatidae Prostoma Mollusca (molluscs) Gastropoda Basommatophora</td></l<>	-		Hoplonemertea Tetrastemmatidae Prostoma Mollusca (molluscs) Gastropoda Basommatophora
50	•	20	•	200	17	co	-	200	1.77	co	-	15		Ancylidae
56	3	28	2	300	17	63	5	200	17	63	5	15	1	<i>Ferrissia</i> Physidae
								_		_		1	<1	Physa
														Annelida (segmented worms)
		-		_		_		1	<1	2	<1	_		Oligochaeta
														Lumbriculida
_				_		_		_		_		_		Lumbriculidae
						1	<l< td=""><td></td><td></td><td>,</td><td>-1</td><td></td><td></td><td>Tubificida Naididae</td></l<>			,	-1			Tubificida Naididae
		_		_		1	<1			1	<1			Arthropoda (arthropods)
														Acariformes
		16	1	34	2	20	1	7	<1	16	1	2	<1	Hydrachnidia
			•		_		-	•	•		-	_	••	Crustacea
_		_								1	<1			Cyclopoida
		1	<1	_		_								Podocopa
														Insecta Ephemeroptera Baetidae
16	<1	2	<1	4	<1	1	<1	2	<1	4	<1	4	<1	Baetis
8	<1	32	2	14	<1	13	<1	23	2	6	<1	_		Pseudocloeon
	_		_				_		_		_	_	_	Ephemerellidae
61	3	100	7	74	4	41	3	4	<1	11	<l< td=""><td>8</td><td><1</td><td>Ephemerella</td></l<>	8	<1	Ephemerella
		4	<1	2	<1			7	<1	36	3			Heptageniidae <i>Epeoru</i> s
270	15	180	13	85	5	58	4	66	6	59	5	120	9	Stenonema
				00	•		•	•••	ŭ	•	ŭ	120	Ū	Isonychiidae
32	2	58	4	21	1	7	<1	19	2	7	<1	50	4	Isonychia
														Leptohyphidae
3	<1	-				_		_						Tricorythodes
														Odonata
														Coenagrionidae
		_		_		_		_		_		_		Argia
														Plecoptera Capniidae
								_		1	<l< td=""><td></td><td></td><td>Capinidae Allocapnia</td></l<>			Capinidae Allocapnia
								-		•	~1	_ -		Taeniopterygidae
24	1	5	<1	11	<1	1	<1	_		_		_		Taeniopteryx

Table 5. Benthic-macroinvertebrate data—Continued 01480632 - Doe Run at Springdell, Pa. (Site 45)

Date		5, 1981		8, 1982		8, 1983		1, 1984		9, 1985		0, 1986	Nov. 1	
Total count	¹ 1,	133	¹ 1,	620	¹ 1,	405	¹ 1,	608	9	74	7	74	1,	617
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Perce
Megaloptera														
Corydalidae														
Corydalus	_				_		_		_		_			
Trichoptera														
Apataniidae														
Apatania	_		_						1	<1			7	<1
Glossosomatidae														
Glossosoma	3	<1	5	<1	8	<1	16	1	_				2	<1
Protoptila	3	<1	_						_					
Hydropsychidae														
Ceratopsyche	230	21	120	8	360	26	400	25	430	44	130	17	160	10
Cheumatopsyche	140	13	37	2	8	<1	27	2	34	3	1	<1	35	2
Hydropsyche	13	1	13	<1	16	1	5	<1	26	3	44	6	24	2
Hydroptilidae														
Hydroptila	8	<1	11	<1	3	<1	_		_		_		22	1
Leucotrichia	11	1	140	9	390	28	290	18	100	10	270	35	560	35
Philopotamidae														
Chimarra	_		21	1	5	<1	21	1	_		3	<1	22	1
Dolophilodes	_				_		_				_			
Polycentropodidae														
Neureclipsis			_		_		_		_		2	<1	_	
Polycentropus	_		3	<1	_		_		_				_	
Psychomyiidae														
Psychomyia	_		3	<1			_		_		_			
Uenoidae														
Neophylax	3	<1	_		_		5	<1	_				_	
Lepidoptera														
Noctuidae	_		_				_				_			
Archanara	_						_		_				_	
Pyralidae														
Petrophila	13	1	61	4	21	2	3	<1	2	<1	2	<1	13	<1
Coleoptera														
Elmidae														
Ancyronyx	_		_								_		_	
Dubiraphia	_		_				_		_				1	<1
Optioservus -	8	<1	_		_		24	2	3	<1	2	<1	6	<1
Oulimnius			3	<1	_		_		1	<1			_	
Stenelmis	3	<1			3	<1	3	<1			_		_	
Psephenidae														
Psephenus					_		_				_		_	
Diptera														
Chironomidae	250	23	720	45	230	16	180	11	160	16	110	14	370	23
Empididae														
Hemerodromia	5	<1	11	<1	3	<1	3	<1	4	<1			1	<1
Simuliidae														
Simulium	8	<1	8	<1	3	<1	300	19	15	2	37	5	22	1
Tipulidae														
Antocha	110	10	180	11	61	4	77	5	82	8	65	8	150	9

¹ Extrapolated from a 3/8 subsample.

Date	, 1994	Nov. 9	, 1993	Nov. 8	5, 1992	Oct. 10	1, 1991	Oct. 31	7, 1990	Oct. 17	, 1989	Nov. 7	4, 1988	
Total count	300	1,3	29	1,2	95	1,1	392	1,3	752	1,7	1 30	1,4	818	11
Organism	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Megaloptera													*	
Corydalidae														
Corydalus		_		_		_		_		_	<1	1		_
Trichoptera														
Apataniidae														
Apatania		_		—		_		_		_				-
Glossosomatidae														
Glossosoma		_	2	20	<1	1	<1	1	1	23	<1	9	<1	3
Protoptila		_		_		_		_				_		_
Hydropsychidae														
Ceratopsyche	11	140	23	280	6	74	18	250	12	220	25	350	18	20
Cheumatopsyche	1	19	6	75	<1	3	<1	10	<1	6	3	46	1	21
Hydropsyche	21	270	7	84	21	250	8	110	4	74	3	48	4	67
Hydroptilidae														
Hydroptila	<1	1	<1	1	<1	4	<1	1	<1	1	<1	8	<1	8
Leucotrichia	18	230	25	300	15	180	10	140	29	520	19	260	25	50
Philopotamidae														
Chimarra	<1	11	1	17	<1	1	2	21	1	18	2	26	1	19
Dolophilodes		_		_		_		_		_	<1	1		_
Polycentropodidae														
Neureclipsis		_		_		_	<1	7		_				
Polycentropus -		_				_		_			<1	3		_
Psychomylidae														
Psychomyla	2	20	3	33	1	17	2	24	<1	17	<1	2		_
Uenoidae			_											
Neophylax			<1	1				_		_	<1	1	<1	3
Lepidoptera														
Noctuidae	<1	1		_						_		_		_
Archanara				_		_				_	<1	1		_
Pyralidae												_		
Petrophila	<1	11	<1	4	1	12	<1	3	<1	4	<1	1	1	24
Coleoptera			••	-	-					-		-	-	
Elmidae														
Ancyronyx		_	<1	2						_				_
Dubiraphia		_	••	_										
Optioservus	<1	1	2 [']	22	<1	5	2	21	1	19	<1	6	<1	11
Oulimnius	••	_	-			_	<1	1	•	_	<1	1		_
Stenelmis	<1	5	<1	1			<1	1		_		_		_
Psephenidae		J		-				-						
Psephenus		_	<1	2			<1	2	<1	5	<1	1		
Diptera		-	~4	_				-	~•	J	7.2	•		
Chironomidae	18	240	8	98	8	97	21	300	8	140	8	110	11	90
Empididae	10	270	3	00	•	٠.	L.1	300	•	1 10	3	110		. 30
Hemerodromia	<1	2	<1	2			<1	5	<1	3	<1	3		_
Simuliidae	~1	-	~1	-			~1	J	~1	J	~1	3		-
Simulium	2	24	1	14	8	98	2	27	<1	2	<1	9	9	60
Tipulidae	L	74	1	17	U	<i>3</i> 0	-	LI	~1	L	~1	3	3	
Antocha	9	120	5	59	10	120	18	250	6	100	7	93	3	53

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)

Date	NOV. 4	1, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 2	2, 1985	Nov.	3, 1986	Nov. 3	3, 1987
Total count	5	98	1,0	655	1,	110	1,	402	1,0	085	7	69	4	02
Organism	Count	Percent	Count	Percent	Count	Percent								
Platyhelminthes (flatworms)				_										
Turbellaria														
Tricladida														
Planarlidae	17	3			19	2	1	<1	19	2	2	<1	16	4
Nematoda			_		_		1	<1	_				_	
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1	_				1	<1	1	<1	_		_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amnicola									_					
Basommatophora														
Ancylidae														
Ferrissia	7	1	45	3	26	2	6	<1	15	1	6	<1	1	<1
Lymnaeidae														
Lymnaea					_								1	<1
Physidae														
Physa	_				_				_		3	<1	3	<1
Planorbidae														
Gyraulus			_		_				_					
Helisoma	_								_				_	
Bivalvia														
Veneroida														
Sphaeriidae					_						3	<1	_	
Annelida (segmented worms)												-		
Oligochaeta Lumbriculida														
Lumbriculidae														
Tubificida	_						_						_	
Naididae							2	<1						
Hirudinea	_		_				2	<1					_	
Pharyngobdellida	•	-1												
Glossiphoniidae	2	<1			_				_		_			
Arthropoda (arthropods) Acariformes														
		-1			2	-1	2	-1	2	-1			0	2
Hydrachnidia Crustacea	1	<1			2	<1	2	<1	2	<1	_		8	2
Amphipoda Gammaridae														
Gammarus									1					
Podocopa	_								1	<1			_	
Insecta														
Ephemeroptera														
Baetidae	_		_			.4	1.4					.1		
Baetis	6	1	6	<1	1	<1	14	1	11	1	1	<1		•
Pseudocloeon	2	<1	_		_						_		10	2
Caenidae					_									,.
Caenis	-		_		2	<1					_		1	<1
Ephemerellidae														
<i>Ephemerella</i>	6	1	14	<1	40	4	3	<1	5	<1	5	<1	10	2

Oct. 1	1, 1988	Oct. 1	3, 1989	Oct. 1	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	5, 1993	Oct. 1	1, 1994	Date
11,	939	1,6	631	1,	532	1,	418	1,	041	7	64	1,0	005	- Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
							_				_			Platyhelminthes (flatworms) Turbellaria Tricladida
5	<1	37	2	34 2	2 <1	45	3	60	6	57	7	33	3	Planariidae
_		_		2	ζ1	_								Nematoda Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
_		3	<1	1	<1	_		6	<1	1	<1	_		Prostoma Mollusca (molluscs) Gastropoda Mesogastropoda
														Hydrobiidae
_		_		_		1	<1	_		_		_		<i>Amnicola</i> Basommatophora Ancylidae
5	<1	25	2	53	4	20	1	18	2	27	3	11	1	Ferrissia
														Lymnaeidae
						_				_				<i>Lymnaea</i> Physidae
_		_		3	<1	_		_		1	<1	_		Physia Planorbidae
						_		1	<1	1	<1	1	<1	Gyraulus
		_				1	<1							Helisoma
														Bivalvia
				•	.4								.1	Veneroida
_		_		3	<1					1	<1	1	<1	Sphaeriidae Annelida (segmented worms) Oligochaeta Lumbriculida
		2	<1									_		Lumbriculidae
														Tubificida
_		3	<1	_		1	<1	3	<1	1	<1	_		Naididae
														Hirudinea Pharyngobdellida
_				_		_		_		_		_		Glossiphoniidae Arthropoda (arthropods) Acariformes
3	<1	20	1	12	<1	6	<1	26	3	32	4	12	1	Hydrachnidia Crustacea
				_										Amphipoda Gammaridae
		_		6	<1	_		_				1	<1	Gammarus Podocopa
_		_				_								Insecta Ephemeroptera
														Baetidae
120	6	7	<1	3	<1	_		5	<1	_		38	4	Baetis
_		2	<1	4	<1			2	<1	_		5	<1	Pseudocloeon
				_	_					_	. •	_		Caenidae
				1	<1	_				6	<1	3	<1	<i>Caenis</i> Ephemerellidae
5	<1	23	1	35	2	21	2	65	7	37	5	21	2	Ephemerella

Table 5. Benthic-macroinvertebrate data—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

Date	Nov. 4	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 2	2, 1985	Nov. 3	3, 1986	Nov. 3	3, 1987
Total count	5	98	1,	655	1,	110	1,4	402	1,0	085	7	69	4	02
Organism	Count	Percent												
Ephemeroptera														
Heptageniidae														
Epeorus	_				_				_		_		_	
Stenonema	130	21	170	10	68	6	41	3	33	3	110	14	52	13
Isonychiidae														
Isonychia	1	<1	2	<1	7	<1	6	<1	3	<1	13	2	2	<1
Leptohyphidae														
Tricorythodes	10	2	6	<1	34	3	1	<1	5	<1	_		7	2
Leptophlebiidae	1	<1	_		_	_			_				_	
Potamanthidae	•	~-												
Anthopotamus														
Odonata					_		_							
Coenagrionidae	_	_										_		
Argia	2	<1			10	<1			_		4	<1	_	
Plecoptera														
Capniidae														
Allocapnia	_				1	<1			_		1	<1	1	<1
Chloroperlidae	_		_				_		_		_			
Perlidae														
Acroneuria					_									
Taeniopterygidae														
Taeniopteryx	1	<1	1	<1	1	<1	_		_		_		_	
Megaloptera														
Corydalidae														
Corydalus	1	<1					1	<1			_			
Neuroptera	•	~~					•	~~						
Sisyridae														
Climacia														
Cumacia C. areolaris											1	<1		
			_		_		_				1	<1		
Trichoptera														
Apataniidae														
Apatania			_		_				_					
Brachycentridae														
Micrasema	_		_		_		_		_		-		_	
Glossosomatidae														
Glossosoma			3	<1	13	1	2	<1	_		3	<1	1	<1
Protoptila	_		_		_				_				_	
Helicopsychidae														
Helicopsyche	_		_						_		_			
Hydropsychidae														
Ceratopsyche	150	25	480	28	220	20	240	17	190	17	240	31	95	23
Cheumatopsyche	120	20	190	11	150	14	200	14	33	3	11	1	11	3
Hydropsyche	4	<1	24	1	6	<1	20	1	13	1	19	2	12	3
Hydroptilidae	•	~-		•	Ū	~2	20	•	15	•	1,	-		-
Hydroptila	1	<1			2	<1			1	<1				
· -			-	20							100	10		
Leucotrichia	54	9	340	20	320	29			3	<1	100	13	17	4
Lepidostomatidae														
Lepidostoma	_		_		_		_				_		_	
Leptoceridae														
Mystacides	_		_		_		_		_		_			
Oecetis	_				_						_			
Philopotamidae														

	1, 1988	Oct. 1	3, 1989	Oct. 1	5, 1990		0, 1991	- CCI. 2	9, 1992	1404.	15, 1993		1, 1994	Date
¹ 1,	939	1,	631	1,	532	1,	418	1,	041	7	764	1,	005	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
											•		'	Ephemeroptera
														Heptageniidae
_		1	<1	2	<1	_		-		1	<1	_		Epeorus
70	14	49	3	270	18	83	6	7 9	8	62	8	86	9	Stenonema
														Isonychiidae
8	<1			7	<1	1	<1	4	<1	1	<1	25	3	Isonychia
														Leptohyphidae
		_		2	<1	1	<1	4	<1	7	<1	2	<1	Tricorythodes
_		_		_	7-		7-					1	<1	Leptophlebiidae
												•	~1	Potamanthidae
				_						1	<1			Anthopotamus
		_						_		1	~1			Odonata
			.1				.1			•	.1		-1	Coenagrionidae
		1	<1			4	<1			3	<1	1	<1	Argia
														Plecoptera
														Capniidae
				_										Allocapnia
_		1	<1	2	<1			_		_		2	<1	Chloroperlidae
														Perlidae
						_		_				1	<1	Acroneuria
														Taeniopterygidae
_		2	<1	1	<1									Taeniopteryx
														Megaloptera
														Corydalidae
_		_								1	<1			Corydalus
										-				Neuroptera
														Sisyridae
														Climacia
														Cumacia C. areolaris
		_		_		_								
														Trichoptera
										_				Apataniidae
_				_		_				1	<1			Apatania
														Brachycentridae
				_				1	<1	_				Micrasema
														Glossosomatidae
3	<1	5	<1	_		_		_				2	<1	Glossosoma
3	<1	44	3	4	<1	75	5	10	1	27	3	5	<1	Protoptila
														Helicopsychidae
		_		10	<1	470	34	14	1	120	15	140	14	Helicopsyche
														Hydropsychidae
30	38	400	25	480	32	220	16	150	15	54	7	120	12	Ceratopsyche
80	15	69	4	69	5	52	4	27	3	8	1	110	11	Cheumatopsyche
50	8	110	7	76	5	19	1	25	3	4	<1	130	13	Hydropsyche
	J	110	,	,,,	,		•		3	~	~1	150		Hydroptilidae
				1	<1	3	<1	2	<1	5	<1			Hydroptila
— 43	2	6	<1	4	<1 <1	18		5	<1 <1	3 17			7	Hyaroptia Leucotrichia
+3	2	O	<1	4	<1	16	1	3	<1	1/	2	08	7	
						_				_		_		Lepidostomatidae
_				1	<1	3	<1	4	<1	5	<1	3	<1	Lepidostoma
														Leptoceridae
		_		_		1	<1	3	<1			1	<1	Mystacides
_				5	<1	1	<1			2	<1	6	<1	Oecetis
														Philopotamidae
5	<1	8	<1	_		18	1	16	2	29	4	43	4	Chimarra

Table 5. Benthic-macroinvertebrate data—Continued

01480640 - West Branch Brandywine Creek at Wawaset, Pa. (Site 38)—Continued

Date	Nov. 4	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 2	2, 1985	Nov. 3	3, 1986	Nov. 3	3, 1987
Total count	5	98	1,0	655	1,	110	1,4	402	1,0	085	7	69	4	02
Organism	Count	Percent												
Trichoptera	-	***												
Polycentropodidae														
Neureclipsis	1	<1	6	<1	_						5	<1	_	
Polycentropus	_		_						_				_	
Psychomylidae														
Psychomyia	_				_						_		1	<1
Lepidoptera														
Pyralidae														
Petrophila	5	<1	9	<1	19	2	9	<1	19	2	26	3	3	<1
Synclita			1	<1	_						_		_	
Coleoptera														
Curculionidae									_				_	
Elmidae														
Dubiraphia	1	<1			1	<1	_							
Optioservus					19	2	1	<1	27	2	17	2	9	2
Oulimnius	1	<1	_		1	<1			4	<1	_			
Stenelmis	1	<1	3	<1	1	<1	1	<1	2	<1	1	<1	_	
Hydrophilidae														
Berosus	_		_		_		_		_					
Psephenidae														
Psephenus	2	<1	_		_		_						_	
Hymenoptera			_						1	<1	1	<1		
Diptera														
Athericidae														
Atherix			_		_									
Chironomidae	58	10	240	14	74	7	410	29	630	57	86	11	94	23
Empididae														
Hemerodromia	1	<1	1	<1	1	<1			1	<1				
Simuliidae														
Simulium	5	<1	71	4	16	1	340	24	26	2	45	6	40	10
Tipulidae														
Antocha	4	<1	42	2	56	5	100	7	40	4	66	8	7	2
Tipula	-													

Oct. 11	1, 19 8 8	Oct. 1	3, 1989	Oct. 1	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	5, 1993	Oct. 1	1, 1994	Date
11,5	939	1,6	531	1,	532	1,	418	1,	041	7	64	1,0	005	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Trichoptera
														Polycentropodidae
3	<1			9	<1	2	<1			1	<1	3	<1	Neureclipsis
_				4	<1	_								Polycentropus
														Psychomyiidae
5	<1	28	2	66	4	5	<1	6	<1	13	2	9	<1	Psychomyia
														Lepidoptera
														Pyralidae
19	1	9	<1	16	1	11	<1	10	1	5	<1	18	2	Petrophila
_								_		_		_		Synclita
														Coleoptera
_				_				_				1	<1	Curculionidae
														Elmidae
_				2	<1			—		1	<1			Dubiraphia
16	<1	41	3	19	1	51	4	42	4	22	3	16	2	Optioservus
_				_						_				Oulimnius
11	<1	31	2	9	<1	13	<1	4	<1	6	<1	7	<1	Stenelmis
														Hydrophilidae
				_		_		1	<1	_				Berosus
														Psephenidae
_		_		1	<1	_		1	<1	5	<1			Psephenus
_		_						_						Hymenoptera
														Diptera
														Athericidae
_		1	<1	_		_				_				Atherix
80	9	610	38	220	15	220	16	340	34	170	22	64	6	Chironomidae
														Empididae
		14	<1	1	<1	_		2	<1	4	<1	_		Hemerodromia
				-				_						Simuliidae
57	4	18	1	18	1	4	<1	59	6	2	<1	3	<1	Simulium
	•		=		=	-			=	-		-		Tipulidae
8	<1	60	4	76	5	47	3	45	5	23	3	12	1	Antocha
_		1	<1	_	-	1	<1	1	<1	_	-			Tipula

¹ Extrapolated from a 3/8 subsample.

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01480647 - E Br Brandywine Creek near Struble Dam, Pa. (Site 43)

Date	Oct. 2	2, 1981	Nov. 3	3, 1982
Total count	3	03	5	66
Organism	Count	Percent	Count	Percent
Platyhelminthes (flatworms)				
Turbellaria				
Tricladida				
Planariidae	150	48	100	18
Nemertea (proboscis worms)				
Enopla				
Hoplonemertea				
Tetrastemmatidae				
Prostoma	7	2	9	2
Mollusca (molluscs)				
Gastropoda				
Basommatophora				
Ancylidae				
Ferrissia			3	<1
Physidae			3	<1
<u>-</u>		,		
Physa	4	1	-	
Bivalvia				
Veneroida	_	_		_
Sphaeriidae	2	<1	14	2
Annelida (segmented worms)				
Oligochaeta	1	<1	_	
Lumbriculida				
Lumbriculidae			1	<1
Tubificida				
Naididae	51	16	13	2
Arthropoda (arthropods)				
Acariformes				
Hydrachnidia	4	1	35	6
Crustacea				
Amphipoda				
Gammaridae				
Gammarus	5	2	-	
Podocopa	35	11	10	2
Insecta				_
Ephemeroptera				
Baetidae				
Baettae Baetis	1	<1	1	<1
	•	~1	•	~1
Ephemerellidae			2	-1
Ephemerella			3	<1
Odonata				
Calopterygidae	_			
Calopteryx	2	<1		
Coenagrionidae	_	_		
Enallagma	6	2	_	
Megaloptera				
Corydalidae				
Nigronia -			1	<1
Sialidae				
Sialis	3	1	_	

Table 5. Benthic-macroinvertebrate data—Continued

01480647 - E Br Brandywine Creek near Struble Dam, Pa. (Site 43)—Continued

Date	Oct. 2	2, 1981	Nov. 3	3, 1982
Total count	3	03	5	66
Organism	Count	Percent	Count	Percent
Trichoptera				
Hydropsychidae				
Cheumatopsyche			54	9
Hydropsyche	7	2	15	3
Hydroptilidae				
Hydroptila	10	3	43	8
Orthotrichia			1	<1
Leptoceridae				
Mystacides			1	<1
Oecetis	1	<1		
Triaenodes			6	1
Psychomylidae				
Psychomyia			3	<1
Coleoptera				
Elmidae				
Dubiraphia	1	<1	6	1
Optioservus			3	<1
Stenelmis	2	<1	4	<1
Diptera				
Chironomidae	7	2	63	11
Empididae				
Hemerodromia			6	1
Psychodidae				
Telmatoscopus	1	<1		
Simuliidae				
Simulium	2	<1	160	28
Tipulidae				
Antocha	1	<1	11	2

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)

Date	Oct. 2	2, 1981	Nov.	3, 1982	Nov. :	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Oct. 2	9, 1986	Oct. 1:	9. 1987
Total count	1,	310	2,	529	7	'33	1,0	652	6	89	8	95	1,	139
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	10	<1	63	3	41	6	76	4	47	7	3	<1	41	4
Nematoda (nematodes)	-		_		-								_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	10	<1	13	<1	10	1	6	<1	7	1	1	<1		
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	_		1	<1					_					
Physidae														
Physa					_				_					
Bivalvia														
Veneroida														
Sphaeriidae	8	<1			1	<1	_		1	<1	_			
Pisidium							_			-				
Annelida (segmented worms)														
Oligochaeta			_											
Lumbriculida														
Lumbriculidae							_		1	<1	2	<1	1	<1
Tubificida	_								•	~1	L	~1	•	~1
Naididae	30	2			9	1							31	3
Tubificidae	30	2	_		9	1	_				_		31	J
	_													
Arthropoda (arthropods)														
Acariformes		_	_		_	_			•		_			
Hydrachnidia	31	2	1	<1	3	<1			6	<1	1	<1	8	<1
Crustacea														
Cladocera	_						_							
Cyclopoida	_				_						_		_	
Amphipoda														
Gammaridae														
Gammarus	_		_		-								4	<1
Isopoda														
Asellidae														
Caecidotea	-		1	<1	1	<1	_		2	<1	_			
Podocopa	14	1	1	<1	1	<1	1	<1	_		_		3	<1
Insecta														
Ephemeroptera														
Baetidae														
Baetis	35	3	52	2	5	<1	9	<1	4	<1	6	<1	13	1
Pseudocloeon	1	<1	3	<1	_				_		_		5	<1
Ephemerellidae														
Ephemerella	30	2	24	<1	28	4	14	<1	1	<1	2	<1	18	2
Ephemeridae		_	~-*			-			-		-			_
Ephemera	_				_				_		_			
Heptageniidae	. 		-		_									
Epeorus	7	<1	_				_		_		_			
E peor us Stenonema	40	3	110	4	70	9	120	7	46	7	71	8	69	6
Stenonema	40	3	110	4	70	9	120	1	40	,	11	0	US	0

Nov. 1	6, 1988	Oct. 1	6, 1989	Oct, 2	6, 1990	Nov. 1	, 1991	Oct, 2	6, 1992	Nov. 3	3, 1993	Oct. 1	2, 1994	Date
1 1	,984	3,	846	5	38	9	26	6	10	2,0	016	9	73	Total count
Count	Percent	Count	Percent	<u>-</u>										
														Platyhelminthes (flatworms) Turbellaria
							_						_	Tricladida
21	1	83	2	110	20	82	9	69	11	71	4	19	2	Planariidae
		1	<1	_		1	<1			2	<1	<u></u>		Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
3	<1	20	<1	_		4	<1			2	<1			Prostoma
-	-		-							_	-			Mollusca (molluscs) Gastropoda Basommatophora
														Ancylidae
_		1	<1	_										Ancyndae Ferrissia
		1	~1											Physidae
				1	<1					2	<1	_		Physa
				•	••					_				Bivalvia
														Veneroida
_				_						2	<1	_		Sphaeriidae
_		2	<1	_				_						Pisidium
														Annelida (segmented worms)
_		_		_				1	<1	_		_		Oligochaeta
														Lumbriculida
_		_				_		_		_				Lumbriculidae
														Tubificida
24	1	21	<1	2	<1	2	<1	_		3	<1	17	2	Naididae
11	<1	-								4	<1	4	<1	Tubificidae
														Arthropoda (arthropods) Acartformes
		110	3			7	<1	3	<1	68	3	14	1	Hydrachnidia
			•			•		_			_		_	Crustacea
_		_								120	6			Cladocera
		7	<1			1	<1			590	30	_		Cyclopoida
														Amphipoda
														Gammaridae
_		_		_				_		_		_		Gammarus
														Isopoda
								1	<1	5	<1	1	<1	Asellidae <i>Caecidotea</i>
_		5	<1	_		1	<1		<1	3	<1	2	<1	Podocopa
			~1	_		•	~1			3	~1	L	~1	Insecta
														Ephemeroptera Baetidae
16	<1	38	<1			19	2	2	<1	6	<1	68	7	Baetis
_		2	<1	_		1	<1			_				Pseudocloeon
														Ephemerellidae
24	1	80	2	7	1	42	4	41	7	72	4	22	2	Ephemerella
														Ephemeridae
_		_		_						3	<1	_		Ephemera
														Heptageniidae
3	<1	4	<1	_	_	_	_	_	_	1	<1		_	Epeorus
94	5	300	8	7	1	29	3	37	6	24	1	25	3	Stenonema .

Table 5. Benthic-macroinvertebrate data—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)—Continued

Date	Oct. 2	2, 1981	Nov. 3	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Oct. 2	9, 1986	Oct. 1	9. 1987
Total count	1,5	310	2,	529	7	33	1,	652	6	89	8	95	1,	139
Organism	Count	Percent												
Ephemeroptera														
Isonychiidae														
Isonychia					1	<1			_		2	<1		
Leptohyphidae														
Tricorythodes	3	<1	1	<1					_					
Leptophlebiidae			2	<1					_					
Paraleptophlebia	7	<1												
Odonata														
Coenagrionidae														
Argia	_										_		_	
Aeshnidae														
Boyeria					1	<1			_		_			
Gomphidae														
Plecoptera														
Capniidae														
Allocapnia													4	<1
Perlidae													-	
Agnetina	2	<1	2	<1										
Paragnetina	1	<1	4	<1	1	<1							_	
Taeniopterygidae	•	~~	•		•	~~								
Taeniopteryx	4	<1	21	<1	7	1	15	<1	26	4	30	3	36	3
emiptera	•	-1	~1	~1	•	•	13	~1	20	•	50	3	00	J
Veliidae														
Rhagovelia	5	<1	1	<1										
•	J	<1	1	~1					_		_			
Megaloptera Comudalidas														
Corydalidae	,	. 1												
Corydalus	1 2	<1			3	.1	_		_				1	. 1
Nigronia	۷	<1			3	<1			_		_		1	<1
Sialidae									,					
Sialis			_						1	<1				
Trichoptera														
Apataniidae			•		•								•	
Apatania			2	<1	2	<1					1	<1	2	<1
Brachycentridae														
Micrasema	11	<1			_		_		_		_			
Glossosomatidae	_	_				_		_	_			_	_	
Glossosoma	9	<1	24	<1	16	2	44	3	7	1	16	2	1	<1
Goeridae			_	_							_	_		
Goera	-		1	<1			_		_		3	<1		
Helicopsychidae														
Helicopsyche	_													
Hydropsychidae		_								_				_
Ceratopsyche	95	7	320	13	170	23	400	24	58	8	130	14	32	3
Cheumatopsyche	82	6	190	8	84	11	130	8	15	2	38	4	26	2
Hydropsyche	180	14	89	4	79	11	410	24	150	21	68	8	130	12
Hydroptilidae														
Hydroptila	57	4	3	<1	2	<1			7	1	13	1	2	<1
Leucotrichia	84	6	680	27	_		23	1	12	2	15	2	2	<1
Leptoceridae														
Mystacides	33	3	1	<1	2	<1	_				8	<1		
Oecetis	5	<1	_		4	<1	1	<1	2	<1				
Limnephilidae														
Lindotonbulon			_						-		_			
Hydatophylax														
Odontoceridae														

	6, 1988	Oct. 1	6, 1989	Oct, 2	6, 1990	Nov.	1, 1991	Oct, 2	6, 1992	Nov. 3	3, 1993	Oct. 1	2, 1994	Date
1 1	,984	3,	846	5	38	9	26	6	310	2,	016	9	73	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Ephemeroptera
		_	_	_	_									Isonychiidae
-		1	<1	1	<1	_				_				Isonychia
														Leptohyphidae
				_		1	<1	1	<1	6	<1	5	<1	Tricorythodes
		1	<1			_				_		-		Leptophlebiidae
						2	<1			_		2	<1	Paraleptophlebia
														Odonata
														Coenagrionidae
		2	<1			_		1	<1	_		_		Argia
														Aeshnidae
		_				_		1	<1	_		_		Boyeria
						_				2	<1			Gomphidae
														Plecoptera
														Capniidae
3	<1	1	<1			4	<1			11	<1	-		Allocapnia
														Perlidae
		1	<1	-		1	<1			2	<1	_		Agnetina
-						_				_				Paragnetina
														Taeniopterygidae
16	<1	7	<1			1	<1			2	<1			Taeniopteryx
						_				_				Hemiptera
														Veliidae
_						_				_				Rhagovelia
														Megaloptera
														Corydalidae
_								1	<1	_				Corydalus
3	<1	1	<1					•	~.	1	<1			Nigronia
3	\1	1	\1	_		_					\1			Sialidae
										1	<1			Sianuae Sialis
		_				_				1	<1			
														Trichoptera
		14	-1			3	<1	7	1	4	<1			Apataniidae
		14	<1	_		3	<1	,	1	4	<1			Apatania
		•												Brachycentridae
		3	<1	1	<1	_								Micrasema
10		40				•	.•	••	•			-		Glossosomatidae
10	<1	48	1	4	<1	2	<1	10	2	1	<1	5	<1	Glossosoma
		_	_			_	_	_	_		_	_	_	Goeridae
_		1	<1	_		3	<1	7	1	22	1	1	<1	Goera
														Helicopsychidae
_		-				_				2	<1	_		Helicopsyche
														Hydropsychidae
86	4	260	7	7	1	4	<1			10	<1	31	3	Ceratopsyche
48	2	67	2	1	<1	7	<1	-		9	<1	3	<1	Cheumatopsyche
280	14	640	16	83	15	68	7	160	26	40	2	130	13	Hydropsyche
														Hydroptilidae
5	<1	67	2	4	<1	5	<1			1	<1	10	1	Hydroptila
35	2	37	<1	2	<1	-						2	<1	Leucotrichia
														Leptoceridae
3	<1	6	<1	16	3	36	4	16	3	19	<1	_		Mystacides
_		13	<1	6	1	_		3	<1	8	<1	1	<1	Oecetis
														Limnephilidae
						5	<1							Hydatophylax
						-	-							Odontoceridae
						_				_				Psilotreta
_		_		-		-		-		-		_		1 miorica

Table 5. Benthic-macroinvertebrate data—Continued

01480648 - East Branch Brandywine Creek near Cupola, Pa. (Site 48)—Continued

Date		2, 1981		3, 1982		3, 1983		7, 1984		3, 1985		9, 1986		9. 1987
Total count	1,	310	2,	529	7	33	1,	652	6	89	8	95	1,	139
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera								-						
Philopotamidae														
Chimarra	86	7	18	<1	1	<1	1	<1	5	<1	32	4	12	1
Dolophilodes	_		_		_		1	<1	_		_		_	
Polycentropodidae														
Cyrnellus	1	<1	_								_		_	
Neureclipsis	1	<1	_		1	<1	1	<1	_		1	<1	_	
Nyctiophylax	-		_		_									
Polycentropus	1	<1					1	<1	_		_		-	
Psychomylidae														
Psychomyta	_								_		2	<1		
Rhyacophilidae														
Rhyacophila	1	<1			_				_		_		_	
Uenoidae														
Neophylax	_				_				_		_		_	
Lepidoptera														
Pyralidae														
Petrophila	_				_		_		_					
Coleoptera														
Dryopidae														
Helichus					_				_		1	<1	_	
Elmidae											-			
Ancyronyx	_								_		3	<1		
Dubiraphia	1	<1	_		6	<1					_	~~	1	<1
Macronychus	•	-1			Ū	~1							•	~1
M. glabratus	1	<1							2	<1				
Optioservus	41	3	23	<1	8	1	2	<1	13	2	76	8	59	5
Oulimnius		3	23	~1	0	1	2	~1		L	3	<1		J
Stenelmis	92	7	20	<1	37	5	9	-1	18	3	3 14	2	37	3
	32	'	20	<1	31	3	9	<1	10	3	1-3	L	31	3
Gyrinidae <i>Dineutus</i>														
	_				-						_		_	
Hydrophilidae														
Berosus							_		_		_		_	
Hydrochara			_		_				_		_		_	
Psephenidae														
Ectopria	_						_		_		_	_		
E. nervosa	_		_								1	<1		
Psephenus	3	<1	1	<1	_		2	<1	7	1	10	1	2	<1
Hymenoptera	_		_		_		_		1	<1	1	<1	_	
Diptera														
Ceratopogonidae	1	<1	_				_						_	
Chironomidae	220	17	220	9	71	10	130	8	160	23	160	18	470	43
Empididae														
Hemerodromia	13	1	10	<1	7	1	2	<1	2	<1	1	<1	1	<1
Ephydridae			_		_				_				2	<1
Simuliidae														
Simulium	1	<1	560	22	38	5	220	13	59	8	50	6	100	9
Tipulidae														
Antocha	50	4	66	3	23	3	34	2	29	4	130	14	25	2
Dicranota	_		_		_		_							
Tipula			_		_		_				_		1	<1

¹ Extrapolated from a 3/8 subsample.

Nov. 1	6, 1988	Oct. 1	6, 1989	Oct, 2	6, 1990_	Nov. 1	, 1991	Oct, 2	6, 1992	Nov. 3	3, 1993	Oct. 1	2, 1994	Date
¹ 1	,984	3,	846	5	38	9	26	6	10	2,0	016	9	73	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
									,					Trichoptera
														Philopotamidae
3	<1	39	1	_		40	4	27	4	3	<1	15	2	Chimarra
														Dolophilodes
														Polycentropodidae
														Cyrnellus
														Neureclipsis
		_				_				3	<1			Nyctiophylax
		2	<1	1	<1	2	<1			1	<1			Polycentropus
														Psychomylidae
		1	<1			1	<1			1	<1			Psychomyia
														Rhyacophilidae
								_						Rhyacophila
														Uenoidae
40	2	_		1	<1			_		15	<1			Neophylax
														Lepidoptera
														Pyralidae
		_				_		1	<1	_				Petrophila
								-						Coleoptera
														Dryopidae
		_		_				_		_				Helichus
														Elmidae
3	<1					_		_		_				Ancyronyx
8	<1	1	<1	3	<1	2	<1			10	<1			Dubiraphia
U	~1	•	~1	3	~1	-	~1	_		10	-1			Macronychus
_								_		_				M. glabratus
110	6	100	3	48	9	50	5	7	1	130	7	88	9	Optioservus
3	<1	3	<1		3	2	<1		1	2	<1	1	<1	Oulimnius
61	3	120	3	56	10	36	4	 37	6	160	8	90	9	Stenelmis
01	3	120	J	30	10	30	7	31	U	100	0	30	3	
												1	<1	Gyrinidae <i>Dine</i> utus
				_		_						1	<1	
2	<1													Hydrophilidae
3	<1	1	-1											Berosus
_		1	<1					_				_		Hydrochara
•	.1													Psephenidae
3	<1			_										Ectopria
10	.1		.4	20	-		•		10		•		•	E. nervosa
16	<1	11	<1	26	5	24	3	60	10	62	3	33	3	Psephenus
				_										Hymenoptera
														Diptera
	00		0.1		00		0.5		4.0	14	<1	4	<1	Ceratopogonidae
590	30	950	24	110	20	330	35	97	16	430	22	240	24	Chironomidae
			_	-			_					_	_	Empididae
19	<1	73	2	2	<1	3	<1	_		13	<1	4	<1	Hemerodromia
_		_						_						Ephydridae
														Simuliidae
280	14	530	14	2	<1	74	8	5	<1	8	<1	85	9	Simulium
														Tipulidae
160	8	170	4	37	7	31	3	15	2	45	2	49	5	Antocha
		_										1	<1	Dicranota
_		1	<1	_		_				_				Tipula

[<, less than; —, not found] 01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)

Table 5. Benthic-macroinvertebrate data—Continued

Date	Nov. 2	2, 1981	Nov. 3	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Dec.	5, 1986	Oct. 2	3, 1987
Total count	7	52	1,	708	1,	338	1,	008	1,	361	7	23	1,4	435
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)											·			
Turbellaria														
Tricladida														
Planariidae	4	<1	1	<1	6	<1	2	<1	23	2	24	3	14	1
Nematoda (nematodes)	_				_						_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	2	<1	5	<1	6	<1	2	<1	1	<1	_			
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	34	4	4	<1	11	<1	14	1	2 1	2	2	<1	5	<1
Lymnaeidae														
Lymnaea			1	<1					1	<1				
Physidae														
Physa	_		6	<1							4	<1		
Planorbidae														
Gyraulus									_					
Helisoma	4	<1			2	<1					1	<1	1	<1
Bivalvia														
Veneroida														
Sphaeriidae	_		6	<1	_									
Pisidium			_											
Sphaerium									_					
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae					_						2	<1	_	
Tubificida	_										-	~1		
Naididae	3	<1	17	1	16	1			2	<1	4	<1	_	
Tubificidae	1	<1	2	<1 <1	2	<1 <1			L	~1	7	~1	_	
Arthropoda (arthropods)	1	~1	2	~1	L	~1			_					
Acariformes														
Hydrachnidia	14	2	170	10	99	7	3	<1	3	<1	2	<1	35	3
Crustacea	14	L	170	10	33	'	3	<1	3	<1	2	<1	33	3
Cladocera														
							_		_					
Cyclopoida Amphipoda	_										_		_	
Ampriipoda Talitridae														
												.1		
Hyallela	_		_								1	<1	_	
H. azteca									1	<1				
Isopoda														
Asellidae											_	.4		
Lirceus	_		_	_	_	_	_		-	_	2	<1		
Podocopa			6	<1	17	1			1	<1				

Nov. 1	5, 1988	Nov. 1	, 1989	Oct. 2	6, 1990	Nov. 1	1, 1991	Nov. 1	7, 1992	Nov. 4	1, 1993	Oct. 1	2, 1994	Date
1 1	,671	2,6	617	9	73	1,8	825	1,	330	1,	554	1,	378	Total count
Count	Percent	Count	Percent	Organism										
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
_		8	<1	13	1	1	<1	33	3	7	<1			Planariidae
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea Tetrastemmatidae
3	<1	100	4	8	<1	2	<1	12	<1	15	<1	18	1	Prostoma
_	~1	1	<1	_	~1	_	~1	12	~1	13	~1	10	,	Nematoda (nematodes)
		•	~,											Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
_		17	<1	69	7	14	<1	7	<1	47	3	43	3	Ferrissia
														Lymnaeidae
_		_		3	<1			2	<1	1	<1	1	<1	Lymnaea
														Physidae
_				1	<1	1	<1			1	<1	_		Physa
														Planorbidae
		4	<1	9	<1	1	<1	1	<1	1	<1	1	<1	Gyraulus
_				_		_		_						Helisoma
														Bivalvia
								_	_	_				Veneroida
_		_		_		_		3	<1	3	<1	_		Sphaeriidae
_		_ 3	.1	2	<1	1	<1	_		_		_		Pisidium
_		3	<1	2	<1	_				_		_		Sphaerium Annelida (segmented worms)
														Oligochaeta
														Lumbriculida
3	<1	2	<1	_							•	_		Lumbriculidae
		-	••											Tubificida
3	<1	21	<1	_		_		3	<1	12	<1	52	4	Naididae
_		_								_		_		Tubificidae
														Arthropoda (arthropods)
														Acariformes
3	<1	670	26	130	13	72	4	280	22	250	16	100	7	Hydrachnidia
														Crustacea
_		_		_		_		_		1	<1			Cladocera
_		1	<1	1	<1			_						Cyclopoida
														Amphipoda
														Talitridae
_		_		_				_		_		_		Hyallela
		_		_						_		_		H. azteca
														Isopoda Asellidae
												_		Asemdae Lirceus
_		_				_		_		_		_		Podocopa
		_								_				rodocopa

Table 5. Benthic-macroinvertebrate data—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

Date	Nov. 2	2, 1981	Nov. 3	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Dec. s	5, 1986	Oct. 2	3, 1987
Total count	7	52	1,	708	1,:	338	1,0	800	1,:	361	7	23	1,4	435
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Insecta														
Ephemeroptera														
Baetidae														
Baetis	_		1	<1	1	<1	17	2	31	2	2	<1	8	<1
Pseudocloeon	2	<1	1	<1	2	<1	4	<1	8	<1			7	<1
Caenidae														
Caenis					14	1	_		2	<1	14	2	-	
Ephemerellidae														
Ephemerella	6	<1	31	2	43	3	44	4	120	9	65	9	79	6
Heptageniidae														
Epeorus	_				_		-		_		_		_	
Stenonema	82	11	120	7	_		34	3	51	4	30	4	65	5
Isonychiidae														
Isonychia	_		2	<1	_		-				1	<1		
Leptohyphidae														
Tricorythodes	2	<1	1	<1	3	<1							_	
Leptophlebiidae	_						4	<1			_			
Odonata														
Coenagrionidae														
Argia					_				1	<1	_		_	
Aeshnidae														
Boyeria			_				1	<1	_					
Gomphidae	_										1	<1	_	
Plecoptera														
Capniidae														
Allocapnia	_		5	<1	1	<1	1	<1	5	<1	1	<1	11	<1
Chloroperlidae	_		_		1	<1		_				_	2	<1
Haploperla	_						_		_		_		_	
Nemouridae											_		_	
Peltoperlidae														
Peltoperla	_										_			
Perlidae														
Acroneuria	_		4	<1			_		6	<1	2	<1	1	<1
Agnetina							_			~-	_		_	
Paragnetina	2	<1	_				4	<1	_		_			
Taeniopterygidae	L	~1					•	~1						
Strophopteryx											2	<1		
Taeniopteryx	7	<1	50	3	44	3	33	3	<u> </u>	3	17	2	98	7
	,	<1	30	3	44	3	33	3	42	3	17	L	30	•
Hemiptera														
Veliidae														
Rhagovelia							_						_	
Megaloptera														
Corydalidae														
Chauliodes	1	<1	_							.•	_		-	
Corydalus	_		_	-			_		1	<1	_		-	
Nigronia			2	<1	1	<1	-		_		_		_	
Sialidae														
Sialis	_				_				_		_		-	
Neuroptera														
Sisyridae			_											
Climacia			2	<1					_		_		_	

	5, 1988		1, 1989		6, 1990		1, 1991		7, 1992		1, 1993		2, 1994	Date
	,671		617		73		825		330		554		378	Total count
Count	Percent	Organism												
										-				Insecta
														Ephemeroptera
														Baetidae
_		6	<1	3	<1			2	<1			9	<1	Baetis
3	<1	5	<1					2	<1	2	<1	4	<1	Pseudocloeon
														Caenidae
13	<1							4	<1	3	<1	6	<1	Caenis
														Ephemerellidae
64	4	70	3	27	3	50	3	120	9	63	4	45	3	Ephemerella
														Heptageniidae
		4	<1					6	<1					Epeorus
24	1	60	2	29	3	78	4	27	2	22	1	62	4	Stenonema
														Isonychiidae
_		5	<1	4	<1	5	<1	_		1	<1	7	<1	Isonychia
		-	-	-	-	-	-			-	-	•		Leptohyphidae
								10	<1			2	<1	Tricorythodes
_								_	~4				~~	Leptophlebiidae
		-		_				-						Odonata
														Coenagrionidae
		4	<1			2	<1			1	<1			
_		4	<1			2	<1	_		1	<1			Argia
				,	.1									Aeshnidae
_				1	<1									Boyeria
														Gomphidae
														Plecoptera
_	_							_						Capniidae
3	<1			_				5	<1			_		Allocapnia
		4	<1							1	<1	_		Chloroperlidae
-				2	<1			_						Haploperla
_								1	<1					Nemouridae
														Peltoperlidae
_				1	<1									Peltoperla
														Perlidae
_				_				1	<1	2	<1	1	<1	Acroneuria
		_				_		3	<1			2	<1	Agnetina
_				_						_		1	<1	Paragnetina
														Taeniopterygidae
_												_		Strophopteryx
8	<1	10	<1	12	1	6	<1	8	<1	5	<1	16	1	Taeniopteryx
														Hemiptera
														Veliidae
		1	<1							_				Rhagovelia
		•												Megaloptera
														Corydalidae
_		_												Coryuandae Chauliodes
_				_		_		_				2	<1	Corydalus
3	<1	1	<1	_				2	<1	2	<1	1	<1 <1	
J	<1	1	<1	_		_		2	<1	2	<1	1	<1	Nigronia Statuda
						•								Sialidae
_						2	<1	_						Sialis
														Neuroptera
														Sisyridae
										_		_		Climacia

Table 5. Benthic-macroinvertebrate data—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

Hydropsychidae	Date	Nov. 2	2, 1981	Nov.	3, 1982	Nov.	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Dec.	5, 1986	Oct. 2	3, 1987
Trichopters	Total count	7	'52	1,	708	1,	338	1,	800	1,	361	7	23	1,	435
Apatanuliale Apatanulia Brachycentridae Micrasema Clossosoma Glossosoma Gloss	<u>-</u>	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Apstanta															
Brachycentridae Micrasema 11	-					_							_		
Micrasema	-			_		3	<1					13	2	13	<1
Clossosomatidae Clossosoma 6	_														
Clossosoma		11	1	34	2	59	4	6	<1	9	<1	48	6	45	3
Protoptila	Glossosomatidae														
Goerlade Goera 1 < 1 12 1 7 < 1 20 Helitopsychidae Helitopsychidae Helitopsyche 3 Hydropsychidae Ceratopsyche 96 13 110 6 200 14 200 20 240 17 42 Cheumatopsyche 75 10 120 7 110 8 92 9 150 11 56 Hydropsyche 240 32 160 9 160 11 26 3 31 2 26 Hydroptilidae Hydroptilidae Hydroptilidae Hydroptilidae Alexantichia 35 5 300 18 200 14 170 17 71 5 10 Leptoceridae Mystacides 46 6 3 < 1 5 <1 3 < 3 Ocetts - 1 < 1 7 < 1 2 < 1 3 < 1 1 Triaenodes 1 < 1 7 < 1 2 < 1 3 < 1 1 Triaenodes 1 < 1 7 < 1 2 & 1 3 < 1 1 Triaenodes		6	<1	9	<1	11	<l< td=""><td>53</td><td>5</td><td>24</td><td>2</td><td>16</td><td>2</td><td></td><td></td></l<>	53	5	24	2	16	2		
Hellcopsychidae Hellcopsyche Geratopsyche G	Protoptila													1	<1
Helicopsychidae	Goeridae														
Heltopsychidae Caratopsyche Gammatopsychidae Caratopsyche 96 13 110 6 200 14 200 20 240 17 42 Cheumatopsyche 75 10 120 7 110 8 92 9 150 11 56 Hydropsyche 240 32 160 9 160 11 26 3 31 2 26 Hydropsyche 240 32 160 9 160 11 26 3 31 2 26 Hydroptilidae Hydroptilia 8 1 40 2 35 3 4 <1 3 <1 — Leucotrichia 35 5 300 18 200 14 170 17 71 5 10 Leptoceridae Mystacides 46 6 3 <1 5 <1 — — 3 <0 3 <1 1 Triaenodes — 1 <1 7 <1 2 <1 3 <1 1 <1 Triaenodes — — — — — — — — —	Goera	1	<1					12	1	7	<1	20	3	2	<1
Hydropsychidae	Helicopsychidae														
Ceratopsyche	Helicopsyche			_				_				3	<1	8	<1
Cheumatopsyche 75 10 120 7 110 8 92 9 150 11 56 Hydropsyche 240 32 160 9 160 11 26 3 31 2 26 Hydroptilidae Hydroptilidae Hydroptilidae Hydroptilidae Mystacides 46 6 3 <1 5 <1 3 3 <1 - 3 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hydropsychidae														
Hydropsyche	Ceratopsyche	96	13	110	6	200	14	200	20	240	17	42	6	390	28
Hydropsyche		75	10	120	7	110	8	92	9	150	11	56	8	78	6
Hydroptilidae		240	32	160	9	160	11	26	3	31	2	26	4	86	6
Hydroptila															
Leucotrichia 35 5 300 18 200 14 170 17 71 5 10		8	1	40	2	35	3	4	<1	3	<1			3	<1
Leptoceridae Mystacides 46 6 3 3 5 5 4 -		35	5	300	18	200	14	170	17	71	5	10	1	48	3
Mystacides 46 6 3 <1 5 <1 — — 3 Oecetts — 1 <1 7 <1 2 <1 3 <1 1 Triaenodes — — — 1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1	Leptoceridae														
Oceetis — 1 <1 7 <1 2 <1 3 <1 1 Traenodes —	•	46	6	3	<1	5	<1	_				3	<1		
Triaenodes			_				<1	2	<1	3	<1		<1		
Limnephilidae Hydatophylax -		_													
Hydatophylax							_								
Philopotamidae Chimarra 1 <1 14 <1 12 <1 7 <1 28 2 13 Polycentropodidae Neureclipsis 1 <1 9 <1 2 <1 7 <1 4 <1 4 Nyctiophylax 2 <1 4 <1 3 <1 12 1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 4 <1 3 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 5 <1 4 <1 5 <1 5 <1 4 Polycentropus 4 <1 9 <1 17 1 2 <1 5 <1 5 <1 4 Polycentropus 4 <1 1 3 <1 13 <1 5 Polycentropus 4 <1 1 3 <1 13 <1 5 Polycentropus 4 <1 1 2 <1 10 Polycentropus 4 <1 1 2 <1	_			_				_							
Chimarra															
Polycentropodidae Neureclipsis 1 <1 9 <1 2 <1 7 <1 4 <1 4 Nyctiophylax 2 <1 4 <1 3 <1 12 1 5 <1 4 Nyctiophylax 2 <1 4 <1 3 <1 12 1 5 <1 4 Nyctiophylax 2 <1 4 <1 9 <1 17 1 2 <1 4 <1 — Psychomylidae Psychomylidae Psychomylidae Psychomylidae Rhyacophilidae Rhyacophilidae Neophylax — — — — — — — — —	=	1	-1	14	-1	12	-1	7	-1	28	2	13	2	6	<1
Neureclipsis		-	~,	1.7	~,	12	~1	•	~1	20	-	10	_	Ū	~4
Nyctiophylax 2 <1 4 <1 3 <1 12 1 5 <1 4		1	_1	a	-1	2	_1	7	-1	4	-1	A	<1	4	<1
Polycentropus 4 <1													<1	5	<1
Psychomyidae				-									_1		~1
Psychomyla		7	~1	9	~1	11	1	L	~1	7	~1	_		_	
Rhyacophilidae Rhyacophila 1 <1 3 <1 13 <1				2	_1	2	_1								
Rhyacophila				3	<1	2	<1								
R. fuscula						1	-1	2	_1	12	-1			6	<1
Uenoidae Neophylax — — — — — — — — 10 Lepidoptera Pyralidae — — — — — — — — — — — — — — — — — — —				_		1	<1	3	<1	13	<1		-1	O	<1
Neophylax		_										э	<1		
Lepidoptera Pyralidae —												10	,		
Pyralidae —												10	1		
Petrophila 7 <1															
Coleoptera Dryopidae Helichus — 1 <1 — — — — — — — Elmidae Ancyronyx — — — — — — 1 Dubiraphia 4 <1 12 <1 8 <1 2 <1 1 <1 1 Macronychus M. glabratus — — — — — — — — — — — — Optioservus 10 1 6 <1 16 1 12 1 45 3 34 Oulimnius — 2 <1 3 <1 — 4 <1 1						_									
Dryopidae Helichus — 1 <1	-	7	<1	2	<1					_					
Helichus — 1 <1 — — — — Elmidae Ancyronyx — — — — — 1 Dubiraphia 4 <1	=														
Elmidae Ancyronyx — — — — — — 1 Dubiraphia 4 <1 12 <1 8 <1 2 <1 1 <1 1 Macronychus M. glabratus — — — — — — — — — — — — — — — — — — —					_										
Ancyronyx — — — — 1 Dubiraphia 4 <1				1	<1	_				_				_	
Dubiraphia 4 <1															
Macronychus M. glabratus — — — — — — Optioservus 10 1 6 <1								-					<1		
M. glabratus — — — — — — — — — — — — — — — — — — —	-	4	<1	12	<1	8	<1	2	<1	1	<1	1	<1	1	<1
Optioservus 10 1 6 <1 16 1 12 1 45 3 34 Oulimnius — 2 <1															
Oulimnius — 2 <1 3 <1 — 4 <1 1		_						_							
	Optioservus	10	1	6	<1	16	1	12	1	45	3	34	5	9	<1
	Oulimnius			2	<1	3	<1			4	<1	1	<1	6	<1
Promoresia — 1 <1 3 <1 1 <1 2	Promoresia	_		1	<1	3	<1	1	<1	1	<1	2	<1		
Stenelmis 8 1 7 <1 12 <1 11 1 7 <1 7	Stenelmis	8	1	7	<1	12		11		7	<1		1	16	1
Hydrophilidae															
Berosus — — 1 <1 — — 1		_				1	<1					1	<1	_	

	5, 1988		1, 1989		6, 1990		1,1991		7, 1992		4, 1993		2, 1994	Date
1 1	,671		617		73		825		330		554		378	Total count
Count	Percent	Organism												
														Trichoptera
_				_					_		_		_	Apataniidae
3	<1	78	3	2	<1	13	<1	22	2	32	2	3	<1	Apatania
	_	440		••					_				_	Brachycentridae
40	8	410	16	43	4	180	10	93	7	270	17	120	9	Micrasema
_	_	_	_	_	_		-	_	_					Glossosomatidae
8	<1	7	<1	2	<1	20	1	9	<1	4	<1	17	1	Glossosoma
_								_		2	<1			Protoptila
		_					-	_	_				_	Goeridae
_		2	<1	_		4	<1	5	<1	10	<1	1	<1	Goera
								_		_				Helicopsychidae
_								3	<1	9	<1	_		Helicopsyche
														Hydropsychidae
50	15	250	10	130	13	230	13	82	6	140	9	160	11	Ceratopsyche
10	12	51	2	34	3	120	7	23	2	130	8	140	10	Cheumatopsyche
20	7	120	5	22	2	92	5	31	2	82	5	58	4	Hydropsyche
														Hydroptilidae
3	<1	5	<1	1	<1			7	<1	2	<1	1	<1	Hydroptila
10	6	16	<1	120	12	35	2	16	1	31	2	110	8	Leucotrichia
														Leptoceridae
5	<1	_		_		2	<1	10	<1	1	<1	1	<1	Mystacides
_		40	2	5	<1	12	<1	6	<1	10	<1	3	<1	Oecetis
_		_						_						Triaenodes
														Limnephilidae
		_				_		1	<1	_		1	<1	Hydatophylax
														Philopotamidae
_		1	<1	4	<1	19	1	2	<1	3	<1	12	<1	Chimarra
														Polycentropodidae
				3	<1	14	<1	1	<1	1	<1	4	<1	Neureclipsis
8	<1	9	<1	1	<1	1	<1	_		_	~*	·	•	Nyctiophylax
16	<1	3	<1	3	<1	3	<1	1	<1			1	<1	Polycentropus
10	~~	ŭ	~~	Ū	-1	•		•				•	~1	Psychomylidae
_				_		3	<1			3	<1	_		Psychomyla
							-1			3	~1			Rhyacophilidae
8	<1	21	<1	3	<1	9	<1	13	1	5	<1	18	1	Rhyacophila
_	-1		-1	_	-1		~1		•		~1	_	•	R. fuscula
_		_				_		_		_		_		Uenoidae
3	<1			1	<1									
3	~1	_		1	<1	_				_		_		Neophylax
						,	-1							Lepidoptera
_		1	.1	_		1	<1			1				Pyralidae
_		1	<1			_				1	<1	_		Petrophila
														Coleoptera
														Dryopidae
_		_		_				_		_				Helichus
								_	_	_				Elmidae
_	_	-		_		_	_	3	<1	1	<1		_	Ancyronyx
3	<1	13	<1	5	<1	4	<1	12	<1	1	<1	2	<1	Dubiraphia
														Macronychus
_				_		1	<1	_		_		_		M. glabratus
45	3	38	1	27	3	60	3	100	8	95	6	32	2	Optioservus
_		4	<1	1	<1	5	<1	1	<1	9	<1	3	<1	Oulimnius
_				_		1	<1	1	<1	_		1	<1	Promoresia
40	2	43	2	25	3	92	5	33	3	57	4	12	<1	Stenelmis
														Hydrophilidae
														Berosus

Table 5. Benthic-macroinvertebrate data—Continued

01480653 - East Branch Brandywine Creek at Glenmoore, Pa. (Site 42)—Continued

Date	Nov. 2	2, 1981	Nov. 3	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Dec.	5, 1986	Oct. 2	3, 1987
Total count	7	52	1,3	708	1,	338	1,0	800	1,	361	7	23	1,	435
Organism	Count	Percent	Count	Percent	Count	Percent								
Coleoptera														
Psephenidae														
Ectopria														
E. nervosa														
Psephenus	5	<1	1	<1	1	<1			2	<1	12	2	10	<1
Hymenoptera							1	<1						
Diptera														
Athericidae														
Atherix	_										3	<1	1	<1
Chironomidae	14	2	310	18	110	8	160	16	320	23	150	20	310	22
Empididae														
Hemerodromia	1	<1	9	<1	3	<1	7	<1	5	<1	2	<1	6	<1
Ephydridae							_		1	<1				
Simuliidae														
Simulium			20	1	2	<1	20	2	23	2	13	2	4	<1
Tipulidae														
Antocha	12	2	84	5	82	6	35	3	40	3	45	6	51	4
Tipula	1	<1			_		_						_	

¹ Extrapolated from a 3/8 subsample.

Nov. 1	5, 1988	Nov.	1, 1989	Oct. 2	6, 1990	Nov. 1	1, 1991	Nov. 1	7, 1992	Nov. 4	, 1993	Oct. 1	2, 1994	Date
1 1,	,671	2,	617	9	73	1,	825	1,	330	1,	554	1,	378	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
,														Coleoptera
														Psephenidae
														Ectopria
		_		_		_		1	<1	_		1	<1	E. nervosa
13	<1	3	<1	3	<1	1	<1	7	<1	12	<1	6	<1	Psephenus
-						_		_		_		_		Hymenoptera
														Diptera
														Athericidae
3	<1	1	<1	_		1	<1			_		1	<1	Atherix
160	27	290	11	200	20	550	31	210	16	120	8	250	18	Chironomidae
														Empididae
13	<1	130	5	2	<1	5	<1	40	3	8	<1	8	<1	Hemerodromia
				_				_		_				Ephydridae
														Simuliidae
16	<1	11	<1	2	<1	2	<1	13	1	1	<1	4	<1	Simulium
														Tipulidae
64	4	73	3	19	2	110	6	52	4	74	5	35	3	Antocha
_										_				Tipula

Table 5. Benthic-macroinvertebrate data—Continued [<, less than; —, not found]

01480656 - Indian Run near Springton, Pa. (Site 47)

Date	Nov. 2	2, 1981	Nov.	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Oct. 2	9, 1986	Oct. 1	9, 1987
Total count	1,	050	1,	883	1,	165	1,	027	7	29	6	88	6	40
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	1	<1	_								1	<1	3	<1
Nematoda (nematodes)					_		2	<1			_		2	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1	_				_				_			
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	57	5	24	1	17	1			1	<1	16	2	3	<1
Physidae														
Physa	_				1	<1								
Bivalvia														
Veneroida														
Sphaeriidae					1	<1	_				_		_	
Sphaerium			_		_						_			
Annelida (segmented worms)														
Oligochaeta									1	<1				
Tubificida									-	٠.				
Naididae	18	2	26	1	27	2	23	2					8	1
Tubificidae	6	<l< td=""><td>3</td><td><1</td><td>3</td><td><1</td><td>_</td><td>_</td><td></td><td></td><td>_</td><td></td><td>1</td><td><1</td></l<>	3	<1	3	<1	_	_			_		1	<1
Arthropoda (arthropods)	•	~1	Ŭ	•	Ū	•							•	~~
Acariformes														
Hydrachnidia	25	2	10	<1	17	1	12	1					4	<1
Crustacea	20		10	~1		•	12	•					-	~*
Decapoda														
Cambaridae													1	<1
Podocopa	_		1	<1	_		1	<1	_				•	~1
Insecta	_		1	~1	_		•	~1					_	
Ephemeroptera														
Baetidae														
Baetis	1	<1	19	1			7	<1	20	3	11	2	7	1
Pseudocloeon	1	<1	19	1	3	<l< td=""><td>20</td><td>2</td><td>6</td><td>-3 -<1</td><td>11</td><td>2</td><td>•</td><td>1</td></l<>	20	2	6	-3 -<1	11	2	•	1
Ephemerellidae			_		3	<1	20	2	O	<1	_			
	310	20	260	10	390	33	200	20	150	20	280	40	50	8
Ephemerella Ephemerelda	310	28	360	19	390	33	200	20	130	20	200	40	30	0
Ephemeridae												. •		
Ephemera	_		_		_		_				1	<1	_	
Heptageniidae			15	. 1	100	0	E2	E						
Epeorus		•	15 50	<1	100	8	52 46	5			71	10	-	10
Stenonema	29	3	50	3	54	5	46	5	56	8	71	10	63	10
Isonychiidae		.•	^					.•		. 4	r	. 4		. 4
Isonychia	1	<1	2	<1	8	<1	1	<1	1	<1	5	<1	1	<1
Leptophlebiidae	1	<1	_	_	1	<1	_				2	<1	_	
Paraleptophlebia	_		3	<1	_		_		_		_		_	

	5, 1988	Oct. 1	6, 1989	Nov. 1	3, 1990	Nov. 5	5, 1991	Oct. 2	3, 1992	Nov. 2	2, 1993	Oct. 1	4, 1994	Date
	787		288		40		89		40		70		232	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	- - -
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
_		_		_				_		3	<1	_		Planariidae
-		_				_				3	<1			Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
_		11	<1	_		_		_		_				Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
														Ancylidae
		12	<1	28	3	10	2	16	4	36	5	9	<1	Ferrissia
														Physidae
-				_		_		_		_		_		Physa
														Bivalvia
														Veneroida
		_		_		_		_		1	<1			Sphaeriidae
		3	<1	_		_		-		_				Sphaerium
														Annelida (segmented worms)
		_		_				2	<1					Oligochaeta
														Tubificida
		23	2	11	1	1	<1	_		21	3	22	2	Naididae
3	<1			_				_		_		2	<1	Tubificidae
														Arthropoda (arthropods)
														Acariformes
3	<1	13	1	11	1	1	<1	_		9	1	26	2	Hydrachnidia
														Crustacea
														Decapoda
		_				_		_				_		Cambaridae
						_		_						Podocopa
														Insecta
														Ephemeroptera
														Baetidae
8	1	1	<1	4	<1			_		_		11	<1	Baetis
3	<1	18	1	1	<1	2	<1	1	<1	1	<1	26	2	Pseudocloeon
														Ephemerellidae
170	22	6 1	5	36	4	11	2	7	2	17	2	58	5	Ephemerella
														Ephemeridae
_		_		_						_		_		Ephemera .
														Heptageniidae
19	2	61	5	15	2	24	4	5	1	9	1	12	1	Epeorus
21	3	28	2	30	4	21	3	35	8	19	2	34	3	Stenonema
							-	-	_		_	-		Isonychiidae
_		_		_		9	2	38	8	13	2	7	<1	Isonychia
		_				_	-	_	-		-	-	-	Leptophlebiidae
		_		_		_				_		_		Paraleptophlebia
														- www.ptopinooid

Table 5. Benthic-macroinvertebrate data—Continued 01480656 - Indian Run near Springton, Pa. (Site 47)

Date		2, 1981		3, 1982		3, 1983	_	7, 1984		3, 1985		9, 1986		9, 1987
Total count		050		883		165		027		29		88		40
Organism	Count	Percent	Count	Percei										
Odonata														
Aeshnidae							_	_						
Boyeria	_		_				1	<1					-	
Gomphidae			_		_								_	
Plecoptera														
Capniidae		_						_	440					•
Allocapnia	17	2			_		56	6	110	15	3	<1	19	3
Chloroperlidae													7	1
Leuctridae											_			
Nemouridae											_		_	
Peltoperlidae														
Peltoperla	_		_										_	
Perlidae	_						_				_	_		_
Acroneuria	2	<1	10	<1	10	<1	5	<1	_		2	<1	4	<1
Agnetina					_						_		_	
Neoperla —			_		_						_			_
Paragnetina									3	<1	2	<1	2	<1
Taeniopterygidae														
Strophopteryx	_													
Taeniopteryx	1	<1	17	<1	64	5					1	<1		
Hemiptera														
Veliidae														
Rhagovelia					1	<1			_				3	<1
Megaloptera														
Corydalidae														
Nigronia	3	<1	2	<1	1	<1					1	<1		
Sialidae														
Sialis			1	<1			_		_					
Trichoptera														
Apataniidae														
Apatania	62	6	61	3	20	2	16	2	6	<1	26	4	31	5
Brachycentridae														
Micrasema	13	1	19	1	8	<1	6	<1	1	<1	2	<1		
Glossosomatidae														
Glossosoma	_		82	4	52	4	75	8	16	2	27	4	15	2
Goeridae														
Goera	10	<1	9	<1	1	<1			2	<1	2	<1		
Hydropsychidae														
Ceratopsyche	8	<1	47	2	34	3	24	2	41	6	17	2	33	5
Cheumatopsyche	24	2	95	5	64	5	140	14	40	5	17	2	13	2
Diplectrona														
Hydropsyche	12	1	62	3	66	6	16	2	4	<1	4	<1	12	2
Hydroptilidae														
Hydroptila	18	2	3	<1			1	<1					1	<1
Leucotrichia	5	<1	12	<1	7	<1	22	2	6	<1	23	3	3	<1
Lepidostomatidae														
Lepidostoma	_				_									
Leptoceridae														
Mystacides	7	<1	8	<1					_					
Oecetis	1	<1												
Philopotamidae														
Chimarra	1	<1	1	<1	14	1	37	4	4	<1	13	2	4	<1
Dolophilodes			_		3	<1	13	1	10	1	18	3	15	2
Wormaldia											_			

	5, 1988	Oct. 1	6, 1989	Nov. 1	3, 1990	Nov. 5	5, 1991	Oct. 2	3, 1992	Nov.	2, 1993	Oct. 1	4, 1994	Date
1 7	87	1,	288	8	40	5	89	4	40	7	70	1,	232	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Odonata
														Aeshnidae
		_				_				-				Boyeria
		_		1	<1									Gomphidae
														Plecoptera
														Capniidae
24	3			14	2	6	1	4	1	36	5	_		Allocapnia
_										1	<1			Chloroperlidae
_				16	2	1	<1			_		_		Leuctridae
21	3	_				_		_		_				Nemouridae
														Peltoperlidae
_												1	<1	Peltoperla
												-		Perlidae
3	<1	6	<1			_				1	<1	2	<1	Acroneuria
3	<1	_	74					_			~1	_	~*	Agnetina
_	~.	_		1	<1	_		_		_		_		Neoperla
_		3	<1	1	~1	1	<1					_		Neuperia Paragnetina
-		3	<1	_		1	<1							
	_													Taeniopterygidae
37	5			_	_	_						_		Strophopteryx
_		140	11	1	<1	3	<1	1	<1	10	1	8	<1	Taeniopteryx
														Hemiptera
														Veliidae
-		_								1	<1			Rhagovelia
														Megaloptera
														Corydalidae
		-												Nigronia
														Sialidae
_		-						_				_		Sialis
														Trichoptera
														Apatanlidae
32	4	21	2	44	5	20	3			30	4	59	5	Apatania
														Brachycentridae
_		8	<1	3	<1	3	<1	50	11	1	<1	2	<1	Micrasema
		-		•		•				-		_		Glossosomatidae
4	8	32	2	16	2	27	5	10	2	42	5	63	5	Glossosoma
•	J	02	-	10	-		J	10	_	30	J	00	Ū	Goeridae
_		_												Goera
														Hydropsychidae
10	12	55	4	15	2	26	4	1	-1	02	11	60	e	
9 32	12 4	55 28	4 2	15 9	2 1	28	4	1	<1	83 31	11	69 50	6 4	Ceratopsyche Cheumatopsyche
	4		4		1		5	_ 2	1		4		7	Cneumatopsycne Diplectrona
			11	40	F	5	<1		<1	17	2	150	10	
11	1	140	11	40	5	31	5	75	17	16	2	150	13	Hydropsyche
				•										Hydroptilidae
3	<1	_	_	3	<1		_	1	<1		_	_		Hydroptila
_		18	1	28	3	43	7	10	2	2	<1	1	<1	Leucotrichia
														Lepidostomatidae
_				_		_				6	<1	_		Lepidostoma
														Leptoceridae
		_		_		_		_		_		_		Mystacides
_		_		_		_		_				_		Oecetis
														Philopotamidae
1	1	21	2	1	<1	6	1	9	2	6	<1	28	2	Chimarra
		22	2	_								26	2	Dolophilodes
_		44												Dolopinoda

Table 5. Benthic-macroinvertebrate data—Continued01480656 - Indian Run near Springton, Pa. (Site 47)

Date	Nov. 2	2, 1981	Nov. 3	3, 1982	Nov. 3	3, 1983	Oct. 1	7, 1984	Oct. 2	3, 1985	Oct. 2	9, 1986	Oct. 1	9, 1987
Total count	1,	050	1,	883	1,	165	1,0	027	7	29	6	88	6	40
Organism	Count	Percent												
Trichoptera														
Polycentropodidae														
Cyrnellus	_		7	<1	_									
Neureclipsis			1	<1	_		_		_		_			
Nyctiophylax	6	<1	_		1	<1	2	<1			1	<1	_	
Polycentropus	7	<1	7	<1	1	<1	_		1	<1	2	<1		
Psychomytidae Psychomytidae														
Psychomyia	96	9	59	3	16	1	5	<1	9	1	29	4	10	2
Rhyacophilidae														
Rhyacophila	1	<1	10	<1	5	<1	18	2	9	1	4	<1	6	1
Uenoidae														
Neophylax			_		_						3	<1		
Coleoptera														
Elmidae														
Ancyronyx			_				_		_		_		_	
Dubiraphia			_											
Optioservus	7	<1	27	1	13	1			4	<1	10	1	9	1
Oulimnius	2	<1	3	<1	2	<1	5	<1	1	<1			5	<1
Promoresia			_											
Stenelmis	15	1	2	<1			4	<1			1	<1	1	<1
Psephenidae							-							
Ectopria														
E. nervosa			1	<1										
Psephenus	5	<1	3	<1	2	<1			1	<1	3	<1	8	1
Diptera														
Athericidae														
Atherix					2	<1								
Blephariceridae					_									
Blepharicera														
Chironomidae	170	15	670	35	120	10	180	18	190	26	59	8	250	38
Empididae		10	0.0	•••	120		100		100		•	Ū	-00	•
Hemerodromia	7	<1	4	<1	2	<1	1	<1	_				1	<1
Simuliidae	•		•		-	7.	•						•	7.
Simulium			7	<1	7	<1	7	<1	17	2	1	<1	21	3
Tipulidae						74		-1		_				Ū
Antocha	100	9	140	7	27	2	28	3	16	2	30	4	24	4
Hexatoma		•		•		_	1	<1	_	-	_	-		-
Tipula					_		_	~1	3	<1	_			

¹ Extrapolated from a 3/8 subsample.

Nov. 1	5, 1988	Oct. 1	6, 1989	Nov. 1	3, 1990	Nov. 5	5, 1991	Oct. 2	3, 1992	Nov. 2	2, 1993	Oct. 1	4, 1994	Date
1 -	787	1,	288	8	40	5	89	4	40	7	70	1,	232	Total count
Count	Percent	Organism												
														Trichoptera
														Polycentropodidae
_		_		_		_								Cyrnellus
_		_		_		_		_						Neureclipsis
_						_				_				Nyctiophylax
		_		_		1	<1			_		_		Polycentropus
														Psychomylidae
13	2	_		62	7	47	8	5	1	45	6	13	1	Psychomyia
														Rhyacophilidae
5	<1	29	2	11	1	11	2	25	6	21	3	38	3	Rhyacophila
														Uenoidae
3	<1	_						_		_				Neophylax
														Coleoptera
														Elmidae
		_		_				_				3	<1	Ancyronyx
		_		3	<1			6	1	_				Dubiraphia
24	3	24	2			12	2	6	1	23	3	19	2	Optioservus
		11	<1	_		1	<1	_		_		3	<1	Oulimnius
_						_		_		_		1	<1	Promoresia
3	<1	2	<1	6	<1	1	<1							Stenelmis
														Psephenidae
														Ectopria
														E. nervosa
				1	<1	1	<1	3	<1	9	1	9	<1	Psephenus
														Diptera
														Athericidae
3	<1			1	<1									Atherix
_		3	<1			_				_				Blephariceridae
		•	-											Blepharicera
40	18	390	30	270	32	170	28	85	19	150	19	380	32	Chironomidae
		000	-	2.0	0.5	1.0	20	-	10	100	10	000	02	Empididae
_		6	<1	6	<1							4	<1	Hemerodromia
-		U	~1	U	~1					_		7	~1	Simuliidae
8	1	80	6	12	1	6	1	18	4	8	1	49	4	Simulium
0	1	OU	U	12	1	_	1	10	7	0	1	1	4 <1	Tipulidae
 16	2	16	1	140	16	60	10	25	6	97	12	46	<1 4	npundae Antocha
10	۷		1	140	10	OU	10	23	O	91	12	40	4	
_		_	.1	_		_				_		_		Hexatoma
		2	<1									_		Tipula

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)

Date	Nov. 4	, 1981	Oct. 2	8, 1982	Nov. 4	4, 1983	Oct. 3	0, 1984	Oct. 2	1, 1985	Nov. 1	7, 1986	Oct. 2	0, 1987
Total count	1 2,	450	¹ 11	1,821	1 2	,848	¹ 5	,962	1,	866	2,	232	2,	179
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	45	2	3	<1	8	<1			8	<1	2	<1	6	<1
Nematoda (nematodes)			_		_				_				2	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma					8	<1	5	<1	13	<1			_	
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	3	<1	3	<1							2	<1	1	<1
Lymnaeidae	Ü	~-	v	~-							-		•	~-
Lymnaea													1	<1
Planorbidae													•	~1
Gyraulus									_					
Bivalvia														
Veneroida														
Sphaeriidae	_		_		_									
Annelida (segmented worms)														
Oligochaeta	_		_						_				_	
Lumbriculida														
Lumbriculidae	_													
Tubificida														
Naididae			_		3	<1	3	<1			_		27	1
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	3	<1			5	<1	11	<1	_		3	<1	35	2
Crustacea														
Cladocera									_		_			
Cyclopoida														
Amphipoda														
Gammaridae														
Gammarus									_					
Podocopa									_				_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis			35	_1					110	e				
				<1	32					6 1	2		33	2
Pseudocloeon	16	<1	40	<1	32	1	16	<1	23	1	Z	<1	33	2
Caenidae														
Caenis	_								_					
Ephemerellidae				_		_		_		_	_	_		_
Ephemerella	_		48	<1	83	3	61	1	12	<1	8	<1	11	<1
Heptageniidae														
Epeorus			_		_		3	<1	_					
Stenonema	75	3	91	<1	51	2	110	2	33	2	31	1	71	3
Isonychiidae														
Isonychia	_		8	<1	_						_			
Leptohyphidae														
Tricorythodes	3	<1	5	<1							_			
man ganawa	3		,											

Oct. 5	5, 1988	Oct. 1	0, 1989	Oct. 1	6, 1990	Nov. 5	5, 1991	Oct. 3	0, 1992	Nov. 3	3, 1993	Oct. 1	3, 1994	Date
11	,499	2,2	207	2,4	188	1,3	398	2,	426	1,8	896	1,0	022	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	<u> </u>
									,					Platyhelminthes (flatworms) Turbellaria Tricladida
3	<1	20	<1	11	<1	1	<1	11	<1	22	1	1	<1	Planariidae
3	<1	_		_		_				1	<1	_		Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
		8	<1	1	<1	1	<1			3	<1			Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
_		3	<1	3	<1			_		1	<1	1	<1	<i>Ferrissia</i> Lymnaeldae
		_				_		_		_		_		<i>Lymnaea</i> Planorbidae
_		1	<1	1	<1							_		<i>Gyraulus</i> Bivalvia Veneroida
_				3	<1									Sphaerlidae
		_						1	<1	1	<1			Annelida (segmented worms) Oligochaeta
_		_		1	<1	_						_		Lumbriculida Lumbriculidae Tubificida
3	<1	15	<1	20	<1	4	<1	6	<1	4	<1	1	<1	Naididae Arthropoda (arthropods) Acariformes
		89	4	28	1	5	<1	120	5	25	1	13	1	Hydrachnidia Crustacea
		13	<1											Cladocera
		5	<1											Cyclopoida Amphipoda Gammaridae
		4	<1	1	<1			3	<1					Gammarus
										1	<1			Podocopa
														Insecta Ephemeroptera Baetidae
45	3	9	<1	5	<1	8	<1					28	3	Baetis
		22	1	10	<1	1	<1	10	<1			41	4	<i>Pseudocloeon</i> Caenidae
_		1	<1	2	<1			_		_				Caerndae <i>Caenis</i> Ephemerellidae
11	<1	75	3	150	6	49	3	180	8	140	7	24	2	Ephemerella Ephemerella Heptageniidae
		7	<1	9	<1	1	<1	5	<1	2	<1	1	<1	Epeorus -
29	2	69	3	180	7	64	5	57	2	11	<1	27	3	Stenonema Isonychiidae
3	<1			1	<1			17	<1	4	<1	76	8	isonychiidae <i>Isonychia</i> Leptohyphidae
_		_						_		1	<1	_		Tricorythodes

Table 5. Benthic-macroinvertebrate data—Continued01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

Date	Nov. 4	, 1981		8, 1982		i, 1983		0, 1984	Oct. 2	1, 1985	Nov. 1	7, 1986	Oct. 20	0, 1987
Total count	1 2,4	450	¹ 11	,821	12	,848	¹ 5	,962	1,8	366	2,	232	2,1	179
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Odonata														
Calopterygidae														
Hetaerina	_				_		3	<1	_				_	
Plecoptera														
Capniidae														
Allocapnia			_		3	<1	_		_		_		4	<1
Chloroperlidae	_		_		8	<1	3	<1	_		1	<1	5	<1
Nemouridae					_		3	<1			_			
Perlidae														
Acroneuria			3	<1	3	<1			1	<1				
			3	\1	3	\1	3	-1	1	\1	_		_	
Agnetina					_		3	<1	_				_	
Paragnetina	19	<1	13	<1	_		_		1	<1	3	<1	1	<1
Taeniopterygidae														
Taeniopteryx	75	3	35	<1	37	1	8	<1	16	<1	16	<1	37	2
Hemiptera														
Veliidae														
Rhagovelia	_		_		3	<1	_				_		_	
Megaloptera														
Corydalidae														
Corydalus	8	<1	_		13	<1	3	<1			2	<1	2	<1
Nigronia	5	<1					_				1	<1	_	
Sialidae	_													
Sialis			_		3	<1	_		_		_		_	
Neuroptera					,	~1								
Sisyridae														
Climacia														
									•					
C. areolaris	_				_		_		2	<1	_		_	
Trichoptera														
Apataniidae							_					_		
Apatania					_		3	<1			1	<1	_	
Brachycentridae														
Micrasema	29	1	_		16	<1	8	<1	15	<1	69	3	20	<1
Glossosomatidae														
Glossosoma	3	<1	13	<1	3	<1	37	<1	7	<1	16	<1	3	<1
Protoptila	_		_		_		_		_		_		_	
Goeridae														
Goera	_				_				_		_		_	
Helicopsychidae														
Helicopsyche			_		_		_		_					
Hydropsychidae														
Ceratopsyche	1,100	44	1,100	9	880	30	500	8	470	25	240	11	320	15
Cheumatopsyche	170	7	48	<1	250	9	48	<1	110	6	61	3	48	2
Hydropsyche	140	6	85	<1	200	7	56	<1	92	5	280	13	220	10
	140	0	63	<1	200	,	30	<1	92	3	200	13	220	10
Hydroptilidae					•	_							_	
Hydroptila			_		8	<1	16	<1	1	<1	1	<1	2	<1
Leucotrichia	11	<1	16	<1			290	5	160	8	130	6	190	9
Lepidostomatidae														
Lepidostoma	_		_		_		_		_		_			
Leptoceridae														
Mystacides	_		_		_		_		_		_		_	
Oecetis	_		_		_		5	<1	1	<1	4	<1		
Philopotamidae														

	5, 1988	Oct. 1	0, 1989	Oct. 1	6, 1990	Nov.	5, 1991	Oct. 3	0, 1992	Nov.	3, 1993	Oct. 1:	3, 1994	Date
11	,499	2,	207	2,	488	1,	398	2,	426	1,	896	1,0	022	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
			-											Odonata
														Calopterygidae
_		_								_		_		Hetaerina
														Plecoptera
														Capnildae
3	<1	_				4	<1	5	<1	_				Allocapnia
_		4	<1			19	1	60	3	12	<1	2	<1	Chloroperlidae
_						_								Nemouridae
														Perlidae
_		_		4	<1	2	<1	5	<1	3	<1	2	<1	Acroneuria
_		1	<1	41	2	2	<1	9	<1	3	<1	3	<1	Agnetina
3	<1							1	<1	2	<1			Paragnetina
_								_		_				Taeniopterygidae
35	2	15	<1	6	<1	6	<1	8	<1	19	1	4	<1	Taeniopteryx
	_		1-	•		Ū	7-	Ū	1.		•	-	7.	Hemiptera
														Veliidae
_		_				1	<1			_				Rhagovelia
				_		•	~1							Megaloptera
														Corydalidae
5	<1					2	<1	8	<1	3	<1	1	<1	Corydalus
J	<1			_		1	<1	О	<1	3	<1	1	<1	
		_		_		1	<1			_		_		Nigronia
														Sialidae
				_		_				_				Sialis
														Neuroptera
														Sisyridae
														Climacia
_		_				_		_		_				C. areolaris
														Trichoptera
														Apataniidae
3	<1	19	<1	12	<1	11	<1	22	<1	67	4	2	<1	Apatania
														Brachycentridae
5	<1	97	4	100	4	50	4	56	2	220	12	19	2	Micrasema
														Glossosomatidae
8	<1	44	2	3	<1	13	<1	22	<1	39	2	10	1	Glossosoma
-				_		1	<1	_		3	<1	2	<1	Protoptila
														Goeridae
		_		-		_		_		1	<1	_		Goera
														Helicopsychidae
		1	<1	6	<1			22	<1	10	<1	8	<1	Helicopsyche
														Hydropsychidae
600	40	310	14	620	25	340	24	360	15	520	27	290	29	Ceratopsyche
45	3	55	3	82	3	41	3	17	<1	79	4	27	3	Cheumatopsyche
83	6	37	2	130	5	110	8	100	4	190	10	67	7	Hydropsyche
														Hydroptilidae
		9	<1	_		1	<1	1	<1	1	<1	_		Hydroptila
75	5	36	2	170	7	75	5	73	3	88	5	180	18	Leucotrichia
														Lepidostomatidae
_				6	<1	2	<1	1 9	<1	13	<1	_		Lepidostoma
														Leptoceridae
		1	<1	_		_		_				_		Mystacides
		5	<1	17	<1	2	<1	12	<1	2	<1	1	<1	Oecetis
		-	-		• •	-				-	••	-		Philopotamidae
														Philopotaminae

Table 5. Benthic-macroinvertebrate data—Continued 01480700 - East Branch Brandywine Creek near Downingtown, Pa. (Site 36)—Continued

Date		4, 1981		8, 1982		4, 1983		0, 1984		1, 1985		7, 1986		0, 1987
Total count	1 2	,450	¹ 11	,821	¹ 2	,848	¹ 5	,962	1,	B66	2,	232	2,	179
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera					***************************************									
Polycentropodidae														
Neureclipsis	11	<1	_		3	<1	43	<1	_		25	1	1	<1
Nyctiophylax	3	<1	_				3	<1	_		1	<1	2	<1
Polycentropus	3	<1	_		_		_		_		_		_	
Psychomylidae														
Psychomyia			_				13	<1	35	2	8	<1	120	5
Rhyacophilidae														
Rhyacophila			_		_		3	<1	_		2	<1		
Uenoidae														
Neophylax					_		_		_		_			
Lepidoptera														
Pyralidae														
Petrophila	21	<1									1	<1	2	<1
Coleoptera														
Dryopidae														
Helichus			_		_		_						_	
Elmidae														
Ancyronyx	_						_							
Dubiraphia	5	<1	-		5	<1	5	<1	2	<1				
Optioservus	13	<1	13	<1	32	1	19	<1	10	<1			18	<1
Oulimnius	-				_		_		1	<1			8	<1
Promoresia	_		_		_		_		2	<1	5	<1		
Stenelmis	14	<1	3	<1	13	<1	3	<1	3	<1	_		_	
Hydrophilidae														
Berosus	_				3	<1	_							
Psephenidae														
Ectopria			3	<1			_				_		_	
Psephenus					3	<1							_	
Hymenoptera					_				1	<1	_			
Diptera														
Athericidae														
Atherix	_		_		_		_		_		_		_	
Chaoboridae														
Chaoborus			_						_		_		_	
Chironomidae	570	23	10,000	83	770	27	3,400	57	580	31	400	18	840	38
Empididae														
Hemerodromia	3	<1	19	<1	8	<1	3	<1	4	<1	6	<1	5	<1
Simuliidae		_												
Simulium	83	3	200	2	380	13	1,200	20	99	5	780	35	14	<1
Stratiomyidae	_		_		_		_		_		1	<1	_	
Tipulidae														
Antocha	16	<1	37	<1	3	<1	75	1	53	3	130	6	130	6
Tipula	_												_	

¹ Extrapolated from a 3/8 subsample.

	i, 1988	Oct. 10	0, 1989	Oct. 10	6, 1990	Nov. 5	i, 1991	Oct. 3	0, 1992	Nov. 3	, 1993	Oct. 1	3, 1994	Date
11	499	2,2	207	2,4	188	1,3	398	2,4	426	1,8	396	1,	022	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
													,	Trichoptera
														Polycentropodidae
				12	<1	6	<1	8	<1	1	<1	_		Neureclipsis
3	<1	1	<1	12	<1	2	<1	5	<1	1	<1	_		Nyctiophylax
		2	<1	2	<1	_		4	<1	_		_		Polycentropus
														Psychomylidae
16	1	7	<1	35	1	16	1	5	<1	4	<1	2	<1	Psychomyia
														Rhyacophilidae
				4	<1	1	<1	20	<1	8	<1	1	<1	Rhyacophila
														Uenoidae
								_		2	<1			Neophylax
														Lepidoptera
														Pyralidae
				3	<1	7	<1	5	<1	1	<1	2	<1	Petrophila
														Coleoptera
														Dryopidae
				1	<1	_						_		Helichus
														Elmidae
				_		_				_		1	<1	Ancyronyx
		1	<1	3	<1	_		6	<1	5	<1	_		Dubiraphia
24	2	34	2	71	3	66	5	140	6	92	5	44	4	Optioservus
		_		_				2	<1	8	<1			Oulimnius
				1	<1	_		18	<1	39	2	37	4	Promoresia
5	<1	5	<1	22	<1	1	<1	16	<1	8	<1	4	<1	Stenelmis
														Hydrophilidae
_				_		_				_				Berosus
														Psephenidae
						_		_						Ectopria
_				3	<1	5	<1	4	<1	3	<1	2	<1	Psephenus
								_		_				Hymenoptera
														Diptera
														Athericidae
		1	<1	_				_						Atherix
														Chaoboridae
_		1	<1			_		_		_				Chaoborus
30	29	980	45	620	25	420	30	880	37	180	9	65	7	Chironomidae
														Empididae
		110	5	6	<1	1	<1	15	<1	5	<1	1	<1	Hemerodromia
														Simuliidae
59	4	75	3	16	<1	1	<1	37	2	5	<1	25	3	Simulium
				_						_		_		Stratiomyidae
														Tipulidae
		15	<1	45	2	49	3	37	2	34	2	4	<1	Antocha
				_		_		2	<1	_				Tipula

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]
01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)

Date	Nov.	4, 1981	Oct. 2	8, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 3	1, 1985	Oct. 8	3, 1986	Nov.	4, 1987
Total count	2,	812	1,	556	1,	918	1,	475	2,	091	1,0	079	2,	352
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	38	1	27	2	39	2	6	<1	62	3	13	1	21	<1
Nematoda (nematodes)	1	<1	1	<1			3	<1					1	<1
Nemertea (proboscis worms) Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_				_		1	<1				
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia					1	<1					1	<1	_	
Physidae					_						-			
Physa	1	<1	16	1					_					
Planorbidae	_			_										
Helisoma			3	<1										
Annelida (segmented worms) Oligochaeta			-	-										
Lumbriculida														
Lumbriculidae			_								_			
Tubificida														
Naididae	_		4	<1			1	<1	1	<1	2	<1	5	<1
Arthropoda (arthropods)			-				-							
Acariformes														
Hydrachnidia	28	1	6	<1	18	<1	10	<1	1	<1	1	<1	6	<1
Crustacea		-	·					••	-		_		•	
Cyclopoida													_	
Amphipoda														
Gammaridae														
Gammarus											_			
Podocopa	1	<1							1	<1			1	<1
Insecta	-	7-							-				-	
Ephemeroptera														
Baetidae														
Baetis	16	<1	4	<1	_		30	2	14	<1	26	2	2	<1
Pseudocloeon	_		5	<1	1	<1	3	<1	12	<1	_		21	<1
Caenidae														
Caenis	_		_								_		_	
Ephemerellidae														
Ephemerella	230	8	180	11	330	17	44	3	260	12	30	3	200	8
Heptageniidae														
Epeorus	_								_				_	
Stenonema	83	3	90	6	84	4	29	2	31	1	10	<1	31	1
Isonychiidae														
Isonychia	10	<1	17	1	14	<1	19	1	3	<1	2	<1	3	<1
Leptohyphidae				-				-	_	_			-	_
Tricorythodes	3	<1	5	<1	5	<1			3	<1			4	<1
Leptophlebiidae	_		_				1	<1	_					
_optopiaconduc							•							

	l, 1988	Oct. (6, 1989	Oct. 1	1, 1990	Nov. 1	8, 1991	Nov. 1	7, 1992	Nov. 4	l, 1993	Oct. 6	, 1994	Date –
¹ 2,	626	1,	105	1,	100	1,	499	1,	380	1,	179	1,	163	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	d Organism
		•												Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
21	<1	6	<1	10	<1	7	<1	93	7	38	3	52	4	Planariidae
-		_		1	<1	_		_				_		Nematoda (nematodes)
														Nemertea (proboscis worms)
														Enopla
														Hoplonemertea
														Tetrastemmatidae
		1	<1	1	<1	1	<1					_		Prostoma
														Mollusca (molluscs)
														Gastropoda
														Basommatophora
										_				Ancylidae
_						_		_		2	<1			Ferrissia
				_	_									Physidae
				1	<1							_		Physa
														Planorbidae
						_		_				_		Helisoma
														Annelida (segmented worms)
														Oligochaeta
		•								-				Tubificida
		6	<1	1	<1			11	<1	7	<1			Naididae
														Lumbriculida
				_		_				1	<1	_		Lumbriculidae
														Arthropoda (arthropods)
		10	1	3	.1		-1	E 1		17	,	•	.1	Acariformes
		12	1	3	<1	4	<1	51	4	17	1	6	<1	Hydrachnidia Crustacea
										2	<1			
_		_		_		_		_		2	<1			Cyclopoida
														Amphipoda Gammaridae
								2	<1					Gammarus
		_		1	<1				\ 1	_		_		Podocopa
				1	~1	_								Insecta
														Ephemeroptera
														Baetidae
85	3	34	3	36	3	_				2	<1	58	5	Baetis
5	<1	8	<1	_	·			1	<1			5	<1	Pseudocloeon
-		•						_				_	-	Caenidae
_						_				1	<1	1	<1	Caenis
										-		-	-	Ephemerellidae
110	4	360	33	94	9	150	10	310	22	230	19	46	4	Ephemerella
														Heptageniidae
_		2	<1	3	<1	4	<1	2	<1	2	<1			Epeorus
45	2	13	1	46	4	37	2	37	3	25	2	2	<1	Stenonema
														Isonychiidae
3	<1			3	<1	9	<1	2	<1	9	<1	47	4	Isonychia
														Leptohyphidae
11	<1	4	<1			_		8	<1	4	<1			Tricorythodes
														Leptophlebiidae

Table 5. Benthic-macroinvertebrate data—Continued 01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

Date	Nov.	4, 1981	Oct. 2	8, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 3	1, 1985	Oct. 8	3, 1986	Nov.	4, 1987
Total count	2,	812	1,	556	1,9	918	1,4	475	2,0	091	1,	079	2,	352
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Odonata											•			
Coenagrionidae														
Argia	1	<1			_								_	
Plecoptera														
Capniidae														
Allocapnia	11	<1	2	<1	9	<1	5	<1	68	3	_		6	<1
Chloroperlidae	3	<1			6	<1	2	<1	9	<1			7	<1
Perlidae														
Agnetina	12	<1	1	<1					1	<1	5	<1	1	<1
Taeniopterygidae														
Taeniopteryx									1	<1			2	<1
Hemiptera														
Veliidae														
Rhagovelia														
Megaloptera														
Corydalidae														
Corydalus	1	<1	1	<1			4	<1	2	<1	2	<1	4	<1
Nigronia		-	1	<1				-		· -		_		_
Trichoptera			-											
Apataniidae														
Apatania														
Brachycentridae														
Micrasema					_									
Glossosomatidae														
Glossosoma	2	<1	13	<1	20	1	28	2	4	<1	1	<1	2	<1
Helicopsychidae	L	~1	15	~1	20	1	20	2	-3	~1	•	-1	_	-1
Helicopsyche	11	<1											6	<1
Hydropsychidae	11	~1									_		Ū	-1
Ceratoopsyche	680	24	250	16	510	27	590	39	400	19	250	23	630	26
	220		42	3	120	6	90	6	130	6	28	23 3	60	3
Cheumatopsyche		8 3	75	ა 5		3	88	6	9	-0 -1	50	ა 5	200	ა 8
Hydropsyche	76	3	73	Э	60	3	00	0	9	<1	30	J	200	0
Hydroptilidae	•	.1							2	. 4			,	.1
Hydroptila	2	<1	410	20	270	1.4	~	-	2	<1	200	20	1	<1
Leucotrichia	110	4	410	26	270	14	75	5	63	3	290	26	300	13
Lepidostomatidae														
Lepidostoma														
Leptoceridae														
Mystacides			1	<1	_		_		_					
Oecetis							_							
Philopotamidae		_	_	_		_				_		_		
Chimarra	150	5	9	<1	14	<1	21	1	55	3	52	5	26	1
Dolophilodes														
Wormaldia					_		_		-		-		_	
Polycentropodidae														
Nyctiophylax	8	<1	3	<1	11	<1	_				_		_	
Polycentropus	1	<1			1	<1								
Psychomylidae														
Psychomyia	4	<1	2	<1	5	<1	1	<1	17	<1	9	<1	8	<1
Lepidoptera														
NT														
Noctuidae														
Noctuidae Pyralidae <i>Petrophila</i>						<1			2	<1			1	<1

Oct. 14	4, 1988	Oct. 6	5, 1989	Oct. 1	1, 1990	Nov. 1	8, 1991	Nov. 1	7, 1992	Nov. 4	l, 1993	Oct. 6	5, 1994	Date
1 2,	,626	1,	105	1,	100	1,4	499	1,:	380	1,	179	1,	163	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Odonata
														Coenagrionidae
_		1	<1	_						_				Argia
														Plecoptera
														Capniidae
_		_				1	<1	11	<1	4	<1			Allocapnia
_						8	<1	10	<1	3	<1			Chloroperlidae
_				_		1	<1			_		_		Perlidae
3	<1	5	<1	8	<1			1	<1					Agnetina
														Taeniopterygidae
_		_		_				-		_				Taeniopteryx
														Hemiptera
										_	_			Veliidae
		_				_				1	<1			Rhagovelia
														Megaloptera
		_		_	_									Corydalidae
		6	<1	2	<1					_		1	<1	Corydalus
												1	<1	Nigronia
														Trichoptera
														Apataniidae
		_		_						1	<1	_		Apatania
								_						Brachycentridae
						_		2	<1	1	<1			Micrasema
														Glossosomatidae
_		4	<1	1	<1	2	<1	4	<1					Glossosoma
		10	•					11					-	Helicopsychidae
_		18	2			_		11	<1	11	<1	58	5	Helicopsyche
1 200	46	280	25	560	51	490	33	270	19	280	22	260	22	Hydropsychidae
1,200 40	46 2	13	23 1	33	3	490 28	33 2	12	<19 <1	2 6 0 55	23 5	200 72	22	Ceratopsyche Cheumatopsyche
93	4	23	2	33 75	3 7	25	2	33	2	38	3	58	6 5	
93	7	23	2	73	,	23	2	33	L	30	3	30	3	<i>Hydropsyche</i> Hydroptilidae
3	<1							3	<1					
340	13	 58	5	3	<1	_		3	<1	2	<1	1	<1	Hydroptila Leucotrichia
340	13	36	3	3	<1	_				2	<1	1	<1	Lepidostomatidae
										1	<1			Lepidostoma Lepidostoma
_										1	<1	_		Leptoceridae
														Mystacides Mystacides
		1	<1			_		_		_				Oecetis
		1	~1	_				_		_		_		Philopotamidae
11	<1	14	1			1	<1	2	<1	30	3	30	3	Chimarra
	~1		•	2	<1		~1		~1		3		J	Dolophilodes
		_			~1			_		_		1	<1	Wormaldia
												1	~1	Polycentropodidae
3	<1					_				1	<1			Nyctiophylax
	~4			1	<1	_		_			~1			Polycentropus
_				•	~1									Psychomyiidae
11	<1	3	<1	23	2	7	<1	5	<1	3	<1	3	<1	Psychomyla
41	~1	J	~1	20	-	•	~1	J	~1	J	~1	J	~1	Lepidoptera
_		_				_				1	<1	1	<1	Noctuidae
										•		•		Pyralidae
_		_										_		Petrophila
														1 on opinia

Table 5. Benthic-macroinvertebrate data—Continued

01480903 - Valley Creek at Mullsteins Meadows near Downingtown, Pa. (Site 44)—Continued

Date	Nov. 4	4, 1981	Oct. 2	8, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 3	1, 1985	Oct. 8	3, 1986	Nov. 4	1, 1987
Total count	2,	812	1,	556	1,9	918	1,4	475	2,	091	1,	079	2,	352
Organism	Count	Percent												
Coleoptera			,										*****	
Elmidae														
Dubiraphia									_					
Optioservus	48	2	12	<1	75	4	22	1	51	2	36	3	67	3
Oulimnius					_		_		3	<1			_	
Stenelmis	13	<1	1	<1	6	<1	2	<1	6	<1	4	<1	4	<1
Psephenidae														
Psephenus	_		1	<1	_		_				2	<1	_	
Diptera														
Ceratopogonidae									_					
Chironomidae	400	14	240	15	220	12	160	11	330	16	41	4	340	14
Empididae														
Hemerodromia	5	<1	3	<1	2	<1			2	<1			2	<1
Simuliidae														
Simulium	600	21	120	8	82	4	230	15	500	24	220	20	360	15
Tipulidae														
Antocha	42	2	10	<1	14	<1	11	<1	46	2	3	<1	29	1
Tipula	1	<1	1	<1	_				1	<1	1	<1	1	<1

¹ Extrapolated from a 3/8 subsample.

Date	i, 1994	Oct. 6	, 1993	Nov. 4	7, 1992	Nov. 1	3, 1991	Nov. 18	1, 1990	Oct. 1	, 1989	Oct. 6	1, 1988	Oct. 1
Total count	63	1,1	79	1,1	80	1,3	199	1,4	100	1,1	05	1,1	626	1 2
Organism	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Coleoptera														
Elmidae														
Dubiraphia	<1	1		_										
Optioservus	9	110	5	54	10	140	2	24	3	36	3	31	3	67
Oulimnius		_					<1	3	<1	3				
Stenelmis	4	48	<1	6	<1	5					1	15	<1	6
Psephenidae														
Psephenus	1	14	<1	4					<1	5	<1	7	<1	8
Diptera														
Ceratopogonidae			<1	1										
Chironomidae	20	240	21	250	17	240	39	580	10	110	10	110	16	420
Empididae														
Hemerodromia	<1	3	<1	4	<1	9					<1	8		
Simuliidae														
Simulium	2	22	2	18	3	49	6	87	2	19	5	54	5	130
Tipulidae														
Antocha	2	22	6	70	4	56	2	30	2	19	<1	7	<1	11
Tipula				_		_					<1	1		

 Table 5. Benthic-macroinvertebrate data—Continued

 [<, less than; —, not found]</td>

01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)

Date	Nov. 4	1, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 2	2, 1985	Nov. 3	1, 1986	Nov. 4	1, 1987
Total count	6	41	2,	825	7	71	2,	999	6	99	2,	583	1,	115
Organism	Count	Percent												
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	5	<1	19	<1	110	14	11	<1	13	2	28	1	44	4
Nematoda	_		_		1	<1	_		_		_		2	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_		_		_		3	<1	_		_		_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Hydrobiidae														
Amnicola							_		_					
Basommatophora	_				_		_							
Ancylidae		•	01		00	•	10		10		20		10	1
Ferrissia	51	8	31	1	22	3	17	<1	10	1	23	<1	10	<1
Lymnaeidae	_												_	
Lymnaea	1	<1	_		_		_		_		_		1	<1
Physidae														
Physa	_		12	<1	2	<1	1	<1	_		2	<1	_	
Planorbidae														
Gyraulus	_		_		_		_		_					
Helisoma	3	<1	2	<1	2	<1	_				1	<1	2	<1
Planorbula	_		_		_		_		_				_	
Bivalvia														
Venerolda														
Sphaeriidae	1	<1	5	<1	1	<1	1	<1	_		1	<1	_	
Pisidium	_		_		_	-	_				_			
Sphaerium	_								_					
Annelida (segmented worms)														
Oligochaeta														
Tubificida														
	00						120						40	
Naididae	26	4	52	2	1	<1	120	4	_		1	<1	48	4
Stylaria					_		_		2	<1	_		_	
Tubificidae	1	<1			2	<1	1	<1	3	<1	_		13	1
Hirudinea	1	<1			_				_		_		_	
Pharyngobdellida														
Erpobdellidae	_		1	<1	_		_		_		_		_	
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	_		30	1	4	<1	8	<1	3	<1	9	<1	33	3
Crustacea														
Cladocera	_				_		_		_		1	<1	_	
Cyclopoida														
Cyclopidae	_		1	<1					_				_	
Amphipoda				_										
Crangonyctidae														
Crangonyx	_		_		1	<1	4	<1	_		_		_	
	_		_		1	<1	4	<1	_		_		_	
												<1	5	<1
Gammaridae													٠.	- I
Gammarus	_		_		_		_				3	<1	J	~1
<i>Gammarus</i> Talitridae	_		_		_		_		_		3	<1	J	~1
Gammarus	_		11	<1	_		_		1	<1	3 7	<1	J	\1

Oct.	5, 1988	Oct. 1	3, 1989	Oct. 1:	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	6, 1993	Oct. 1	1, 1994	Date -
1,	357	2,	698	3,	793	11,	771	1,3	354	1,	701	7	92	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	t Organism
														Platyhelminthes (flatworms)
														Turbellaria
														Tricladida
7	<1	29	1	21	<1	13	<1	20	1	71	4	28	3	Planariidae
_		1	<1			_		_		_				Nematoda
		-												Nemertea (proboscis worms) Enopla
														Hoplonemertea
														Tetrastemmatidae
		5	<1	1	<1							9	1	Prostoma
•		3	<1	1	<1	_				_		9	1	
														Mollusca (molluscs)
														Gastropoda
														Mesogastropoda
														Hydrobiidae
-		2	<1	_						1	<1			Amnicola
														Basommatophora
														Ancylidae
1	<1	11	<1	1	<1	1	<1			1	<1	14	2	Ferrissia
•	~1	**	~1	1	~1	1	~*				~1	1.4	L	
					.1	c	.1					11		Lymnaeidae
-		_		1	<1	6	<1			_		11	1	Lymnaea
														Physidae
-		1	<1	3	<1	9	<1					110	14	Physa
														Planorbidae
-		_						_				1	<1	Gyraulus
_		_						_						Helisoma
_						1	<1							Planorbula
						•	~1							Bivalvia
												_		Veneroida
-						_				_		1	<1	Sphaerlidae
-		4	<1	_		10	<1	_				_		Pisidium
-				7	<1	7	<1			_		_		Sphaerium
														Annelida (segmented worms)
														Oligochaeta
														Tubificida
_		61	2			1	<1					6	<1	Naididae
_			-			_							~~	Stylaria
		_		4	<1	_						_		Tubificidae
-		_		4	~1			_						
-						_		-				_		Hirudinea
														Pharyngobdellida
-						-				_		-		Erpobdellidae
														Arthropoda (arthropods)
														Acariformes
_		47	2	16	<1	19	<1			2	<1	6	<1	Hydrachnidia
														Crustacea
_				_		_		_						Cladocera
				-		-		-		_		=		Cyclopoida
-						_		_		_				Cyclopidae
														Amphipoda
														Crangonyctidae
-		_		_				_				-		Crangonyx
														Gammaridae
3	<1	10	<1	19	<1	8	<1	4	<1	2	<1	5	<1	Gammarus
						-		-		_		-		Talitridae
														Hyallela
_														H. azteca

Table 5. Benthic-macroinvertebrate data—Continued
01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

Date	Nov.	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 16	6, 1984	Oct. 2	2, 1985	Nov. 3	3, 1986	Nov. 4	1, 1987
Total count	6	41	2,8	825	7	71	2,9	999	6	99	2,	583	1,	115
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Decapoda		***************************************										-		
Cambaridae			_				_				_			
Orconectes			_				1	<1					_	
Podocopa	17	3	270	10	39	5	1	<1	_		2	<1	_	
Insecta														
Ephemeroptera														
Baetidae														
Baetis	2	<1	27	<1			150	5			2	<1	_	
Pseudocloeon	_		_				_		9	1			6	<1
Caenidae														
Caenis	1	<1			1	<1	4	<1	2	<1	3	<1	4	<1
Ephemerellidae														
Ephemerella	9	1	2	<1	6	<1	7	<1	16	2	140	5	18	2
Heptageniidae														
Epeorus	_		_		_		_		_		_		_	
Stenonema	19	3	130	5	55	7	260	9	69	10	270	10	56	5
Isonychiidae														
Isonychia	_		_		_		_		_		1	<1	_	
Leptohyphidae														
Tricorythodes	6	1	12	<1	16	2	4	<1	11	2	11	<1	46	4
Leptophlebiidae														
Paraleptophlebia	_		_		_		_		_		_		_	
Potamanthidae														
Anthopotamus			_		_		_				1	<1	5	<1
Odonata														
Coenagrionidae														
Amphiagrion	_				1	<1	_		_		_		_	
Argia	13	2	48	2	2	<1			1	<1	11	<1	3	<1
Enallagma	_		_		_		_						_	
Ischnura	_		_				_						_	
Gomphidae														
Stylogomphus	_		-		1	<1	_		_		-		_	
Plecoptera														
Capniidae														
Allocapnia	_		-				1	<1	1	<1			_	
Perlidae														
Acroneuria	_				_		_		_		_		_	
Agnetina	_		_		_		_		_				_	
Neoperla	_		_				_		_		_		_	
Paragnetina	_				_		3	<1			_		_	
Taeniopterygidae														
Taeniopteryx	1	<1	2	<1			5	<1	_				1	<1
Hemiptera														
Corixidae														
Sigara					_				_				_	
Gerridae														
Rheumatobates	_						1	<1	_		_			
Veliidae														
Microvelia			_				-						_	
Megaloptera														
Corydalidae														
Corydalus	_		_				1	<1	-		-		-	
Sialidae <i>Sialis</i>			1	<1	-								1	<1

Oct. 6	5, 1988	Oct. 1	3, 1989	Oct. 1	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	6, 1993	Oct. 1	1, 1994	Date
1,	357	2,	698	3,	793	11	,771	1,	354	1,	701	7	92	Total count
Count	Percent	Organism												
														Decapoda
						1	<1							Cambaridae
												_		Orconectes
				4	<1			2	<1					Podocopa
														Insecta
														Ephemeroptera
														Baetidae
130	9			13	<1	1	<1	1	<1			11	1	Baetis
10	<1			5	<1	12	<1					2	<1	Pseudocloeon
				_	_									Caenidae
		4	<1	1	<1	1	<1					8	1	Caenis
		_		_		-						•	_	Ephemerellidae
11	<1	110	4	120	3	84	<1	71	5	290	17	6	<1	Ephemerella
		110	•	120	Ū	01		••	Ū	200		Ū		Heptageniidae
1	<1	6	<1	4	<1									Epeorus
250	18	210	8	260	7	100	<1	39	2	59	3	22	3	Stenonema
230	10	210	0	200	'	100	~1	35	2	33	3	22	J	Isonychiidae
1	<1	,	<1	3	<1	4	<1			8	<1			
1	<1	1	<1	3	<1	4	<1			0	<1			Isonychia
-	.1			20		-						10		Leptohyphidae
5	<1	4	<1	32	<1	5	<1					10	1	Tricorythodes
		_	_											Leptophlebiidae
		3	<1											Paraleptophlebia
														Potamanthidae
_		_				1	<1					3	<1	Anthopotamus
														Odonata
														Coenagrionidae
								_				_		Amphiagrion
3	<1	4	<1			2	<1	_		1	<1	7	<1	Argia
		_				3	<1	_						Enallagma
										1	<1	_		Ischnura
														Gomphidae
		_		_		_								Stylogomphus
														Plecoptera
														Capniidae
		_						_				_		Allocapnia
														Perlidae
										1	<1			Acroneuria
		1	<1									_		Agnetina
								1	<1	_				Neoperla
		_												Paragnetina
														Taeniopterygidae
		4	<1	_		1	<1							Taeniopteryx
														Hemiptera
														Corixidae
				5	<1									Sigara
														Gerridae
				_										Rheumatobates
														Veliidae
												1	<1	Microvelia
												•		Megaloptera
														Corydalidae
						1	<1			2	<1			Corydalus
						•	7.			-	~1	-		Sialidae
		_		_		1	<1					1	<1	Sialis
				_		1	~1					1	~1	Jans

Table 5. Benthic-macroinvertebrate data—Continued
01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

Date	Nov. 4	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 16	5, 1984	Oct. 2	2, 1985	Nov. 3	, 1986	Nov. 4	l, 1987
Total count	6	41	2,8	825	7	71	2,9	99	6	99	2,5	83	1,	115
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Trichoptera														
Apataniidae														
Apatania	_				_		_		_					
Brachycentridae														
Brachycentrus	_						_		_					
Micrasema	2	<1	_						_		_		_	
Glossosomatidae														
Culoptila					_		_		_		_			
Glossosoma	_				1	<1	_				_			
Protoptila	_			(_		_		9	<1	1	<1
Helicopsychidae				[
Helicopsyche				'	1	<1	_				580	22	320	29
Hydropsychidae														
Ceratopsyche	110	17	270	10	140	18	500	17	120	17	230	9	130	12
Cheumatopsyche	73	11	310	11	61	8	140	5	46	6	34	1	29	3
Hydropsyche	26	4	54	2	62	8	100	3	13	2	52	2	29	3
Hydroptilidae														
Hydroptila	7	1	77	3	4	<1	2	<1			32	1		
Leucotrichia	20	3	14	<1	1	<1	30	1	6	<1	55	2	5	<1
Lepidostomatidae		-							-				-	
Lepidostoma					_									
Leptoceridae														
Mystacides	_		_		1	<1	1	<1	_		9	<1	4	<1
Oecetis	2	<1	6	<1	1	<1	1	<1	3	<1	4	<1	14	1
Philopotamidae	-	~*	·	~*	-		•	~*	·	~*	•			•
Chimarra	_								_		2	<1	_	
Polycentropodidae											-	~-		
Neureclipsis	_		_				4	<1	_		2	<1	1	<1
Nyctiophylax							_	~1				~1	_	~1
Polycentropus									2	<1	1	<1	1	<1
Psychomytidae			_						L	~1	•	~1	•	~1
Psychomyia							11	<1	8	1	9	<1		
	_		_				11	\1	0	1	3	\1	_	
Lepidoptera							1	_1						
Noctuidae							1	<1						
Pyralidae	17	2	•		22	•	_	.1		,	15	.1	11	1
Petrophila	17	3	9	<1	23	3	5	<1	8	1	15	<1	11	1
Coleoptera														
Elmidae														
Ancyronyx	_		_									•	_	
A.variegata	1	<1	1	<1	1	<1	_				1	<1	2	<1
Dubiraphla			3	<1	2	<1	1	<1	_		10	<1	12	1
Macronychus														
M. glabratus	_	_							_		_			
Optioservus	2	<1			1	<1	5	<1	_		7	<1	5	<1
Oulimnius									_		_			
Promoresia	_	_		_		_		_			-	_		_
Stenelmis	59	9	66	2	64	8	34	1	29	4	120	5	34	3
Hydrophilidae			_	_	_	_					_	-	_	_
Berosus			2	<1	2	<1	-		_		1	<1	2	<1
Psephenidae														
Psephenus Hymenoptera			_ 1	<1	_		1 1	<1 <1	1	<1	6 1	<1 <1	1	<1

Oct. 6	, 1988	Oct. 1	3, 1989	Oct. 1	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	6, 1993	Oct. 1	1, 1994	Date
	357		698		793		771		354		701		92	Total count
ount	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Trichoptera
														Apataniidae
_		_		1	<1	1	<1			_		-		Apatania
														Brachycentridae
_		_		_		_				3	<1	_		Brachycentrus
_		_		_		1	<1	2	<1			-		Micrasema
														Glossosomatidae
_		220	8	_		_								Culoptila
3	<1	_		_		_		_		3	<1			Glossosoma
_		_		4	<1	77	<1			_		7	<1	Protoptila
														Helicopsychidae
_		89	3	1,300	34	9,700	81	300	21	290	17	29	4	Helicopsyche
														Hydropsychidae
0	23	540	20	420	11	250	2	100	7	51	3	77	10	Ceratopsyche
0	9	120	4	130	3	150	1	41	3	150	9	25	3	Cheumatopsyche
0	10	180	7	69	2	26	<1	110	8	180	11	2	<1	Hydropsyche
•			·	0,	_				•			_		Hydroptilidae
_		2	<1	14	<1	57	<1	3	<1	1	<1	5	<1	Hydroptila
9	2	1	<1	_	~1		~1	_	~-	_	~,		~1	Leucotrichia
3	2	•	~1											Lepidostomatidae
				4	-1	4	<1							=
-		_		4	<1	4	<1					_		<i>Lepidostoma</i> Leptoceridae
					.1	32	-1					2	.1	-
_		_		9	<1		<1	_		_		2	<1	Mystacides
2	<1	4	<1	8	<1	15	<1	_		2	<1	67	8	Oecetis
												_		Philopotamidae
-		_		1	<1					1	<1	3	<1	Chimarra
														Polycentropodidae
7	<1			_		_				_		3	<1	Neureclipsis
1	<1											_		Nyctiophylax
-		2	<1	1	<1			_		_		1	<1	Polycentropus
														Psychomylidae
5	<1	21	<1	10	<1	2	<1	_		_		_		Psychomyia
														Lepidoptera
-		_		_				_		_		_		Noctuidae
														Pyralidae
5	5	14	<1	4	<1	7	<1			13	<1	12	2	Petrophila
														Coleoptera
														Elmidae
_				_		1	<1			1	<1	4	<1	Ancyronyx
_		_		1	<1			_		_				A.variegata
_		1	<1	_		3	<1	1	<1	4	<1			Dubiraphia
														Macronychus
_				_		1	<1			_				M. glabratu
1	<1	11	<1	19	<1	62	<1	11	<1	97	6	3	<1	Optioservus
_				2	<1	3	<1	_		2	<1	_		Oulimnius
_				_	-	_	-			4	<1	_		Promoresia
7	3	110	4	320	8	170	1	6	<1	170	10	14	2	Stenelmis
•	•		•	223	3		•	•				••	-	Hydrophilidae
_				1	<1	1	<1	_		_		1	<1	Berosus
_				1	\1	1	~1			_		1	~1	
	.1	o	-1	n	-1	,	<1			1	-1	1	-1	Psephenidae
1	<1	8	<1	9	<1	4	<1			1	<1	1	<1	Psephenus
_								_		_		_		Hymenoptera

Table 5. Benthic-macroinvertebrate data—Continued
01480950 - East Branch Brandywine Creek at Wawaset, Pa. (Site 39)—Continued

Date	Nov. 4	l, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	6, 1984	Oct. 2	2, 1985	Nov. 3	3, 1986	Nov. 4	, 1987
Total count	6	41	2,	825	7	71	2,9	999	- 6	99	2,	583	1,	115
Organism	Count	Percent												
Diptera														
Chironomidae	130	20	600	21	130	17	1,000	33	270	38	780	30	170	15
Empididae														
Hemerodromia	1	<1	12	<1	2	<1	7	<1	2	<1	1	<1	3	<1
Ephydridae	_		3	<1					_					
Simuliidae														
Simulium	13	2	170	6			430	14	3	<1	5	<1	9	<1
Stratiomyidae														
Stratiomys	_						1	<1						
Tabanidae														
<i>Tabanus</i>	_										_			
Tipulidae	_		_		_		_				_			
Antocha	21	3	570	20	7	<1	120	4	47	7	100	4	33	3
Tipula			1	<1									1	<1

Oct. 6	, 1988	Oct. 1	3, 1989	Oct. 1	5, 1990	Oct. 3	0, 1991	Oct. 2	9, 1992	Nov. 1	6, 1993	Oct. 1	1, 1994	Date
1,3	357	2,0	698	3,7	793	11,	771	1,3	354	1,7	701	7	92	Total count
Count	Percent	Count	Percent	Organism										
														Diptera
140	10	610	23	660	17	730	6	480	34	190	11	250	3 1	Chironomidae
														Empididae
1	<1	32	1	3	<1	2	<1			3	<1	6	<1	Hemerodromia
				_										Ephydridae
														Simuliidae
18	1	140	5	2	<1	49	<1	100	7	15	<1	2	<1	Simulium
														Stratiomyidae
		_												Stratiomys
														Tabanidae
						1	<1							Tabanus
_				1	<1									Tipulidae
42	3	74	3	280	7	130	1	62	4	81	5	16	2	Antocha
_		1	<1											Tipula

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)

Date	Nov. 4	, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	5, 1984	Oct. 3	0, 1985	Dec. 2	2, 1986	Nov. 2	0, 1987
Total count	6	51	1,0	673	1,0	009	1,4	446	9	93	4	28	1,0	046
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)												***************************************		
Turbellaria														
Tricladida														
Planarlidae	67	10	27	2	16	2	18	1	4	<1	32	7	20	2
Nematoda (nematodes)	_		_				_				_		_	
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	1	<1												
Mollusca (molluscs)	.													
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	4	<1	26	2	3	<1	8	<1	38	4			17	2
	4	<1	20	2	3	<1	•	<1	36	4	_		17	2
Physidae														
Physa	_		_						_		4	1		
Planorbidae														
Helisoma					1	<1	_		_		1	<1	_	
Bivalvia														
Veneroida														
Sphaeriidae	5	<1	5	<1	3	<1	-		1	<1	20	5	6	<1
Pisidium					_		_		-				_	
Sphaerium	-				_		_		-					
Annelida (segmented worms)														
Oligochaeta														
Tubificida														
Naididae	3	<1	10	<1	2	<1	1	<1	_		1	<1	32	3
Tubificidae					_				_		1	<1		
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia			1	<1	3	<1	1	<1					35	3
Crustacea														
Cyclopoida											_			
Amphipoda														
Gammaridae														
Gammarus											8	2	1	<1
Isopoda	_		_				_		_		0	2		<1
Asellidae														
Caecidotea			_											
Podocopa	_		1	<1			_				1	<1		
Insecta														
Ephemeroptera														
Baetidae	_				_			_			_			
Baetis	3	<1	24	1	10	1	46	3	7	<1	3	<1	_	
Pseudocloeon	_		4	<1					28	3	_		1	<1
Caenidae														
Caenis	-		_										1	<1
Ephemerellidae														
Ephemerella	33	5	92	5	93	9	10	<1	65	7	10	2	42	4
Heptageniidae														
Epeorus													_	
Stenacron			_		_									
Stenonema	100	15	220	13	170	17	130	9	53	5	25	6	39	4
		-	-	-				-		-		-		-

	7, 1988	Oct. 1	7, 1989	Oct. 1	5, 1990	Nov. 1	5, 1991	Oct. 2	7, 1992	Nov. 9	9, 1993	Oct. 4	, 1994	Date -
1 1	,824	2,	155	1,	702	2,	380	1,	335	1,	142	1,4	124	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	t Organism
		7770												Platyhelminthes (flatworms) Turbellaria Tricladida
43	2	35	2	74	4	11	<1	1	<1	92	8	33	2	Planariidae
		1	<1	_		_								Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
_		3	<1	1	<1	-		-		_		_		Prostoma Mollusca (molluscs) Gastropoda
														Basommatophora Ancylidae
11	<1	3	<1	_		21	<1	_		2	<1	3	<1	<i>Ferrissia</i> Physidae
_				_				1	<1	_				Physa
														Planorbidae <i>Helisoma</i>
_						_		_		_		_		Bivalvia Veneroida
_		_		_		_		_		3	<1	_		Sphaeriidae
_		2	<1	_				_		-		_		Pisidium
3	<1	_		_		_		_		_		_		Sphaerium Annelida (segmented worms) Oligochaeta Tubificida
		26	1	1	<1	9	<1	_		10	<1			Naididae
				_						_		_		Tubificidae Arthropoda (arthropods) Acariformes
3	<1	46	2	9	<1	18	<1	13	<1	77	6	12	<1	Hydrachnidia Crustacea Amphipoda Gammaridae
		3	<1			2	<1			1	<1	_		Gammarus
_		1	<1			_		_		_		-		Cyclopoida Isopoda Asellidae
_		_		_		_		1	<1	_		_		Caecidotea Podocopa
														Insecta Ephemeroptera Baetidae
80	4	11	<1	4	<1	5	<1	1	<1	1	<1	26	2	Baetis
5	<1	_		_		9	<1	_		4	<1	18	1	<i>Pseudocloeon</i> Caenidae
		_		-		_		3	<1	1	<1	2	<1	<i>Caenis</i> Ephemerellidae
88	5	220	10	240	14	120	5	520	29	66	6	160	11	Ephemerella Heptageniidae
-		8	<1	3	<1					_		_		Epeorus
_		_				-				-		10	<1	Stenacron
53	3	150	7	97	6	87	4	130	7	21	2	78	6	Stenonema

 Table 5. Benthic-macroinvertebrate data—Continued

 01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Continued

Date	Nov.	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	5, 1984	Oct. 3	0, 1985	Dec.	2, 1986	Nov. 2	20, 1987
Total count	6	551	1,	673	1,	009	1,	446	9	93	4	128	1,	046
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Ephemeroptera														`
Isonychiidae														
Isonychia	3	<1	_		3	<1	_		_				2	<1
Leptohyphidae														
Tricorythodes			6	<1	6	<1	1	<1			1	<1	7	<1
Leptophlebiidae														
Paraleptophlebia					_		_		_				_	
Potamanthidae														
Anthopotamus	_		_		1	<1	1	<1	_		1	<1	3	<1
Odonata														
Coenagrionidae														
Argia					3	<1	_				7	2	5	<1
Plecoptera														
Capniidae														
Allocapnia			1	<1	2	<1	_						_	
Chloroperlidae	_		-		_		_				_			
Perlidae	_		_		_		_		_				_	
Acroneuria											1	<1		
Agnetina											•	~1	7	<1
Paragnetina	_								2	<1	_		•	~1
Taeniopterygidae	_				_				2	<1			_	
			4	-1	3	-1			2	<1	2	<1	2	<1
Taeniopteryx			4	<1	3	<1	_		2	<1	2	<1	Z	<1
lemiptera														
Corixidae														
Sigara	_		_						_					
Gerridae														
Metrobates	_		_				1	<1					_	
Veliidae														
Rhagovelia			_		_				_		_			
Megaloptera														
Corydalidae														
Corydalus	_		_		_				1	<1			1	<1
Nigronia	_		_		_				_		1	<1	_	
Trichoptera														
Apataniidae														
Apatania			_				_				_		1	<1
Glossosomatidae														
Glossosoma	12	2	14	<1	4	<1	3	<1	25	3	2	<1	1	<1
Protoptila	_								_				5	<1
Helicopsychidae														
Helicopsyche							_		_		_		_	
Hydropsychidae														
Ceratopsyche	86	13	180	11	47	5	180	12	100	10	50	11	99	9
Cheumatopsyche	80	12	43	3	24	2	74	5	28	3	6	1	24	2
Hydropsyche	3	<1	110	6	6	<1	77	5	5	<1	1	<1	28	3
Hydroptilidae	ŭ			Ū	·		••	•	•		•			٠
Hydroptila	_		1	<1	3	<1			2	<1	1	<1	1	<1
Leucotrichia	13	2	170	10	120	12		<1	150	15	42	10	72	7
	13	۷	110	10	120	12	0	<1	130	13	42	10	16	1
Lepidostomatidae														
Lepidostoma			_		_				_		-		_	
Leptoceridae					4									_
Oecetis			_		1	<1			_		_		1	<1
Philopotamidae	_	_	_	_	_	_		_		_		4-		_
Chimarra	4	<1	5	<1	5	<1	1	<1	45	5	50	11	31	3

	, 1988		7, 1989		5, 1990		5, 1991		7, 1992	1404.	9, 1993		, 1994	Date
¹ 1,	824	2,	155	1,3	702	2,3	380	1,	835	1,	142	1,4	124	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
											,			Ephemeroptera
														Isonychiidae
8	<1	2	<1	1	<1			14	<1	1	<1	15	1	Isonychia
														Leptohyphidae
3	<1			18	1			_						Tricorythodes
-					_									Leptophlebiidae
		4	<1					_						Paraleptophlebia
		•												Potamanthidae
3	<1							_		1	<1			Anthopotamus
•	~1									•	~1			Odonata
														Coenagrionidae
								,	<1				<1	
								1	<1			1	<1	Argia
														Plecoptera
		_	_	_	_									Capniidae
_		2	<1	1	<1			_		1	<1	_		Allocapnia
		7	<1	4	<1	56	2			9	<1			Chloroperlidae
								4	<1					Perlidae
_														Acroneuria
														Agnetina
		_												Paragnetina
														Taeniopterygidae
3	<1	4	<1			2	<1					1	<1	Taeniopteryx
														Hemiptera
														Corixidae
_				3	<1									Sigara
				•										Gerridae
														Metrobates
														Veliidae
								1	.1					
								1	<1			****		Rhagovelia
														Megaloptera
														Corydalidae
		_		_				_						Corydalus
								_				_		Nigronia
														Trichoptera
														Apataniidae
_						-		_						Apatania
														Glossosomatidae
						_		5	<1					Glossosoma
99	6	330	15	19	1	58	2	7	<1	77	6	46	3	Protoptila
														Helicopsychidae
						310	13	6	<1	180	15	1	<1	Helicopsyche
						010		•				•		Hydropsychidae
50	19	240	11	130	8	60	3	68	4	68	6	190	14	Ceratopsyche
110	6	21	<1	33	2	54	2	100	6	55	5	240	17	Cheumatopsyche
37	2	40	2	2	<1	54 67	3	230	13	31	3	96	7	Hydropsyche
31	۵	40	2	۷.	<1	0/	J	230	13	31	ა	30	•	
				-			.1			•	. 4		.1	Hydroptilidae
	10	_		7	<1	8	<1		_	3	<1	1	<1	Hydroptila
90	16	11	<1	4	<1	15	<1	16	<1	63	5	190	14	Leucotrichia
														Lepidostomatidae
		55	3	63	4	5	<1	9	<1	5	<1	9	<1	Lepidostoma
														Leptoceridae
		5	<1	4	<1	15	<1	4	<1	10	<1	2	<1	Oecetis
														Philopotamidae
														111107011111111

Table 5. Benthic-macroinvertebrate data—Continued
01481030 - Brandywine Creek near Chadds Ford, Pa. (Site 40)—Continued

Date	Nov. 4	4, 1981	Oct. 2	1, 1982	Oct. 3	1, 1983	Oct. 1	5, 1984	Oct. 3	0, 1985	Dec. 2	2, 1986	Nov. 2	0, 1987
Total count	6	51	1,	673	1,	009	1,	146	9	93	4	28	1,0	046
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Trichoptera						···········								
Polycentropodidae														
Neureclipsis	2	<1	2	<1	22	2	7	<1	_		6	1	4	<1
Polycentropus	_				_		_							
Psychomylidae														
Psychomyia	_								1	<1	_		13	1
Lepidoptera														
Noctuidae	_				_									
Pyralidae														
Petrophila	16	2	58	3	88	9	45	3	92	9	2	<1	51	5
Coleoptera														
Elmidae														
Ancyronyx	_				_		_							
A.variegata					_		_		1	<1				
Dubiraphia			_		1	<1	_				1	<1		
Optioservus	12	2	14	<1	9	<1	3	<1	25	3	9	2	16	1
Stenelmis	5	<1	15	<1	23	2	20	1	6	<1	5	1	6	<1
Hydrophilidae														
Berosus			_				_				2	<1	1	<1
Psephenidae														
Psephenus	_		_		_						11	3	_	
Hymenoptera	_		1	<1	_								_	
Diptera														
Blephariceridae														
Chironomidae	160	24	550	32	310	31	610	41	270	27	43	10	380	35
Empididae														
Hemerodromia	7	1	6	<1	_		2	<1	_		1	<1	3	<1
Ephydridae			2	<1	_		_				_			
Simuliidae														
Simulium	28	4	65	4	11	1	150	10	21	2	43	10	53	5
Tipulidae		-				=				-				-
Antocha	4	<1	16	<1	15	2	49	3	21	2	29	7	37	3
Dicranota			_			-		-	_	-	_	-		-
Tipula			_						_		1	<1	_	

¹ Extrapolated from a 3/8 subsample.

Oct. 7	, 1988	Oct. 1	7, 1989	Oct. 1	5, 1990	Nov. 1	5, 1991	Oct. 2	7, 1992	Nov. 9	9, 1993	Oct. 4	l, 1994	Date
¹ 1,	824	2,	155	1,7	702	2,	380	1,8	835	1,	142	1,	424	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Trichoptera
														Polycentropodidae
5	<1	8	<1	11	<1	2	<1			1	<1	3	<1	Neureclipsis
-		_				_						1	<1	Polycentropus
														Psychomyiidae
13	<1	78	4	37	2	1	<1	2	<1	7	<1	5	<1	Psychomyia
														Lepidoptera
		_		_		_						1	<1	Noctuidae
														Pyralidae
30	7	22	1	56	3	100	4	97	5	34	3	82	6	Petrophila
														Coleoptera
														Elmidae
		1	<1											Ancyronyx
_		_		_										A.variegata
				2	<1	_		_		1	<1			Dubiraphia
8	<1	20	<1	3 1	2	49	2	55	3	42	3	8	<1	Optioservus
66	4	61	3	35	2	9	<1	24	1	1 6	1	2	<1	Stenelmis
														Hydrophilidae
		_												Berosus
														Psephenidae
_		2	<1	_		_								Psephenus
_						_				_				Hymenoptera
														Diptera
_						1	<1							Blephariceridae
80	10	660	30	540	32	1,200	50	460	26	150	13	150	11	Chironomidae
						_,0								Empididae
_		20	<1	_		2	<1			8	<1	3	<1	Hemerodromia
		_	~*			_	~-				~*		••	Ephydridae
						_				-				Simuliidae
80	10	9	<1	32	2	6	<1	6	<1	16	1	11	<1	Simulium
	10	•	~,	OL.		J	~1	v	~1	10	1	11	~1	Tipulidae
_		34	2	130	8	26	1	18	1	25	2			Antocha
		J4	4	130	o	20	1	10	1	23	<1			Dicranota
_		_								2	<1			Tipula

 Table 5. Benthic-macroinvertebrate data—Continued

 [<, less than; —, not found]</td>

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)

Date	Oct. 2	9, 1981	Nov.	1, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	8	146	1,	416	1,	171	1,	216	5	46	8	51	1.0	638
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														•
Turbellaria														
Tricladida														
Planariidae	_		_		_		_		5	1	31	4	5	<1
Nematoda (nematodes)					_		_		_		_		4	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma			_		_		1	<1	_		_		_	
Mollusca (molluscs)														
Gastropoda														
Mesogastropoda														
Pleuroceridae														
Goniobasis	_				_				_		_		_	
Basommatophora														
Ancylidae				_										
Ferrissia	28	3	25	2	7	<1	47	4	9	2	16	2	16	1
Physidae														
Physa	1	<1	2	<1	_				_		_		_	
Annelida (segmented worms)														
Oligochaeta			_				_		_		_		_	
Lumbriculida														
Lumbriculidae	_		_				_				_		_	
Tubificida		_		_	_		_	_	_	_	_			
Naididae	18	2	29	2	4	<1	2	<1	6	1	7	<1	510	32
Arthropoda (arthropods)														
Acariformes				_			_				_			_
Hydrachnidia	1	<1	19	1	17	1	7	<1	_		6	<1	82	5
Crustacea														
Podocopa			_				1	<1	_		_		1	<1
Insecta														
Ephemeroptera														
Baetidae		_	1	<1				_	_		_		_	
Baetis	1	<1			_	_	11	<1	_		_		_	
Pseudocloeon			_		2	<1	11	<1	_				-	
Caenidae	_	_	_	_										
Caenis	3	<1	1	<1	_		_		1	<1			1	<1
Ephemerellidae	_	_		_	_	_		_			_	_		-
Ephemerella	1	<1	10	<1	4	<1	13	1	_		3	<1	2	<1
Heptagenlidae		_			_	_								
Stenacron	22	3	_		4	<1					_		_	
Stenonema	13	2	13	<1	51	4	15	1	3	<1	3	<1	_	
Isonychiidae						_	_	_						
Isonychia	_		_		4	<1	1	<1	_		_		_	
Leptohyphidae		_					_	_						
Tricorythodes	1	<1	_		_		1	<1			_		_	
Leptophlebiidae			_				_				_		_	
Odonata														
Aeshnidae									_	_				
Boyeria					_		_		1	<1	_		_	

Oct. 1	7, 1988	Oct. 1	2, 1989	Oct. 1	8, 1990	Oct. 2	5, 1991	Nov. 1	0, 1992	Nov. 1	0, 1993	Nov. 4	, 1994	Date
1,	357	1,	722	1,	387	8	10	7	55	9	48	5	53	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	t Organism
														Platyhelminthes (flatworms) Turbellaria Tricladida
4	<1	8	<1	10	<1			_		11	1	_		Planariidae
_		_		_		_		_		1	<1	1	<1	Nematoda (nematodes) Nemertea (proboscis worms) Enopla
														Hoplonemertea Tetrastemmatidae
		1	<1	_				_		2	<l< td=""><td>_</td><td></td><td>Prostoma Mollusca (molluscs) Gastropoda Mesogastropoda</td></l<>	_		Prostoma Mollusca (molluscs) Gastropoda Mesogastropoda
		_		_				1	<1			_		Pleuroceridae Goniobasis
														Basommatophora Ancylidae
130	9	92	5	120	9	40	5	2	<1	6	<1	1	<1	<i>Ferrissia</i> Physidae
		_		1	<1	1	<1	2	<1	_		_		Physa Annelida (segmented worms)
_		_		_		_		_		2	<1	_		Oligochaeta Lumbriculida
				_				1	<1	_		_		Lumbriculidae
9	<1	55	3	13	<1	20	2	79	10	9	<1	82	15	Tubificida Naididae
														Arthropoda (arthropods) Acariformes
1	<1	96	6	20	1			20	3	32	3	2	<1	Hydrachnidia Crustacea
				_				_				_		Podocopa Insecta
														Ephemeroptera
-		_		_				_		_		_		Baetidae
4	<1	7	<1	1	<1			1	<1	_		_		Baetis
_		_		1	<1			_		-		_		Pseudocloeon Caenidae
1	<1							1	<1	_		_		<i>Caenis</i> Ephemerellidae
5	<1	5	<1	2	<1	3	<1	23	3	8	<1	_		<i>Ephemerella</i> Heptageniidae
						_								Stenacron
19	1	3	<1	3	<1	_		10	1	2	<1	_		Stenonema
														Isonychiidae
2	<1	2	<1	_		3	<1	8	1	6	<1	2	<1	Isonychia
				_		_		_		******		_		Leptohyphidae Tricorythodes
-		1	<l< td=""><td>_</td><td></td><td></td><td></td><td>_</td><td></td><td>_</td><td></td><td>_</td><td></td><td>Leptophlebiidae</td></l<>	_				_		_		_		Leptophlebiidae
														Odonata Aeshnidae
_				_								_		Boyeria

Table 5. Benthic-macroinvertebrate data—Continued

01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

Date	Oct. 2	9, 1981	Nov.	1, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	8	46	1,	416	1,	171	1,	216	5	46	8	51	1.	638
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Plecoptera														
Capniidae														
Allocapnia	_		_		_						_		_	
Nemouridae	_		_		_		_		_		_		_	
Hemiptera														
Veliidae														
Microvelia	_		_	_			_		1	<1	_		-	
Rhagovelia	_		1	<1	_		_		1	<1	_			
Megaloptera														
Corydalidae														_
Nigronia	_		1	<1	_		_		_		_		1	<1
Trichoptera														
Glossosomatidae														
Glossosoma			_		1	<1	9	<1	_		2	<1	_	
Hydropsychidae		-		_								_		
Ceratopsyche	25	3	95	7	85	7	46	4	50	9	59	7	20	1
Cheumatopsyche	110	13	140	10	170	14	160	13	58	11	50	6	2	<1
Hydropsyche	13	2	63	5	88	7	130	11	42	8	170	20	33	2
Hydroptilidae														
Hydroptila	44	5	26	2	7	<1			3	<1	61	7	7	<1
Leucotrichia	8	1	47	3	280	23	320	27	_					
Leptoceridae														
Oecetis			2	<1	_				_				_	
Philopotamidae														
Chimarra	4	<1	16	1	4	<1	2	<1	1	<1	3	<1	2	<1
Dolophilodes			_		_		_		_		-		_	
Polycentropodidae														
Polycentropus			1	<1	4	<1			_		_		_	
Rhyacophilidae														
Rhyacophila			_		_		_		_		_			
R. fuscula	_		_		_		1	<1			_		_	
Uenoidae														
Neophylax	_		_		_		_		_		_		_	
Coleoptera														
Curculionidae			_		_		_		-		_		_	
Dryopidae														
Helichus	_		_		_		_		_		1	<1	_	
Elmidae														
Ancyronyx	1	<1			_		_		1	<1	_		_	
Dubiraphia	_		_		_								3	<1
Macronychus														
M. glabratus	1	<1	_		2	<1	_		_				_	
Optioservus	37	4	29	2	9	<1	19	2	8	2	4	<1	13	<1
Oulimnius	_				1	<1			7	1	4	<1	4	<1
Stenelmis	4	<1	8	<1	10	<1	12	1	6	1	14	2	43	3
Gyrinidae														
Dineutus					_		_		_				_	
Hydrophilidae														
Hydrobius			_		_		_		1	<1			_	
Psephenidae														
Psephenus	7	<1	2	<1			4	<1	_		2	<1		

_	7, 1988		2, 1989		B, 1990		5, 1991		0, 1992		0, 1993		4, 1994	Date
	357		722		387		10		55		48		553	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Plecoptera
														Capniidae
				_				1	<1					Allocapnia
1	<1							_						Nemouridae
														Hemiptera
														Veliidae
_								_						Microvelia
-								_						Rhagovelia
														Megaloptera
														Corydalidae
								1	<1			1	<1	Nigronia
														Trichoptera
														Glossosomatidae
		6	<1	4	<1			10	1	3	<1			Glossosoma
		Ū	~,	-	~1			10	•	٠	~1			Hydropsychidae
70	19	71	4	100	7	49	6	38	5	72	8	37	7	Ceratopsyche
53	4	9	<1	7	<1	4	<1	23	3	74	8	77	14	Cheumatopsyche
33 71	5	370	22	83	6	61	8	23 67	9	28	3	21	4	
/1	3	3/0	22	03	О	01	•	01	9	20	3	21	4	Hydropsyche
	_		_		_				_					Hydroptilidae
89	6	59	3	18	1	11	1	22	3	11	1	14	3	Hydroptila
5	<1	_				_		_		_		1	<1	Leucotrichia
														Leptoceridae
_		1	<1			1	<1			2	<1	1	<1	Oecetis
														Philopotamidae
7	<1	30	2	2	<1			8	1	9	<1			Chimarra
_				1	<1							_		Dolophilodes
														Polycentropodidae
1	<1			_										Polycentropus
														Rhyacophilidae
				_				_		1	<1			Rhyacophila
														R. fuscula
														Uenoidae
								2	<1					Neophylax
								_	~-					Coleoptera
										1	<1			Curculionidae
										-	~1			Dryopidae
				1	<1									Helichus
				1	<1	_		_						Elmidae
		1	-1											
		1	<1			_				_				Ancyronyx
				_				_						Dubiraphia
														Macronychus
		_		_	_	_			_	_	_	_	_	M. glabratus
10	<1	15	<1	4	<1	6	<1	25	3	48	5	9	2	Optioservus
3	<1	2	<1	_		_		-		4	<1			Oulimnius
16	1	43	3	8	<1	6	<1	11	1	22	2	3	<1	Stenelmis
														Gyrinidae
3	<1	_				-		_		_				Dineutus
														Hydrophilidae
_						_		_						Hydrobius
														Psephenidae
1	<1	1	<1							1	<1			Psephenus

Table 5. Benthic-macroinvertebrate data—Continued
01494900 - East Branch Big Elk Creek at Elkview, Pa. (Site 31)—Continued

Date	Oct. 2	9, 1981	Nov.	1, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	8	46	1,	416	1,	171	1,:	216	5	46	8	51	1.	638
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Diptera						-								
Chironomidae	450	53	650	46	280	23	370	31	290	53	340	40	610	38
Empididae														
Hemerodromia	19	2	43	3	17	1	3	<1	11	2	15	2	49	3
Simuliidae														
Simulium	3	<1	11	<1			2	<1	3	<1				
Tipulidae														
Antocha	31	4	180	13	120	10	28	2	38	7	60	7	230	14
Tipula			1	<1										

Oct. 1	7, 1988	Oct. 1	2, 1989	Oct. 1	8, 1990	Oct. 2	5, 1991	Nov. 1	0, 1992	Nov. 1	0, 1993	Nov.	l, 19 9 4	Date
1,3	357	1,	722	1,	387	8	10	7	55	9	48	5	53	Total count
Count	Percent	Count	Percent	Organism										
														Diptera
440	31	620	36	760	54	510	63	220	29	360	38	160	29	Chironomidae
														Empididae
3	<1	37	2	15	1	8	1	5	<1	13	1	1	<1	Hemerodromia
														Simuliidae
9	<1	17	1	3	<1			4	<1					Simulium
														Tipulidae
200	14	170	10	210	15	87	11	170	22	220	23	140	25	Antocha
		_												Tipula

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)

Date	Oct. 2	9, 1981	Nov.	1, 1982	Nov. 2	2, 1983	Oct. 1	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	1,	517	2,	458	1,3	203	1,	875	1,	124	1,	402	1,	309
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	14	<1	15	<1	2	<1	2	<1	1	<1			3	<1
Nematoda											_		1	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	3	<1	1	<1	4	<1	_							
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia			1	<1	1	<1	1	<1						
Physidae			-		-	· -	-							
Physa	1	<1									4	<1		
Annelida (segmented worms)	•	~1									•	••		
Oligochaeta	2	<1	10	<1	38	3	2	<1						
Lumbriculida	2	\1	10	~1	36	3	L	~1						
Lumbriculidae					_									
Tubificida														_
Naididae					_				_		4	<1	94	7
Arthropoda (arthropods)														
Acariformes														
Hydrachnidia	8	<1	13	<1	12	1	2	<1	2	<1	3	<1	17	1
Crustacea														
Cyclopoida					_				_					
Podocopa			2	<1	_									
Insecta														
Ephemeroptera														
Baetidae														
Baetis					3	<1	49	3	12	1	4	<1	1	<1
Pseudocloeon					1	<1							2	<1
Caenidae						-								-
Caenis													1	<1
Ephemerellidae													-	
Ephemerella	34	2	2	<1	3	<1	38	2	17	2	19	1	24	2
Heptageniidae	51			~1		~1	56				10	•	21	
Stenonema	15		39	2	22	2	42	2	63	6	48	3	65	5
Isonychiidae	13	1	39	2	22	2	42	2	65	О	40	3	63	J
	•				,	•								
Isonychia	2	<1	_		1	<1	4	<1	4	<1	4	<1	14	1
Leptohyphidae														
Tricorythodes					_				_					
Leptophlebiidae			-											
Odonata														
Coenagrionidae														
Argia			1	<1							_		_	
Plecoptera														
Capniidae														
Allocapnia											1	<1		
Chloroperlidae			_		_				_		_			
Taeniopterygidae														
Taeniopteryx													1	<1
<u> </u>													•	

Oct. 1	7, 1988	Oct. 1	2, 1989	Oct. 2	9, 1990	Oct. 2	5, 1991	Nov. 1	0, 1992	Nov. 1	0, 1993	Nov. 4	l, 1994	Date
1 2	2,245	1,	533	1.,	536	2,	733	7	52	4	24	1,5	587	- Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	t Organism
		9,40		2		•	•	2		•		•	-1	Platyhelminthes (flatworms) Turbellaria Tricladida
				2 1	<1 <1	1	<1	2	<1	1	<1	3 3	<1	Planariidae
				1	<1			_				3	<1	Nematoda Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
		5	<1			1	<1					1	<1	Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
3	<1					3	<1	_		_		8	<1	<i>Ferrissia</i> Physidae
3	<1													Physa
		_										_		Annelida (segmented worms) Oligochaeta
														Lumbriculida
_				1	<1	_						_		Lumbriculidae Tubificida
53	2	37	2	23	2	100	4	15	2			63	4	Naididae
33	L	3,	L	25	L	100	•	10	L			00	7	Arthropoda (arthropods) Acariformes
8	<1	43	3	12	<1	35	1	22	3	_		61	4	Hydrachnidia
														Crustacea
				_		1	<1			_				Cyclopoida
								_		_				Podocopa
														Insecta Ephemeroptera
														Baetidae
3	<1	7	<1			3	<1					2	<1	Baetis
		13	<1	_		2	<1	2	<1			5	<1	Pseudocloeon
														Caenidae
				1	<1	3	<1			_		1	<1	Caenis
21	<1	17	1	55	4	110	4	21	3	2	<1	36	2	Ephemerellidae <i>Ephemerella</i>
	~1	••	•	00	•	110	-		J	-	~*	00	-	Heptageniidae
67	3	22	1	47	3	21	<1	12	2	10	2	57	4	Stenonema
														Isonychiidae
19	<1			10	<1	64	2	14	2	8	2	7	<1	Isonychia
														Leptohyphidae
		_		1	<1			1	<1	_				<i>Tricorythode</i> s Leptophlebildae
				•	~.									Odonata
														Coenagrionidae
				_						_				Argia
														Plecoptera
						2	.1							Capniidae
_						2	<1	1	<1	_				<i>Allocapnia</i> Chloroperlidae
						,		•	~-					Taeniopterygidae
				_		4	<1							Taeniopteryx

Table 5. Benthic-macroinvertebrate data—Continued
01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

Date	Oct. 2	9, 1981	Nov. 1	, 1982	Nov. 2	2, 1983	Oct. 18	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	1,5	517	2,	458	1,	203	1,8	875	1,	124	1,	402	1,	309
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Hemiptera														
Veliidae														
Rhagovelia			_		2	<1					_			
Megaloptera														
Corydalidae														
Corydalus	3	<1	1	<1			4	<1			2	<1		
Nigronia	1	<1									_			
Trichoptera	-													
Apataniidae														
Apatania					_		_		1	<1				
Brachycentridae									•	~1				
Brachycentrus											_			
Glossosomatidae														
Glossosoma	1	<1					4	<1			-		_	
Hydropsychidae		-		_										
Ceratopsyche	120	8	160	6	120	10	470	25	260	24	400	29	210	16
Cheumatopsyche	310	21	220	9	180	15	320	17	200	18	120	9	4 1	3
Hydropsyche	260	17	460	18	84	7	120	6	9	<1	140	10	51	4
Macrostemum	1	<1			3	<1					_			
Hydroptilidae														
Hydroptila	62	4	46	2	17	1	3	<1	4	<1	23	2	50	4
Leucotrichia	320	21	860	34	180	15	470	25			180	13	14	1
Leptoceridae														
Oecetis	9	<1	5	<1					2	<1	_			
Philopotamidae	•		•	~*					_					
Chimarra					4	<1	_		18	2	22	2	18	1
Dolophilodes	4				7	<1	_		10	L	1	<1	10	1
											1	<1		
Polycentropodidae	•	_												
Neureclipsis	8	<1			4	<1	_							
Polycentropus	1	<1	1	<1	1	<1			1	<1	6	<1	_	
Rhyacophilidae														
Rhyacophila			_						_		_			
Uenoidae														
Neophylax	2	<1	1	<1										
Lepidoptera														
Pyralidae							1	<1	_				_	
Coleoptera														
Dryopidae														
Helichus					2	<1					_			
Dytiscidae					-									
Agabus														
Agavus Elmidae											-			
Ancyronyx	_	_	_								_			
Dubiraphia	3	<1	_	_		_		_		_		_	_	_
Optioservus	6	<1	9	<1	2	<1	10	<1	5	<1	6	<1	3	<1
Oulimnius	1	<1					5	<1	2	<1	10	<1		
Stenelmis	31	2	17	<1	4	<1	11	<1	2	<1	25	2		
Gyrinidae														
Dineutus	1	<1	_				_							
Hydraenidae														
Limnebius														
Hydrophilidae														
Berosus	_						_				_			
Psephenidae														
Psephenus			1	<1										
1 septienus			1	~1							_			

Oct. 1	7, 1988	Oct. 1	2, 1989	Oct. 2	9, 1990	Oct. 2	5, 1991	Nov. 1	0, 1992	Nov. 1	0, 1993	Nov. 4	l, 1994	Date
1 2	,245	1,	533	1.,	536	2,	733	7	52	4	24	1,	587	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
														Hemiptera
														Veliidae
_		_				_		_						Rhagovelia
														Megaloptera
														Corydalidae
_		6	<1	3	<1	3	<1	1	<1	1	<1	2	<1	Corydalus
_										_		_		Nigronia
														Trichoptera
														Apataniidae
_				_				-		_		_		Apatania
														Brachycentridae
_		_		_		_		_		_		1	<1	Brachycentrus
														Glossosomatidae
_				1	<1							_		Glossosoma
														Hydropsychidae
590	27	400	27	290	19	580	21	91	12	80	19	410	26	Ceratopsyche
160	7	190	13	86	6	250	9	57	8	17	4	270	17	Cheumatopsyche
64	3	280	19	120	8	100	4	19	3	69	16	99	6	Hydropsyche
_				_		_		1	<1	_				Macrostemum
														Hydroptilidae
69	3	10	<1	18	1	6	<1	19	3			13	<1	Hydroptila
220	10	99	7	150	10	240	9	96	13	2	<1		_	Leucotrichia
_		_	-	_			•	1	<1	_				Leptoceridae
_		1	<1			7	<1	4	<1	_		5	<1	Oecetis
		•				•		•	7.			·		Philopotamidae
_		4	<1	4	<1	10	<1	4	<1	1	<1			Chimarra
_				_		_	~~			_	~_	_		Dolophilodes
														Polycentropodidae
13	<1	3	<1	7	<1	2	<1	1	<1			7	<1	Neureclipsis
5	<1	_	~~			1	<1		~-			<u>.</u>	~1	Polycentropus
J	~-					•	~1							Rhyacophilidae
										3	<1			Rhyacophila
										J	~1			Uenoidae
_				2	<1									Neophylax
				2	~1									Lepidoptera
_								_						Pyralidae
														Coleoptera
														Dryopidae
				_										Helichus
												_		Dytiscidae
_		1	<1	_		_		_		_				Agabus
		•	~1									_		Elmidae
												2	<1	Ancyronyx
_				_		_						Z	<1	Dubiraphia
3	<1	11	<1	10	<1	33	1	7	<1	4	1	6	<1	Optioservus
3	<1		<1	6	<1	9	<1		<1		<1	O	<1	Oulimnius
21	<1	1 2	<1 <1	6	<1 <1	9 12	<1 <1	9	1	1 2	<1 <1	_		Stenelmis
21	~1	L	~1	U	~1	16	~1	J	1	L	<1			Gyrinidae
														Dineutus
				_		_						_		Dineutus Hydraenidae
		4	_4											Hydraenidae <i>Limnebius</i>
_		4	<1			_		_				_		
				,	. •									Hydrophilidae
_				1	<1	_						_		Berosus
							.•	_	.•	•			.1	Psephenidae
_				_		1	<1	2	<1	2	<1	1	<1	Psephenus

Table 5. Benthic-macroinvertebrate data—Continued
01494950 - West Branch Big Elk Creek near Oxford, Pa. (Site 32)—Continued

Date	Oct. 2	9, 1981	Nov.	1, 1982	Nov.	2, 1983	Oct. 1	8, 1984	Oct. 1	7, 1985	Oct. 2	8, 1986	Oct. 2	7, 1987
Total count	1,	517	2,	458	1,	203	1,	875	1,	124	1,4	402	1,	309
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Coleoptera											-		****	
Ptilodactylidae														
Anchytarsus														
A. bicolor					1	<1								
Hymenoptera											1	<1		
Diptera														
Athericidae														
Atherix											_			
Chironomidae	140	9	410	16	400	33	270	14	490	45	190	14	610	47
Empididae														
Chelifera			_		_								_	
Hemerodromia	5	<1	9	<1	9	<1	3	<1	3	<1	9	<1	5	<1
Simuliidae														
Simulium	3	<1	3	<1	3	<1	28	1	5	<1			8	<1
Tipulidae														
Antocha	150	10	170	7	100	8	16	<1	23	2	180	13	76	6
Tipula			1	<1	_						_			

¹ Extrapolated from a 3/8 subsample.

Date	l, 1994	Nov. 4), 1993	Nov. 10), 1992	Nov. 10	5, 1991	Oct. 25	9, 1990	Oct. 29	2, 1989	Oct. 12	7, 1988	Oct. 1
Total count	587	1,5	24	42	52	7:	33	2,7	536	1.,	533	1,5	245	12
Organism	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
Coleoptera														
Ptilodactylidae														
Anchytarsus														
A. bicolor		_		_		_		_						_
Hymenoptera		_		_		_				_		_		
Diptera														
Athericidae														
Atherix	<1	2				_						_		_
Chironomidae	24	380	30	130	30	230	30	810	37	560	17	250	28	620
Empididae														
Chelifera	<1	1				_						_		_
Hemerodromia	<1	13	1	5	<1	5	<1	18	<1	9	3	42	<1	3
Simuliidae														
Simulium	<1	8			<1	5	<1	1			<1	4		_
Tipulidae														
Antocha	8	120	20	86	14	110	11	290	7	110	5	81	14	300
Tipula								_						

Table 5. Benthic-macroinvertebrate data—Continued
[<, less than; —, not found]

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	9	78	1,0	670	8	56	1,5	518	5	93	1,1	110	1,4	421
Organism	Count	Percent												
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	5	<1	10	<1	21	2	38	3	41	7	35	3	39	3
Nematoda (nematodes)			1	<1			_		_		_		3	<1
Mollusca (molluscs)														
Gastropoda														
Basommatophora														
Ancylidae														
Ferrissia	150	15	140	8	19	2			1	<1	1	<1	1	<1
Physidae														
Physa			_		_				_				_	
Planorbidae														
Gyraulus					_				_				_	
Helisoma	1	<1			_				_		1	<1	_	
Bivalvia														
Veneroida														
Sphaerlidae					_				1	<1	3	<1	2	<1
Pisidium	_				1	<1							_	
Annelida (segmented worms)					-	•								
Oligochaeta			_						_					
Tubificida														
Naididae	97	10	61	4	7	<1	3	<1	8	1	2	<1	320	23
Tubificidae	31	10	01	7	•	_1		-1	4	<1		-1	320	20
Hirudinea					_		_		4	~1			_	
Pharyngobdellida														
Erpobdellidae	-		1	<1	1	<1	_		1	<1				
Arthropoda (arthropods)														
Acariformes					_				_		_	_		_
Hydrachnidia	_		_		1	<1			1	<1	2	<1	48	3
Crustacea														
Amphipoda														
Gammaridae	_		_		_						_		_	
Gammarus	_		_		_		_		_		_		_	
Isopoda														
Asellidae	_		_		_				_		_			
Caecidotea	21	2	110	6	6	<1	32	2	6	1	6	<1	4	<1
Lirceus	_				_						_		-	
Podocopa	_		_											
Insecta														
Ephemeroptera														
Baetidae														
Baetis			6	<1			2	<1	3	<1			1	<1
Pseudocloeon							2	<1	_					
Ephemerellidae														
Ephemerella .	1	<1	9	<1	41	5	16	1	61	10	180	16	150	11
Heptageniidae	-	-	-	_		-	-		-					
Stenacron					_		_						_	
Stenacion	3	<1	12	<1	12	1	5	<1	7	1	10	<1	4	<1
Isonychiidae	J	~1	16	~1	16	1	J	~1	,	1	10	~1	*	~1
									1	<1	1	ر 1		
Isonychia	_		_				_		1	<1	1	<1	_	
Leptohyphidae														
Tricorythodes	_				_				_		_			

Nov. 9	9, 1988	Oct. 2	7, 1989	Oct. 1	8, 1990	Oct. 2	4, 1991	Nov. 9	9, 1992	Oct. 1	9, 1993	Nov. 2	1, 1994	Date
1 1	,953	2,	083	1,	419	1,	476	1,	268	5	58	2,	194	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	t Organism
														Platyhelminthes (flatworms) Turbellaria Tricladida
160	8	120	6	57	4	30	2	15	1	36	6	47	2	Planarlidae
_		_								_				Nematoda (nematodes) Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
_		3	<1	23	2	5	<1			_		5	<1	Ferrissia Dhymidae
		_		1	<1			_				_		Physidae <i>Physa</i>
												_	_	Planorbidae
_		_								_		1	<1	Gyraulus Helisoma
		_						_				_		Hensoma Bivalvia
						_		_	_			_		Veneroida
		 25	,	3	. 1	1	<1	3	<1	_		2	<1	Sphaeriidae
		25	1	3	<1									Pisidium Annelida (segmented worms)
		_						_		1	<1			Oligochaeta
•		7	.•	10								0.5	•	Tubificida
3 3	<1 <1	7	<1	18	1	4	<1	_				65	3	Naididae Tubificidae
3	<1	_		_										Hirudinea
_		_		1	<1	_		_		_				Pharyngobdellida Erpobdellidae
														Arthropoda (arthropods) Acariformes
_		12	<1	6	<1	3	<1	5	<1	4	<1	19	<1	Hydrachnidia Crustacea
														Amphipoda
_		_										3	<1	Gammaridae
_		_		_		1	<1	3	<1	_		_		Gammarus Isopoda
_		_						8	<1					Asellidae
21	1	13	<1	34	2	6	<1					_		Caecidotea
		_	.1		.1					_		8	<1	Lirceus
_		1	<1	1	<1	_				_		_		Podocopa Insecta
														Ephemeroptera Baetidae
3	<1	9	<1	12	<1	16	1			4	<1	1	<1	Baetis
_				3	<1	_		_				_		Pseudocloeon
														Ephemerellidae
600	30	570	27	250	18	180	12	260	20	120	21	180	8	<i>Ephemerella</i> Heptageniidae
_				_		2	<1	_				_		Stenacron
24	1	52	2	32	2	37	2	19	1	7	1	5	<1	Stenonema
		•						_	_				_	Isonychiidae
_		2	<1	1	<1	4	<1	5	<1	1	<1	1	<1	<i>Isonychia</i> Leptohyphidae
		_		_								2	<1	Tricorythodes

Table 5. Benthic-macroinvertebrate data—Continued
01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

Stenelmis

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	9	78	1,0	670	8	56	1,	518	5	93	1,	110	1,	421
Organism	Count	Percent			Count	Percent	Count	Percent	Count	Percent			Count	Percent
Odonata														
Coenagrionidae														
Argia													1	<1
Plecoptera													_	-
Chloroperlidae	_		_				_				_			
Taeniopterygidae														
Taeniopteryx			3	<1	_		7	<1			1	<1		
Hemiptera			Ū	-1			•				•	~1		
Saldidae	_		1	<1					_					
			1	<1							_		_	
Megaloptera														
Corydalidae														
Corydalus													_	
Nigronia					_									
Sialidae														
Sialis	_				1	<1	_				_			
Neuroptera														
Sisyridae														
Climacia														
C. areolaris			_						_		1	<1	_	
Trichoptera														
Apataniidae														
Apatania					_		_				_		6	<1
Brachycentridae														
Micrasema			_				_				_		_	
Glossosomatidae														
Glossosoma	_		-											
Hydropsychidae														
Ceratopsyche	42	4	76	4	28	3	76	5	78	13	100	9	27	2
Cheumatopsyche	150	15	110	6	83	10	270	18	77	13	10	<1	36	3
Hydropsyche	89	9	250	15	120	14	220	15	35	6	69	6	71	5
Potamyia			47	3	1	<1								
Hydroptilidae														
Hydroptila			18	1	2	<1	3	<1	2	<1	7	<1	39	3
Leucotrichia	150	15	390	23	340	40	53	4	120	20	65	6	120	9
Leptoceridae				_			_							
Ceraclea													_	
Oecetis			_											
Philopotamidae														
Chimarra	5	<1	4	<1	20	2	10	<1	8	1	130	12	110	8
Wormaldia	_		_	7.		-			_	-				
Polycentropodidae														
Polycentropus							_				3	<1	_	
Psychomyiidae	_				_						3	~1		
Psychomyia							18	1	1	<1			6	<1
Uenoidae			_				16	1	1	~1			U	~1
Neophylax														
			_											
Coleoptera Curculionidae					1	_1								
			_		1	<1	_							
Dytiscidae			_				_				_			
Elmidae														
Ancyronyx			_				_		_			_		_
Dubiraphia	_		_		1	<1			_		1	<1	1	<1
Optioservus							2	<1	1	<1	1	<1	1	<1
Oulimnius	-		_				_				_			
Stanolmic	20	2	26	2	Ω	1	1 0	1	_	1	2	_1	•	_1

Nov. 9	9, 1988	Oct. 2	7, 1989	Oct. 1	8, 1990	Oct. 2	4, 1991	Nov. 9	9, 1992	Oct. 1	9, 1993	Nov. 2	1, 1994	Date
11	,953	2,0	083	1,	419	1,4	476	1,	268	5	58	2,	194	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
					***************************************				-					Odonata
														Coenagrionidae
		1	<1	_				_		_		_		Argia
														Plecoptera
		_						_				1	<1	Chloroperlidae Taeniopterygidae
				1	<1							2	<1	Taeniopteryx
					~1							-	~1	Hemiptera
		_		_				_		_				Saldidae
														Megaloptera
														Corydalidae
		-						_		1	<1			Corydalus
		2	<1					_				_		Nigronia
														Sialidae
		_		1	<1			_		1	<1	_		Sialis
														Neuroptera
														Sisyridae <i>Climacia</i>
		_		_				_		_				Cimacia C. areolaris
												_		Trichoptera
														Apataniidae
		_		_		_								Apatania
														Brachycentridae
_				_		_		5	<1	1	<1	3	<1	Micrasema
														Glossosomatidae
_		_		_		1	<1			_		_		Glossosoma
	_					_								Hydropsychidae
37	2	84	4	59	4	9	<1	_	_	14	3	55	3	Ceratopsyche
16 210	<1 11	75 290	4 14	14	<1 7	28 110	2	12	<1	22 84	4	120	5	Cheumatopsyche
210	11	290	14	100	•	110	7	200	15	04	15	100	5	Hydropsyche Potamyia
												_		Hydroptilidae
29	1	14	<1	5	<1	8	<1	6	<1			20	<1	Hydroptila
310	16	230	11	170	12	210	14	2	<1	3	<1	13	<1	Leucotrichia
														Leptoceridae
_						_		2	<1					Ceraclea
_				_		1	<1	_						Oecetis
														Philopotamidae
260	13	180	9	170	12	85	6	19	1	54	10	81	4	Chimarra
_				1	<1	_		_						Wormaldia
		1	<1	3	<1					1	<1			Polycentropodidae <i>Polycentropus</i>
		1	<1	J	~ 1					1	<1			Psychomyiidae
		4	<1	2	<1	1	<1					_		Psychomyia
		-		-	-	-	•							Uenoidae
						_		_				1	<1	Neophylax
														Coleoptera
		_		_		_				_				Curculionidae
		_		1	<1							_		Dytiscidae
														Elmidae
_	_	1	<1	_				_	_			_		Ancyronyx
3	<1		_1	1	<1	1	.1	5	<1				-1	Dubiraphia Optioses vo
		1 1	<1 <1		<1		<1	3	<1	_		3	<1	Optioservus Oulimnius
35	2	30	1	 25	2	20	1	3 21	<1 2	26	5	9	<1	Stenelmis
50	-	-	•	20	-	20	•		-	23	,	•	~~	Continue

Table 5. Benthic-macroinvertebrate data—Continued

01578340 - East Branch Octoraro Creek at Christiana, Pa. (Site 33)—Continued

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	9	78	1,	670	8	56	1,	518	5	93	1,	110	1,4	421
Organism	Count	Percent												
Coleoptera														
Psephenidae														
Psephenus	2	<1	4	<1	11	1			2	<1	3	<1	6	<1
Diptera														
Chironomidae	210	21	300	18	120	14	450	30	120	20	420	38	340	24
Empididae														
Hemerodromia	11	1	24	1	1	<1	4	<1	4	<1	3	<1	8	<1
Simuliidae														
Simulium	6	<1	30	2	1	<1	240	16			18	2	44	3
Stratiomyidae														
Stratiomys														
Tipulidae														
Antocha	15	2	37	2	8	<1	49	3	4	<1	35	3	30	2
Dicranota														

¹ Extrapolated from a 3/8 subsample.

Nov. 9	9, 1988	Oct. 2	7, 1989	Oct. 1	8, 1990	Oct. 2	4, 1991	Nov. 9	9, 1992	Oct. 1	9, 1993	Nov. 2	1, 1994	Date
11	,953	2,	083	1,	419	1,	476	1,	268	5	58	2,	194	Total count
Count	Percent	Organism												
	V													Coleoptera
														Psephenidae
8	<1	23	1	30	2	7	<1	8	<1	13	2	17	<1	Psephenus
														Diptera
180	9	180	9	320	23	640	43	620	48	120	21	1,300	59	Chironomidae
														Empididae
3	<1	14	<1	4	<1	9	<1	_		1	<1	12	<1	Hemerodromia
														Simuliidae
40	2	18	<1	16	1	11	<1	28	2	6	1	15	<1	Simulium
														Stratiomyidae
								1	<1	_				Stratiomys
														Tipulidae
8	<1	120	6	54	4	46	3	18	1	38	7	95	4	Antocha
				_				_				8	<1	Dicranota

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01578343 - Valley Creek at Atglen, Pa. (Site 34)

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	2,	173	2,	478	9	30	2,	239	9	62	7	83	2,	316
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Platyhelminthes (flatworms)														
Turbellaria														
Tricladida														
Planariidae	_		1	<1	_				1	<1			7	<1
Nematoda (nematodes)	1	<1	1	<1	_								1	<1
Nemertea (proboscis worms)														
Enopla														
Hoplonemertea														
Tetrastemmatidae														
Prostoma	_								1	<1				
Mollusca (molluscs)									•					
Gastropoda														
Basommatophora														
Ancylidae	22		40	•	1.4	,							1	-1
Ferrissia	32	1	48	2	14	1			_				1	<1
Physidae	_		_	_										
Physa	1	<1	1	<1									_	
Planorbidae														
Gyraulus	_		_				_		_					
Bivalvia														
Veneroida														
Sphaeriidae	_				_				_				1	<1
Annelida (segmented worms)														
Oligochaeta														
Lumbriculida														
Lumbriculidae							1	<1						
Tubificida														
Naididae	68	3	45	2	10	1	48	2	2	<1			470	20
Tubificidae		_	4	<1		_		_					3	<1
Hirudinea			_										_	_
Pharynobdellidae														
Erpobdellidae							1	<1						
Arthropoda (arthropods)	_						1	~1	_		_			
Acariformes														
													FC	•
Hydrachnidia	_												56	2
Crustacea														
Amphipoda														
Gammaridae											_			
Gammarus			1	<1			_		1	<1	2	<1		
Isopoda														
Asellidae														
Caecidotea			1	<1	8	<1	1	<1	1	<1	4	<1	8	<1
Podocopa									-		_		3	<1
Insecta														
Ephemeroptera														
Baetidae														
Baetis	3	<1					5	<1	17	2	4	<1		
Pseudocloeon	1	<1	4	<1			6	<1	2	<1	1	<1	19	<1
Ephemerellidae	•	· -	-				-	- -	_		_			-
Ephemerella	3	<1	6	<1	4	<1	16	<1	10	1	3	<1	140	6
Heptageniidae	Ü		v		•		-0		-0	•	Ū		- 10	v
Stenonema	1 70	8	190	8	13	1	110	5	21	2	2	<1	54	2
Isonychiidae	110	0	100	0	13	1	110	J	£1	L	L	~1	J7	Ĺ
Isonychia	^	-1	24	-1	•	-1	15	_1	7	-1		-1	24	1
ISONYCNIA	9	<1	24	<1	2	<1	1 5	<1	7	<1	4	<1	34	1

Nov.	7, 1988	Oct. 2	7, 1989	Oct. 1	8, 1990	Oct. 2	4, 1991	Nov. 9	9, 1992	Oct. 1	9, 1993	Nov. 2	3, 1994	Date
1 2	,916	3,	051	1,	262	3,	201	1,	788	8	25	2,	936	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen	t Organism
														Platyhelminthes (flatworms) Turbellaria Tricladida
13	<1	36	1	9	<1	66	2	23	1	1	<1	4	<1	Planariidae
_		_				_				_		_		Nematoda (nematodes) Nemertea (proboscis worms) Enopla Hoplonemertea Tetrastemmatidae
_		10	<1	2	<1									Prostoma Mollusca (molluscs) Gastropoda Basommatophora Ancylidae
_		4	<1	2	<1	4	<1	_		2	<1	1	<1	Ferrissia Physidae
_		_		1	<1			1	<1	_		_		<i>Physa</i> Planorbidae
		3	<1							_				Gyraulus
														Bivalvia Veneroida
_		_		_		1	<1					_		Sphaeriidae Annelida (segmented worms) Oligochaeta Lumbriculida
_		_		_						-				Lumbriculidae Tubificida
88	3	210	7	19	1	110	3			_		4	<1	Naididae
						-								Tubificidae Hirudinea Pharyngobdellida
										_		_		Erpobdellidae Arthropoda (arthropods) Acariformes
		97	3	4	<1	47	1	22	1	4	<1	180	6	Hydrachnidia Crustacea Amphipoda
		1	<1	-		1	<1	4	<1	1	<1	27	<1	Gammaridae <i>Gammarus</i> Isopoda Asellidae
_		2	<1	_				1	<1					Caecidotea
		6	<1	3	<1	_				_		_		Podocopa Insecta Ephemeroptera
16	<1	22	<1	18	1	19	<1			1	<1	_		Baetidae Baetis
		4	<1			-		5	<1	_		_		<i>Pseudocloeon</i> Ephemerellidae
160	6	310	10	63	5	220	7	7	<1	_		2	<1	<i>Ephemerella</i> Heptageniidae
110	4	120	4	23	2	11	<1	4	<1					Stenonema Isonychiidae
21	<1	10	<1	4	<1	3	<1	2	<1			_		Isonychia

Table 5. Benthic-macroinvertebrate data—Continued
01578343 - Valley Creek at Atglen, Pa. (Site 34)—Continued

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	2,	173	2,	478	9	30	2,	239	9	62	7	83	2,	316
Organism	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percen
Ephemeroptera														
Leptohyphidae														
Tricorythodes	_				_		_						4	<1
Leptophlebiidae							_							
Paraleptophlebia							_		1	<1			_	
Potamanthidae														
Anthopotamus	_		4	<1			_		_				_	
Plecoptera														
Capniidae														
Allocapnia					2	<1	3	<1	_				1	<1
Taeniopterygidae														
Taeniopteryx	_		_		1	<1	3	<1	2	<1			_	
Megaloptera					•		Ū	••	_					
Corydalidae														
Corydalus	2	<1					_							
Sialidae	L	\1					_							
Sialidae Sialis			1	<1			1	-1						
	_		1	<1	_		1	<1	_		_			
Trichoptera														
Apataniidae													_	_
Apatania					_		_						2	<1
Glossosomatidae														
Glossosoma			1	<1	_		_		5	<1	9	1	1	<1
Hydropsychidae														
Ceratopsyche	310	14	370	15	87	9	240	11	180	19	71	9	79	3
Cheumatopsyche	460	21	450	18	100	11	210	10	100	10	16	2	140	6
Hydropsyche	300	14	300	12	130	14	96	4	40	4	120	15	200	9
Potamyia			_		7	<1	1	<1					_	
Hydroptilidae														
Hydroptila			7	<1					1	<1	1	<1	4	<1
Leucotrichia	90	4	100	4	300	32	170	8	250	26	73	9	230	10
Leptoceridae	-	-		-				-				•		
Mystacides							_							
Philopotamidae														
Chimarra	1	<1	4	<1	4	<1	6	<1	32	3	53	7	55	2
	1	<1	4	<1	4	<1	3	<1	32	3	33	1	33	L
Dolophilodes	_				_		3	<1						
Polycentropodidae			5	-1	2	.4								
Polycentropus			3	<1	2	<1								
Psychomylidae	•		40	•		2	•		21	•	10	•	110	-
Psychomyia	2	<1	46	2	17	2	2	<1	21	2	12	2	110	5
Coleoptera														
Elmidae														
Ancyronyx			1	<1	1	<1	_							
Dubiraphia	_		1	<1			1	<1			_			
Microcylloepus					-		_							
Optioservus					1	<1	4	<1	1	<1	1	<1	1	<1
Oulimnius					_				2	<1			_	
Stenelmis	44	2	130	5	10	1	16	<1	16	2	18	2	20	<1
Hydrophilidae														
Helophorus					_		1	<1	_					
Psephenidae														
Psephenus				<1	2	<1				<1	2	<1	1	<1

	7, 1988	Oct. 2	7, 1989	Oct. 1	8, 1990	Oct. 2	4, 1991	Nov.	9, 1992	Oct. 1	9, 1993	Nov. 2	3, 1994	Date
1 2	,916	3,	051	1,	262	3,	201	1,	788	8	325	2,	936	Total count
Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Organism
									***************************************					Ephemeroptera
														Leptohyphidae
_		4	<1	3	<1	4	<1					-		Tricorythodes
		3	<1	5	<1									Leptophlebiidae
3	<1	_				3	<1			_				Paraleptophlebia
														Potamanthidae
										_				Anthopotamus
														Plecoptera
														Capniidae
								_						Allocapnia
														Taeniopterygidae
3	<1	2	<1	1	<1			1	<1	_				Taeniopteryx
														Megaloptera
														Corydalidae
		1	<1			1	<1					_		Corydalus
														Sialidae
				_								_		Sialis
														Trichoptera
														Apataniidae
												1	<1	Apatania
														Glossosomatidae
		4	<1	7	<1	5	<1	1	<1					Glossosoma
														Hydropsychidae
230	8	240	8	70	5	43	1	9	<1	1	<1	47	2	Ceratopsyche
620	21	340	11	76	6	190	6	89	5	21	3	250	9	Cheumatopsyche
350	12	960	31	310	24	730	23	460	26	370	45	160	6	Hydropsyche
								_		_				Potamyia
														Hydroptilidae
3	<1	6	<1			11	<1					5	<1	Hydroptila
240	8	8	<1	16	1	98	3	5	<1	1	<1	8	<1	Leucotrichia
	_	-							-	_		-		Leptoceridae
		2	<1									-		Mystacides
		_												Philopotamidae
40	1	37	1	74	6	20	<1	7	<1			_		Chimarra
	•	2	<1		Ū				~1					Dolophilodes
		-	~-											Polycentropodidae
		1	<1											Polycentropus
		•	~1					_		_				Psychomyiidae
13	<1	14	<1	15	1	45	1	9	<1	18	2	27	<1	Psychomyla
10	~1	14	~1	10	•	40	•	3	~1	10	L	21	~1	Coleoptera
														Elmidae
		5	<1			1	<1					1	<1	
3	<1	5	~1	_		1	~1	3	<1			2	<1	Ancyronyx Dubiraphia
3	<1			_				- -	~1	_		_	~1	Microcylloepus
3	<1 <1	8	<1	4	<1	14	<1	22	1	10	1	7	<1	Optioservus
J	~1	4	<1 <1		~1	2	<1 <1	3	<1 <1	2	-1 <1		~1	Optioservus Oulimnius
45	2	160	<1 5	73	6	1 20	<1 4	3 110	<1 6	120	<1 14	110	4	Stenelmis
40	۷	100	J	13	o	120	4	110	0	120	14	110	4	Steneums Hydrophilidae
		-												Helophorus Bookserides
		17	.1	2	_1	1.4	-1	c	.4			•	-1	Psephenidae
		17	<1	3	<1	14	<1	6	<1	9	1	2	<1	Psephenus

Table 5. Benthic-macroinvertebrate data—Continued

01578343 - Valley Creek at Atglen, Pa. (Site 34)—Continued

Date	Nov. 3	3, 1981	Oct. 2	7, 1982	Oct. 2	8, 1983	Oct. 2	6, 1984	Oct. 2	4, 1985	Nov. 2	0, 1986	Nov. 1	8, 1987
Total count	2,	173	2,	478	9	30	2,	239	9	62	7	83	2,	316
Organism	Count	Percent												
Diptera	****	***							-					
Chironomidae	370	17	450	18	130	14	640	29	170	18	210	27	440	19
Empididae														
Hemerodromia	14	<1	9	<1			7	<1	2	<1	1	<1	2	<1
Simuliidae														
Simulium	250	11	91	4	3	<1	600	27	8	<1	85	11	170	7
Stratiomyidae	_		_		_		1	<1			_		_	
Tipulidae														
Antocha	42	2	180	7	82	9	30	1	67	7	87	11	59	3
Dicranota			_						_		4	<1		
Hexatoma			1	<1	_		_		_				_	
Tipula					_		1	<1	_				_	

¹ Extrapolated from a 3/8 subsample.

Date	94	23,	Nov. 2	9, 1993	Oct. 19	, 1992	Nov. 9	4, 1991	Oct. 24	3, 1990	Oct. 18	7, 1989	Oct. 27	', 1988	Nov. 7
Total count		,936	2,	825		1,788		201	3,2	262	1,2)51	3,0	916	1 2
Organism	ent	P	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count
iptera			-												
Chironomidae	52		1,500	18	150	11	190	38	1,200	25	330	7	210	18	520
Empididae															
Hemerodromia	<1		12	<1	2	<1	3	<1	15		_	1	46	<1	5
Simuliidae															
Simulium	9		260	<1	2	38	680	<1	12	4	53	1	42	14	400
Stratiomyldae									_						
Tipulidae															
Antocha	11		320	13	110	7	120	6	180	6	73	3	99	<1	24
Dicranota	<1		6					<1	10		_		_	<1	3
Hexatoma			_		_	<1	1	<1	1	<1	1	<1	1		
Tipula			_		_				_		_				_

Table 5. Benthic-macroinvertebrate data—Continued

[<, less than; —, not found]

01578345 - East Branch Octoraro Creek at Steelville, Pa. (Site 35)

Date	Nov. 3	3, 1981	Oct. 2	7, 1982
Total count	1,0	041	1,	791
Organism	Count	Percent	Count	Percent
Platyhelminthes (flatworms)	4	<1	1	<1
Turbellaria				
Tricladida				
Planariidae	3	<1	4	<1
Mollusca (molluscs)				
Gastropoda				
Basommatophora				
Ancylidae				
Ferrissia	5	<1	24	1
Lymnaeidae	•			-
Lymnaea	1	<1	_	
Annelida (segmented worms)	•	~~		
Oligochaeta			1	<1
Tubificida	_		•	~1
	1	<1		
Tubificidae	1	<1	_	
Arthropoda (arthropods)				
Acariformes			00	•
Hydrachnidia	58	6	32	2
Crustacea				
Isopoda				
Asellidae				
Caecidotea	1	<1	1	<1
Insecta				
Ephemeroptera				
Baetidae				
Pseudocloeon	1	<1	_	
Ephemerellidae				
Ephemerella	55	6	78	4
Heptageniidae				
Stenonema	160	16	110	6
Isonychiidae				
Isonychia			10	<1
Plecoptera				
Capniidae				
Allocapnia	_		2	<1
Chloroperlidae			1	<1
Taeniopterygidae				
Strophopteryx	2	<1	_	
Megaloptera				
Corydalidae				
Nigronia	_		2	<1
Sialidae			_	
Sialis	3	<1		
Trichoptera	ŭ			
Hydropsychidae				
Ceratopsyche	180	18	220	12
	48	5	120	7
Cheumatopsyche Hydropsyche	21	2	35	2
J - J	21	L	J	L
Hydroptilidae	12	1	20	1
Hydroptila	12	1	20	1
Leucotrichia	51	5	400	22
Philopotamidae	•	.1	20	2
Chimarra	6	<1	30	2

01578345 - East Branch Octoraro Creek at Steelville, Pa. (Site 35)—Continued

Date	Nov. 3	3, 1981	Oct. 2	7, 1982
Total count	1,0	041	1,	791
Organism	Count	Percent	Count	Percent
Coleoptera				
Chrysomelidae	1	<1	_	
Elmidae				
Dubiraphia	1	<1		
Optioservus	2	<1		
Oulimnius			1	<1
Stenelmis	14	1	3	<1
Psephenidae				
Psephenus	5	<1	1	<1
Diptera				
Chironomidae	360	36	530	29
Empididae				
Hemerodromia	2	<1	3	<1
Simuliidae				
Simulium	14	1	2	<1
Tipulidae				
Antocha	30	3	160	9

Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site [—, no data]

01472054 PIGEON CREEK NEAR BUCKTOWN (SITE 8)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	822	28	3.11	4.77	0.32	0.63
1982	975	31	3.57	4.93	.30	.70




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472065 PIGEON CREEK AT PORTERS MILL (SITE 9)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	482	23	3.03	4.57	0.41	0.63
1982	918	24	3.30	5.50	.25	.72




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472080 PIGEON CREEK NEAR PARKER FORD (SITE 10)

Year	Total number of organisms	Total nu mbe r of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	2,785	33	3.07	5.03	0.13	0.60
1982	1,691	30	3.39	4.86	.18	.69
1983	969	24	3.20	4.56	.23	.69
1984	1,492	29	3.50	4.83	.20	.71
1985	1,032	21	2.82	4.33	.19	.63
1986	1,133	24	3.35	4.59	.21	.72
1987	2,098	39	3,86	5.29	.20	.72
1988	¹ 2,397	31	3.57	4.93	.14	.71
1989	2,270	40	3.81	5.32	.19	.71
1990	1,947	32	3.68	4.95	.17	.73
1991	1,705	34	3.34	5.06	.21	.65
1992	440	30	3.08	4.90	.57	.58
1993	1,161	35	3.42	5.03	.30	.66
1994	1,599	41	3.33	5.28	.26	.61

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472109 STONY RUN NEAR SPRING CITY (SITE 6)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 2,760	32	3.08	4.95	0.13	0.61
1982	1,265	27	3.53.	4.76	.21	.73
1983	2,082	37	3.33	5.16	.19	.63
1984	998	26	3.49	4.66	.25	.74
1985	550	26	2.22	4.54	.41	.44
1986	651	38	3.60	5.08	.53	.67
1987	1,467	34	3.57	5.03	.24	.70
1988	¹ 816	24	3.29	4.50	.27	.71
1989	2,122	35	3.62	5.13	.18	.70
1990	2,129	37	3.29	5.18	.19	.62
1991	1,489	35	3.61	5.08	.24	.70
1992	671	29	3.71	4.90	.39	.74
1993	993	24	3.01	4.54	.23	.64
1994	1,010	36	3.62	5.08	.34	.69

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472110 STONY RUN AT SPRING CITY (SITE 7)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity Index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,507	32	3.52	4.95	0.22	0.70
1982	1,787	27	2,97	4.70	.16	.62




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472126 FRENCH CREEK AT TRYTHALL (SITE 41)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	-	-			_	_
1982	215	24	3.02	4.62	0.82	0.58




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472129 FRENCH CREEK NEAR KNAUERTOWN (SITE 11)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,078	36	3.83	5.20	0.33	0.72
1982	2,186	40	3.59	5.27	.20	.67




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472138 FRENCH CREEK NEAR COVENTRYVILLE (SITE 13)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,542	43	3.88	5.44	0.29	0.70
1982	¹ 2,380	35	3.21	5.10	.16	.62
1983	¹ 1,615	38	3.82	5.19	.24	.72
1984	¹ 1,295	27	3,51	4.77	.21	.72
1985	535	36	3.18	5.21	.59	.56
1986	1,395	31	3.01	4.87	.22	.60
1987	1,338	31	2.50	4.89	.23	.49
1988	1,846	31	3.12	4.94	.18	.62
1989	1,643	51	3.96	5.51	.33	.69
1990	1,507	46	3.51	5.53	.31	.61
1991	597	35	3.24	4.95	.52	.61
1992	573	29	3.49	4.88	.44	.69
1993	732	38	3.97	5.13	.48	.75
1994	1,029	32	3.31	4.91	.30	.65

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472140 SOUTH BRANCH FRENCH CREEK AT COVENTRYVILLE (SITE 12)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 1,197	32	3.41	4.91	0.27	0.68
1982	¹ 2,649	33	3.18	5.01	.14	.63
1983	¹ 1,697	31	3.26	4.91	.19	.65
1984	¹ 1,563	26	3.28	4.63	.17	.70
1985	785	34	3.75	5.13	.40	.71
1986	1,312	39	3.85	5.24	.30	.72
1987	2,014	40	3.20	5.29	.21	.59
1988	3,070	40	3.73	5.31	.15	.69
1989	2,447	41	3.78	5.34	.18	.70
1990	643	36	3.86	5.20	.50	.72
1991	1,737	43	3.85	5.38	.26	.70
1992	1,336	48	3.94	5.60	.36	.68
1993	1,432	42	4:03	5.29	.30	.75
1994	565	29	3.36	4.76	.45	.67

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472154 FRENCH CREEK NEAR PUGHTOWN (SITE 14)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,760	35	3.42	5.09	0.21	0.66
1982	1,543	29	2.88	4.81	.19	.58
1983	1,432	40	3.63	5.31	.29	.66
1984	1,716	31	3.20	4.93	.19	.64
1985	421	24	3.33	4.53	.47	.70
1986	1,416	32	3.32	4.96	.23	.65
1987	1,331	31	2.03	4.97	.23	.38
1988	¹ 2,589	33	3.72	5.03	.14	.73
1989	1,489	38	3.98	5.15	.26	.76
1990	747	35	3.89	5.02	.43	.75
1991	1,545	36	3.56	5.10	.24	.68
1992	1,025	40	3.58	5.32	.38	.65
1993	765	34	3.25	5.02	.41	.61
1994	1,212	40	3.70	5.21	.33	.69

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472157 FRENCH CREEK NEAR PHOENIXVILLE (SITE 15)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	M inimum diversity (H _{min})	Evenness (E)
1981	¹ 3,427	32	2.34	5.00	0.11	0.46
1982	¹ 548	22	3.06	4.48	.35	.66
1983	¹ 1,141	28	2.82	4.80	.24	.57
1984	¹ 821	29	3.32	4.78	.33	.67
1985	226	30	3.92	4.77	.99	.77
1986	712	36	3.77	5.21	.46	.70
1987	600	35	2.76	4.99	.52	.50
1988	¹ 2,496	41	3.19	5.37	.18	.58
1989	203	35	4.12	5.06	1.26	.75
1990	271	28	3.36	4.75	.80	.65
1991	1,254	38	3.14	5.29	.30	.57
1992	825	45	3.93	5.36	.52	.71
1993	587	34	3.37	4.96	.51	.64
1994	1,045	47	4.18	5.42	.44	.75

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

014721612 FRENCH CREEK AT RAILROAD BRIDGE AT PHOENIXVILLE (SITE 16)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	M inimum diversity (H _{min})	Evenness (E)
1981	240	8	0,53	2.96	0.23	0.11
1982	619	20	1.43	4.21	.28	.29
1983	343	24	2.82	4.44	.56	.58
1984	2,247	18	1.13	4.18	.08	.26
1985	72	21	3.11	4.03	1.66	.61
1986	605	21	2.25	4.36	.31	.48
1987	489	25	2.75	4.61	.44	.55
1988	¹ 1,340	20	2.04	4.34	.15	.45
1989	270	36	3.84	5.01	1.03	.71
1990	113	22	3.09	4.07	1.24	.65
1991	727	24	2.25	4.52	.30	.46
1992	115	13	2.76	3.61	.67	.71
1993	985	33	3.02	5.05	.32	.57
1994	656	22	2.34	4.45	.30	.49

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472170 PICKERING CREEK NEAR EAGLE (SITE 1)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max)}	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 1,301	23	2,80	4.54	0.17	0.60
1982	¹ 2,643	22	2.64	4.45	.09	.58
1983	2,715	31	2.78	4.94	.13	.55
1984	¹ 1,537	23	2.78	4.55	.15	.60
1985	765	31	3.35	4.91	.38	.66
1986	1,102	32	3.43	4.93	.29	.68
1987	1,431	25	2.87	4.63	.17	.61
1988	2,728	29	3.14	4.82	.12	.64
1989	1,088	32	3.70	5.02	.29	.72
1990	1,000	23	3.22	4.46	.22	.71
1991	725	29	3.41	4.87	.37	.68
1992	328	21	3.06	4.29	.51	.67
1993	872	26	3.33	4.68	.28	.69
1994	560	27	3.61	4.70	.43	.74

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472174 PICKERING CREEK NEAR CHESTER SPRINGS (SITE 2)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 747	20	2.41	4.26	0.24	0.54
1982	¹ 1,084	26	3.06	4.72	.23	.63
1983	526	24	3.80	4.62	.39	.80
1984	¹ 1,350	21	3.17	4.36	.15	.72
1985	595	28	3.14	4.73	.42	.63
1986	488	30	3.44	4.75	.53	.69
1987	170	18	2.42	4.04	.73	.51
1988	¹ 1,340	24	3.29	4.60	.18	.70
1989	1,076	35	3.67	5.13	.32	.70
1990	502	32	3.41	4.94	.55	.65
1991	766	39	3.78	5.27	.47	.69
1992	295	35	3.90	4.97	.94	.74
1993	219	21	2.99	4.27	.70	.64
1994	871	39	3.82	5.17	.43	.72

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

014721854 PICKERING CREEK AT MERLIN (SITE 3)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 1,757	27	2.72	4.70	0.16	0.56
1982	2,123	30	3.17	4.90	.15	.63
1983	¹ 935	25	3.68	4.58	.25	.79
1984	¹ 2,005	24	3.07	4.52	.17	.66
1985	912	39	3.63	5.25	.41	.67
1986	1,049	36	2.67	5.08	.33	.49
1987	1,396	38	3.34	5.24	.28	.62
1988	¹ 1,047	24	3.35	4.56	.22	.72
1989	1,015	45	3.62	5.42	.43	.68
1990	430	29	3.52	4.89	.56	.68
1991	956	33	2.98	5.08	.33	.56
1992	1,522	44	3.97	5.44	.30	.72
1993	939	30	3.72	4.80	.31	.76
1994	780	31	3.00	4.85	.37	.59

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

014721884 PICKERING CREEK AT CHARLESTOWN ROAD AT CHARLESTOWN (SITE 4)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	3,611	32	2.68	4.96	0.10	0.53
1982	1,887	31	3.23	4.97	.17	.64
1983	¹ 1,316	27	3.42	4.72	.21	.71
1984	1,943	26	3.14	4.72	.14	.66
1985	557	27	3.26	4.72	.42	.66
1986	2,593	38	2.93	5.25	.15	.54
1987	2,312	36	3.34	5.16	.17	.64
1988	¹ 4,090	36	2.99	5.17	.10	.57
1989	1,147	39	3.85	5.23	.34	.72
1990	1,684	37	3.14	5.19	.23	.59
1991	1,514	34	3.21	5.05	.23	.62
1992	2,247	46	3.98	5.53	.22	.71
1993	2,535	48	3,96	5.59	.21	.70
1994	1,325	40	3.50	5.32	.31	.64

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01472190 PICKERING CREEK NEAR PHOENIXVILLE (SITE 5)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	2,081	32	2.77	4.98	0.17	0.54
1982	3,232	39	3.00	5.30	.14	.56
1983	2,183	38	3.50	5.18	.19	.66
1984	1,513	32	3.38	4.92	.22	.67
1985	438	30	3.32	4.81	.58	.65
1986	1,150	40	3.46	5.34	.34	.62
1987	2,029	39	3.55	5.30	.21	.66
1988	¹ 2,651	28	2.83	4.81	.12	.58
1989	373	34	3.64	5.13	.75	.66
1990	948	30	2,53	4.88	.49	.49
1991	3,066	42	3.28	5.37	.16	.60
1992	1,775	47	3.78	5.78	.28	.66
1993	1,259	36	2.95	5.18	.29	.55
1994	1,177	29	2.72	4.87	.24	.54

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01473167 LITTLE VALLEY CREEK AT HOWELLVILLE (SITE 49)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min)}	Evenness (E)
1981	2,871	20	2.70	4.31	0.08	0.62
1982	2,454	21	2,76	4.37	.09	.62
1983	1,231	18	2.66	4.13	.14	.63
1984	1,218	17	2,65	4.05	.14	.64
1985	551	20	2.82	4.27	.31	.63
1986	1,102	17	3.10	4.05	.15	.75
1987	1,357	15	3.06	3.89	.11	.78
1988	¹ 1,375	20	3,17	4.32	.14	.73
1989	346	17	3,10	4.01	.39	.75
1990	518	15	3.14	3.84	.24	.80
1991	481	14	2.95	3.78	.24	.77
1992	913	19	3.17	4.19	.19	.74
1993	804	16	2.83	3.83	.18	.71
1994	1,068	15	3.30	3.86	.13	.85

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01473168 VALLEY CREEK NEAR VALLEY FORGE (SITE 50)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	2,183	20	2.51	4.29	0.10	0.58
1982	3,144	20	2.67	4.33	.07	.61
1983	1,745	16	2.66	3.96	.09	.66
1984	2,073	21	2.68	4.35	.11	.61
1985	1,354	19	2.77	4.25	.14	.64
1986	1,820	19	2.77	4.20	.11	.65
1987	1,625	22	3.13	4.47	.14	.69
1988	¹ 2,278	15	2.78	3.92	.07	.71
1989	1,046	22	3.37	4.43	.20	.75
1990	1,557	19	2.90	4.27	.12	.67
1991	1,020	21	3.02	4.38	.20	.68
1992	1,848	23	3.20	4.50	.13	.70
1993	1,307	22	2.71	4.46	.17	.59
1994	1,561	23	3.15	4.55	.15	.68

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01475300 DARBY CREEK AT WATERLOO MILLS NEAR DEVON (SITE 17)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	524	23	3.35	4.57	0.38	0.71
1982	215	20	3.44	4.30	.68	.76
1983	403	28	3.26	4.71	.58	.65
1984	1,208	28	3.68	4.73	.23	.77
1985	968	26	3.42	4.62	.26	.73
1986	706	26	3.57	4.62	.33	.76
1987	1,115	27	3.70	4.70	.24	.78
1988	¹ 2,008	24	2.60	4.59	.12	.56
1989	1,165	39	3.75	5.32	.33	.69
1990	450	19	2.89	4.21	.35	.66
1991	1,352	24	2.47	4.57	.18	.52
1992	918	35	3,40	5.04	.36	.65
1993	369	19	1.51	4.20	.41	.29
1994	883	29	3.19	4.80	.31	.64

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01475830 CRUM CREEK NEAR PAOLI (SITE 18)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,133	29	3.53	4.78	0.25	0.73
1982	581	27	3.62	4.68	.41	.75




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01475840 CRUM CREEK AT WHITEHORSE (SITE 19)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	992	38	3.61	5.14	0.37	0.68
1982	1,636	35	3.38	5.11	.22	.65
1983	525	30	3.12	4.85	.50	.60
1984	1,222	26	3.07	4.73	.21	.63
1985	568	28	2.85	4.73	.43	.56
1986	907	28	2.85	4.78	.29	.57
1987	1,285	33	3.91	5.08	.26	.76
1988	¹ 2,028	24	2.01	4.59	.13	.42
1989	1,644	38	3.33	5.19	.24	.62
1990	1,117	37	3.30	5.12	.33	.62
1991	1,789	36	3.24	5.20	.21	.61
1992	1,881	32	3.18	4.99	.18	.62
1993	538	25	3,14	4.62	.40	.65
1994	1,240	32	3.54	4.97	.26	.70

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476430 RIDLEY CREEK AT GOSHENVILLE (SITE 20)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity Index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	241	27	3.14	4.78	0.85	0.58
1982	¹ 1,345	29	3.60	4.81	.22	.74
1983	¹ 855	22	3.31	4.45	.24	.73
1984	¹ 1,688	21	3.02	4.42	.13	.67
1985	722	19	2.89	4.27	.24	.66
1986	980	26	3,61	4.68	.25	.76
1987	1,881	30	3.73	4.90	.17	.75
1988	¹ 1,660	26	3.39	4.65	.16	.72
1989	767	26	3.16	4.66	.31	.65
1990	757	30	2.88	4.81	.37	.56
1991	547	20	2.65	4.27	.31	.59
1992	1,297	31	3.06	4.87	.24	.61
1993	511	24	3.40	4.50	.40	.73
1994	572	26	3.64	4.56	.40	.78

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476435 RIDLEY CREEK AT DUTTON MILL NEAR WEST CHESTER (SITE 21)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,407	33	3.52	5.02	0.24	0.69
1982	¹ 1,578	27	3.02	4.76	.17	.62
1983	¹ 1,697	32	3.34	5.02	.20	.65
1984	¹ 3,842	26	3.15	4.68	.08	.67
1985	1,617	27	3.04	4.77	.17	.62
1986	1,629	30	3.54	4.88	.19	.71
1987	1,198	27	3.35	4.71	.22	.70
1988	¹ 2,446	25	3.07	4.66	.11	.65
1989	1,347	29	2.77	4.84	.22	.55
1990	2,813	39	2.94	5.30	.16	.54
1991	1,509	21	2.45	4.37	.14	.55
1992	1,391	32	3.20	4.96	.23	.63
1993	1,467	36	3,45	5.17	.25	.65
1994	1,322	28	3.32	4.73	.21	.69

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476790 EAST BRANCH CHESTER CREEK AT GREEN HILL (SITE 22)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	323	25	3.44	4.68	0.62	0.70
1982	464	20	3.32	4.23	.36	.77
1983	319	22	3.20	4.39	.54	.69
1984	519	21	3.21	4.36	.35	.71
1985	247	13	3.21	3.54	.38	.89
1986	338	21	3.17	4.25	.49	.71
1987	1,304	32	3.46	5.01	.25	.67
1988	¹ 1,014	19	3.06	4.18	.18	.72
1989	231	22	1.70	4.29	.72	.28
1990	425	16	1.25	3.93	.31	.26
1991	505	23	2.44	4.55	.39	.49
1992	451	19	2.37	4.20	.35	.52
1993	106	15	2.62	3.59	.88	.64
1994	294	23	2.93	4.46	.62	.60

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476830 EAST BRANCH CHESTER CREEK AT MILLTOWN (SITE 23)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,371	28	2.84	4.73	0.20	0.58
1982	1,700	27	2.98	4.70	.16	.62
1983	1,247	31	3.16	4.90	.25	.63
1984	1,085	29	3.36	4.82	.26	.68
1985	991	25	3.51	4.55	.24	.76
1986	518	19	2.66	4.12	.32	.62
1987	2,252	31	3,72	4.92	.15	.75
1988	¹ 2,477	24	3.06	4.60	.10	.66
1989	4,174	33	3.10	5.06	.09	.60
1990	2,625	33	2.80	5.05	.14	.54
1991	1,731	26	2.48	4.68	.16	.51
1992	2,926	38	3,16	5.21	.14	.60
1993	693	20	1.91	4.28	.26	.41
1994	2,643	30	2.54	4.92	.13	.50

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476835 EAST BRANCH CHESTER CREEK AT WESTTOWN (SITE 24)

Year	Total number of organisms	Total number of taxa	Brillouiri's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,783	28	3.21	4.83	0.16	0.65
1982	3,535	22	2.52	4.45	.07	.56
1983	2,250	30	3.19	4.85	.14	.65
1984	2,424	30	3.30	4.86	.13	.67
1985	1,365	25	2.18	4.60	.18	.45
1986	1,026	19	3.10	4.27	.18	.71
1987	2,592	29	3.15	4.87	.12	.64
1988	¹ 1,677	22	3.01	4.47	.13	.66
1989	1,518	27	3.12	4.71	.18	.65
1990	3,087	33	3.16	5.01	.12	.62
1991	1,808	27	3.07	4.76	.16	.63
1992	2,471	24	2.62	4.59	.10	.56
1993	643	24	3.65	4.60	.33	.78
1994	767	24	2.84	4.51	.28	.60

¹ Extrapolated from a 3/8 subsample.





Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01476840 GOOSE CREEK TRIBUTARY TO EAST BRANCH CHESTER CREEK NEAR WEST CHESTER (SITE 25)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	356	9	1.50	3.13	0.19	0.45
1982	¹ 9,644	8	1.13	3.00	.01	.37
1983			能之 一 类。		_	_
1984			e de la companya de l	_		_
1985		_				_
1986		_		_		_
1987		_	36 - 180			_
1988	² 587	12	2,02	3.56	.17	.55
1989	3,091	17	1.86	4.09	.06	.45
1990	1,111	20	2.21	4.32	.17	.49
1991	2,108	17	1.31	4.08	.08	.31
1992	1,095	20	2.31	4.32	.18	.52
1993	765	16	2.34	3.92	.19	.58
1994	671	11	1.66	3.46	.14	.52

¹ Extrapolated from a 1/4 subsample.



² Extrapolated from a 3/8 subsample.

Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued 01476848 EAST BRANCH CHESTER CREEK BELOW GOOSE CREEK NEAR WEST CHESTER (SITE 51)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981				-		_
1982		_		_		_
1983	2,869	22	2.41	4.44	0.08	0.53
1984	2,874	22	2.81	4.47	.08	.62
1985	4,236	19	2.18	4.24	.05	.51
1986	1,514	23	2.39	4.47	.15	.52
1987	12,174	20	1.75	4.33	.02	.40
1988	¹ 3,963	17	2.58	4.09	.05	.63
1989	926	28	2.97	4.75	.28	.60
1990	3,033	31	2.77	4.54	.11	.55
1991	3,951	27	2.64	4.76	.08	.55
1992	3,046	26	2.40	4.70	.10	.50
1993	1,169	28	3.04	4.79	.24	.62
1994	2,093	32	2.77	5.02	.16	.54

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01478120 EAST BRANCH WHITE CLAY CREEK NEAR AVONDALE (SITE 28)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	836	18	3,06	4.14	0.20	0.73
1982	1,295	23	2.74	4.50	.18	.59
1983	1,368	18	2.61	4.19	.13	.61
1984	932	16	1.96	3.93	.16	.48
1985	1,007	22	2.53	4.49	.21	.54
1986	1,026	19	2.26	4.23	.18	.51
1987	4,223	19	2.02	4.26	.05	.47
1988	¹ 2,624	19	2.31	4.26	.08	.53
1989	1,797	29	3,16	4.79	.17	.65
1990	1,492	20	2.60	4.29	.13	.59
1991	2,007	19	2.70	4.25	.10	.63
1992	2,514	29	3.43	4.83	.13	.70
1993	2,090	27	2.83	4.72	.12	.61
1994	1,779	28	2.74	4.79	.16	.56

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01478190 MIDDLE BRANCH WHITE CLAY CREEK NEAR WICKERTON (SITE 29)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	780	16	2,82	4.00	0.18	0.69
1982	1,697	19	2.43	4.23	.11	.56
1983	833	17	2.82	4.12	.19	.67
1984	1,742	19	2.54	4.25	.11	.59
1985	1,265	25	2.77	4.57	.19	.59
1986	898	24	3.07	4.59	.25	.65
1987	1,314	23	2.56	4.48	.17	.55
1988	¹ 3,440	21	2.74	4.37	.07	.62
1989	1,438	26	3.23	4.66	.18	.68
1990	2,008	29	2.74	4.83	.15	.55
1991	2,464	24	2.68	4.57	.11	.58
1992	1,458	32	3.30	4.98	.22	.65
1993	829	19	2.98	4.19	.21	.67
1994	1,912	24	3.41	4.58	.13	.74

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01478220 WEST BRANCH WHITE CLAY CREEK NEAR CHESTERVILLE (SITE 30)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	M inimum diversity (H _{min})	Evenness (E)
1981	1,216	22	2.70	4.42	0.18	0.59
1982	2,270	23	2.08	4.50	.11	.45
1983	794	23	2.82	4.50	.27	.60
1984	1,232	23	2.94	4.45	.18	.65
1985	836	29	2.65	4.84	.33	.52
1986	1,079	24	3.22	4.56	.21	.69
1987	1,665	24	3.27	4.58	.15	.71
1988	¹ 2,065	23	3.13	4.48	.12	.69
1989	1,114	34	3.74	5.08	.30	.72
1990	1,794	29	3.55	4.87	.16	.72
1991	1,438	27	2.82	4.82	.19	.58
1992	1,472	34	3.54	5.07	.23	.68
1993	1,270	33	2.93	4.98	.26	.57
1994	1,027	25	2.73	4.68	.23	.56

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01479680 WEST BRANCH RED CLAY CREEK AT KENNETT SQUARE (SITE 27)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	211	11	1.61	3.32	0.37	0.39
1982	777	13	2.62	3.71	.15	.64
1983	84	11	2.45	3.39	.75	.64
1984	468	10	1,98	3.35	.17	.54
1985	326	18	2.31	4.04	.43	.52
1986	107	10	1.90	3.31	.56	.49
1987	267	15	2.61	3.92	.42	.63
1988	546	17	2.75	4.13	.27	.64
1989	758	33	3.63	4.90	.40	.72
1990	1,843	26	2.01	4.64	.15	.41
1991	424	14	1.94	3.69	.27	.49
1992	410	14	2.42	3.78	.27	.61
1993	834	28	2.78	4.84	.31	.55
1994	922	24	2.15	4.52	.25	.44




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01479800 EAST BRANCH RED CLAY CREEK NEAR FIVE POINT (SITE 26)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity Index (H)	Maximum diversity (H _{max})	M inimum diversity (H _{min})	Evenness (E)
1981	1,055	14	2.21	3.82	0.12	0.56
1982	285	16	2.90	3.96	.43	.70
1983	577	17	1.73	3.98	.25	.39
1984	2,375	12	.85	3.59	.05	.23
1985	627	16	2.03	3.92	.22	.49
1986	34	10	1.92	3.00	1.30	.37
1987	577	17	2.08	4.11	.25	.47
1988	920	11	1.77	3.45	.11	.50
1989	545	17	2.34	3.99	.27	.56
1990	2,652	19	1.86	4.23	.08	.43
1991	700	15	1.82	3.88	.19	.44
1992	1,054	26	2.58	4.67	.24	.53
1993	761	23	3.05	4.44	.28	.67
1994	998	21	2.19	4.37	.20	.48




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480434 WEST BRANCH BRANDYWINE CREEK AT ROCK RUN (SITE 37)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	551	29	3.36	4.75	0.46	0.68
1982	1,086	31	3.28	4.94	.28	.64
1983	1,241	31	2.36	4.87	.25	.46
1984	1,052	30	2.95	4.81	.28	.59
1985	1,711	32	3.20	4.95	.20	.63
1986	646	34	3.66	4.92	.47	.72
1987	1,278	36	2.95	5.14	.28	.55
1988	1,182	28	2.68	4.78	.23	.54
1989	1,399	36	3.25	5.07	.26	.62
1990	1,020	29	2.93	4.78	.27	.59
1991	1,793	38	2.55	5.20	.22	.47
1992	1,376	38	3,61	5.15	.28	.68
1993	665	31	3.27	4.87	.42	.64
1994	1,471	32	3.10	5.03	.22	.60




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480629 BUCK RUN AT DOE RUN (SITE 46)

Year	Total riumber of organisms	Total riumber of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Everiness (E)
1981	1,026	19	2.68	4.26	0.18	0.61
1982	¹ 1,647	16	2.34	4.00	.10	.57
1983	¹ 1,846	17	1.80	4.05	.09	.43
1984	¹ 2,272	21	2,63	4.41	.10	.59
1985	1,091	21	3.43	4.42	.18	.77
1986	1,769	23	2.55	4.47	.13	.56
1987	1,644	25	2,69	4.66	.16	.56
1988	¹ 2,070	24	3.20	5.54	.12	.70
1989	1,353	32	2.68	4.98	.24	.51
1990	1,804	39	3.53	5.24	.23	.66
1991	1,756	26	2.46	4.67	.15	.51
1992	1,432	34	3,24	5.01	.24	.63
1993	1,403	31	3,15	4.87	.22	.63
1994	2,602	24	2.80	4.59	.10	.60

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480632 DOE RUN AT SPRINGDELL (SITE 45)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 1,133	24	3,30	4.60	0.21	0.71
1982	¹ 1,620	25	2.93	4.58	.16	.63
1983	¹ 1,405	23	2.93	4.55	.16	.63
1984	¹ 1,608	22	a.n	4.46	.14	.69
1985	974	20	2.67	4.24	.19	.61
1986	774	19	2,92	4.25	.22	.67
1987	1,617	26	3.00	4.66	.16	.63
1988	¹ 1,818	22	3.30	4.42	.13	.74
1989	1,430	34	3.44	5.12	.24	.66
1990	1,752	25	3.28	4.60	.15	.70
1991	1,392	29	3.33	4.88	.21	.67
1992	1,195	23	3.29	4.52	.19	.71
1993	1,229	32	3.45	4.92	.26	.68
1994	1,300	23	3.14	4.51	.17	.69

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480640 WEST BRANCH BRANDYWINE CREEK AT WAWASET (SITE 38)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	598	31	2.95	4.90	0.46	0.56
1982	1,655	21	2.87	4.40	.13	.64
1983	1,110	27	3.21	4.78	.24	.66
1984	1,402	22	2.61	4.48	.16	.57
1985	1,085	24	2.24	4.62	.21	.46
1986	769	24	3.09	4.52	.28	.66
1987	402	23	3.20	4.46	.47	.69
1988	¹ 1,939	22	2.84	4.43	.12	.63
1989	1,631	31	3.02	4.95	.20	.59
1990	1,532	39	3.30	5.23	.26	.61
1991	1,418	31	3.19	4.94	.22	.63
1992	1,041	34	3.46	5.07	.32	.66
1993	764	39	3.79	5.28	.47	.69
1994	1,005	37	3.88	5.11	.36	.74

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480647 EAST BRANCH BRANDYWINE CREEK NEAR STRUBLE DAM (SITE 43)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	303	22	2.50	4.39	0.58	0.50
1982	566	25	3.24	4.67	.38	.67




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480648 EAST BRANCH BRANDYWINE CREEK NEAR CUPOLA (SITE 48)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,310	43	4.10	5.37	0.33	0.75
1982	2,529	35	3.21	5.08	.15	.62
1983	733	32	3.61	5.03	.40	.69
1984	1,652	24	3.04	4.58	.15	.65
1985	689	28	3.43	4.75	.37	.70
1986	895	33	3.64	4.94	.35	.72
1987	1,139	31	3.15	4.96	.27	.61
1988	¹ 1,984	32	3.43	4.94	.17	.68
1989	3,846	46	3.61	5.51	.14	.65
1990	538	25	3.20	4.59	.40	.67
1991	926	37	3.43	5.09	.38	.65
1992	610	25	3.31	4.58	.36	.70
1993	2,016	49	3.49	5.55	.26	.61
1994	973	31	3.59	4.87	.31	.72

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480653 EAST BRANCH BRANDYWINE CREEK AT GLENMOORE (SITE 42)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	M inimum diversity (H _{min})	Evenness (E)
1981	752	36	3.43	5.18	0.44	0.63
1982	1,708	47	3.81	5.51	.30	.67
1983	1,338	45	3.93	5.50	.34	.70
1984	1,008	36	3.69	5.20	.35	.69
1985	1,361	43	3.73	5.41	.32	.67
1986	723	48	4.20	5.63	.62	.72
1987	1,435	36	3.49	5.20	.25	.65
1988	¹ 1,671	33	3.45	5.01	.21	.68
1989	2,617	46	3.70	5.55	.19	.66
1990	973	41	3.73	5.31	.41	.68
1991	1,825	42	3.56	5.36	.24	.65
1992	1,330	50	3.99	5.60	.38	.69
1993	1,554	48	3.91	5.52	.32	.69
1994	1,378	47	3.99	5.47	.35	.71

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480656 INDIAN RUN NEAR SPRINGTON (SITE 47)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,050	37	3.51	5.16	0.34	0.66
1982	1,883	40	3.35	5.24	.23	.62
1983	1,165	38	3.57	2.25	.32	.66
1984	1,027	33	3.74	4.95	.31	.74
1985	729	29	3.26	4.73	.37	.66
1986	688	34	3.28	4.95	.45	.63
1987	640	35	3.42	5.02	.49	.65
1988	¹ 787	29	3.67	4.77	.34	.75
1989	1,288	32	3.72	4.91	.25	.75
1990	840	32	3.49	4.89	.36	.69
1991	589	31	3.64	4.81	.46	.73
1992	440	25	3.56	4.61	.48	.75
1993	770	34	3.99	5.08	.41	.77
1994	1,232	34	3.73	5.02	.27	.73

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480700 EAST BRANCH BRANDYWINE CREEK NEAR DOWNINGTOWN (SITE 36)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	¹ 2,450	28	2.65	4.81	0.12	0.54
1982	¹ 11,821	23	.94	4.52	.02	.20
1983	¹ 2,848	31	2.84	4.95	.12	.56
1984	¹ 5,962	33	2.13	5.03	.07	.42
1985	1,866	30	3.06	4.91	.17	.61
1986	2,232	31	2.92	4.90	.15	.58
1987	2,179	31	3.06	4.93	.15	.61
1988	¹ 1,499	24	2.65	4.56	.16	.57
1989	2,207	41	3.17	5.36	.20	.58
1990	2,488	46	3,51	5.46	.20	.63
1991	1,398	41	3.26	5.27	.30	.60
1992	2,426	46	3.55	5.50	.21	.63
1993	1,896	49	3.70	5.61	.28	.64
1994	1,022	38	3.54	5.27	.36	.65

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480903 VALLEY CREEK AT MULLSTEINS MEADOW NEAR DOWNINGTOWN (SITE 44)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	2,812	33	2.29	5.02	0.13	0.65
1982	1,556	33	3.23	4.98	.22	.63
1983	1,918	26	3.25	4.70	.14	.68
1984	1,475	25	2.96	4.67	.17	.62
1985	2,091	33	3.27	5.03	.17	.64
1986	1,079	24	2.96	4.50	.21	.64
1987	2,352	33	3.16	5.01	.15	.62
1988	¹ 2,626	22	2.65	4.46	.09	.59
1989	1,105	30	3.10	4.93	.26	.61
1990	1,100	28	2.68	4.84	.25	.53
1991	1,499	21	2.40	4.34	.14	.54
1992	1,380	28	3.28	4.76	.20	.67
1993	1,179	36	3.27	5.14	.30	.61
1994	1,163	27	3.49	4.68	.23	.73

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01480950 EAST BRANCH BRANDYWINE CREEK AT WAWASET (SITE 39)

Year	Total riumber of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	641	31	3,63	4.93	0.44	0.71
1982	2,825	36	3.49	5.13	.14	.67
1983	771	36	3,49	5.07	.44	.66
1984	2,999	42	3.06	5.37	.16	.56
1985	699	27	3.00	4.80	.35	.60
1986	2,583	44	3.22	5.46	.19	.57
1987	1,115	40	3.64	5.32	.35	.66
1988	1,357	28	3.29	4.77	.21	.68
1989	2,698	40	3.62	5.28	.17	.67
1990	3,793	44	3.09	5.46	.14	.55
1991	11,771	50	1.28	5.63	.06	.22
1992	1,354	19	2.83	4.23	.14	.66
1993	1,701	33	3.47	5.00	.20	.68
1994	792	41	3.63	5.23	.49	.66




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01481030 BRANDYWINE CREEK NEAR CHADDS FORD (SITE 40)

Year	Total numberof organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	651	23	3.28	4.45	0.32	0.72
1982	1,673	30	3.28	4.88	.19	.66
1983	1,009	32	3.24	5.01	.30	.62
1984	1,446	24	2.86	4.52	.17	.62
1985	993	25	3.41	4.68	.24	.72
1986	428	36	3.92	5.19	.71	.72
1987	1,046	37	3.53	5.14	.34	.66
1988	¹ 1,824	25	3.64	4.65	.14	.78
1989	2,155	37	3.43	5.16	.18	.65
1990	1,702	31	3.45	4.96	.19	.68
1991	2,380	31	2.88	4.91	.14	.57
1992	1,835	29	3.08	4.83	.16	.62
1993	1,142	36	4.02	5.16	.31	.76
1994	1,424	32	3.63	4.93	.23	.72

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01494900 EAST BRANCH BIG ELK CREEK AT ELKVIEW (SITE 31)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum div e rsity (H _{max})	Minimum div e rsity (H _{min})	Evenness (E)
1981	846	25	2.55	4.67	0.28	0.52
1982	1,416	26	2.84	4.66	.18	.59
1983	1,171	23	3.01	4.45	.19	.66
1984	1,216	25	2.85	4.63	.26	.60
1985	546	22	2.42	4.50	.35	.50
1986	851	20	2.79	4.27	.22	.63
1987	1,638	21	2.41	4.35	.13	.54
1988	1,357	26	2.90	4.73	.19	.60
1989	1,722	26	2.98	4.71	.16	.62
1990	1,387	23	2.25	4.46	.17	.49
1991	810	15	1.96	3.84	.17	.49
1992	755	26	3:16	4.59	.32	.66
1993	948	26	2.86	4.68	.26	.59
1994	553	17	2.61	4.12	.26	.61




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01494950 WEST BRANCH BIG ELK CREEK NEAR OXFORD (SITE 32)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,517	30	3.16	4.84	0.20	0.64
1982	2,458	26	2.73	4.69	.11	.57
1983	1,203	28	2.96	4.80	.23	.60
1984	1,875	23	2.81	4.49	.13	.62
1985	1,124	21	2.31	4.32	.18	.52
1986	1,402	24	3.11	4.55	.17	.67
1987	1,309	22	2:71	4.43	.17	.60
1988	¹ 2,245	20	2.90	4.29	.09	.67
1989	1,533	25	3.13	4.61	.17	.67
1990	1,536	27	2.95	4.75	.18	.61
1991	2,733	32	3.09	4.98	.13	.61
1992	752	27	3.30	4.64	.33	.69
1993	424	18	2.61	4.14	.35	.60
1994	1,587	29	3.03	4.85	.19	.61

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01578340 EAST BRANCH OCTORARO CREEK AT CHRISTIANA (SITE 33)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	978	18	3,09	4.12	0.17	0.74
1982	1,670	24	3.36	4.58	.15	.72
1983	856	25	2.86	4.54	.27	.61
1984	1,518	21	2.97	4.41	.14	.66
1985	593	25	3.17	4.64	.37	.65
1986	1,110	27	2.88	4.78	.24	.58
1987	1,421	27	3.31	4.70	.19	.69
1988	¹ 1,953	20	3.02	4.33	.11	.69
1989	2,083	30	3.42	4.89	.15	.69
1990	1,419	33	3.49	4.95	.24	.69
1991	1,476	28	2.82	4.74	.19	.58
1992	1,268	23	2.32	4.46	.18	.50
1993	558	22	3.17	4.39	.34	.70
1994	2,194	31	2.44	4.97	.15	.48

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01578343 VALLEY CREEK AT ATGLEN (SITE 34)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	2,173	21	3.12	4.35	0.10	0.71
1982	2,478	32	3.37	5.02	.14	.66
1983	930	23	2.97	4.53	.23	.64
1984	2,239	30	2.90	4.85	.14	.59
1985	962	28	3.12	4.77	.28	.63
1986	783	23	3.16	4.53	.27	.68
1987	2,316	31	3.54	4.94	.15	.71
1988	¹ 2,916	24	3.28	4.60	.09	.71
1989	3,051	39	3.46	5.25	.14	.65
1990	1,262	28	3.30	4.72	.22	.68
1991	3,201	32	2.97	4.97	.11	.59
1992	1,788	27	2.67	4.73	.16	.54
1993	825	18	2,29	4.11	.20	.53
1994	2,936	23	2.49	4.50	.09	.55

¹ Extrapolated from a 3/8 subsample.




Table 6. Brillouin's diversity index, maximum diversity, minimum diversity, and relative evenness by site—Continued

01578345 EAST BRANCH OCTORARO CREEK AT STEELVILLE (SITE 35)

Year	Total number of organisms	Total number of taxa	Brillouin's diversity index (H)	Maximum diversity (H _{max})	Minimum diversity (H _{min})	Evenness (E)
1981	1,041	27	2.99	4.74	0.25	0.61
1982	1,791	25	2.99	4.60	.15	.64




Table 7. Median, mean, standard deviation, and standard error values of Brillouin's diversity index by site [—, no data]

Station number	Site number	Number of samples	Median	Mean	Standard deviation	Standard error
01472054	8	2	3.32	3.32	0.29	0.15
01472065	9	2	3.17	3.17	.19	.10
01472080	10	14	3.37	3.39	.29	.75
01472109	6	14	3.51	3.36	.39	.10
01472110	7	2	3.25	3.25	.39	.20
01472126	41	1	_	_	-	-
01472129	11	2	3.71	3.71	.17	.09
01473138	13	14	3.40	3.41	.42	.11
01472140	12	14	3.71	3.60	.30	.08
01472154	14	14	3.49	3.39	.49	.13
01472157	15	14	3.34	3.38	.55	.14
014721612	16	14	2.55	2.38	.88	.23
01472170	1	14	3.18	3.15	.34	.09
01472174	2	14	3.35	3.31	.48	.13
014721854	3	14	3.35	3.33	.41	.11
014721884	4	14	3.25	3.33	.39	.10
01472190	5	14	3.30	3.19	.39	.10
01473167	49	14	3.00	2.96	.22	.06
01473168	50	14	2.78	2.88	.25	.07
01475300	17	14	3.38	3.15	.61	.16
01475830	18	2	3.58	3.58	.06	.03
01475840	19	14	3.21	3.18	.44	.11
01476430	20	14	3.24	3.25	.33	.09
01476435	21	14	3.18	3.15	.30	.08
01476790	22	14	3.12	2.83	.66	.17
01476830	23	14	3.02	2.95	.46	.12
01476830	24	14	3.11	3.01	.37	.09
01456840	25	9	1.86	1.84	.45	.14
01476848	51	12	2.61	2.53	.38	.11
01478120	28	14	2.65	2.64	.41	.11
01478190	29	14	2.82	2.86	.29	.08
01478220	30	14	2.94	3.01	.44	.11
01479680	27	14	2.37	2.34	.52	.13
01479800	26	14	2.06	2.10	.54	.14
01480434	37	14	3.15	3.13	.44	.11
01480629	46	14	2.69	2.80	.47	.12
01480632	45	14	3.21	3.15	.23	.06
01480640	38	14	3.14	3.12	.43	.11
01480647	43	2	2.87	2.87	.52	.26
01480648	48	14	3.43	3.44	.27	.07
01480653	42	14	3.73	3.76	.23	.06

Table 7. Median, mean, standard deviation, and standard error values of Brillouin's diversity index by site—Continued

Station number	Site number	Number of samples	Median	Mean	Standard deviation	Standard error
01480656	47	14	3.57	3.57	0.20	0.05
01480700	36	14	3.06	2.93	.71	.18
01480903	44	14	3.13	3.00	.36	.09
01480950	39	14	3.38	3.20	.62	.16
01481030	40	14	3.42	3.41	.35	.09
01494900	31	14	2.81	2.69	.33	.09
01494950	32	14	2.96	2.91	.26	.07
01578340	33	14	3.06	3.02	.35	.09
01578343	34	14	3.12	3.05	.36	.09
01578345	35	2	2.99	2.99	.00	.00

Table 8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94

Acroneuria sp.

Aeshna sp.

Agabus sp.

Agnetina sp.

Agraylea sp.

Allocapnia sp.

Amnicola sp.

Amphiagrion sp.

Anchytarsus bicolor

Ancyronyx sp.

Ancyronyx variegata

Anthopotamus sp.

Antocha sp.

Apatania sp.

Archanara sp.

Argia sp

Atherix sp.

Baetis sp.

Berosus sp.

Blephariceridae

Blepharicera sp.

Boyeria sp.

Brachycentrus sp.

Branchiobdellida

Caecidotea sp.

Caenis sp

Calopteryx sp.

Cambaridae

Cambarus sp.

Ceraclea sp.

Ceratopogonidae

Ceratopsyche sp.

Chaoborus sp.

Chauliodes sp.

Chelifera sp.

Cheumatopsyche sp.

Chimarra sp.

Chironomidae

Chloroperlidae

Chrysomelidae

Cladocera

Climacia sp.

Climacia areolaris

Clinocera sp.

Coenagrionidae

Corixidae

Corvdalus sp.

Crangonyx sp.

Culoptila sp.

Curculionidae

Cyclopidae

Table 8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Dicranota sp.

Dineutus sp.

Diplectrona sp.

Dixa sp.

Dolophilodes sp.

Dryopidae

Dubiraphia sp.

Dytiscidae

Ectopria sp.

Ectopria nervosa

Empididae

Enallagma sp.

Epeorus sp.

Ephemera sp.

Ephemerella sp.

Ephydridae

Erpobdellidae

Ferrissia sp.

Gammaridae

Gammarus sp.

Gerridae

Gerris sp.

Glossiphoniidae

Glossosoma sp.

Goera sp.

Gomphidae

Gomphus sp.

Goniobasis sp.

Gyraulus sp.

Gyrinidae

Table 8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Habrophlebia sp.

Haploperla sp.

Helichus sp.

Helicopsyche sp.

Helisoma sp.

Helophorus sp.

Hemerodromia sp.

Hemiptera

Heptagenia sp.

Hetaerina sp.

Hexagenia sp.

Hexatoma sp.

Hirudinea

Hirudinidae

Hyallela azteca

Hydatophylax sp.

Hydra sp.

Hydrachnidia

Hydrobius sp.

Hydrochara sp.

Hydrophilidae

Hydropsyche sp.

Hydroptila sp.

Ichneumonidae

<u>Ischnura</u> sp.

Isonychia sp.

Isoperla sp.

Lepidostoma sp.

Leptophlebiidae

Leucotrichia sp.

Limnophora sp.

Lirceus sp.

Lumbriculidae

Lymnaea sp.

Macromia sp.

Macronychus sp.

Macronychus glabratus

Macrostemum sp.

Manayunkia speciosa

Mesovelia sp.

Metrobates sp.

Micrasema sp.

Microcylloepus sp.

Microvelia sp.

Muscidae

Musculium sp.

Mystacides sp.

Table 8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Naididae

Nematoda

Nematomorpha

Nemouridae

Neoperla sp.

Neophylax sp.

Neureclipsis sp.

Nigronia sp.

Noctuidae

Nyctiophylax sp.

Ochrotrichia sp.

Oecetis sp.

Oligochaeta

Ophiogomphus sp.

Optioservus sp.

Orconectes sp.

Oulimnius sp.

Paragnetina sp.

Paraleptophlebia sp.

Peltoperla sp.

Petrophila sp.

Physa sp.

Pisidium sp.

Planariidae

Planorbidae

Planorbula sp.

Podocopa

Polycentropus sp.

Polychaeta

Potamyia sp.

Procambarus sp.

Promoresia sp.

Prosimulium sp.

Prostoma sp.

Protoptila sp.

Psephenus sp.

Pseudocleon sp.

Psilotreta sp.

Psychomyia sp.

Pyralidae

Rhagovelia sp.

Rheumatobates sp.

Rhyacophila sp.

Rhyacophila fuscula

Table 8. Alphabetic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Sabellidae
Saldidae
Sialis sp.
Sigara sp.
Simulium sp.
Sisyridae
Sphaeriidae
Sphaerium sp.
Stenacron sp.
Stenelmis sp.
Stenonema sp.
Stratiomyidae
Stratiomys sp.
Strophopteryx sp.
Stylaria sp.
Stylogomphyses

Stylogomphus sp. Synclita sp. Syrphidae

Tabanus sp. Taeniopteryx sp. Telmatoscopus sp. Tipula sp. Trepobates sp. Triaenodes sp. Trichocorixa sp. <u>Tricorythodes sp.</u> Tubificidae

Wormaldia sp.

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94

1301-34

Cinidaria (Hydroids)

Hydra sp.

Platyhelminthes (Flatworms)

Planariidae

Nematoda (Round Worms)

Nematomorpha (Horsehair Worms)

Nemertea (Proboscis worms)

Prostoma sp.

Gastropoda (Snails)

Amnicola sp.

Ferrissia sp.

Goniobasis sp.

Gyraulus sp.

Helisoma sp.

Lymnaea sp.

Physa sp.

Planorbidae

Planorbula sp.

Bivalvia (Clams)

Musculium sp.

Pisidium sp.

Sphaeriidae

Sphaerium sp.

Annelida (Segmented worms)

Branchiobdellida

Erpobdellidae

Hirudinea

Hirudinidae

Glossiphoniidae

Lumbriculidae

Manayunkia speciosa

Naididae

Oligochaeta

Polychaeta

Sabellidae

Stylaria sp.

Tubificidae

Acariformes (Water mites)

Hydrachnidia

Cladocera (Water fleas)

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Cyclopoida (Copepods)

Cyclopidae

Amphipoda (Scuds)

Crangonyx sp.

Gammaridae

Gammarus sp.

Hyallela azteca

Isopoda (Sow bugs)

Caecidotea sp.

Lirceus sp.

Decapoda (Crayfish)

Cambaridae

Cambarus sp.

Orconectes sp.

Procambarus sp.

Podocopa (Seed shrimps)

Ephemeroptera (Mayflies)

Anthopotamus sp.

Baetis sp.

Caenis sp.

Epeorus sp.

Ephemera sp.

Ephemerella sp.

Habrophlebia sp.

Heptagenia sp.

Hexagenia sp.

Isonychia sp.

Leptophlebiidae

Paraleptophlebia sp.

Pseudocloeon sp.

Stenacron sp.

Stenonema sp.

Tricorythodes sp.

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Odonata (Dragonflies and Damselflies)

Aeshna sp.

Amphiagrion sp.

Argia sp.

Boyeria sp.

Calopteryx sp.

Coenagrionidae

Enallagma sp.

Gomphidae

Gomphus sp.

Hetaerina sp.

Ischnura sp.

Macromia sp.

Ophiogomphus sp.

Stylogomphus sp.

Plecoptera (Stoneflies)

Acroneuria sp.

Agnetina sp.

Allocapnia sp.

Chloroperlidae

Haploperla sp.

Isoperla sp.

Nemouridae

Neoperla sp.

Paragnetina sp.

Peltoperla sp.

Strophopteryx sp.

Taeniopteryx sp.

Hemiptera (True Bugs)

Corixidae

Gerridae

Gerris sp.

Mesovelia sp.

Metrobates sp.

Microvelia sp.

Rhagovelia sp.

Rheumatobates sp.

Saldidae

Sigara sp.

Trepobates sp.

Trichocorixa sp.

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94---Continued

Megaloptera (Alderflies and Dobsonflies)

Chauliodes sp.

Corydalus sp.

Nigronia sp.

Sialis sp.

Neuroptera (Spongillaflies)

Climacia sp.

C. areolaris

Sisyridae

Trichoptera (Caddisflies)

Agraylea sp.

Apatania sp.

Brachycentrus sp.

Ceraclea sp.

Ceratopsyche sp.

Cheumatopsyche sp.

Chimarra sp.

Culoptila sp.

Diplectrona sp.

Dolophilodes sp.

Glossosoma sp.

Goera sp.

Helicopsyche sp.

Hydatophylax sp.

Hydropsyche sp.

Hydroptila sp.

Lepidostoma sp.

Leucotrichia sp.

Macrostemum sp.

Micrasema sp.

Mystacides sp.

Neophylax sp.

Neureclipsis sp.

Nyctiophylax sp.

Ochrotrichia sp.

Oecetis sp.

Polycentropus sp.

Potamyia sp.

Protoptila sp.

Psilotreta sp.

Psychomyia sp. Rhyacophila sp.

Rhyacophila fuscula

Triaenodes sp.

Wormaldia sp.

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Lepidoptera (Butterflies and Moths)

Archanara sp.

Noctuidae

Petrophila sp.

Pyralidae

Synclita sp.

Coleoptera (Beetles)

Agabus sp.

Anchytarsus bicolor

Ancyronyx sp.

Ancyronyx variegata

Berosus sp.

Chrysomelidae

Curculionidae

Dineutus sp.

Dryopidae

Dubiraphia sp.

Dytiscidae

Ectopria sp.

Ectopria nervosa

Gyrinidae

Helichus sp.

Helophorus sp.

Hydrobius sp.

Hydrochara sp.

Hydrophilidae

Macronychus sp.

Macronychus glabratus

Microcylloepus sp.

Optioservus sp.

Oulimnius sp.

Promoresia sp.

Psephenus sp.

Stenelmis sp.

Hymenoptera (Wasps)

Ichneumonidae

Table 9. Systematic checklist of taxa reported from Chester County Biological Monitoring Network, 1981-94—Continued

Diptera (Flies)

Antocha sp.

Atherix sp.

Blephariceridae

Blephariceria sp.

Ceratopogonidae

Chaoborus sp.

Chelifera sp.

Chironomidae

Clinocera sp.

Dicranota sp.

Dixa sp.

Empididae

Ephydridae

Hemerodromia sp.

Hexatoma sp.

Limnophora sp.

Muscidae

Prosimulium sp.

Simulium sp.

Stratiomyidae

Stratiomys sp.

Syrphidae

Tabanus sp.

Telmatoscopus sp.

Tipula sp.